Yadagiri Rachuri

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8607431/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Mechanochemical and Conventional Synthesis of Zn(II)/Cd(II) Luminescent Coordination Polymers: Dual Sensing Probe for Selective Detection of Chromate Anions and TNP in Aqueous Phase. Inorganic Chemistry, 2017, 56, 2627-2638.	4.0	304
2	Mixed ligand two dimensional Cd(<scp>ii</scp>)/Ni(<scp>ii</scp>) metal organic frameworks containing dicarboxylate and tripodal N-donor ligands: Cd(<scp>ii</scp>) MOF is an efficient luminescent sensor for detection of picric acid in aqueous media. Dalton Transactions, 2016, 45, 7881-7892.	3.3	168
3	Zn(<scp>ii</scp>)/Cd(<scp>ii</scp>) based mixed ligand coordination polymers as fluorosensors for aqueous phase detection of hazardous pollutants. Inorganic Chemistry Frontiers, 2020, 7, 1082-1107.	6.0	161
4	Mixed-Ligand LMOF Fluorosensors for Detection of Cr(VI) Oxyanions and Fe ³⁺ /Pd ²⁺ Cations in Aqueous Media. Inorganic Chemistry, 2017, 56, 10939-10949.	4.0	147
5	Multiresponsive Adenine-Based Luminescent Zn(II) Coordination Polymer for Detection of Hg ²⁺ and Trinitrophenol in Aqueous Media. Crystal Growth and Design, 2017, 17, 1363-1372.	3.0	130
6	Three-Dimensional Co(II)/Cd(II) Metal–Organic Frameworks: Luminescent Cd-MOF for Detection and Adsorption of 2,4,6-Trinitrophenol in the Aqueous Phase. Crystal Growth and Design, 2018, 18, 3062-3072.	3.0	106
7	Adenine-Based Zn(II)/Cd(II) Metal–Organic Frameworks as Efficient Heterogeneous Catalysts for Facile CO ₂ Fixation into Cyclic Carbonates: A DFT-Supported Study of the Reaction Mechanism. Inorganic Chemistry, 2019, 58, 11389-11403.	4.0	92
8	Selective and reversible adsorption of cationic dyes by mixed ligand Zn(<scp>ii</scp>) coordination polymers synthesized by reactant ratio modulation. Dalton Transactions, 2018, 47, 898-908.	3.3	73
9	Binary metal-organic frameworks: Catalysts for the efficient solvent-free CO2 fixation reaction via cyclic carbonates synthesis. Applied Catalysis A: General, 2019, 571, 1-11.	4.3	68
10	Progress in the synthetic and functional aspects of chiral metal–organic frameworks. CrystEngComm, 2015, 17, 5341-5356.	2.6	61
11	Ionicâ€Liquidâ€Functionalized UiOâ€66 Framework: An Experimental and Theoretical Study on the Cycloaddition of CO ₂ and Epoxides. ChemSusChem, 2019, 12, 1033-1042.	6.8	61
12	Efficient heterogeneous catalysis by dual ligand Zn(<scp>ii</scp>)/Cd(<scp>ii</scp>) MOFs for the Knoevenagel condensation reaction: adaptable synthetic routes, characterization, crystal structures and luminescence studies. Inorganic Chemistry Frontiers, 2018, 5, 2630-2640.	6.0	59
13	Multi-variate metal organic framework as efficient catalyst for the cycloaddition of CO2 and epoxides in a gas-liquid-solid reactor. Chemical Engineering Journal, 2020, 386, 121700.	12.7	56
14	Water-Tolerant DUT-Series Metal–Organic Frameworks: A Theoretical–Experimental Study for the Chemical Fixation of CO ₂ and Catalytic Transfer Hydrogenation of Ethyl Levulinate to γ-Valerolactone. ACS Applied Materials & Interfaces, 2019, 11, 41458-41471.	8.0	55
15	Two-Dimensional Coordination Polymers Comprising Mixed Tripodal Ligands for Selective Colorimetric Detection of Water and Iodine Capture. Crystal Growth and Design, 2014, 14, 3300-3308.	3.0	51
16	Solvothermal self-assembly of Cd ²⁺ coordination polymers with supramolecular networks involving N-donor ligands and aromatic dicarboxylates: synthesis, crystal structure and photoluminescence studies. Dalton Transactions, 2017, 46, 3623-3630.	3.3	50
17	Luminescent MOFs comprising mixed tritopic linkers and Cd(II)/Zn(II) nodes for selective detection of organic nitro compounds and iodine capture. Journal of Solid State Chemistry, 2015, 223, 23-31.	2.9	42
18	Mixed ligand coordination polymers with flexible bis-imidazole linker and angular sulfonyldibenzoate: Crystal structure, photoluminescence and photocatalytic activity. Journal of Solid State Chemistry, 2014, 213, 43-51.	2.9	40

#	Article	IF	CITATIONS
19	Syntheses and Structural Analyses of New 3D Isostructural Zn(II) and Cd(II) Luminescent MOFs and their Application Towards Detection of Nitroaromatics in Aqueous Media. ChemistrySelect, 2016, 1, 6308-6315.	1.5	37
20	Structural studies and detection of nitroaromatics by luminescent 2D coordination polymers with angular dicarboxylate ligands. Inorganic Chemistry Frontiers, 2015, 2, 228-236.	6.0	30
21	Porous aluminum-based DUT metal-organic frameworks for the transformation of CO2 into cyclic carbonates: A computationally supported study. Catalysis Today, 2020, 352, 227-236.	4.4	30
22	Fabrication of hierarchically porous MIL-88-NH ₂ (Fe): a highly efficient catalyst for the chemical fixation of CO ₂ under ambient pressure. Inorganic Chemistry Frontiers, 2019, 6, 3613-3620.	6.0	27
23	Facile Green Synthesis of New Copper-Based Metal–Organic Frameworks: Experimental and Theoretical Study of the CO ₂ Fixation Reaction. ACS Sustainable Chemistry and Engineering, 0, , .	6.7	24
24	Structural and functional studies on ternary coordination polymers from 5-bromoisophthalate and imidazole based flexible linker. RSC Advances, 2014, 4, 7352.	3.6	19
25	Nanoemulsions with All Ionic Liquid Components as Recyclable Nanoreactors. Langmuir, 2018, 34, 10081-10091.	3.5	15
26	Binary co-crystals of the active pharmaceutical ingredient 1,4-bis(4-pyridyl)-2,3-diaza-1,3-butadiene and camphoric acid. Acta Crystallographica Section B: Structural Science, Crystal Engineering and Materials 2014, 70, 63, 71	1.1	6

Materials, 2014, 70, 63-71.