## Xin Lou

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8608020/publications.pdf

Version: 2024-02-01

		304743	302126
82	1,844	22	39
papers	citations	h-index	g-index
0.7	07	0.7	22.62
87	87	87	3262
all docs	docs citations	times ranked	citing authors

#	Article	IF	CITATIONS
1	Arterial Spin Labelingâ€Based <scp>MRI</scp> Estimation of Penumbral Tissue in Acute Ischemic Stroke. Journal of Magnetic Resonance Imaging, 2023, 57, 1241-1247.	3.4	2
2	Accelerate gas diffusion-weighted MRI for lung morphometry with deep learning. European Radiology, 2022, 32, 702-713.	4.5	71
3	Correlation of visual area with tremor improvement after MRgFUS thalamotomy in Parkinson's disease. Journal of Neurosurgery, 2022, 136, 681-688.	1.6	17
4	Multiple predictors of in-stent restenosis after stent implantation in symptomatic intracranial atherosclerotic stenosis. Journal of Neurosurgery, 2022, 136, 1716-1725.	1.6	11
5	Severity of Intracranial Large Artery Disease Correlates With Cerebral Small Vessel Disease. Journal of Magnetic Resonance Imaging, 2022, 56, 264-272.	3.4	6
6	Target Selection for Magnetic Resonanceâ€Guided Focused Ultrasound in the Treatment of Parkinson's Disease. Journal of Magnetic Resonance Imaging, 2022, 56, 35-44.	3.4	4
7	Accelerating susceptibility-weighted imaging with deep learning by complex-valued convolutional neural network (ComplexNet): validation in clinical brain imaging. European Radiology, 2022, 32, 5679-5687.	4.5	6
8	Pretherapeutic functional connectivity of tractography-based targeting of the ventral intermediate nucleus for predicting tremor response in patients with Parkinsonâ $\in$ <sup>TM</sup> s disease after thalamotomy with MRI-guided focused ultrasound. Journal of Neurosurgery, 2022, 137, 1135-1144.	1.6	9
9	Abnormal dynamic ventilation function of COVID-19 survivors detected by pulmonary free-breathing proton MRI. European Radiology, 2022, 32, 5297-5307.	4.5	5
10	FLAIR vessel hyperintensities predict functional outcomes in patients with acute ischemic stroke treated with medical therapy. European Radiology, 2022, 32, 5436-5445.	4.5	4
11	Relationship between Lung and Brain Injury in COVID-19 Patients: A Hyperpolarized 129Xe-MRI-based 8-Month Follow-Up. Biomedicines, 2022, 10, 781.	3.2	7
12	High-resolution magnetic resonance vessel wall imaging–guided endovascular recanalization for nonacute intracranial artery occlusion. Journal of Neurosurgery, 2022, 137, 412-418.	1.6	4
13	Damaged lung gas exchange function of discharged COVID-19 patients detected by hyperpolarized <sup>129</sup> Xe MRI. Science Advances, 2021, 7, .	10.3	97
14	Coloring ultrasensitive MRI with tunable metal–organic frameworks. Chemical Science, 2021, 12, 4300-4308.	7.4	15
15	lvy Sign in Moyamoya Disease: A Comparative Study of the FLAIR Vascular Hyperintensity Sign Against Contrast-Enhanced MRI. American Journal of Neuroradiology, 2021, 42, 694-700.	2.4	9
16	New-onset lesions on MRI-DWI and cerebral blood flow changes on 3D-pCASL after carotid artery stenting. Scientific Reports, 2021, 11, 8005.	3.3	1
17	Impairments in brain perfusion, executive control network, topological characteristics, and neurocognition in adult patients with asymptomatic Moyamoya disease. BMC Neuroscience, 2021, 22, 35.	1.9	3
18	Long-Term Outcome of Enterprise Stenting for Symptomatic ICAS in a High-Volume Stroke Center. Frontiers in Neurology, 2021, 12, 672662.	2.4	6

#	Article	IF	CITATIONS
19	Convergent structural network and gene signatures for MRgFUS thalamotomy in patients with Parkinson's disease. Neurolmage, 2021, 243, 118550.	4.2	13
20	Changes of cerebral cortical structure and cognitive dysfunction in "healthy hemisphere―after stroke: a study about cortical complexity and sulcus patterns in bilateral ischemic adult moyamoya disease. BMC Neuroscience, 2021, 22, 66.	1.9	2
21	Ultrasensitive molecular building block for biothiol NMR detection at picomolar concentrations. IScience, 2021, 24, 103515.	4.1	3
22	A Small Molecular Multifunctional Tool for pH Detection, Fluorescence Imaging, and Photodynamic Therapy. ACS Applied Bio Materials, 2020, 3, 1779-1786.	4.6	11
23	Quantitative evaluation of lung injury caused by PM <sub>2.5</sub> using hyperpolarized gas magnetic resonance. Magnetic Resonance in Medicine, 2020, 84, 569-578.	3.0	12
24	Alterations of regional homogeneity in Parkinson's disease with mild cognitive impairment: a preliminary resting-state fMRI study. Neuroradiology, 2020, 62, 327-334.	2.2	18
25	Fiber-Specific Changes in White Matter Microstructure in Individuals With X-Linked Auditory Neuropathy. Ear and Hearing, 2020, 41, 1703-1714.	2.1	5
26	Structural and Functional Thalamic Changes in Parkinson's Disease With Mild Cognitive Impairment. Journal of Magnetic Resonance Imaging, 2020, 52, 1207-1215.	3.4	27
27	Different risk factors in identical features of intracranial atherosclerosis plaques in the posterior and anterior circulation in high-resolution MRI. Therapeutic Advances in Neurological Disorders, 2020, 13, 175628642090999.	3.5	11
28	Intracranial collaterals and arterial wall features in severe symptomatic vertebrobasilar stenosis. Neurological Research, 2020, 42, 649-656.	1.3	7
29	Risk Factors of Recurrent Ischemic Events after Acute Noncardiogenic Ischemic Stroke. Current Pharmaceutical Design, 2020, 25, 4827-4834.	1.9	7
30	On the Validation of a Multiple-Network Poroelastic Model Using Arterial Spin Labeling MRI Data. Frontiers in Computational Neuroscience, 2019, 13, 60.	2.1	17
31	Fast and accurate reconstruction of human lung gas MRI with deep learning. Magnetic Resonance in Medicine, 2019, 82, 2273-2285.	3.0	23
32	Association of Perforator Stroke After Basilar Artery Stenting With Negative Remodeling. Stroke, 2019, 50, 745-749.	2.0	17
33	Clinicoradiologic characteristics of endolymphatic sac tumors. European Archives of Oto-Rhino-Laryngology, 2019, 276, 2705-2714.	1.6	8
34	Longitudinal assessment of cerebral blood flow changes following carotid artery stenting and endarterectomy. Radiologia Medica, 2019, 124, 636-642.	7.7	7
35	Association between basilar artery configuration and Vessel Wall features: a prospective high-resolution magnetic resonance imaging study. BMC Medical Imaging, 2019, 19, 99.	2.7	6
36	Quantitative radiomic biomarkers for discrimination between neuromyelitis optica spectrum disorder and multiple sclerosis. Journal of Magnetic Resonance Imaging, 2019, 49, 1113-1121.	3.4	21

#	Article	IF	CITATIONS
37	Altered functional connectivity of the marginal division in Parkinson's disease with mild cognitive impairment: A pilot restingâ€state fMRI study. Journal of Magnetic Resonance Imaging, 2019, 50, 183-192.	3.4	11
38	Radiomics Analysis of DTI Data to Assess Vision Outcome After Intravenous Methylprednisolone Therapy in Neuromyelitis Optic Neuritis. Journal of Magnetic Resonance Imaging, 2019, 49, 1365-1373.	3 <b>.</b> 4	18
39	Collateral perfusion using arterial spin labeling in symptomatic versus asymptomatic middle cerebral artery stenosis. Journal of Cerebral Blood Flow and Metabolism, 2019, 39, 108-117.	4.3	31
40	Perfusion and plaque evaluation to predict recurrent stroke in symptomatic middle cerebral artery stenosis. Stroke and Vascular Neurology, 2019, 4, 129-134.	3.3	29
41	Zero-shot Learning with Many Classes by High-rank Deep Embedding Networks. , 2019, , .		0
42	Timely Visualization of the Collaterals Formed during Acute Ischemic Stroke with Fe <sub>3</sub> O <sub>4</sub> Nanoparticleâ€based MR Imaging Probe. Small, 2018, 14, e1800573.	10.0	24
43	Targeted Brain Delivery of Rabies Virus Glycoprotein 29-Modified Deferoxamine-Loaded Nanoparticles Reverses Functional Deficits in Parkinsonian Mice. ACS Nano, 2018, 12, 4123-4139.	14.6	145
44	Differentiation between radiation-induced brain injury and glioma recurrence using 3D pCASL and dynamic susceptibility contrast-enhanced perfusion-weighted imaging. Radiotherapy and Oncology, 2018, 129, 68-74.	0.6	25
45	Evolution of Unilateral Basal Ganglia Lesion Over 16 Months. JAMA Neurology, 2018, 75, 376.	9.0	0
46	Enhancing Both Biodegradability and Efficacy of Semiconducting Polymer Nanoparticles for Photoacoustic Imaging and Photothermal Therapy. ACS Nano, 2018, 12, 1801-1810.	14.6	299
47	Alterations of White Matter Connectivity in Preschool Children with Autism Spectrum Disorder. Radiology, 2018, 288, 209-217.	7.3	35
48	Comparison of field-of-view optimized and constrained undistorted single-shot diffusion-weighted imaging and conventional diffusion-weighted imaging of optic nerve and chiasma at 3T. Neuroradiology, 2018, 60, 903-912.	2.2	9
49	MRI Probes: Timely Visualization of the Collaterals Formed during Acute Ischemic Stroke with Fe <sub>3</sub> O <sub>4</sub> Nanoparticleâ€based MR Imaging Probe (Small 23/2018). Small, 2018, 14, 1870108.	10.0	6
50	Treatment Strategies for Intracranial Mirror Aneurysms. World Neurosurgery, 2017, 100, 450-458.	1.3	13
51	T2 relaxation time measurements in the brains of scalded rats. Science China Life Sciences, 2017, 60, 5-10.	4.9	3
52	Intra-individual comparison of different gadolinium-based contrast agents in the quantitative evaluation of C6 glioma with dynamic contrast-enhanced magnetic resonance imaging. Science China Life Sciences, 2017, 60, 11-15.	4.9	4
53	A longitudinal study of cerebral blood flow under hypoxia at high altitude using 3D pseudo-continuous arterial spin labeling. Scientific Reports, 2017, 7, 43246.	3.3	12
54	Chronic lymphocytic inflammation with pontine perivascular enhancement responsive to steroids (CLIPPERS): A lymphocytic reactive response of the central nervous system? A case report. Journal of Neuroimmunology, 2017, 305, 68-71.	2.3	23

#	Article	lF	CITATIONS
55	The diagnostic value of high-frequency power-based diffusion-weighted imaging in prediction of neuroepithelial tumour grading. European Radiology, 2017, 27, 5056-5063.	4.5	3
56	Differential diagnosis of mitochondrial encephalopathy with lactic acidosis and stroke-like episodes (MELAS) and ischemic stroke using 3D pseudocontinuous arterial spin labeling. Journal of Magnetic Resonance Imaging, 2017, 45, 199-206.	3.4	28
57	Effect of normal aging on the structure of marginal division of neostriatum as measured by MR phase imaging and diffusion tensor imaging. Journal of Magnetic Resonance Imaging, 2017, 45, 1343-1351.	3.4	3
58	Trigeminal Ganglioneuroma in the Middle-posterior Cranial Fossa: a Case Reportâ— <sup>3</sup> . Chinese Medical Sciences Journal, 2017, 32, 123-128.	0.4	0
59	Multi-delay ASL can identify leptomeningeal collateral perfusion in endovascular therapy of ischemic stroke. Oncotarget, 2017, 8, 2437-2443.	1.8	44
60	Quantifying the Cerebral Hemodynamic Changes in Hypertensive Patients Using 3D Pseudo-continuous Arterial Spin Labeling. Zhongguo Yi Xue Ke Xue Yuan Xue Bao Acta Academiae Medicinae Sinicae, 2017, 39, 477-484.	0.2	0
61	Use of 3D pseudo-continuous arterial spin labeling to characterize sex and age differences in cerebral blood flow. Neuroradiology, 2016, 58, 943-948.	2.2	42
62	Neuromyelitis optica and Wernicke encephalopathy share the similar imagings, any correlations?. Radiology of Infectious Diseases, 2016, 3, 79-83.	0.0	3
63	Letter by Tian and Lou Regarding Article, "Clinical Significance of Fluid-Attenuated Inversion Recovery Vascular Hyperintensities in Borderzone Infarcts― Stroke, 2016, 47, e227.	2.0	2
64	Reduced perfusion in normalâ€appearing white matter in mild to moderate hypertension as revealed by 3D pseudocontinuous arterial spin labeling. Journal of Magnetic Resonance Imaging, 2016, 43, 635-643.	3.4	26
65	Arterial Spin Labeling Magnetic Resonance Imaging Estimation of Antegrade and Collateral Flow in Unilateral Middle Cerebral Artery Stenosis. Stroke, 2016, 47, 428-433.	2.0	48
66	Quantitative Measurement of Cerebral Blood Flow in Enhanced Psedo-continuous Arterial Spin Labeling Perfusion Imaging in Patients with Intracranial Atherosclerotic Stenosis. Zhongguo Yi Xue Ke Xue Yuan Xue Bao Acta Academiae Medicinae Sinicae, 2016, 38, 679-685.	0.2	3
67	Assessment of Optic Nerve Impairment in Patients with Neuromyelitis Optica by MR Diffusion Tensor Imaging. PLoS ONE, 2015, 10, e0126574.	2.5	6
68	Clinical and radiological characteristics of 17 Chinese patients with pathology confirmed tumefactive demyelinating diseases: Follow-up study. Journal of the Neurological Sciences, 2015, 348, 153-159.	0.6	9
69	Cortical thinning in type 2 diabetes mellitus and recovering effects of insulin therapy. Journal of Clinical Neuroscience, 2015, 22, 275-279.	1.5	30
70	Postischemic Hyperperfusion on Arterial Spin Labeled Perfusion MRI is Linked to Hemorrhagic Transformation in Stroke. Journal of Cerebral Blood Flow and Metabolism, 2015, 35, 630-637.	4.3	98
71	Permeability Imaging as a Biomarker of Leptomeningeal Collateral Flow in Patients with Intracranial Arterial Stenosis. Cell Biochemistry and Biophysics, 2015, 71, 1273-1279.	1.8	8
72	Conventional T2-Weighted Imaging to Detect High-Grade Stenosis and Occlusion of Internal Carotid Artery, Vertebral Artery, and Basilar Artery. Journal of Stroke and Cerebrovascular Diseases, 2015, 24, 1591-1596.	1.6	6

#	Article	IF	CITATION
73	Early experience in high-resolution MRI for large vessel occlusions. Journal of NeuroInterventional Surgery, 2015, 7, 509-516.	3.3	33
74	Astrocytic tumour grading: a comparative study of three-dimensional pseudocontinuous arterial spin labelling, dynamic susceptibility contrast-enhanced perfusion-weighted imaging, and diffusion-weighted imaging. European Radiology, 2015, 25, 3423-3430.	4.5	49
75	Mutations in apoptosis-inducing factor cause X-linked recessive auditory neuropathy spectrum disorder. Journal of Medical Genetics, 2015, 52, 523-531.	3.2	92
76	The role of magnetic resonance diffusion-weighted imaging and three-dimensional arterial spin labelling perfusion imaging in the differentiation of parasellar meningioma and cavernous haemangioma. Journal of International Medical Research, 2014, 42, 915-925.	1.0	12
77	Intra―and interscanner reliability and reproducibility of 3D wholeâ€brain pseudoâ€continuous arterial spin″abeling MR perfusion at 3T. Journal of Magnetic Resonance Imaging, 2014, 39, 402-409.	3.4	<b>7</b> 5
78	Preliminary Study on Cervical Spinal Cord in Patients with Amyotrophic Lateral Sclerosis Using MR Diffusion Tensor Imaging. Academic Radiology, 2014, 21, 590-596.	2.5	15
79	MR findings of Rosai–Dorfman disease in sellar and suprasellar region. European Journal of Radiology, 2012, 81, 1231-1237.	2.6	16
80	Differential diagnosis of infarctâ€like intracranial ectopic germinomas and subacute lacunar infarct on susceptibilityâ€weighted imaging. Journal of Magnetic Resonance Imaging, 2012, 36, 92-98.	3.4	6
81	Lower fractional anisotropy at the anterior body of the normal-appearing corpus callosum in multiple sclerosis versus symptomatic carotid occlusion. Neuroradiology, 2009, 51, 557-561.	2.2	4
82	Diffusion-weighted magnetic resonance imaging in diagnosis of Creutzfeldt-Jakob disease. Chinese Medical Journal, 2006, 119, 1242-7.	2.3	3