

# Francesco Bertagna

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8608055/publications.pdf>

Version: 2024-02-01

183  
papers

3,510  
citations

126708

33  
h-index

205818

48  
g-index

185  
all docs

185  
docs citations

185  
times ranked

3969  
citing authors

#	ARTICLE	IF	CITATIONS
1	Incidental Findings Suggestive of COVID-19 in Asymptomatic Patients Undergoing Nuclear Medicine Procedures in a High-Prevalence Region. <i>Journal of Nuclear Medicine</i> , 2020, 61, 632-636.	2.8	154
2	Diagnostic and Clinical Significance of F-18-FDG-PET/CT Thyroid Incidentalomas. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012, 97, 3866-3875.	1.8	145
3	Comprehensive geriatric assessment is an essential tool to support treatment decisions in elderly patients with diffuse large B-cell lymphoma: a prospective multicenter evaluation in 173 patients by the Lymphoma Italian Foundation (FIL). <i>Leukemia and Lymphoma</i> , 2015, 56, 921-926.	0.6	139
4	Diagnostic accuracy of bone scintigraphy in the assessment of cardiac transthyretin-related amyloidosis: a bivariate meta-analysis. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2018, 45, 1945-1955.	3.3	96
5	Diagnostic Performance and Prognostic Value of PET/CT with Different Tracers for Brain Tumors: A Systematic Review of Published Meta-Analyses. <i>International Journal of Molecular Sciences</i> , 2019, 20, 4669.	1.8	74
6	The Role of 18F-FDG-PET and PET/CT in Patients with Sarcoidosis. <i>Academic Radiology</i> , 2014, 21, 675-684.	1.3	72
7	State of the art of 18F-FDG PET/CT application in inflammation and infection: a guide for image acquisition and interpretation. <i>Clinical and Translational Imaging</i> , 2021, 9, 299-339.	1.1	70
8	Diagnostic performance of Fluorine-18-Fluorodeoxyglucose positron emission tomography for the diagnosis of osteomyelitis related to diabetic foot: A systematic review and a meta-analysis. <i>Foot</i> , 2013, 23, 140-148.	0.4	65
9	Diagnostic Performance of Fluorine-18-Fluorodeoxyglucose Positron Emission Tomography in the Postchemotherapy Management of Patients with Seminoma: Systematic Review and Meta-Analysis. <i>BioMed Research International</i> , 2014, 2014, 1-11.	0.9	63
10	F18-FDG-PET/CT thyroid incidentalomas: a wide retrospective analysis in three Italian centres on the significance of focal uptake and SUV value. <i>Endocrine</i> , 2013, 43, 678-685.	1.1	62
11	Diagnostic performance of Fluorine-18-Fluorodeoxyglucose positron emission tomography in patients with chronic inflammatory bowel disease: A systematic review and a meta-analysis. <i>Journal of Crohn's and Colitis</i> , 2013, 7, 345-354.	0.6	60
12	Comparison between N13NH3-PET and 99mTc-Tetrofosmin-CZT SPECT in the evaluation of absolute myocardial blood flow and flow reserve. <i>Journal of Nuclear Cardiology</i> , 2021, 28, 1906-1918.	1.4	60
13	Prognostic role of baseline 18F-FDG PET/CT metabolic parameters in Burkitt lymphoma. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2019, 46, 87-96.	3.3	59
14	Is off-clamp robot-assisted partial nephrectomy beneficial for renal function? Data from the CLOCK trial. <i>BJU International</i> , 2022, 129, 217-224.	1.3	53
15	Diagnostic Accuracy of 18F-FDG-PET and PET/CT in the Differential Diagnosis between Malignant and Benign Pleural Lesions. <i>Academic Radiology</i> , 2014, 21, 11-20.	1.3	52
16	Diagnostic role of radiolabelled choline PET or PET/CT in hepatocellular carcinoma: a systematic review and meta-analysis. <i>Hepatology International</i> , 2014, 8, 493-500.	1.9	51
17	18F-FDG PET/CT in gastric MALT lymphoma: a bicentric experience. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2017, 44, 589-597.	3.3	51
18	Prognostic role of baseline 18F-FDG PET/CT metabolic parameters in mantle cell lymphoma. <i>Annals of Nuclear Medicine</i> , 2019, 33, 449-458.	1.2	48

#	ARTICLE	IF	CITATIONS
19	Impact of attenuation correction and gated acquisition in SPECT myocardial perfusion imaging: results of the multicentre SPAG (SPECT Attenuation Correction vs Gated) study. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2011, 38, 1890-1898.	3.3	47
20	Role of 18F-FDG PET/CT in patients affected by Langerhans cell histiocytosis. <i>Japanese Journal of Radiology</i> , 2017, 35, 574-583.	1.0	46
21	Role of 18F-fluorodeoxyglucose positron emission tomography/computed tomography for therapy evaluation of patients with large-vessel vasculitis. <i>Japanese Journal of Radiology</i> , 2010, 28, 199-204.	1.0	42
22	Usefulness of Whole-Body Fluorine-18-Fluorodeoxyglucose Positron Emission Tomography in Patients with Neurofibromatosis Type 1: A Systematic Review. <i>Radiology Research and Practice</i> , 2012, 2012, 1-9.	0.6	42
23	Early and late adverse effects of radioiodine for pediatric differentiated thyroid cancer. <i>Pediatric Blood and Cancer</i> , 2017, 64, e26595.	0.8	42
24	Pulmonary mucosa-associated lymphoid tissue lymphoma: <sup>18</sup> F-FDG PET/CT and CT findings in 28 patients. <i>British Journal of Radiology</i> , 2017, 90, 20170311.	1.0	42
25	Prevalence and clinical significance of incidental F18-FDG breast uptake: a systematic review and meta-analysis. <i>Japanese Journal of Radiology</i> , 2014, 32, 59-68.	1.0	41
26	18F-FDG PET/CT Follow-up of Rosai-Dorfman Disease. <i>Clinical Nuclear Medicine</i> , 2015, 40, e420-e422.	0.7	40
27	Prognostic role of pretreatment 18F-FDG PET/CT in primary brain lymphoma. <i>Annals of Nuclear Medicine</i> , 2018, 32, 532-541.	1.2	40
28	Possible delayed diagnosis and treatment of metastatic differentiated thyroid cancer by adopting the 2015 ATA guidelines. <i>European Journal of Endocrinology</i> , 2018, 179, 143-151.	1.9	39
29	Possible additional value of 18FDG-PET in managing pancreas intraductal papillary mucinous neoplasms: Preliminary results. <i>Journal of Experimental and Clinical Cancer Research</i> , 2008, 27, 10.	3.5	38
30	18F-FDG PET/CT and extragastric MALT lymphoma: role of Ki-67 score and plasmacytic differentiation. <i>Leukemia and Lymphoma</i> , 2017, 58, 2328-2334.	0.6	38
31	Searching for Indicators of Malignancy in Pancreatic Intraductal Papillary Mucinous Neoplasms: The Value of 18FDG-PET Confirmed. <i>Annals of Surgical Oncology</i> , 2012, 19, 3574-3580.	0.7	37
32	18F-FDG PET/CT in solitary plasmacytoma: metabolic behavior and progression to multiple myeloma. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2018, 45, 77-84.	3.3	37
33	18F-FDG PET/CT or PET Role in MALT Lymphoma: An Open Issue not Yet Solved—A Critical Review. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2020, 20, 137-146.	0.2	35
34	Detection of post-exercise stunning by early gated SPECT myocardial perfusion imaging: Results from the IAEA multi-center study. <i>Journal of Nuclear Cardiology</i> , 2014, 21, 1168-1176.	1.4	34
35	18F-Facbc in Prostate Cancer: A Systematic Review and Meta-Analysis. <i>Cancers</i> , 2019, 11, 1348.	1.7	34
36	Possible role of F18-FDG-PET/CT in the diagnosis of endocarditis: preliminary evidence from a review of the literature. <i>International Journal of Cardiovascular Imaging</i> , 2012, 28, 1417-1425.	0.7	33

#	ARTICLE	IF	CITATIONS
37	Diagnostic performance of Fluorine-18-Fluorodeoxyglucose positron emission tomography in the assessment of pleural abnormalities in cancer patients: A systematic review and a meta-analysis. <i>Lung Cancer</i> , 2014, 83, 1-7.	0.9	33
38	Clinical and prognostic role of detection timing of distant metastases in patients with differentiated thyroid cancer. <i>Endocrine</i> , 2019, 63, 79-86.	1.1	33
39	Prognostic role of baseline <sup>18</sup> F- <sup>18</sup> F-DG PET/CT parameters in MALT lymphoma. <i>Hematological Oncology</i> , 2019, 37, 39-46.	0.8	33
40	Peptide Receptor Radionuclide Therapy (PRRT) in a Patient Affected by Metastatic Breast Cancer with Neuroendocrine Differentiation. <i>Breast Care</i> , 2012, 7, 408-410.	0.8	31
41	<sup>18</sup> F-FDG uptake as a prognostic variable in primary differentiated thyroid cancer incidentally detected by PET/CT: a multicentre study. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2014, 41, 1482-1491.	3.3	31
42	<sup>68</sup> Ga-PSMA PET thyroid incidentalomas. <i>Hormones</i> , 2019, 18, 145-149.	0.9	31
43	Role of F18-FDG-PET/CT in restaging patients affected by renal carcinoma. <i>Nuclear Medicine Review</i> , 2013, 16, 3-8.	0.3	31
44	Role of <sup>11</sup> C-choline positron emission tomography/computed tomography in evaluating patients affected by prostate cancer with suspected relapse due to prostate-specific antigen elevation. <i>Japanese Journal of Radiology</i> , 2011, 29, 394-404.	1.0	30
45	Prevalence and risk of malignancy of focal incidental uptake detected by fluorine-18-fluorodeoxyglucose positron emission tomography in the parotid gland: a meta-analysis. <i>European Archives of Oto-Rhino-Laryngology</i> , 2015, 272, 3617-3626.	0.8	30
46	<sup>18</sup> F-FDG PET/CT in primary brain lymphoma. <i>Journal of Neuro-Oncology</i> , 2018, 136, 577-583.	1.4	30
47	Prognostic role of baseline <sup>18</sup> F-FDG PET/CT metabolic parameters in elderly HL: a two-center experience in 123 patients. <i>Annals of Hematology</i> , 2020, 99, 1321-1330.	0.8	30
48	Role of 2-[ <sup>18</sup> F]FDG as a Radiopharmaceutical for PET/CT in Patients with COVID-19: A Systematic Review. <i>Pharmaceuticals</i> , 2020, 13, 377.	1.7	26
49	The prognostic power of <sup>18</sup> F-FDG PET/CT extends to estimating systemic treatment response duration in metastatic castration-resistant prostate cancer (mCRPC) patients. <i>Prostate Cancer and Prostatic Diseases</i> , 2021, 24, 1198-1207.	2.0	24
50	Role of <sup>18</sup> F-FDG PET/CT Radiomics Features in the Differential Diagnosis of Solitary Pulmonary Nodules: Diagnostic Accuracy and Comparison between Two Different PET/CT Scanners. <i>Journal of Clinical Medicine</i> , 2021, 10, 5064.	1.0	23
51	Role of <sup>18</sup> F-fluorodeoxyglucose positron emission tomography/computed tomography in patients affected by differentiated thyroid carcinoma, high thyroglobulin level, and negative <sup>131</sup> I scan: review of the literature. <i>Japanese Journal of Radiology</i> , 2010, 28, 629-636.	1.0	22
52	<sup>18</sup> F-FDG PET/CT and primary hepatic MALT: a case series. <i>Abdominal Radiology</i> , 2016, 41, 1956-1959.	1.0	22
53	Treatment With <sup>90</sup> Y/ <sup>177</sup> Lu-DOTATOC in Patients With Metastatic Adrenocortical Carcinoma Expressing Somatostatin Receptors. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020, 105, e1-e5.	1.8	22
54	<sup>18</sup> F-Fluciclovine ( <sup>18</sup> F-FACBC) PET/CT or PET/MRI in gliomas/glioblastomas. <i>Annals of Nuclear Medicine</i> , 2020, 34, 81-86.	1.2	22

#	ARTICLE	IF	CITATIONS
55	F18-FDG-PET/CT for evaluation of intraductal papillary mucinous neoplasms (IPMN): a review of the literature. <i>Japanese Journal of Radiology</i> , 2013, 31, 229-236.	1.0	21
56	Comparison between the summed difference score and myocardial blood flow measured by <sup>13</sup> N-ammonia. <i>Journal of Nuclear Cardiology</i> , 2018, 25, 1621-1628.	1.4	21
57	Residual brain viability, evaluated by <sup>99m</sup> Tc-ECD SPECT, in patients with suspected brain death and with confounding clinical factors. <i>Nuclear Medicine Communications</i> , 2009, 30, 815-821.	0.5	20
58	<sup>18</sup> F-FDG PET/CT in splenic marginal zone lymphoma. <i>Abdominal Radiology</i> , 2018, 43, 2721-2727.	1.0	20
59	Emerging role of Fluorine-18-fluorodeoxyglucose positron emission tomography in patients with retroperitoneal fibrosis: a systematic review. <i>Rheumatology International</i> , 2013, 33, 549-555.	1.5	19
60	The role of F-18-fluorothymidine PET in oncology. <i>Clinical and Translational Imaging</i> , 2013, 1, 77-97.	1.1	19
61	Efficacy of low radioiodine activity versus intermediate-high activity in the ablation of low-risk differentiated thyroid cancer. <i>Endocrine</i> , 2020, 68, 124-131.	1.1	19
62	Potential of Radiolabeled PSMA PET/CT or PET/MRI Diagnostic Procedures in Gliomas/Glioblastomas. <i>Current Radiopharmaceuticals</i> , 2020, 13, 94-98.	0.3	19
63	Therapeutic lateral neck dissection in well-differentiated thyroid cancer: Analysis on factors predicting distribution of positive nodes and prognosis. <i>Head and Neck</i> , 2018, 40, 242-250.	0.9	18
64	Final results of a phase 2A study for the treatment of metastatic neuroendocrine tumors with a fixed activity of <sup>90</sup> Y- <sup>67</sup> Ge-DOTA-D-Phe <sup>1</sup> -Tyr <sup>3</sup> octreotide. <i>Cancer</i> , 2012, 118, 2915-2924.	2.0	17
65	Post-treatment Evaluation of Paranasal Sinuses After Treatment of Sinonasal Neoplasms. <i>Neuroimaging Clinics of North America</i> , 2015, 25, 667-685.	0.5	17
66	Differentiated Thyroid Cancer lymph-node relapse. Role of adjuvant radioactive iodine therapy after lymphadenectomy. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2017, 44, 926-934.	3.3	17
67	<sup>18</sup> F-FDG PET or PET/CT in Mantle Cell Lymphoma. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2020, 20, 422-430.	0.2	17
68	Thyroglobulin doubling time offers a better threshold than thyroglobulin level for selecting optimal candidates to undergo localizing [ <sup>18</sup> F]FDG PET/CT in non-iodine avid differentiated thyroid carcinoma. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2021, 48, 461-468.	3.3	16
69	Prognostic factors in children and adolescents with differentiated thyroid carcinoma treated with total thyroidectomy and RAI: a real-life multicentric study. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2022, 49, 1374-1385.	3.3	16
70	A Thyroid Incidentaloma Detected by <sup>18</sup> F-Choline PET/CT. <i>Clinical Nuclear Medicine</i> , 2014, 39, e267-e269.	0.7	15
71	<sup>18</sup> F-choline PET/CT incidental thyroid uptake in patients studied for prostate cancer. <i>Endocrine</i> , 2019, 63, 531-536.	1.1	15
72	Comparison between skeletal muscle and adipose tissue measurements with high-dose CT and low-dose attenuation correction CT of <sup>18</sup> F-FDG PET/CT in elderly Hodgkin lymphoma patients: a two-centre validation. <i>British Journal of Radiology</i> , 2021, 94, 20200672.	1.0	15

#	ARTICLE	IF	CITATIONS
73	18F-FDG-PET/CT in Patients Affected by Differentiated Thyroid Carcinoma with Positive Thyroglobulin Level and Negative 131I Whole Body Scan. It's Value Confirmed by a Bicentric Experience. Current Radiopharmaceuticals, 2016, 9, 228-234.	0.3	15
74	Increased risk of second malignancy in pancreatic intraductal papillary mucinous tumors: Review of the literature. World Journal of Gastroenterology, 2015, 21, 7313-7319.	1.4	15
75	Factors influencing the sensitivity of 18F-FDG PET/CT in the detection of infective endocarditis. European Journal of Nuclear Medicine and Molecular Imaging, 2013, 40, 1112-1113.	3.3	14
76	2-[18F]-FDG PET/CT Role in Detecting Richter Transformation of Chronic Lymphocytic Leukemia and Predicting Overall Survival. Clinical Lymphoma, Myeloma and Leukemia, 2021, 21, e277-e283.	0.2	14
77	Value of gated SPECT in the analysis of regional wall motion of the interventricular septum after coronary artery bypass grafting. European Journal of Nuclear Medicine and Molecular Imaging, 2004, 31, 1371-7.	3.3	13
78	[18F]FDG-PET/CT in patients affected by retroperitoneal fibrosis: a bicentric experience. Japanese Journal of Radiology, 2012, 30, 415-421.	1.0	13
79	131I whole-body scan or 18FDG PET/CT for patients with elevated thyroglobulin and negative ultrasound?. Clinical and Translational Imaging, 2013, 1, 175-183.	1.1	13
80	Prevalence and Risk of Malignancy of Thyroid Incidentalomas Detected by <sup>18</sup> F-Fluorodeoxyglucose Positron-Emission Tomography. Thyroid, 2013, 23, 124-126.	2.4	13
81	1-23I-MIBG thyroid uptake: Implications for MIBG imaging of the heart. Journal of Nuclear Cardiology, 2016, 23, 1335-1339.	1.4	13
82	Prevalence and clinical significance of focal incidental 18F-FDG uptake in different organs: an evidence-based summary. Clinical and Translational Imaging, 2017, 5, 525-532.	1.1	13
83	Comparison between Two Different Scanners for the Evaluation of the Role of 18F-FDG PET/CT Semiquantitative Parameters and Radiomics Features in the Prediction of Final Diagnosis of Thyroid Incidentalomas. Journal of Clinical Medicine, 2022, 11, 615.	1.0	13
84	Incidental 11C-Choline PET/CT Brain Uptake due to Meningioma in a Patient Studied for Prostate Cancer. Clinical Nuclear Medicine, 2013, 38, e435-e437.	0.7	12
85	Multicentre study of 18F-FDG-PET/CT prostate incidental uptake. Japanese Journal of Radiology, 2015, 33, 538-546.	1.0	12
86	Metabolic behavior and prognostic value of early and end of treatment 18F-FDG PET/CT in adult Burkitt's lymphoma: the role of Deauville and IHP criteria. Leukemia and Lymphoma, 2019, 60, 326-333.	0.6	12
87	Clinical and Prognostic Role of 18F-FDG PET/CT in Pediatric Ewing Sarcoma. Journal of Pediatric Hematology/Oncology, 2020, 42, e79-e86.	0.3	12
88	Radiolabelled PSMA PET/CT or PET/MRI in hepatocellular carcinoma (HCC): a systematic review. Clinical and Translational Imaging, 2020, 8, 461-467.	1.1	12
89	New criteria for the diagnosis of infective endocarditis using 18F-FDG PET/CT imaging. Journal of Nuclear Cardiology, 2022, 29, 2188-2194.	1.4	12
90	The value of attenuation correction by hybrid SPECT/CT imaging on infarct size quantification in male patients with previous inferior myocardial infarct. Nuclear Medicine Communications, 2011, 32, 1026-1032.	0.5	11

#	ARTICLE	IF	CITATIONS
91	Diagnostic and Clinical Impact of Staging 18F-FDG PET/CT in Mantle-Cell Lymphoma: A Two-Center Experience. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2019, 19, e457-e464.	0.2	11
92	F18-choline/C11-choline PET/CT thyroid incidentalomas. <i>Endocrine</i> , 2019, 64, 203-208.	1.1	11
93	Diagnostic Performance of 18F-FDG PET or PET/CT for Detection of Post-Transplant Lymphoproliferative Disorder: A Systematic Review and a Bivariate Meta-Analysis. <i>Diagnostics</i> , 2020, 10, 101.	1.3	11
94	Detection of thyroiditis on PET/CT imaging: a systematic review. <i>Hormones</i> , 2020, 19, 341-349.	0.9	11
95	Prevalence of interstitial pneumonia suggestive of COVID-19 at 18F-FDG PET/CT in oncological asymptomatic patients in a high prevalence country during pandemic period: a national multi-centric retrospective study. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2021, 48, 2871-2882.	3.3	11
96	Role of fluorine-18 fluorodeoxyglucose positron emission tomography/computed tomography in evaluating breast mucosa-associated lymphoid tissue lymphoma: A case series. <i>Hematological Oncology</i> , 2017, 35, 884-889.	0.8	10
97	Metabolic behavior and prognostic role of pretreatment 18F-FDG PET/CT in gist. <i>Asia-Pacific Journal of Clinical Oncology</i> , 2020, 16, e207-e215.	0.7	10
98	Clinical and prognostic 18F-FDG PET/CT role in recurrent vulvar cancer: a multicentric experience. <i>Japanese Journal of Radiology</i> , 2022, 40, 66-74.	1.0	10
99	18F-Fluorodeoxyglucose positron emission tomography/computed tomography findings in a patient with human immunodeficiency virus-associated Castleman's disease and Kaposi sarcoma, disorders associated with human herpes virus 8 infection. <i>Japanese Journal of Radiology</i> , 2010, 28, 231-234.	1.0	9
100	Mesenteric Panniculitis Demonstrated on 18F-FDG PET/CT. <i>Clinical Nuclear Medicine</i> , 2016, 41, e164-e166.	0.7	9
101	Radioguided lung lesion localization. <i>Nuclear Medicine Communications</i> , 2019, 40, 597-603.	0.5	9
102	Role of 18F-FDG PET/CT in restaging and follow-up of patients with GIST. <i>Abdominal Radiology</i> , 2020, 45, 644-651.	1.0	9
103	A Systematic Review on Intensity Modulated Radiation Therapy for Mediastinal Hodgkin's Lymphoma. <i>Critical Reviews in Oncology/Hematology</i> , 2021, 167, 103437.	2.0	9
104	Evidence-Based Data About Prevalence and Risk of Malignancy of Thyroid Incidentalomas Detected by Different PET Radiopharmaceuticals. <i>Current Radiopharmaceuticals</i> , 2020, 13, 89-93.	0.3	9
105	Prognostic Role of 2-[18F]FDG PET/CT Metabolic Volume Parameters in Patients Affected by Differentiated Thyroid Carcinoma with High Thyroglobulin Level, Negative 131I WBS and Positive 2-[18F]-FDG PET/CT. <i>Diagnostics</i> , 2021, 11, 2189.	1.3	9
106	Detection rate of radiolabelled choline PET or PET/CT in hepatocellular carcinoma: an updated systematic review and meta-analysis. <i>Clinical and Translational Imaging</i> , 2019, 7, 237-253.	1.1	8
107	Prognostic role of $^{111}\text{In}$ -MTV and $^{111}\text{In}$ -TLG in Burkitt lymphoma. <i>Annals of Nuclear Medicine</i> , 2019, 33, 280-287.	1.2	8
108	COVID-19 Vaccination Manifesting as Unilateral Lymphadenopathies Detected by 18F-Choline PET/CT. <i>Clinical Nuclear Medicine</i> , 2022, 47, e187-e189.	0.7	8

#	ARTICLE	IF	CITATIONS
109	Clinical Meaning of 18F-FDG PET/CT Incidental Gynecological Uptake: An 8-Year Retrospective Analysis. <i>Indian Journal of Gynecologic Oncology</i> , 2021, 19, 1.	0.1	8
110	An Unusual Orbital Localization of Wegener Granulomatosis Detected by 18F-FDG PET/CT. <i>Clinical Nuclear Medicine</i> , 2014, 39, 711-712.	0.7	7
111	Prognostic Value of 18F-FDG PET/CT Metabolic Parameters in Splenic Marginal Zone Lymphoma. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2020, 20, e897-e904.	0.2	7
112	The role of Tg kinetics in predicting 2-[18F]-FDG PET/CT results and overall survival in patients affected by differentiated thyroid carcinoma with detectable Tg and negative 131I-scan. <i>Endocrine</i> , 2021, 74, 332-339.	1.1	7
113	Prognostic Role of "Radiological" Sarcopenia in Lymphoma: A Systematic Review. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2022, 22, e340-e349.	0.2	7
114	F18-FDG-PET/CT thyroid incidentalomas and their benign or malignant nature: a critical and debated issue. <i>Annals of Nuclear Medicine</i> , 2011, 25, 151-152.	1.2	6
115	The strange case of the [13N]NH3. <i>Nuclear Medicine Communications</i> , 2016, 37, 412-421.	0.5	6
116	13N-NH3 PET/CT in oncological disease. <i>Japanese Journal of Radiology</i> , 2019, 37, 799-807.	1.0	6
117	Clinical and prognostic role of interim 18F-FDG PET/CT in elderly Hodgkin lymphoma: a dual-center experience. <i>Leukemia and Lymphoma</i> , 2020, 61, 3209-3216.	0.6	6
118	Diagnostic and Prognostic Value of 18F-FDG PET/CT in Male Breast Cancer: Results From a Bicentric Population. <i>Current Radiopharmaceuticals</i> , 2016, 9, 169-177.	0.3	6
119	18F-FDG PET/CT demonstrated renal and hepatic cyst infection in a patient with autosomal dominant polycystic kidney disease. <i>Nuclear Medicine Review</i> , 2016, 19, 26-28.	0.3	6
120	18F-fluorodeoxyglucose PET and PET/computed tomography for the evaluation of immunoglobulin G4-related disease: a systematic review. <i>Nuclear Medicine Communications</i> , 2022, 43, 638-645.	0.5	6
121	Usefulness of 18F-FDG PET/CT in Evaluating Disease Activity at Different Times in a Patient With Chronic Periaortitis. <i>Nuclear Medicine and Molecular Imaging</i> , 2013, 47, 69-71.	0.6	5
122	Incidental 11C-Choline PET/CT Uptake Due to Esophageal Carcinoma in a Patient Studied for Prostate Cancer. <i>Clinical Nuclear Medicine</i> , 2014, 39, e442-e444.	0.7	5
123	Multicentric study on 18F-FDG-PET/CT breast incidental uptake in patients studied for non-breast malignant purposes. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2015, 34, 24-29.	0.0	5
124	Differentiated Thyroid Cancer: The Role of ATA Nodal Risk Factors in N1b Patients. <i>Laryngoscope</i> , 2021, 131, E1029-E1034.	1.1	5
125	Prognostic Impact of Pretreatment 2-[18F]-FDG PET/CT Parameters in Primary Gastric DLBCL. <i>Medicina (Lithuania)</i> , 2021, 57, 498.	0.8	5
126	The role of Hashimoto thyroiditis in predicting radioiodine ablation efficacy and prognosis of low to intermediate risk differentiated thyroid cancer. <i>Annals of Nuclear Medicine</i> , 2021, 35, 1089-1099.	1.2	5



#	ARTICLE	IF	CITATIONS
127	A pooled analysis to calculate the prevalence and risk of malignancy of thyroid incidentalomas detected by Fluorine-18-Fluorodeoxyglucose positron emission tomography.. Thyroid, 0, , 120813070754002.	2.4	5
128	Positron Emission Tomography/Computed Tomography for Diagnosis of Prosthetic Valve Endocarditis. Journal of the American College of Cardiology, 2014, 63, 378-379.	1.2	4
129	A rare case of thyroid paraganglioma detected by 18F-FDG PET/CT. Revista Espanola De Medicina Nuclear E Imagen Molecular, 2014, 33, 320-321.	0.0	4
130	131I Whole-Body Scan Incidental Uptake Due to Spermatocele. Clinical Nuclear Medicine, 2017, 42, 901-904.	0.7	4
131	Attenuation correction in myocardial perfusion imaging affects the assessment of infarct size in women with previous inferior infarct. Nuclear Medicine Communications, 2018, 39, 290-296.	0.5	4
132	18F-FMISO PET imaging: insights over MRI in patients with glioma. Clinical and Translational Imaging, 2020, 8, 3-10.	1.1	4
133	18F-FDG PET/CT role in Burkitt lymphoma. Clinical and Translational Imaging, 2020, 8, 39-45.	1.1	4
134	The Role of 2-[18F]-FDG PET/CT in Detecting Richter Transformation in Chronic Lymphocytic Leukemia: A Systematic Review. Radiation, 2021, 1, 65-76.	0.6	4
135	Massive bilateral adrenal gland metastases from melanoma diagnosed by F18-FDG-PET/CT. Japanese Journal of Radiology, 2009, 27, 392-393.	1.0	3
136	Squamous Cell Carcinoma of the Tonsil Incidentally Detected by 18F-Choline PET/CT. Clinical Nuclear Medicine, 2015, 40, 93-95.	0.7	3
137	Cardiac amyloidosis incidentally detected by 18F-FDG PET/CT. Journal of Nuclear Cardiology, 2020, 27, 2429-2431.	1.4	3
138	Improvement of diagnostic accuracy of 18fluorine-fluorodeoxyglucose PET/computed tomography in detection of infective endocarditis using a 72-h low carbs protocol. Nuclear Medicine Communications, 2020, 41, 753-758.	0.5	3
139	Prevalence and clinical significance of incidental 18F-FDG uptake in the pituitary. Clinical and Translational Imaging, 2020, 8, 237-242.	1.1	3
140	Tumor markers and 18F-FDG PET/CT after orchiectomy in seminoma: Is there any correlation?. Revista Espanola De Medicina Nuclear E Imagen Molecular, 2021, 40, 287-292.	0.1	3
141	Prevalence of physiological uptake in the pancreas on somatostatin receptor-based PET/CT: a systematic review and a meta-analysis. Clinical and Translational Imaging, 2021, 9, 353-360.	1.1	3
142	Primary nasal-ethmoid choriocarcinoma detected by 18F-FDG PET/CT: a rare tumor with complete remission. Nuclear Medicine Review, 2020, 23, 105-107.	0.3	3
143	F-FDG PET/CT in Pleural Epithelioid Hemangioendothelioma. Asia Oceania Journal of Nuclear Medicine and Biology, 2017, 5, 70-74.	0.1	3
144	F18-FDG PET/CT and Differentiated Thyroid Carcinoma: A Critical and Still Debated Issue. Annals of Surgical Oncology, 2011, 18, 304-305.	0.7	2

#	ARTICLE	IF	CITATIONS
145	Fluorine-18-Fluorodeoxyglucose Positron Emission Tomography in Assessing Retroperitoneal Fibrosis: A Literature Review. <i>International Journal of Molecular Imaging</i> , 2012, 2012, 1-5.	1.3	2
146	Usefulness of 18F-FDG-PET/CT in Evaluating a Brainstem Glioma in an Adult Patient with Neurofibromatosis Type 1. <i>Nuclear Medicine and Molecular Imaging</i> , 2013, 47, 212-213.	0.6	2
147	Response to Treatment in a Patient With Gouty Arthritis and Tophi Evaluated by Fluorine 18 Fluorodeoxyglucose Positron Emission Tomography/Computed Tomography. <i>Journal of Clinical Rheumatology</i> , 2014, 20, 233-234.	0.5	2
148	Correlation between brain glucose metabolism (18F-FDG) and cerebral blood flow with amyloid tracers (18F-Florbetapir) in clinical routine: Preliminary evidences. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2021, 41, 146-152.	0.1	2
149	The Undetermined Significance of 18F-FDG PET/CT or PET/MRI in Patients with Monoclonal Gammopathy of Undetermined Significance (MGUS). <i>Medicina (Lithuania)</i> , 2021, 57, 856.	0.8	2
150	Incidental Unilateral Tuberculous Sacroiliitis Detected by F-FDG PET/CT in a Patient with Abdominal Tuberculosis. <i>Asia Oceania Journal of Nuclear Medicine and Biology</i> , 2017, 5, 144-147.	0.1	2
151	To the Editor: Long-term Follow-up of Patients with Metastatic Differentiated Thyroid Carcinoma. <i>World Journal of Surgery</i> , 2010, 34, 1988-1989.	0.8	1
152	Absence of Urine Production Due to Renal Failure Enables Clear Visualization of Primary Urinary Bladder Carcinoma on 18F-FDG PET/CT. <i>Clinical Nuclear Medicine</i> , 2012, 37, 611-613.	0.7	1
153	18F-FDG-PET/CT standardised uptake value threshold in discriminating benign vs. malignant lesions. Doubts and certainties in the era of evidence-based medicine. <i>Acta Oncologica</i> , 2012, 51, 122-144.	0.8	1
154	Comment on Rosenbaum-Krumme et al.: 18F-FDG PET/CT changes therapy management in high-risk DTC after first radioiodine therapy. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2012, 39, 1658-1659.	3.3	1
155	A Papillary Thyroid Tumor Detected by 18F-FDG-PET/CT in a Pediatric Patient with Cowden Syndrome. <i>Nuclear Medicine and Molecular Imaging</i> , 2013, 47, 143-145.	0.6	1
156	Comment on Minamimoto: incidental focal FDG uptake in heart is a lighthouse for considering cardiac screening. <i>Annals of Nuclear Medicine</i> , 2013, 27, 870-871.	1.2	1
157	Myocardial perfusion reserve in spared myocardium: one more tessera of the complex mosaic of LV remodelling after myocardial infarction. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2013, 40, 1146-1147.	3.3	1
158	18F-FDG-PET/CT in laryngeal cancer: comparison with conventional imaging and prognostic role. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2021, 40, 229-238.	0.1	1
159	Incidental radioiodine uptake at whole body scan due to Primary Sjogren Syndrome in a patient with differentiated Thyroid cancer. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2022, 41, 47-49.	0.1	1
160	68Ga-DOTATOC PET/CT and MR in the Evaluation of Meningeal Metastasis From Esthesioneuroblastoma. <i>Clinical Nuclear Medicine</i> , 2021, Publish Ahead of Print, e378-e380.	0.7	1
161	Role of 18F-FDG PET/CT in the Management of Patients Affected by HHV-8-Associated Multicentric Castleman's Disease. <i>Hemato</i> , 2021, 2, 383-391.	0.2	1
162	Value of [18F]FDG PET-CT in the follow-up of surgically treated oral tongue squamous cell carcinoma: single centre cohort analysis on 87 patients. <i>Nuclear Medicine Review</i> , 2021, 24, 58-62.	0.3	1

#	ARTICLE	IF	CITATIONS
163	Incidental uterine fibroid detected by 68Ga-DOTATOC PET/CT scan in patient with ileal neuroendocrine tumor. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2021, 40, 334-336.	0.1	1
164	Incidental thyroid 99mTc-MDP uptake in a patient affected by differentiated thyroid cancer. <i>Nuclear Medicine Review</i> , 2016, 19, 8-10.	0.3	1
165	Different glucose metabolism behavior relating to histotypes in synchronous breast cancers evaluated by [18F]FDG PET-CT. <i>Nuclear Medicine Review</i> , 2022, 25, 64-65.	0.3	1
166	Primary breast non-Hodgkin lymphoma. A report of an unusual case. <i>Nuclear Medicine Review</i> , 2012, 15, 149-52.	0.3	1
167	Comparison of diagnostic performances of three different software packages in detecting coronary artery disease. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2010, 37, 2068-2069.	3.3	0
168	Fluorodeoxyglucose positron emission tomography/computed tomography standardized uptake value in discriminating benign versus malignant lesions. <i>Nuclear Medicine Communications</i> , 2011, 32, 542-543.	0.5	0
169	Possible Role of F18â€¦FDGâ€¦PET/CT in Differentiating Benign Lesions versus Malignant after Indeterminate Fineâ€¦needle Aspiration Cytology. A Wider and Still Controversial Issue. <i>World Journal of Surgery</i> , 2011, 35, 1146-1147.	0.8	0
170	18F-FDG PET/CT in a Patient Affected by Renal Collecting Duct (Bellini) Carcinoma. <i>Clinical Nuclear Medicine</i> , 2012, 37, 986-988.	0.7	0
171	99mTc-MIBI imaging in thyroid nodules: Is it useful?. <i>Endocrine</i> , 2014, 46, 1-2.	1.1	0
172	â€œEvaluation of the Sendai and 2012 International Consensus Guidelines based on cross-sectional imaging findings performed for the initial triage of mucinous cystic lesions of the pancreas: a single institution experience with 114 surgically treated patients.â€œOr rather â€œDon Giovanni o sia il convitato di pietraâ€œ. <i>American Journal of Surgery</i> , 2015, 209, 429-430.	0.9	0
173	Could 18F-FDG PET Be a Diagnostic Tool for Hemochromatosis?. <i>Clinical Nuclear Medicine</i> , 2016, 41, 261-262.	0.7	0
174	The dark side of the moon of coronary vasodilation. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2016, 43, 1491-1492.	3.3	0
175	Comparison Between 99mTc-Sulesomab and 18F-FDG PET/CT in a Patient With Suspected Prosthetic Joint Infection. <i>Clinical Nuclear Medicine</i> , 2016, 41, e298-e300.	0.7	0
176	Response to the letter to the editor â€œ18F-FDG-PET/CT indication in patients affected by differentiated thyroid cancer with elevated serum thyroglobulin and negative whole-body scanning after therapy with 131Iâ€œ. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2020, 47, 2952-2953.	3.3	0
177	Incidental thymoma detection during myocardial perfusion imaging by CZT camera. <i>Journal of Nuclear Cardiology</i> , 2022, 29, 866-870.	1.4	0
178	Anomalous origin of the left coronary artery in patient with reduction of right coronary artery flow reserve detected by CZT camera. <i>Journal of Nuclear Cardiology</i> , 2022, 29, 367-369.	1.4	0
179	Comparison of left ventricle mechanical dyssynchrony parameters in ischemic and non-ischemic patients using 13N-NH3 PET/CT. <i>Journal of Nuclear Cardiology</i> , 2022, 29, 1248-1253.	1.4	0
180	Thyroid metastasis from lung carcinoid detected by 68Ga-DOTATOC PET/CT. <i>Endocrine</i> , 2021, 74, 202-203.	1.1	0

#	ARTICLE	IF	CITATIONS
181	Incidental 18F-FDG PET/CT bilateral breast uptake due to carcinoma. Nuclear Medicine Review, 2016, 19, 14-16.	0.3	0
182	Response to JNC-22-024-LE. Journal of Nuclear Cardiology, 2022, 29, 2198.	1.4	0
183	Incidental double neurinoma detected by 18F-choline PET/CT scan in a prostate cancer patient. Nuclear Medicine Review, 2020, 23, 40-41.	0.3	0