

Francesco Bertagna

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8608055/francesco-bertagna-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

176
papers

2,238
citations

28
h-index

38
g-index

185
ext. papers

2,953
ext. citations

3.1
avg, IF

5.26
L-index

#	Paper	IF	Citations
176	Comparison between Two Different Scanners for the Evaluation of the Role of F-FDG PET/CT Semiquantitative Parameters and Radiomics Features in the Prediction of Final Diagnosis of Thyroid Incidentalomas.. <i>Journal of Clinical Medicine</i> , 2022 , 11,	5.1	2
175	Different glucose metabolism behavior relating to histotypes in synchronous breast cancers evaluated by [18F]FDG PET-CT.. <i>Nuclear Medicine Review</i> , 2022 , 25, 64-65	0.3	0
174	Correlation between brain glucose metabolism (F-FDG) and cerebral blood flow with amyloid tracers (F-Florbetapir) in clinical routine: Preliminary evidences.. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2022 , 41, 146-152	0.1	1
173	Incidental radioiodine uptake at whole body scan due to Primary Sjogren Syndrome in a patient with differentiated Thyroid cancer.. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2022 , 41, 47-49	0.1	
172	Response to JNC-22-024-LE.. <i>Journal of Nuclear Cardiology</i> , 2022 , 1	2.1	
171	Comparison between NNH-PET and Tc-Tetrofosmin-CZT SPECT in the evaluation of absolute myocardial blood flow and flow reserve. <i>Journal of Nuclear Cardiology</i> , 2021 , 28, 1906-1918	2.1	21
170	Clinical Meaning of 18F-FDG PET/CT Incidental Gynecological Uptake: An 8-Year Retrospective Analysis. <i>Indian Journal of Gynecologic Oncology</i> , 2021 , 19, 1	0.2	
169	Prognostic factors in children and adolescents with differentiated thyroid carcinoma treated with total thyroidectomy and RAI: a real-life multicentric study. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2021 , 1	8.8	1
168	Role of F-FDG PET/CT Radiomics Features in the Differential Diagnosis of Solitary Pulmonary Nodules: Diagnostic Accuracy and Comparison between Two Different PET/CT Scanners. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	4
167	68Ga-DOTATOC PET/CT and MR in the Evaluation of Meningeal Metastasis From Esthesioneuroblastoma: A Case Report. <i>Clinical Nuclear Medicine</i> , 2021 , 46, e378-e380	1.7	0
166	The Role of 2-[18F]-FDG PET/CT in Detecting Richter Transformation in Chronic Lymphocytic Leukemia: A Systematic Review. <i>Radiation</i> , 2021 , 1, 65-76		0
165	Thyroid metastasis from lung carcinoid detected by Ga-DOTATOC PET/CT. <i>Endocrine</i> , 2021 , 74, 202-203	4	
164	Prognostic Impact of Pretreatment 2-[F]-FDG PET/CT Parameters in Primary Gastric DLBCL. <i>Medicina (Lithuania)</i> , 2021 , 57,	3.1	1
163	New criteria for the diagnosis of infective endocarditis using 18F-FDG PET/CT imaging. <i>Journal of Nuclear Cardiology</i> , 2021 , 1	2.1	6
162	The prognostic power of 18F-FDG PET/CT extends to estimating systemic treatment response duration in metastatic castration-resistant prostate cancer (mCRPC) patients. <i>Prostate Cancer and Prostatic Diseases</i> , 2021 , 24, 1198-1207	6.2	7
161	The role of Tg kinetics in predicting 2-[F]-FDG PET/CT results and overall survival in patients affected by differentiated thyroid carcinoma with detectable Tg and negative 131I-scan. <i>Endocrine</i> , 2021 , 74, 332-339	4	1
160	Prevalence of physiological uptake in the pancreas on somatostatin receptor-based PET/CT: a systematic review and a meta-analysis. <i>Clinical and Translational Imaging</i> , 2021 , 9, 353-360	2	1

159	Is off-clamp robot-assisted partial nephrectomy beneficial for renal function? Data from the CLOCK trial. <i>BJU International</i> , 2021 ,	5.6	13
158	Role of 18F-FDG PET/CT in the Management of Patients Affected by HHV-8-Associated Multicentric Castleman Disease. <i>Hemato</i> , 2021 , 2, 383-391	0.2	1
157	The role of Hashimoto thyroiditis in predicting radioiodine ablation efficacy and prognosis of low to intermediate risk differentiated thyroid cancer. <i>Annals of Nuclear Medicine</i> , 2021 , 35, 1089-1099	2.5	1
156	Comparison between skeletal muscle and adipose tissue measurements with high-dose CT and low-dose attenuation correction CT of F-FDG PET/CT in elderly Hodgkin lymphoma patients: a two-centre validation. <i>British Journal of Radiology</i> , 2021 , 94, 20200672	3.4	2
155	Value of [18F]FDG PET-CT in the follow-up of surgically treated oral tongue squamous cell carcinoma: single centre cohort analysis on 87 patients. <i>Nuclear Medicine Review</i> , 2021 , 24, 58-62	0.3	
154	Clinical and prognostic F-FDG PET/CT role in recurrent vulvar cancer: a multicentric experience. <i>Japanese Journal of Radiology</i> , 2021 , 1	2.9	2
153	Tumor markers and F-FDG PET/CT after orchiectomy in seminoma: Is there any correlation?. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2021 , 40, 287-292	0.1	
152	2-[F]-FDG PET/CT Role in Detecting Richter Transformation of Chronic Lymphocytic Leukemia and Predicting Overall Survival. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2021 , 21, e277-e283	2	9
151	18F-FDG-PET/CT in laryngeal cancer: comparison with conventional imaging and prognostic role. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2021 , 40, 229-238	0.1	
150	Thyroglobulin doubling time offers a better threshold than thyroglobulin level for selecting optimal candidates to undergo localizing [F]FDG PET/CT in non-iodine avid differentiated thyroid carcinoma. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2021 , 48, 461-468	8.8	6
149	Differentiated Thyroid Cancer: The Role of ATA Nodal Risk Factors in N1b Patients. <i>Laryngoscope</i> , 2021 , 131, E1029-E1034	3.6	2
148	Comparison of left ventricle mechanical dyssynchrony parameters in ischemic and non-ischemic patients using N-NH PET/CT. <i>Journal of Nuclear Cardiology</i> , 2021 , 1	2.1	
147	Prevalence of interstitial pneumonia suggestive of COVID-19 at F-FDG PET/CT in oncological asymptomatic patients in a high prevalence country during pandemic period: a national multi-centric retrospective study. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2021 , 48, 2871-2882	8.8	7
146	State of the art of F-FDG PET/CT application in inflammation and infection: a guide for image acquisition and interpretation. <i>Clinical and Translational Imaging</i> , 2021 , 9, 1-41	2	9
145	A Systematic Review on Intensity Modulated Radiation Therapy for Mediastinal Hodgkin's Lymphoma. <i>Critical Reviews in Oncology/Hematology</i> , 2021 , 167, 103437	7	1
144	Incidental uterine fibroid detected by Ga-DOTATOC PET/CT scan in patient with ileal neuroendocrine tumor. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2021 , 40, 334-336	0.1	
143	COVID-19 Vaccination Manifesting as Unilateral Lymphadenopathies Detected by 18F-Choline PET/CT. <i>Clinical Nuclear Medicine</i> , 2021 ,	1.7	2
142	Anomalous origin of the left coronary artery in patient with reduction of right coronary artery flow reserve detected by CZT camera. <i>Journal of Nuclear Cardiology</i> , 2020 , 1	2.1	

141	Prevalence and clinical significance of incidental 18F-FDG uptake in the pituitary. <i>Clinical and Translational Imaging</i> , 2020 , 8, 237-242	2	1
140	Diagnostic Performance of F-FDG PET or PET/CT for Detection of Post-Transplant Lymphoproliferative Disorder: A Systematic Review and a Bivariate Meta-Analysis. <i>Diagnostics</i> , 2020 , 10,	3.8	5
139	Detection of thyroiditis on PET/CT imaging: a systematic review. <i>Hormones</i> , 2020 , 19, 341-349	3.1	4
138	18F-FMISO PET imaging: insights over MRI in patients with glioma. <i>Clinical and Translational Imaging</i> , 2020 , 8, 3-10	2	3
137	18F-FDG PET/CT role in Burkitt lymphoma. <i>Clinical and Translational Imaging</i> , 2020 , 8, 39-45	2	2
136	Prognostic role of baseline 18F-FDG PET/CT metabolic parameters in elderly HL: a two-center experience in 123 patients. <i>Annals of Hematology</i> , 2020 , 99, 1321-1330	3	11
135	Primary nasal-ethmoid choriocarcinoma detected by 18F-FDG PET/CT: a rare tumor with complete remission. <i>Nuclear Medicine Review</i> , 2020 , 23, 105-107	0.3	0
134	Evidence-Based Data About Prevalence and Risk of Malignancy of Thyroid Incidentalomas Detected by Different PET Radiopharmaceuticals. <i>Current Radiopharmaceuticals</i> , 2020 , 13, 89-93	1.8	6
133	Cardiac amyloidosis incidentally detected by 18F-FDG PET/CT. <i>Journal of Nuclear Cardiology</i> , 2020 , 27, 2429-2431	2.1	2
132	F-Fluciclovine (F-FACBC) PET/CT or PET/MRI in gliomas/glioblastomas. <i>Annals of Nuclear Medicine</i> , 2020 , 34, 81-86	2.5	9
131	Clinical and Prognostic Role of 18F-FDG PET/CT in Pediatric Ewing Sarcoma. <i>Journal of Pediatric Hematology/Oncology</i> , 2020 , 42, e79-e86	1.2	6
130	Efficacy of low radioiodine activity versus intermediate-high activity in the ablation of low-risk differentiated thyroid cancer. <i>Endocrine</i> , 2020 , 68, 124-131	4	9
129	Potential of Radiolabeled PSMA PET/CT or PET/MRI Diagnostic Procedures in Gliomas/Glioblastomas. <i>Current Radiopharmaceuticals</i> , 2020 , 13, 94-98	1.8	10
128	Improvement of diagnostic accuracy of 18fluorine-fluorodeoxyglucose PET/computed tomography in detection of infective endocarditis using a 72-h low carbs protocol. <i>Nuclear Medicine Communications</i> , 2020 , 41, 753-758	1.6	2
127	Response to the letter to the editor "F-FDG-PET/CT indication in patients affected by differentiated thyroid cancer with elevated serum thyroglobulin and negative whole-body scanning after therapy with I". <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2020 , 47, 2952-2953	8.8	
126	Role of 2-[F]FDG as a Radiopharmaceutical for PET/CT in Patients with COVID-19: A Systematic Review. <i>Pharmaceuticals</i> , 2020 , 13,	5.2	13
125	F-FDG PET or PET/CT in Mantle Cell Lymphoma. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2020 , 20, 422-430	2	9
124	Prognostic Value of F-FDG PET/CT Metabolic Parameters in Splenic Marginal Zone Lymphoma. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2020 , 20, e897-e904	2	3

123	Clinical and prognostic role of interim 18F-FDG PET/CT in elderly Hodgkin lymphoma: a dual-center experience. <i>Leukemia and Lymphoma</i> , 2020 , 61, 3209-3216	1.9	2
122	Radiolabelled PSMA PET/CT or PET/MRI in hepatocellular carcinoma (HCC): a systematic review. <i>Clinical and Translational Imaging</i> , 2020 , 8, 461-467	2	3
121	Incidental thymoma detection during myocardial perfusion imaging by CZT camera. <i>Journal of Nuclear Cardiology</i> , 2020 , 1	2.1	
120	Metabolic behavior and prognostic role of pretreatment 18F-FDG PET/CT in gist. <i>Asia-Pacific Journal of Clinical Oncology</i> , 2020 , 16, e207-e215	1.9	4
119	F-FDG PET/CT or PET Role in MALT Lymphoma: An Open Issue not Yet Solved-A Critical Review. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2020 , 20, 137-146	2	18
118	Treatment With 90Y/177Lu-DOTATOC in Patients With Metastatic Adrenocortical Carcinoma Expressing Somatostatin Receptors. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020 , 105,	5.6	12
117	Role of 18F-FDG PET/CT in restaging and follow-up of patients with GIST. <i>Abdominal Radiology</i> , 2020 , 45, 644-651	3	3
116	Incidental Findings Suggestive of COVID-19 in Asymptomatic Patients Undergoing Nuclear Medicine Procedures in a High-Prevalence Region. <i>Journal of Nuclear Medicine</i> , 2020 , 61, 632-636	8.9	115
115	Incidental double neurinoma detected by 18F-choline PET/CT scan in a prostate cancer patient. <i>Nuclear Medicine Review</i> , 2020 , 23, 40-41	0.3	
114	F-Facbc in Prostate Cancer: A Systematic Review and Meta-Analysis. <i>Cancers</i> , 2019 , 11,	6.6	15
113	Diagnostic Performance and Prognostic Value of PET/CT with Different Tracers for Brain Tumors: A Systematic Review of Published Meta-Analyses. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	38
112	Detection rate of radiolabelled choline PET or PET/CT in hepatocellular carcinoma: an updated systematic review and meta-analysis. <i>Clinical and Translational Imaging</i> , 2019 , 7, 237-253	2	2
111	Diagnostic and Clinical Impact of Staging F-FDG PET/CT in Mantle-Cell Lymphoma: A Two-Center Experience. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2019 , 19, e457-e464	2	7
110	Ga-PSMA PET thyroid incidentalomas. <i>Hormones</i> , 2019 , 18, 145-149	3.1	17
109	Prognostic role of baseline 18F-FDG PET/CT metabolic parameters in mantle cell lymphoma. <i>Annals of Nuclear Medicine</i> , 2019 , 33, 449-458	2.5	33
108	Metabolic behavior and prognostic value of early and end of treatment 18F-FDG PET/CT in adult Burkitt's lymphoma: the role of Deauville and IHP criteria. <i>Leukemia and Lymphoma</i> , 2019 , 60, 326-333	1.9	9
107	Clinical and prognostic role of detection timing of distant metastases in patients with differentiated thyroid cancer. <i>Endocrine</i> , 2019 , 63, 79-86	4	19
106	N-NH PET/CT in oncological disease. <i>Japanese Journal of Radiology</i> , 2019 , 37, 799-807	2.9	1

105	Prognostic role of MTV and TLG in Burkitt lymphoma. <i>Annals of Nuclear Medicine</i> , 2019 , 33, 280-287	2.5	7
104	Radioguided lung lesion localization: introducing a fluoroscopy system in a SPECT/CT scan. <i>Nuclear Medicine Communications</i> , 2019 , 40, 597-603	1.6	7
103	18F-choline PET/CT incidental thyroid uptake in patients studied for prostate cancer. <i>Endocrine</i> , 2019 , 63, 531-536	4	10
102	F18-choline/C11-choline PET/CT thyroid incidentalomas. <i>Endocrine</i> , 2019 , 64, 203-208	4	8
101	Prognostic role of baseline F-FDG PET/CT parameters in MALT lymphoma. <i>Hematological Oncology</i> , 2019 , 37, 39-46	1.3	24
100	Prognostic role of baseline 18F-FDG PET/CT metabolic parameters in Burkitt lymphoma. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2019 , 46, 87-96	8.8	40
99	18F-FDG PET/CT in splenic marginal zone lymphoma. <i>Abdominal Radiology</i> , 2018 , 43, 2721-2727	3	14
98	Diagnostic accuracy of bone scintigraphy in the assessment of cardiac transthyretin-related amyloidosis: a bivariate meta-analysis. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2018 , 45, 1945-1955	8.8	56
97	Attenuation correction in myocardial perfusion imaging affects the assessment of infarct size in women with previous inferior infarct. <i>Nuclear Medicine Communications</i> , 2018 , 39, 290-296	1.6	3
96	Comparison between the summed difference score and myocardial blood flow measured by N-ammonia. <i>Journal of Nuclear Cardiology</i> , 2018 , 25, 1621-1628	2.1	15
95	Therapeutic lateral neck dissection in well-differentiated thyroid cancer: Analysis on factors predicting distribution of positive nodes and prognosis. <i>Head and Neck</i> , 2018 , 40, 242-250	4.2	13
94	18F-FDG PET/CT in solitary plasmacytoma: metabolic behavior and progression to multiple myeloma. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2018 , 45, 77-84	8.8	26
93	Prognostic role of pretreatment 18F-FDG PET/CT in primary brain lymphoma. <i>Annals of Nuclear Medicine</i> , 2018 , 32, 532-541	2.5	31
92	Possible delayed diagnosis and treatment of metastatic differentiated thyroid cancer by adopting the 2015 ATA guidelines. <i>European Journal of Endocrinology</i> , 2018 , 179, 143-151	6.5	23
91	18F-FDG PET/CT in primary brain lymphoma. <i>Journal of Neuro-Oncology</i> , 2018 , 136, 577-583	4.8	23
90	18F-FDG PET/CT and extragastric MALT lymphoma: role of Ki-67 score and plasmacytic differentiation. <i>Leukemia and Lymphoma</i> , 2017 , 58, 2328-2334	1.9	28
89	Early and late adverse effects of radioiodine for pediatric differentiated thyroid cancer. <i>Pediatric Blood and Cancer</i> , 2017 , 64, e26595	3	27
88	Role of fluorine-18-fluorodeoxyglucose positron emission tomography/computed tomography in evaluating breast mucosa-associated lymphoid tissue lymphoma: A case series. <i>Hematological Oncology</i> , 2017 , 35, 884-889	1.3	9

87	Differentiated Thyroid Cancer lymph-node relapse. Role of adjuvant radioactive iodine therapy after lymphadenectomy. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2017 , 44, 926-934	8.8	7
86	Prevalence and clinical significance of focal incidental 18F-FDG uptake in different organs: an evidence-based summary. <i>Clinical and Translational Imaging</i> , 2017 , 5, 525-532	2	8
85	Pulmonary mucosa-associated lymphoid tissue lymphoma: F-FDG PET/CT and CT findings in 28 patients. <i>British Journal of Radiology</i> , 2017 , 90, 20170311	3.4	29
84	131I Whole-Body Scan Incidental Uptake Due to Spermatocoele. <i>Clinical Nuclear Medicine</i> , 2017 , 42, 901-904	0.4	3
83	Role of F-FDG PET/CT in patients affected by Langerhans cell histiocytosis. <i>Japanese Journal of Radiology</i> , 2017 , 35, 574-583	2.9	28
82	18F-FDG PET/CT in gastric MALT lymphoma: a bicentric experience. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2017 , 44, 589-597	8.8	38
81	F-FDG PET/CT in Pleural Epithelioid Hemangioendothelioma. <i>Asia Oceania Journal of Nuclear Medicine and Biology</i> , 2017 , 5, 70-74	0.7	2
80	Incidental Unilateral Tuberculous Sacroiliitis Detected by F-FDG PET/CT in a Patient with Abdominal Tuberculosis. <i>Asia Oceania Journal of Nuclear Medicine and Biology</i> , 2017 , 5, 144-147	0.7	1
79	18F-FDG PET/CT and primary hepatic MALT: a case series. <i>Abdominal Radiology</i> , 2016 , 41, 1956-9	3	19
78	Comparison Between 99mTc-Sulesomab and 18F-FDG PET/CT in a Patient With Suspected Prosthetic Joint Infection. <i>Clinical Nuclear Medicine</i> , 2016 , 41, e298-300	1.7	
77	1-23I-MIBG thyroid uptake: Implications for MIBG imaging of the heart. <i>Journal of Nuclear Cardiology</i> , 2016 , 23, 1335-1339	2.1	9
76	Diagnostic and Prognostic Value of 18F-FDG PET/CT in Male Breast Cancer: Results From a Bicentric Population. <i>Current Radiopharmaceuticals</i> , 2016 , 9, 169-77	1.8	5
75	18F-FDG-PET/CT in Patients Affected by Differentiated Thyroid Carcinoma with Positive Thyroglobulin Level and Negative 131I Whole Body Scan. It's Value Confirmed by a Bicentric Experience. <i>Current Radiopharmaceuticals</i> , 2016 , 9, 228-234	1.8	12
74	Incidental thyroid 99mTc-MDP uptake in a patient affected by differentiated thyroid cancer. <i>Nuclear Medicine Review</i> , 2016 , 19, 8-10	0.3	1
73	18F-FDG PET/CT demonstrated renal and hepatic cyst infection in a patient with autosomal dominant polycystic kidney disease. <i>Nuclear Medicine Review</i> , 2016 , 19, 26-28	0.3	5
72	Incidental 18F-FDG PET/CT bilateral breast uptake due to carcinoma. <i>Nuclear Medicine Review</i> , 2016 , 19, 14-16	0.3	
71	The strange case of the [13N]NH3: validation of the production process for human use. <i>Nuclear Medicine Communications</i> , 2016 , 37, 412-21	1.6	6
70	Mesenteric Panniculitis Demonstrated on 18F-FDG PET/CT. <i>Clinical Nuclear Medicine</i> , 2016 , 41, e164-6	1.7	7

69	Could 18F-FDG PET Be a Diagnostic Tool for Hemochromatosis?. <i>Clinical Nuclear Medicine</i> , 2016 , 41, 261-27		
68	Prevalence and risk of malignancy of focal incidental uptake detected by fluorine-18-fluorodeoxyglucose positron emission tomography in the parotid gland: a meta-analysis. <i>European Archives of Oto-Rhino-Laryngology</i> , 2015 , 272, 3617-26	3.5	20
67	Comprehensive geriatric assessment is an essential tool to support treatment decisions in elderly patients with diffuse large B-cell lymphoma: a prospective multicenter evaluation in 173 patients by the Lymphoma Italian Foundation (FIL). <i>Leukemia and Lymphoma</i> , 2015 , 56, 921-6	1.9	90
66	Multicentre study of 18F-FDG-PET/CT prostate incidental uptake. <i>Japanese Journal of Radiology</i> , 2015 , 33, 538-46	2.9	7
65	Post-treatment Evaluation of Paranasal Sinuses After Treatment of Sinonasal Neoplasms. <i>Neuroimaging Clinics of North America</i> , 2015 , 25, 667-85	3	12
64	18F-FDG PET/CT Follow-up of Rosai-Dorfman Disease. <i>Clinical Nuclear Medicine</i> , 2015 , 40, e420-2	1.7	27
63	Squamous cell carcinoma of the tonsil incidentally detected by 18F-choline PET/CT. <i>Clinical Nuclear Medicine</i> , 2015 , 40, 93-5	1.7	3
62	"Evaluation of the Sendai and 2012 International Consensus Guidelines based on cross-sectional imaging findings performed for the initial triage of mucinous cystic lesions of the pancreas: a single institution experience with 114 surgically treated patients." Or rather "Don Giovanni o sia il convitato di pietra". <i>American Journal of Surgery</i> , 2015 , 209, 429-36	2.7	
61	Multicentric study on 18F-FDG-PET/CT breast incidental uptake in patients studied for non-breast malignant purposes. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2015 , 34, 24-9	0.4	5
60	Increased risk of second malignancy in pancreatic intraductal papillary mucinous tumors: Review of the literature. <i>World Journal of Gastroenterology</i> , 2015 , 21, 7313-9	5.6	8
59	Prevalence and clinical significance of incidental F18-FDG breast uptake: a systematic review and meta-analysis. <i>Japanese Journal of Radiology</i> , 2014 , 32, 59-68	2.9	34
58	Positron emission tomography/computed tomography for diagnosis of prosthetic valve endocarditis: suggestions to increase diagnostic accuracy. <i>Journal of the American College of Cardiology</i> , 2014 , 63, 378-9	15.1	3
57	Diagnostic role of radiolabelled choline PET or PET/CT in hepatocellular carcinoma: a systematic review and meta-analysis. <i>Hepatology International</i> , 2014 , 8, 493-500	8.8	35
56	18F-FDG uptake as a prognostic variable in primary differentiated thyroid cancer incidentally detected by PET/CT: a multicentre study. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2014 , 41, 1482-91	8.8	21
55	The role of 18F-FDG-PET and PET/CT in patients with sarcoidosis: an updated evidence-based review. <i>Academic Radiology</i> , 2014 , 21, 675-84	4.3	54
54	A rare case of thyroid paraganglioma detected by 18F-FDG PET/CT. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2014 , 33, 320-1	0.4	3
53	Incidental 11C-choline PET/CT uptake due to esophageal carcinoma in a patient studied for prostate cancer. <i>Clinical Nuclear Medicine</i> , 2014 , 39, e442-4	1.7	4
52	A thyroid incidentaloma detected by 18F-choline PET/CT. <i>Clinical Nuclear Medicine</i> , 2014 , 39, e267-9	1.7	15

51	Diagnostic performance of fluorine-18-fluorodeoxyglucose positron emission tomography in the postchemotherapy management of patients with seminoma: systematic review and meta-analysis. <i>BioMed Research International</i> , 2014 , 2014, 852681	3	43
50	Detection of post-exercise stunning by early gated SPECT myocardial perfusion imaging: results from the IAEA multi-center study. <i>Journal of Nuclear Cardiology</i> , 2014 , 21, 1168-76	2.1	21
49	An unusual orbital localization of Wegener granulomatosis detected by 18F-FDG PET/CT. <i>Clinical Nuclear Medicine</i> , 2014 , 39, 711-2	1.7	7
48	Response to treatment in a patient with gouty arthritis and tophi evaluated by fluorine 18 fluorodeoxyglucose positron emission tomography/computed tomography. <i>Journal of Clinical Rheumatology</i> , 2014 , 20, 233-4	1.1	1
47	Diagnostic accuracy of 18F-FDG-PET and PET/CT in the differential diagnosis between malignant and benign pleural lesions: a systematic review and meta-analysis. <i>Academic Radiology</i> , 2014 , 21, 11-20	4.3	38
46	Diagnostic performance of fluorine-18-fluorodeoxyglucose positron emission tomography in the assessment of pleural abnormalities in cancer patients: a systematic review and a meta-analysis. <i>Lung Cancer</i> , 2014 , 83, 1-7	5.9	26
45	Usefulness of (18)F-FDG-PET/CT in Evaluating a Brainstem Glioma in an Adult Patient with Neurofibromatosis Type 1. <i>Nuclear Medicine and Molecular Imaging</i> , 2013 , 47, 212-3	1.9	2
44	A Papillary Thyroid Tumor Detected by (18)F-FDG-PET/CT in a Pediatric Patient with Cowden Syndrome. <i>Nuclear Medicine and Molecular Imaging</i> , 2013 , 47, 143-5	1.9	0
43	Usefulness of (18)F-FDG PET/CT in Evaluating Disease Activity at Different Times in a Patient With Chronic Periaortitis. <i>Nuclear Medicine and Molecular Imaging</i> , 2013 , 47, 69-71	1.9	1
42	F18-FDG-PET/CT for evaluation of intraductal papillary mucinous neoplasms (IPMN): a review of the literature. <i>Japanese Journal of Radiology</i> , 2013 , 31, 229-36	2.9	17
41	Comment on Minamimoto: incidental focal FDG uptake in heart is a lighthouse for considering cardiac screening. <i>Annals of Nuclear Medicine</i> , 2013 , 27, 870-1	2.5	1
40	Factors influencing the sensitivity of 18F-FDG PET/CT in the detection of infective endocarditis. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2013 , 40, 1112-3	8.8	12
39	Emerging role of Fluorine-18-fluorodeoxyglucose positron emission tomography in patients with retroperitoneal fibrosis: a systematic review. <i>Rheumatology International</i> , 2013 , 33, 549-55	3.6	14
38	¹³¹ I whole-body scan or 18FDG PET/CT for patients with elevated thyroglobulin and negative ultrasound?. <i>Clinical and Translational Imaging</i> , 2013 , 1, 175-183	2	10
37	The role of F-18-fluorothymidine PET in oncology. <i>Clinical and Translational Imaging</i> , 2013 , 1, 77-97	2	12
36	Diagnostic performance of Fluorine-18-Fluorodeoxyglucose positron emission tomography in patients with chronic inflammatory bowel disease: a systematic review and a meta-analysis. <i>Journal of Crohn's and Colitis</i> , 2013 , 7, 345-54	1.5	45
35	F18-FDG-PET/CT thyroid incidentalomas: a wide retrospective analysis in three Italian centres on the significance of focal uptake and SUV value. <i>Endocrine</i> , 2013 , 43, 678-85	4	49
34	Diagnostic performance of Fluorine-18-Fluorodeoxyglucose positron emission tomography for the diagnosis of osteomyelitis related to diabetic foot: a systematic review and a meta-analysis. <i>Foot</i> , 2013 , 23, 140-8	1.3	51

33	Prevalence and risk of malignancy of thyroid incidentalomas detected by (18)f-fluorodeoxyglucose positron-emission tomography. <i>Thyroid</i> , 2013 , 23, 124-6	6.2	12
32	Incidental 11C-choline PET/CT brain uptake due to meningioma in a patient studied for prostate cancer: correlation with MRI and imaging fusion. <i>Clinical Nuclear Medicine</i> , 2013 , 38, e435-7	1.7	10
31	Role of F18-FDG-PET/CT in restaging patients affected by renal carcinoma. <i>Nuclear Medicine Review</i> , 2013 , 16, 3-8	0.3	28
30	Possible role of F18-FDG-PET/CT in the diagnosis of endocarditis: preliminary evidence from a review of the literature. <i>International Journal of Cardiovascular Imaging</i> , 2012 , 28, 1417-25	2.5	28
29	F18-FDG-PET/CT standardised uptake value threshold in discriminating benign vs. malignant lesions. Doubts and certainties in the era of evidence-based medicine. <i>Acta Oncologica</i> , 2012 , 51, 122-44; author reply 123-4	3.2	1
28	Searching for indicators of malignancy in pancreatic intraductal papillary mucinous neoplasms: the value of 18FDG-PET confirmed. <i>Annals of Surgical Oncology</i> , 2012 , 19, 3574-80	3.1	31
27	Diagnostic and clinical significance of F-18-FDG-PET/CT thyroid incidentalomas. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012 , 97, 3866-75	5.6	118
26	Comment on Rosenbaum-Krumme et al.: (18)F-FDG PET/CT changes therapy management in high-risk DTC after first radioiodine therapy. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2012 , 39, 1658-9	8.8	1
25	[18F]FDG-PET/CT in patients affected by retroperitoneal fibrosis: a bicentric experience. <i>Japanese Journal of Radiology</i> , 2012 , 30, 415-21	2.9	11
24	Final results of a phase 2A study for the treatment of metastatic neuroendocrine tumors with a fixed activity of 90Y-DOTA-D-Phe1-Tyr3 octreotide. <i>Cancer</i> , 2012 , 118, 2915-24	6.4	12
23	Usefulness of whole-body fluorine-18-fluorodeoxyglucose positron emission tomography in patients with neurofibromatosis type 1: a systematic review. <i>Radiology Research and Practice</i> , 2012 , 2012, 431029	2.3	34
22	Fluorine-18-fluorodeoxyglucose positron emission tomography in assessing retroperitoneal fibrosis: a literature review. <i>International Journal of Molecular Imaging</i> , 2012 , 2012, 484052		1
21	Peptide Receptor Radionuclide Therapy (PRRT) in a Patient Affected by Metastatic Breast Cancer with Neuroendocrine Differentiation. <i>Breast Care</i> , 2012 , 7, 408-10	2.4	18
20	18F-FDG PET/CT in a patient affected by renal collecting duct (Bellini) carcinoma. <i>Clinical Nuclear Medicine</i> , 2012 , 37, 986-8	1.7	
19	Absence of urine production due to renal failure enables clear visualization of primary urinary bladder carcinoma on 18F-FDG PET/CT. <i>Clinical Nuclear Medicine</i> , 2012 , 37, 611-3	1.7	1
18	Primary breast non-Hodgkin lymphoma. A report of an unusual case. <i>Nuclear Medicine Review</i> , 2012 , 15, 149-52	0.3	1
17	Fluorodeoxyglucose positron emission tomography/computed tomography standardized uptake value in discriminating benign versus malignant lesions: an open and debated issue. <i>Nuclear Medicine Communications</i> , 2011 , 32, 542-3; author reply 543-4	1.6	
16	The value of attenuation correction by hybrid SPECT/CT imaging on infarct size quantification in male patients with previous inferior myocardial infarct. <i>Nuclear Medicine Communications</i> , 2011 , 32, 1026-32	1.6	10

15	F18-FDG PET/CT and differentiated thyroid carcinoma: a critical and still debated issue. <i>Annals of Surgical Oncology</i> , 2011 , 18 Suppl 3, S304-5	3.1	2
14	Impact of attenuation correction and gated acquisition in SPECT myocardial perfusion imaging: results of the multicentre SPAG (SPECT Attenuation Correction vs Gated) study. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2011 , 38, 1890-8	8.8	33
13	Possible role of F18-FDG-PET/CT in differentiating benign lesions versus malignant after indeterminate fine-needle aspiration cytology. a wider and still controversial issue: exclusion of malignancy in thyroid nodules with indeterminate fine-needle aspiration cytology after negative 18F-fluorodeoxyglucose positron emission tomography: interim analysis. <i>World Journal of Surgery</i> , 2011 , 35, 151-2	3.3	
12	F18-FDG-PET/CT thyroid incidentalomas and their benign or malignant nature: a critical and debated issue. <i>Annals of Nuclear Medicine</i> , 2011 , 25, 151-2	2.5	4
11	Role of ^{11}C -choline positron emission tomography/computed tomography in evaluating patients affected by prostate cancer with suspected relapse due to prostate-specific antigen elevation. <i>Japanese Journal of Radiology</i> , 2011 , 29, 394-404	2.9	28
10	Comparison of diagnostic performances of three different software packages in detecting coronary artery disease. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2010 , 37, 2068-9	8.8	
9	To the editor: Long-term follow-up of patients with metastatic differentiated thyroid carcinoma. <i>World Journal of Surgery</i> , 2010 , 34, 1988-9; author reply 1990	3.3	1
8	18F-fluorodeoxyglucose positron emission tomography/computed tomography findings in a patient with human immunodeficiency virus-associated Castleman's disease and Kaposi sarcoma, disorders associated with human herpes virus 8 infection. <i>Japanese Journal of Radiology</i> , 2010 , 28, 231-4	2.9	8
7	Role of 18F-fluorodeoxyglucose positron emission tomography/computed tomography for therapy evaluation of patients with large-vessel vasculitis. <i>Japanese Journal of Radiology</i> , 2010 , 28, 199-204	2.9	33
6	Role of ^{18}F -fluorodeoxyglucose positron emission tomography/computed tomography in patients affected by differentiated thyroid carcinoma, high thyroglobulin level, and negative ^{131}I scan: review of the literature. <i>Japanese Journal of Radiology</i> , 2010 , 28, 629-36	2.9	17
5	Massive bilateral adrenal gland metastases from melanoma diagnosed by F18-FDG-PET/CT. <i>Japanese Journal of Radiology</i> , 2009 , 27, 392-3	2.9	2
4	Residual brain viability, evaluated by $(99\text{m})\text{Tc}$ -ECD SPECT, in patients with suspected brain death and with confounding clinical factors. <i>Nuclear Medicine Communications</i> , 2009 , 30, 815-21	1.6	15
3	Possible additional value of 18FDG-PET in managing pancreas intraductal papillary mucinous neoplasms: preliminary results. <i>Journal of Experimental and Clinical Cancer Research</i> , 2008 , 27, 10	12.8	34
2	Value of gated SPECT in the analysis of regional wall motion of the interventricular septum after coronary artery bypass grafting. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2004 , 31, 1371-7	8.8	11
1	A pooled analysis to calculate the prevalence and risk of malignancy of thyroid incidentalomas detected by Fluorine-18-Fluorodeoxyglucose positron emission tomography.. <i>Thyroid</i> , 120813070754002	6.2	4