Claudia Sg Gogorza

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8608800/publications.pdf

Version: 2024-02-01

28 498 13 22
papers citations h-index g-index

29 29 29 536
all docs docs citations times ranked citing authors

| # | Article | IF | CITATIONS |
|----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|--------------------------|
| 1 | Dating of Holocene fluvial deposits in the southern Sierras Pampeanas (Argentina) by matching paleomagnetic secular variation to a geomagnetic field model. Journal of South American Earth Sciences, 2021, 106, 102996. | 1.4 | 3 |
| 2 | Geomorphology of the Piedmont Area of the Central-East Region of the "Serranias Occidentales†Fluvial Systems and Geoarcheology. San Luis, Argentina. Springer Earth System Sciences, 2021, , 192-218. | 0.2 | 0 |
| 3 | A full-vector paleomagnetic secular variation record from 55,000 to 33,000 cal. years BP from RÃo Valdéz glaciolacustrine outcrop (Tierra Del Fuego, Argentina). Physics of the Earth and Planetary Interiors, 2021, 318, 106768. | 1.9 | O |
| 4 | Paleomagnetic and Magnetic Studies of Quaternary Units in Tierra del Fuego, the South Atlantic Islands and Southern Patagonia. Springer Geology, 2021, , 303-330. | 0.3 | 0 |
| 5 | Recent cyanobacteria abundance in a large sub-tropical reservoir inferred from analysis of sediment cores. Journal of Paleolimnology, 2020, 63, 195-209. | 1.6 | 8 |
| 6 | First archaeointensity reference paleosecular variation curve for South America and its implications for geomagnetism and archaeology. Quaternary Research, 2019, 92, 81-97. | 1.7 | 7 |
| 7 | Rock-magnetic and paleomagnetic studies on late-Holocene sediments from Laguna Cháltel (Patagonia,) Tj ETQo | 1110.784 1.4 | 13 ₄ 4 rgBT / |
| 8 | A continuous Late Holocene paleosecular variation record from Carmen Lake (Tierra del Fuego,) Tj ETQq0 0 0 rgB | Γ /Oyerloc | k 10 Tf 50 46 |
| 9 | Relative palaeointensity and reservoir effect on Lake Esmeralda, Antarctica. Antarctic Science, 2017, 29, 356-368. | 0.9 | 7 |
| 10 | Variation of the Earth's magnetic field strength in South America during the last two millennia: New results from historical buildings of Buenos Aires and re-evaluation of regional data. Physics of the Earth and Planetary Interiors, 2015, 245, 15-25. | 1.9 | 22 |
| 11 | Vegetation dynamics from Lago San MartÃn area (Southwest Patagonia, Argentina) during the last 6,500Âyears. Vegetation History and Archaeobotany, 2015, 24, 267-277. | 2.1 | 8 |
| 12 | Rock-magnetic proxies of wind intensity and dust since 51,200 cal BP from lacustrine sediments of Laguna Potrok Aike, southeastern Patagonia. Earth and Planetary Science Letters, 2015, 411, 72-86. | 4.4 | 18 |
| 13 | Mid-late Holocene lake levels and trophic states of a shallow lake from the southern Pampa plain, Argentina. Journal of Limnology, 2014, 73, . | 1.1 | 12 |
| 14 | A high-resolution palaeoclimate record for the last 4800 years from lake la Brava, SE pampas plains, Argentina. Geofisica International, 2014, 53, 365-383. | 0.2 | 5 |
| 15 | Magnetic parameters and their palaeoclimatic implicationsthe sediment record of the last 15 500 cal. BP from Laguna Potrok Aike (Argentina). Geophysical Journal International, 2014, 198, 710-726. | 2.4 | 9 |
| 16 | High-resolution paleomagnetic secular variations and relative paleointensity since the Late Pleistocene in southern South America. Quaternary Science Reviews, 2013, 71, 91-108. | 3.0 | 41 |
| 17 | New insights into paleoenvironmental changes in Laguna Potrok Aike, southern Patagonia, since the Late Pleistocene: The PASADO multiproxy record. Holocene, 2012, 22, 1323-1335. | 1.7 | 39 |
| 18 | Paleosecular variation and paleointensity records for the last millennium from southern South America (Laguna Potrok Aike, Santa Cruz, Argentina). Physics of the Earth and Planetary Interiors, 2011, 184, 41-50. | 1.9 | 15 |

| # | Article | IF | CITATIONS |
|----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|--------------|
| 19 | Magnetic studies and scanning electron microscopy â€" X-ray energy dispersive spectroscopy analyses of road sediments, soils and vehicle-derived emissions. Studia Geophysica Et Geodaetica, 2010, 54, 633-650. | 0.5 | 42 |
| 20 | Rock magnetic properties and relative paleointensity stack between 13 and 24kyr BP calibrated ages from sediment cores, Lake Moreno (Patagonia, Argentina). Physics of the Earth and Planetary Interiors, 2009, 172, 157-168. | 1.9 | 12 |
| 21 | Magnetic screening and heavy metal pollution studies in soils from Marambio Station, Antarctica. Antarctic Science, 2007, 19, 379-393. | 0.9 | 45 |
| 22 | Paleosecular variations recorded by Holocene-Pleistocene sediments from Lake El Trébol (Patagonia,) Tj ETQq0 | 0 0 rgBT 1.9 | /Oygrlock 10 |
| 23 | Relevant Magnetic Parameters and Heavy Metals from Relatively Polluted Stream Sediments - Vertical and Longitudinal Distribution Along a Cross-City Stream in Buenos Aires Province, Argentina. Studia Geophysica Et Geodaetica, 2004, 48, 615-636. | 0.5 | 26 |
| 24 | Paleointensity studies on Holocene–Pleistocene sediments from lake Escondido, Argentina. Physics of the Earth and Planetary Interiors, 2004, 145, 219-238. | 1.9 | 41 |
| 25 | Title is missing!. Studia Geophysica Et Geodaetica, 2003, 47, 121-145. | 0.5 | 20 |
| 26 | Paleosecular variations O–19,000 years recorded by sediments from Escondido Lake (Argentina). Physics of the Earth and Planetary Interiors, 2002, 133, 35-55. | 1.9 | 47 |
| 27 | Geomagnetic secular variations 0–12 kyr as recorded by sediments from Lake Moreno (southern) Tj ETQq1 1 (|).784314 1.4 | rgBT/Overloo |
| 28 | Preliminary Results from Paleomagnetic Records on Lake Sediments from South America. Studia Geophysica Et Geodaetica, 1998, 42, 12-29. | 0.5 | 6 |