

# Yun Xiang

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/8608918/yun-xiang-publications-by-year.pdf>

**Version:** 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

115  
papers

3,231  
citations

35  
h-index

53  
g-index

118  
ext. papers

3,758  
ext. citations

7.5  
avg, IF

5.82  
L-index

#	Paper	IF	Citations
115	Highly sensitive and label-free detection of DILI microRNA biomarker via target recycling and primer exchange reaction amplifications.. <i>Analytica Chimica Acta</i> , <b>2022</b> , 1197, 339521	6.6	0
114	Electrochemical label-free biomolecular logic gates regulated by distinct inputs.. <i>Biosensors and Bioelectronics</i> , <b>2022</b> , 202, 114000	11.8	1
113	Sustainable and cascaded catalytic hairpin assembly for amplified sensing of microRNA biomarkers in living cells. <i>Biosensors and Bioelectronics</i> , <b>2022</b> , 197, 113809	11.8	2
112	Cascaded and nonlinear DNA assembly amplification for sensitive and aptamer-based detection of kanamycin.. <i>Analytica Chimica Acta</i> , <b>2022</b> , 1204, 339730	6.6	1
111	Construction of oxygen vacancy mediated direct Z scheme BiWO/SrTiO hybrid on cellulose fibers for high-performance and recyclable photocatalytic paper.. <i>Journal of Colloid and Interface Science</i> , <b>2022</b> , 622, 40-49	9.3	0
110	Target-triggered tertiary amplifications for sensitive and label-free protein detection based on lighting-up RNA aptamer transcriptions. <i>Analytica Chimica Acta</i> , <b>2022</b> , 1217, 340028	6.6	0
109	The synchronization of multiple signal amplifications for label-free and sensitive aptamer-based sensing of a protein biomarker. <i>Analyst, The</i> , <b>2021</b> , 145, 7858-7863	5	2
108	Electrode immobilization-free and sensitive electrochemical sensing of thrombin via magnetic nanoparticle-decorated DNA polymers. <i>Sensors and Actuators B: Chemical</i> , <b>2021</b> , 331, 129395	8.5	9
107	Convenient and highly sensitive electrochemical biosensor for monitoring acid phosphatase activity. <i>Sensors and Actuators B: Chemical</i> , <b>2021</b> , 332, 129483	8.5	6
106	High-Fidelity and Simultaneous Sensing of Endogenous Mutant and Wild p53 Proteins for Precise Cancer Diagnosis and Drug Screening. <i>Analytical Chemistry</i> , <b>2021</b> , 93, 8084-8090	7.8	6
105	Target Recycling Transcription of Lighting-Up RNA Aptamers for Highly Sensitive and Label-Free Detection of ATP. <i>Journal of Analysis and Testing</i> , <b>2021</b> , 5, 174	3.2	1
104	In situ formation of G-quadruplex/hemin nanowires for sensitive and label-free electrochemical sensing of acid phosphatase. <i>Sensors and Actuators B: Chemical</i> , <b>2021</b> , 330, 129272	8.5	6
103	Target-induced activation of polymerase activity for recycling signal amplification cascades for sensitive aptamer-based detection of biomarkers. <i>Analyst, The</i> , <b>2021</b> , 146, 1590-1595	5	0
102	3D DNA Scaffold-Assisted Dual Intramolecular Amplifications for Multiplexed and Sensitive MicroRNA Imaging in Living Cells. <i>Analytical Chemistry</i> , <b>2021</b> , 93, 9912-9919	7.8	10
101	Target-triggered autocatalytic sequence recycling for sensitive and simultaneous detection of microRNA and mRNA via multi-donor iFRET signal amplification. <i>Sensors and Actuators B: Chemical</i> , <b>2021</b> , 345, 130351	8.5	2
100	Copper-Free Click Chemistry-Mediated Cyclic Ligation Amplification for Highly Sensitive and Non-Label Electrochemical Detection of Gene Mutation. <i>Journal of the Electrochemical Society</i> , <b>2020</b> , 167, 027535	3.9	4
99	-Generated Multivalent Aptamer Network for Efficient Capture and Sensitive Electrochemical Detection of Circulating Tumor Cells in Whole Blood. <i>Analytical Chemistry</i> , <b>2020</b> , 92, 7893-7899	7.8	31

98	An efficient, label-free and sensitive electrochemical microRNA sensor based on target-initiated catalytic hairpin assembly of trivalent DNAzyme junctions. <i>Sensors and Actuators B: Chemical</i> , <b>2020</b> , 304, 127068	8.5	23
97	Target-induced autonomous synthesis of G-quadruplex sequences for label-free and amplified fluorescent aptasensing of mucin 1. <i>Sensors and Actuators B: Chemical</i> , <b>2020</b> , 304, 127351	8.5	9
96	A ternary probe for target-triggered autonomous multi-branch rolling circle amplification for highly sensitive colorimetric sensing of platelet-derived growth factor BB. <i>Sensors and Actuators B: Chemical</i> , <b>2020</b> , 305, 127405	8.5	5
95	Efficient and Exponential Rolling Circle Amplification Molecular Network Leads to Ultrasensitive and Label-Free Detection of MicroRNA. <i>Analytical Chemistry</i> , <b>2020</b> , 92, 2074-2079	7.8	30
94	Target-mediated base-mismatch initiation of a non-enzymatic signal amplification network for highly sensitive sensing of Hg. <i>Analyst, The</i> , <b>2020</b> , 145, 507-512	5	4
93	Target-dependent dual strand extension recycling amplifications for non-label and ultrasensitive sensing of serum microRNA. <i>Talanta</i> , <b>2020</b> , 210, 120651	6.2	3
92	Lighting-up RNA aptamer transcription synchronization amplification for ultrasensitive and label-free imaging of microRNA in single cells. <i>Analytica Chimica Acta</i> , <b>2020</b> , 1102, 84-90	6.6	10
91	Coupling strand extension/excision amplification with target recycling enables highly sensitive and aptamer-based label-free sensing of ATP in human serum. <i>Analyst, The</i> , <b>2020</b> , 145, 434-439	5	6
90	Polymerization nicking-triggered LAMP cascades enable exceptional signal amplification for aptamer-based label-free detection of trace proteins in human serum. <i>Analytica Chimica Acta</i> , <b>2020</b> , 1098, 164-169	6.6	8
89	Biodegradable nanoparticle-assisted and multiplexed imaging of asymmetric RNA expressions in live cells for precise cancer diagnosis and prognosis. <i>Nanoscale</i> , <b>2020</b> , 12, 24100-24106	7.7	1
88	Targeted Delivery of DNA Framework-Encapsulated Native Therapeutic Protein into Cancer Cells. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2020</b> , 12, 54489-54496	9.5	6
87	Targeted and direct intracellular delivery of native DNAzymes enables highly specific gene silencing. <i>Chemical Science</i> , <b>2020</b> , 11, 8966-8972	9.4	4
86	DNA branch migration amplification cascades for enzyme-free and non-label aptamer sensing of mucin 1. <i>Analyst, The</i> , <b>2020</b> , 145, 6085-6090	5	0
85	Highly specific and sensitive point-of-care detection of rare circulating tumor cells in whole blood via a dual recognition strategy. <i>Biosensors and Bioelectronics</i> , <b>2019</b> , 143, 111604	11.8	10
84	Silver ion-stabilized DNA triplexes for completely enzyme-free and sensitive fluorescence detection of transcription factors via catalytic hairpin assembly amplification. <i>Journal of Materials Chemistry B</i> , <b>2019</b> , 7, 763-767	7.3	9
83	Hairpin/DNA ring ternary probes for highly sensitive detection and selective discrimination of microRNA among family members. <i>Analytica Chimica Acta</i> , <b>2019</b> , 1076, 138-143	6.6	14
82	Simple label-free and sensitive fluorescence determination of human 8-oxoG DNA glycosylase 1 activity and inhibition via TdT-assisted sequence extension amplification. <i>New Journal of Chemistry</i> , <b>2019</b> , 43, 8260-8265	3.6	1
81	Programmable DNA Ring/Hairpin-Constrained Structure Enables Ligation-Free Rolling Circle Amplification for Imaging mRNAs in Single Cells. <i>Analytical Chemistry</i> , <b>2019</b> , 91, 3628-3635	7.8	29

80	Melamine-Mediated Base Mismatch for Label-Free and Amplified Sensitive Fluorescent Detection of Melamine in Milk. <i>Food Analytical Methods</i> , <b>2019</b> , 12, 1255-1261	3.4	4
79	Target-induced structure switching of aptamers facilitates strand displacement for DNAzyme recycling amplification detection of thrombin in human serum. <i>Analyst, The</i> , <b>2019</b> , 144, 2430-2435	5	14
78	Mismatched catalytic hairpin assembly and ratiometric strategy for highly sensitive electrochemical detection of microRNA from tumor cells. <i>Sensors and Actuators B: Chemical</i> , <b>2019</b> , 286, 191-197	8.5	35
77	Programming cascaded recycling amplifications for highly sensitive and label-free electrochemical sensing of transcription factors in tumor cells. <i>Biosensors and Bioelectronics</i> , <b>2019</b> , 142, 111574	11.8	8
76	A multi-recycling amplification-based sensor for label-free and highly sensitive detection of telomerase from cancer cells. <i>Analytica Chimica Acta</i> , <b>2019</b> , 1086, 116-121	6.6	5
75	Netlike hybridization chain reaction assembly of DNA nanostructures enables exceptional signal amplification for sensing trace cytokines. <i>Nanoscale</i> , <b>2019</b> , 11, 16362-16367	7.7	11
74	Target-triggered programming of cascaded catalytic hairpin assemblies for enzyme-free and highly sensitive sensing of cytokines. <i>Sensors and Actuators B: Chemical</i> , <b>2019</b> , 298, 126929	8.5	9
73	Aptamer-Functionalized and Gold Nanoparticle Array-Decorated Magnetic Graphene Nanosheets Enable Multiplexed and Sensitive Electrochemical Detection of Rare Circulating Tumor Cells in Whole Blood. <i>Analytical Chemistry</i> , <b>2019</b> , 91, 10792-10799	7.8	53
72	Target-triggered activation of rolling circle amplification for label-free and sensitive fluorescent uracil-DNA glycosylase activity detection and inhibition. <i>Talanta</i> , <b>2019</b> , 204, 812-816	6.2	14
71	Cascaded multiple recycling amplifications for aptamer-based ultrasensitive fluorescence detection of protein biomarkers. <i>Analyst, The</i> , <b>2019</b> , 144, 6635-6640	5	5
70	DNA-Templated In Situ Synthesis of Highly Dispersed AuNPs on Nitrogen-Doped Graphene for Real-Time Electrochemical Monitoring of Nitric Oxide Released from Live Cancer Cells. <i>Analytical Chemistry</i> , <b>2019</b> , 91, 2273-2278	7.8	23
69	Trimetallic Hybrid Nanoflower-Decorated MoS Nanosheet Sensor for Direct in Situ Monitoring of HO Secreted from Live Cancer Cells. <i>Analytical Chemistry</i> , <b>2018</b> , 90, 5945-5950	7.8	81
68	A metal ion-triggered and DNA-fueled molecular machine for amplified and sensitive fluorescent detection of Hg <sup>2+</sup> . <i>Sensors and Actuators B: Chemical</i> , <b>2018</b> , 259, 730-735	8.5	16
67	Commercial glucometer as signal transducer for simple evaluation of DNA methyltransferase activity and inhibitors screening. <i>Analytica Chimica Acta</i> , <b>2018</b> , 1001, 18-23	6.6	10
66	A catalytic and dual recycling amplification ATP sensor based on target-driven allosteric structure switching of aptamer beacons. <i>Biosensors and Bioelectronics</i> , <b>2018</b> , 105, 1-5	11.8	30
65	Aptamer proximity recognition-dependent strand translocation for enzyme-free and amplified fluorescent detection of thrombin via catalytic hairpin assembly. <i>Analytica Chimica Acta</i> , <b>2018</b> , 1038, 126-131	6.6	21
64	Target-programmed and autonomous proximity binding aptasensor for amplified electronic detection of thrombin. <i>Biosensors and Bioelectronics</i> , <b>2018</b> , 117, 743-747	11.8	29
63	Electrochemical screening of single nucleotide polymorphisms with significantly enhanced discrimination factor by an amplified ratiometric sensor. <i>Analytica Chimica Acta</i> , <b>2018</b> , 1038, 166-172	6.6	3

62	Bio-cleavable nanoprobe for target-triggered catalytic hairpin assembly amplification detection of microRNAs in live cancer cells. <i>Nanoscale</i> , <b>2018</b> , 10, 17623-17628	7.7	38
61	Target-catalyzed assembly formation of metal-ion dependent DNAzymes for non-enzymatic and label-free amplified ATP detection. <i>Sensors and Actuators B: Chemical</i> , <b>2018</b> , 273, 70-75	8.5	12
60	Cascaded signal amplification via target-triggered formation of aptazyme for sensitive electrochemical detection of ATP. <i>Biosensors and Bioelectronics</i> , <b>2018</b> , 102, 296-300	11.8	58
59	Label-Free and Amplified Electrochemical Detection of Single Nucleotide Polymorphism in Folded Nucleic Acid Secondary Structures. <i>Journal of the Electrochemical Society</i> , <b>2018</b> , 165, B880-B884	3.9	5
58	Amplified probing of protein/DNA interactions for sensitive fluorescence detection of transcription factors. <i>Journal of Materials Chemistry B</i> , <b>2018</b> , 6, 6002-6007	7.3	4
57	A target-responsive autonomous aptamer machine biosensor for enzyme-free and sensitive detection of protein biomarkers. <i>Journal of Materials Chemistry B</i> , <b>2018</b> , 6, 4146-4150	7.3	12
56	Biodegradable MnO Nanosheet-Mediated Signal Amplification in Living Cells Enables Sensitive Detection of Down-Regulated Intracellular MicroRNA. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2017</b> , 9, 5717-5724	9.5	78
55	Metallo-Toehold-Activated Catalytic Hairpin Assembly Formation of Three-Way DNAzyme Junctions for Amplified Fluorescent Detection of Hg. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2017</b> , 9, 5733-5738	9.5	60
54	Aptamer/Protein Proximity Binding-Triggered Molecular Machine for Amplified Electrochemical Sensing of Thrombin. <i>Analytical Chemistry</i> , <b>2017</b> , 89, 5138-5143	7.8	89
53	A DNA-Fueled and Catalytic Molecule Machine Lights Up Trace Under-Expressed MicroRNAs in Living Cells. <i>Analytical Chemistry</i> , <b>2017</b> , 89, 9934-9940	7.8	73
52	Metal-ion dependent DNAzyme recycling amplification for sensitive and homogeneous immuno-proximity binding assay of $\beta$ -fetoprotein biomarker. <i>Biosensors and Bioelectronics</i> , <b>2017</b> , 92, 624-629	11.8	31
51	Target-triggered catalytic hairpin assembly and TdT-catalyzed DNA polymerization for amplified electronic detection of thrombin in human serums. <i>Biosensors and Bioelectronics</i> , <b>2017</b> , 87, 495-500	11.8	48
50	Coupling hybridization chain reaction with DNAzyme recycling for enzyme-free and dual amplified sensitive fluorescent detection of methyltransferase activity. <i>Analytica Chimica Acta</i> , <b>2017</b> , 949, 83-88	6.6	26
49	Click chemistry-mediated cyclic cleavage of metal ion-dependent DNAzymes for amplified and colorimetric detection of human serum copper (II). <i>Analytical and Bioanalytical Chemistry</i> , <b>2017</b> , 409, 6421-6427	4.4	7
48	Coupling hybridization chain reaction with catalytic hairpin assembly enables non-enzymatic and sensitive fluorescent detection of microRNA cancer biomarkers. <i>Biosensors and Bioelectronics</i> , <b>2016</b> , 77, 416-20	11.8	56
47	Dual-color encoded DNAzyme nanostructures for multiplexed detection of intracellular metal ions in living cells. <i>Biosensors and Bioelectronics</i> , <b>2016</b> , 85, 573-579	11.8	66
46	Proximity Binding and Metal Ion-Dependent DNAzyme Cyclic Amplification-Integrated Aptasensor for Label-Free and Sensitive Electrochemical Detection of Thrombin. <i>Analytical Chemistry</i> , <b>2016</b> , 88, 8218-23	7.8	105
45	Unmodified and positively charged gold nanoparticles for sensitive colorimetric detection of folate receptor via terminal protection of small molecule-linked ssDNA. <i>Science China Chemistry</i> , <b>2016</b> , 59, 770-775	7.9	5

44	Multicolor-Encoded Reconfigurable DNA Nanostructures Enable Multiplexed Sensing of Intracellular MicroRNAs in Living Cells. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2016</b> , 8, 13303-8	9.5	69
43	Cross-triggered and cascaded recycling amplification for ultrasensitive electrochemical sensing of the mutant human p53 gene. <i>Chemical Communications</i> , <b>2016</b> , 52, 8707-10	5.8	14
42	Cascaded strand displacement for non-enzymatic target recycling amplification and label-free electronic detection of microRNA from tumor cells. <i>Analytica Chimica Acta</i> , <b>2016</b> , 916, 1-7	6.6	32
41	A target responsive aptamer machine for label-free and sensitive non-enzymatic recycling amplification detection of ATP. <i>Chemical Communications</i> , <b>2016</b> , 52, 3673-6	5.8	85
40	MicroRNA-induced cascaded and catalytic self-assembly of DNA nanostructures for enzyme-free and sensitive fluorescence detection of microRNA from tumor cells. <i>Chemical Communications</i> , <b>2016</b> , 52, 2501-4	5.8	13
39	The Ru complex and hollow gold nanoparticles branched-hydrogel as signal probe for construction of electrochemiluminescent aptasensor. <i>Biosensors and Bioelectronics</i> , <b>2016</b> , 77, 7-12	11.8	19
38	DNA-mediated strand displacement facilitates sensitive electronic detection of antibodies in human serums. <i>Biosensors and Bioelectronics</i> , <b>2016</b> , 83, 156-61	11.8	16
37	Steric hindrance inhibition of strand displacement for homogeneous and signal-on fluorescence detection of human serum antibodies. <i>Chemical Communications</i> , <b>2016</b> , 52, 12586-12589	5.8	6
36	DNA-fueled molecular machine enables enzyme-free target recycling amplification for electronic detection of microRNA from cancer cells with highly minimized background noise. <i>Analytical Chemistry</i> , <b>2015</b> , 87, 8578-83	7.8	92
35	Click chemistry-mediated catalytic hairpin self-assembly for amplified and sensitive fluorescence detection of Cu(2+) in human serum. <i>Chemical Communications</i> , <b>2015</b> , 51, 12637-40	5.8	17
34	Label-free and homogeneous aptamer proximity binding assay for fluorescent detection of protein biomarkers in human serum. <i>Talanta</i> , <b>2015</b> , 141, 230-4	6.2	12
33	A novel ECL biosensor for $\beta$ -lactamase detection: Using RU(II) linked-ampicillin complex as the recognition element. <i>Biosensors and Bioelectronics</i> , <b>2015</b> , 70, 221-5	11.8	16
32	MicroRNA-triggered, cascaded and catalytic self-assembly of functional "DNAzyme ferris wheel" nanostructures for highly sensitive colorimetric detection of cancer cells. <i>Nanoscale</i> , <b>2015</b> , 7, 9055-61	7.7	54
31	RNA-regulated molecular tweezers for sensitive fluorescent detection of microRNA from cancer cells. <i>Biosensors and Bioelectronics</i> , <b>2015</b> , 71, 98-102	11.8	13
30	Signal-off Electrochemiluminescence Biosensor Based on Phi29 DNA Polymerase Mediated Strand Displacement Amplification for MicroRNA Detection. <i>Analytical Chemistry</i> , <b>2015</b> , 87, 6328-34	7.8	127
29	Intercalation of quantum dots as the new signal acquisition and amplification platform for sensitive electrochemiluminescent detection of microRNA. <i>Analytica Chimica Acta</i> , <b>2015</b> , 891, 130-5	6.6	14
28	RNA responsive and catalytic self-assembly of DNA nanostructures for highly sensitive fluorescence detection of microRNA from cancer cells. <i>Chemical Communications</i> , <b>2015</b> , 51, 16494-7	5.8	10
27	Terminal protection of small molecule-linked ssDNA for label-free and highly sensitive colorimetric detection of folate receptor biomarkers. <i>RSC Advances</i> , <b>2015</b> , 5, 6100-6105	3.7	7

26	Toehold strand displacement-driven assembly of G-quadruplex DNA for enzyme-free and non-label sensitive fluorescent detection of thrombin. <i>Biosensors and Bioelectronics</i> , <b>2015</b> , 64, 306-10	11.8	52
25	A microRNA-activated molecular machine for non-enzymatic target recycling amplification detection of microRNA from cancer cells. <i>Chemical Communications</i> , <b>2015</b> , 51, 11084-7	5.8	48
24	In situ DNA-templated synthesis of silver nanoclusters for ultrasensitive and label-free electrochemical detection of microRNA. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2015</b> , 7, 1188-93	9.5	117
23	Aptamer pseudoknot-functionalized electronic sensor for reagentless and single-step detection of immunoglobulin E in human serum. <i>Analytical Chemistry</i> , <b>2015</b> , 87, 3094-8	7.8	52
22	Electrochemiluminescence recovery-based aptasensor for sensitive Ochratoxin A detection via exonuclease-catalyzed target recycling amplification. <i>Talanta</i> , <b>2014</b> , 125, 45-50	6.2	46
21	Dual amplified and ultrasensitive electrochemical detection of mutant DNA Biomarkers based on nuclease-assisted target recycling and rolling circle amplifications. <i>Biosensors and Bioelectronics</i> , <b>2014</b> , 55, 266-71	11.8	51
20	Quadratic recycling amplification for label-free and sensitive visual detection of HIV DNA. <i>Biosensors and Bioelectronics</i> , <b>2014</b> , 55, 220-4	11.8	43
19	Target-induced structure switching of DNA for label-free and ultrasensitive electrochemiluminescent detection of proteins. <i>Chemical Communications</i> , <b>2014</b> , 50, 3211-3	5.8	14
18	Graphene nanosensor for highly sensitive fluorescence turn-on detection of Hg <sup>2+</sup> based on target recycling amplification. <i>RSC Advances</i> , <b>2014</b> , 4, 39082	3.7	6
17	Target-triggered quadratic amplification for label-free and sensitive visual detection of cytokines based on hairpin aptamer DNAzyme probes. <i>Analytical Chemistry</i> , <b>2014</b> , 86, 953-8	7.8	70
16	Terminal protection of small molecule-linked ssDNA for label-free and sensitive fluorescent detection of folate receptor. <i>Talanta</i> , <b>2014</b> , 128, 237-41	6.2	10
15	Target recycling amplification for label-free and sensitive colorimetric detection of adenosine triphosphate based on un-modified aptamers and DNAzymes. <i>Analytica Chimica Acta</i> , <b>2014</b> , 828, 80-4	6.6	26
14	A noncovalent Ru(phen) <sub>3</sub> <sup>2+</sup> @CNTs nanocomposite and its application as a solid-state electrochemiluminescence signal probe. <i>RSC Advances</i> , <b>2014</b> , 4, 1955-1960	3.7	8
13	Sensitive detection of copper(II) by a commercial glucometer using click chemistry. <i>Biosensors and Bioelectronics</i> , <b>2013</b> , 45, 219-22	11.8	57
12	Personal glucose sensor for point-of-care early cancer diagnosis. <i>Chemical Communications</i> , <b>2012</b> , 48, 6909-11	5.8	58
11	In situ hybridization chain reaction amplification for universal and highly sensitive electrochemiluminescent detection of DNA. <i>Analytical Chemistry</i> , <b>2012</b> , 84, 7750-5	7.8	257
10	Quantum dot layer-by-layer assemblies as signal amplification labels for ultrasensitive electronic detection of uropathogens. <i>Analytical Chemistry</i> , <b>2011</b> , 83, 4302-6	7.8	53
9	A reagentless and disposable electronic genosensor: from multiplexed analysis to molecular logic gates. <i>Chemical Communications</i> , <b>2011</b> , 47, 2080-2	5.8	49

8	Aptamer-based highly sensitive electrochemiluminescent detection of thrombin via nanoparticle layer-by-layer assembled amplification labels. <i>Chemical Communications</i> , <b>2011</b> , 47, 7758-60	5.8	46
7	An aptamer-based signal-on and multiplexed sensing platform for one-spot simultaneous electronic detection of proteins and small molecules. <i>Chemical Communications</i> , <b>2011</b> , 47, 4733-5	5.8	36
6	Electrochemical sensor based on Prussian blue nanorods and gold nanochains for the determination of H <sub>2</sub> O <sub>2</sub> . <i>European Food Research and Technology</i> , <b>2011</b> , 232, 87-95	3.4	12
5	Aptamer-based competitive electrochemical assay of small biomolecules. <i>Science China Chemistry</i> , <b>2011</b> , 54, 822-826	7.9	2
4	Gold nanolabels and enzymatic recycling dual amplification-based electrochemical immunosensor for the highly sensitive detection of carcinoembryonic antigen. <i>Science China Chemistry</i> , <b>2011</b> , 54, 1770-1776	7.9	10
3	A reagentless, disposable and multiplexed electronic biosensing platform: application to molecular logic gates. <i>Biosensors and Bioelectronics</i> , <b>2011</b> , 26, 3077-80	11.8	14
2	Reverse-micelle synthesis of electrochemically encoded quantum dot barcodes: application to electronic coding of a cancer marker. <i>Analytical Chemistry</i> , <b>2010</b> , 82, 1138-41	7.8	39
1	Ultrasensitive aptamer-based protein detection via a dual amplified biocatalytic strategy. <i>Biosensors and Bioelectronics</i> , <b>2010</b> , 25, 2539-42	11.8	40