

Winfried Meißner

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8609094/publications.pdf>

Version: 2024-02-01

91
papers

5,193
citations

147801

31
h-index

88630

70
g-index

114
all docs

114
docs citations

114
times ranked

4199
citing authors

#	ARTICLE	IF	CITATIONS
1	Pain Intensity on the First Day after Surgery. <i>Anesthesiology</i> , 2013, 118, 934-944.	2.5	1,117
2	Chronic postsurgical pain in Europe. <i>European Journal of Anaesthesiology</i> , 2015, 32, 725-734.	1.7	398
3	Comparison of Orally Administered Cannabis Extract and Delta-9-Tetrahydrocannabinol in Treating Patients With Cancer-Related Anorexia-Cachexia Syndrome: A Multicenter, Phase III, Randomized, Double-Blind, Placebo-Controlled Clinical Trial From the Cannabis-In-Cachexia-Study-Group. <i>Journal of Clinical Oncology</i> , 2006, 24, 3394-3400.	1.6	355
4	Procedure-specific Risk Factor Analysis for the Development of Severe Postoperative Pain. <i>Anesthesiology</i> , 2014, 120, 1237-1245.	2.5	262
5	A randomised controlled trial with prolonged-release oral oxycodone and naloxone to prevent and reverse opioid-induced constipation. <i>European Journal of Pain</i> , 2009, 13, 56-64.	2.8	222
6	Analgesic Efficacy and Safety of Oxycodone in Combination With Naloxone as Prolonged Release Tablets in Patients With Moderate to Severe Chronic Pain. <i>Journal of Pain</i> , 2008, 9, 1144-1154.	1.4	192
7	Oral naloxone reverses opioid-associated constipation. <i>Pain</i> , 2000, 84, 105-109.	4.2	188
8	Improving the management of post-operative acute pain: priorities for change. <i>Current Medical Research and Opinion</i> , 2015, 31, 2131-2143.	1.9	150
9	Patients' Perception of Postoperative Pain Management: Validation of the International Pain Outcomes (IPO) Questionnaire. <i>Journal of Pain</i> , 2013, 14, 1361-1370.	1.4	124
10	Opioid-Induced Constipation and Bowel Dysfunction: A Clinical Guideline. <i>Pain Medicine</i> , 2017, 18, pnw255.	1.9	117
11	Enteral naloxone reduces gastric tube reflux and frequency of pneumonia in critical care patients during opioid analgesia. <i>Critical Care Medicine</i> , 2003, 31, 776-780.	0.9	112
12	Correlates of satisfaction with pain treatment in the acute postoperative period: Results from the international PAIN OUT registry. <i>Pain</i> , 2014, 155, 1401-1411.	4.2	100
13	Rapid functional plasticity in the primary somatomotor cortex and perceptual changes after nerve block. <i>European Journal of Neuroscience</i> , 2004, 20, 3413-3423.	2.6	98
14	Quality Improvement in Postoperative Pain Management – Results From the QUIPS Project. <i>Deutsches A&#x0308;rztblatt International</i> , 2008, 105, 865-70.	0.9	94
15	Pharmacokinetics of intranasal alfentanil. <i>Journal of Clinical Anesthesia</i> , 1995, 7, 109-113.	1.6	78
16	Incidence and severity of chronic pain after caesarean section. <i>European Journal of Anaesthesiology</i> , 2016, 33, 853-865.	1.7	71
17	Management of acute pain in the postoperative setting: the importance of quality indicators. <i>Current Medical Research and Opinion</i> , 2018, 34, 187-196.	1.9	62
18	Multimodal analgesia in moderate-to-severe pain: a role for a new fixed combination of dexketoprofen and tramadol. <i>Current Medical Research and Opinion</i> , 2017, 33, 1165-1173.	1.9	60

#	ARTICLE	IF	CITATIONS
19	Prolonged Catheter Use and Infection in Regional Anesthesia. <i>Anesthesiology</i> , 2018, 128, 764-773.	2.5	58
20	Prevalence and Characteristics of Chronic Intensive Care-Related Pain: The Role of Severe Sepsis and Septic Shock. <i>Critical Care Medicine</i> , 2016, 44, 1129-1137.	0.9	55
21	Efficacy of non-pharmacological interventions for procedural pain relief in adults undergoing burn wound care: A systematic review and meta-analysis of randomized controlled trials. <i>Burns</i> , 2018, 44, 1709-1720.	1.9	50
22	Metamizole/dipyrone for the relief of cancer pain: A systematic review and evidence-based recommendations for clinical practice. <i>Palliative Medicine</i> , 2017, 31, 26-34.	3.1	46
23	Age and preoperative pain are major confounders for sex differences in postoperative pain outcome: A prospective database analysis. <i>PLoS ONE</i> , 2017, 12, e0178659.	2.5	45
24	Reorganization of the somatosensory cortex after amputation of the index finger. <i>NeuroReport</i> , 1998, 9, 213-216.	1.2	44
25	The Impact of Early PostOperative Pain on Health-Related Quality of Life. <i>Pain Practice</i> , 2013, 13, 515-523.	1.9	43
26	The Quality of Postoperative Pain Therapy in German Hospitals. <i>Deutsches A&#x0308;rztblatt International</i> , 2017, 114, 161-167.	0.9	39
27	Acupuncture Decreases Somatosensory Evoked Potential Amplitudes to Noxious Stimuli in Anesthetized Volunteers. <i>Anesthesia and Analgesia</i> , 2004, 98, 141-147.	2.2	38
28	Direct Influence of Mild Hypothermia on Cytokine Expression and Release in Cultures of Human Peripheral Blood Mononuclear Cells. <i>Journal of Interferon and Cytokine Research</i> , 2002, 22, 215-221.	1.2	37
29	Developing consensus on core outcome domains for assessing effectiveness in perioperative pain management: results of the PROMPT/IMI-PainCare Delphi Meeting. <i>Pain</i> , 2021, 162, 2717-2736.	4.2	37
30	How Simple Can it Get? Measuring Pain With NRS Items or Binary Items. <i>Clinical Journal of Pain</i> , 2013, 29, 224-232.	1.9	34
31	Regional vs. General Anesthesia for Total Knee and Hip Replacement: An Analysis of Postoperative Pain Perception from the International <sc>PAIN OUT</sc> Registry. <i>Pain Practice</i> , 2018, 18, 1036-1047.	1.9	34
32	Exercise-induced changes of motor excitability with and without sensory block. <i>Brain Research</i> , 2004, 1003, 68-76.	2.2	33
33	Pain-related functional interference in patients with chronic neuropathic postsurgical pain: an analysis of registry data. <i>Pain</i> , 2019, 160, 1856-1865.	4.2	33
34	Cancer-related chronic pain: Investigation of the novel analgesic drug candidate cebranopadol in a randomized, double-blind, noninferiority trial. <i>European Journal of Pain</i> , 2019, 23, 577-588.	2.8	32
35	Effects of Temporary Functional Deafferentation on the Brain, Sensation, and Behavior of Stroke Patients. <i>Journal of Neuroscience</i> , 2012, 32, 11773-11779.	3.6	30
36	Postoperative pain assessment after functional endoscopic sinus surgery (FESS) for chronic pansinusitis. <i>European Archives of Oto-Rhino-Laryngology</i> , 2013, 270, 157-166.	1.6	30

#	ARTICLE	IF	CITATIONS
37	<scp>PAIN OUT</scp>: an international acute pain registry supporting clinicians in decision making and in quality improvement activities. <i>Journal of Evaluation in Clinical Practice</i> , 2014, 20, 1090-1098.	1.8	30
38	A survey of postoperative pain treatments and unmet needs. <i>Bailliere's Best Practice and Research in Clinical Anaesthesiology</i> , 2019, 33, 269-286.	4.0	30
39	No Clinical Difference Comparing General, Regional, and Combination Anesthesia in Hip Arthroplasty: A Multicenter Cohort-Study Regarding Perioperative Pain Management and Patient Satisfaction. <i>Journal of Arthroplasty</i> , 2017, 32, 3429-3433.	3.1	28
40	The First Postoperative Day. <i>Clinical Journal of Pain</i> , 2014, 30, 978-986.	1.9	27
41	Risks and Benefits of Ultrasound, Nerve Stimulation, and Their Combination for Guiding Peripheral Nerve Blocks. <i>Anesthesia and Analgesia</i> , 2018, 127, 1035-1043.	2.2	27
42	Deafferentation of the Affected Arm. <i>Stroke</i> , 2011, 42, 1363-1370.	2.0	26
43	Single-dose Antibiotic Prophylaxis in Regional Anesthesia. <i>Anesthesiology</i> , 2016, 125, 505-515.	2.5	20
44	Multicenter cohort-study of 15326 cases analyzing patient satisfaction and perioperative pain management: general, regional and combination anesthesia in knee arthroplasty. <i>Scientific Reports</i> , 2018, 8, 3723.	3.3	20
45	Painful Hallucinations and Somatic Delusions in a Patient With the Possible Diagnosis of Neuroborreliosis. <i>Clinical Journal of Pain</i> , 2005, 21, 362-363.	1.9	19
46	Differences in somatosensory and motor improvement during temporary functional deafferentation in stroke patients and healthy subjects. <i>Behavioural Brain Research</i> , 2013, 252, 110-116.	2.2	19
47	Study protocol for a multi-methods study: SAVOIR - evaluation of specialized outpatient palliative care (SAPV) in Germany: outcomes, interactions, regional differences. <i>BMC Palliative Care</i> , 2019, 18, 12.	1.8	19
48	Pain on the first postoperative day after head and neck cancer surgery. <i>European Archives of Oto-Rhino-Laryngology</i> , 2015, 272, 3401-3409.	1.6	18
49	Brachial Plexus Block in Phantom Limb Pain: A Case Report. <i>Pain Medicine</i> , 2011, 12, 1649-1654.	1.9	17
50	Postoperative Pain Assessment after Pediatric Otolaryngologic Surgery. <i>Pain Medicine</i> , 2013, 14, 1786-1796.	1.9	16
51	Epidural Against Systemic Analgesia. <i>Clinical Journal of Pain</i> , 2017, 33, 189-197.	1.9	16
52	Thyroid hormone response to moderate hypothermia in severe brain injury. <i>Intensive Care Medicine</i> , 2003, 29, 44-48.	8.2	15
53	Somatosensory Functions in Survivors of Critical Illness. <i>Critical Care Medicine</i> , 2017, 45, e567-e574.	0.9	15
54	Pain after pediatric otorhinolaryngologic surgery: a prospective multi-center trial. <i>European Archives of Oto-Rhino-Laryngology</i> , 2014, 271, 2049-2060.	1.6	13

#	ARTICLE	IF	CITATIONS
55	Matched-Pair Analysis of Local Infiltration Analgesia in Total Knee Arthroplasty: Patient Satisfaction and Perioperative Pain Management in 846 Cases. <i>Journal of Knee Surgery</i> , 2019, 32, 953-959.	1.6	13
56	“Desire for more analgesic treatment”: pain and patient-reported outcome after paediatric tonsillectomy and appendectomy. <i>British Journal of Anaesthesia</i> , 2021, 126, 1182-1191.	3.4	13
57	Inter-Hospital Variability of Postoperative Pain after Tonsillectomy: Prospective Registry-Based Multicentre Cohort Study. <i>PLoS ONE</i> , 2016, 11, e0154155.	2.5	13
58	Current practice of acute pain management in children—a national follow-up survey in Germany. <i>Paediatric Anaesthesia</i> , 2016, 26, 883-890.	1.1	11
59	Factors influencing GPs’ perception of specialised palliative homecare (SPHC) importance – results of a cross-sectional study. <i>BMC Palliative Care</i> , 2020, 19, 117.	1.8	11
60	Howling at the moon? The effect of lunar phases on post-surgical pain outcome. <i>British Journal of Pain</i> , 2014, 8, 72-77.	1.5	10
61	The effect of adjuvant oral application of honey in the management of postoperative pain after tonsillectomy in adults: A pilot study. <i>PLoS ONE</i> , 2020, 15, e0228481.	2.5	10
62	Desire to Receive More Pain Treatment – A Relevant Patient-Reported Outcome Measure to Assess Quality of Post-Operative Pain Management? Results From 79,996 Patients Enrolled in the Pain Registry QUIPS from 2016 to 2019. <i>Journal of Pain</i> , 2021, 22, 730-738.	1.4	10
63	Can consistent benchmarking within a standardized pain management concept decrease postoperative pain after total hip arthroplasty? A prospective cohort study including 367 patients. <i>Journal of Pain Research</i> , 2016, Volume 9, 1205-1213.	2.0	9
64	Effectiveness of two types of palliative home care in cancer and non-cancer patients: A retrospective population-based study using claims data. <i>Palliative Medicine</i> , 2021, 35, 1158-1169.	3.1	9
65	Associations between early postoperative pain outcome measures and late functional outcomes in patients after knee arthroplasty. <i>PLoS ONE</i> , 2021, 16, e0253147.	2.5	9
66	Functional connectivity and neurotransmitter impairments of the salience brain network in chronic low back pain patients: a combined resting-state functional magnetic resonance imaging and 1H-MRS study. <i>Pain</i> , 2022, 163, 2337-2347.	4.2	8
67	Rethinking the definition of chronic postsurgical pain: composites of patient-reported pain-related outcomes vs pain intensities alone. <i>Pain</i> , 2022, 163, 2457-2465.	4.2	8
68	Quality of Postoperative Pain Management After Maxillofacial Fracture Repair. <i>Journal of Craniofacial Surgery</i> , 2018, 29, 720-725.	0.7	7
69	Improving perioperative pain management: a preintervention and postintervention study in 7 developing countries. <i>Pain Reports</i> , 2019, 4, e705.	2.7	7
70	Teaching medical students to talk about death and dying in the ICU: feasibility of a peer-tutored workshop. <i>Intensive Care Medicine</i> , 2015, 41, 162-163.	8.2	6
71	Bilateral sagittal split osteotomy-parameters and correlations of postoperative pain management. <i>Clinical Oral Investigations</i> , 2018, 22, 181-187.	3.0	6
72	Towards Better Perioperative Pain Management in Mexico: A Study in a Network of Hospitals Using Quality Improvement Methods from PAIN OUT. <i>Journal of Pain Research</i> , 2021, Volume 14, 415-430.	2.0	6

#	ARTICLE	IF	CITATIONS
73	Dr. Meissner and colleagues reply to the Letter to the Editor from Andrew Wilcock entitled "Prolonged release naloxone can cause systemic opioid withdrawal". <i>European Journal of Pain</i> , 2009, 13, 1002-1003.	2.8	5
74	Quality of postoperative pain management after midfacial fracture repair—an outcome-oriented study. <i>Clinical Oral Investigations</i> , 2015, 19, 619-625.	3.0	5
75	Gait information flow indicates complex motor dysfunction. <i>Physiological Measurement</i> , 2005, 26, 545-554.	2.1	4
76	Scaling properties of pain intensity ratings in paediatric populations using the Faces Pain Scale-revised: Secondary analyses of published data based on the item response theory. <i>International Journal of Nursing Studies</i> , 2018, 87, 49-59.	5.6	4
77	Quality Indicators (QI) of Acute Pain after Surgery in European Countries. <i>Pain Management Nursing</i> , 2021, 22, 730-739.	0.9	4
78	Association of Perioperative Regional Analgesia with Postoperative Patient-Reported Pain Outcomes and Opioid Requirements: Comparing 22 Different Surgical Groups in 23,911 Patients from the QUIPS Registry. <i>Journal of Clinical Medicine</i> , 2021, 10, 2194.	2.4	4
79	Hausärztliche Einschätzungen zur Verbesserung der Palliativversorgung an der Schnittstelle zur spezialisierten ambulanten Palliativversorgung (SAPV). <i>Zeitschrift für Palliativmedizin</i> , 2022, 23, 105-112.	0.3	4
80	Re. <i>Journal of Pain and Symptom Management</i> , 2002, 24, 276-277.	1.2	3
81	Enhanced tactile resolution of the contralateral side after surgery and regional anesthesia of the hand. <i>NeuroReport</i> , 2010, 21, 1013-1017.	1.2	3
82	The impact of item order and sex on self-report of pain intensity in children. <i>Health Psychology</i> , 2016, 35, 483-491.	1.6	3
83	Using a worst pain intensity measure in children and adolescents. <i>Journal of Advanced Nursing</i> , 2017, 73, 1873-1883.	3.3	3
84	Pain on the first postoperative day after tonsillectomy in adults: A comparison of metamizole versus etoricoxib as baseline analgesic. <i>PLoS ONE</i> , 2019, 14, e0221188.	2.5	3
85	Chronified Pain Following Operative Procedures. <i>Deutsches Ärzteblatt International</i> , 2019, 116, 261-266.	0.9	3
86	Tracking the effects of policy changes in prescribing analgesics in one emergency department: a 10-year analysis. <i>European Journal of Emergency Medicine</i> , 2010, 17, 56-58.	1.1	2
87	Brachial Plexus Block in Phantom Limb Pain: Not Only Interesting, But (Sometimes) with Clinical Benefit. <i>Pain Medicine</i> , 2012, 13, 850-851.	1.9	2
88	A Nationwide Cross-Sectional Online Survey on the Treatment of COVID-19-ARDS: High Variance in Standard of Care in German ICUs. <i>Journal of Clinical Medicine</i> , 2021, 10, 3363.	2.4	2
89	Cranio-maxillofacial reconstruction with microvascular radialis flaps—parameters and correlations of postoperative pain management. <i>Clinical Oral Investigations</i> , 2017, 21, 429-436.	3.0	0
90	Enteral Naloxone Reduces Gastral Reflux and Incidence of Pneumonia in Critical Care Patients during Opioid Analgesia. <i>Anesthesiology</i> , 2002, 96, A380.	2.5	0

#	ARTICLE	IF	CITATIONS
91	In Reply. Deutsches Ärzteblatt International, 2017, 114, 462.	0.9	0