

Pierluigi Pilati

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8610625/pierluigi-pilati-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

74
papers

2,823
citations

32
h-index

52
g-index

79
ext. papers

3,146
ext. citations

5
avg, IF

4.64
L-index

#	Paper	IF	Citations
74	MSI Analysis in Solid and Liquid Biopsies of Gastroesophageal Adenocarcinoma Patients: A Molecular Approach. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	1
73	Clinical and predictive value of blood lactate levels during cytoreductive surgery and hyperthermic intraperitoneal chemotherapy (HIPEC): a comparative analysis. <i>Updates in Surgery</i> , 2021 , 73, 313-319	2.9	0
72	Complete mesocolic excision versus conventional hemicolectomy in patients with right colon cancer: a systematic review and meta-analysis. <i>International Journal of Colorectal Disease</i> , 2021 , 36, 881-892	3.92	18
71	A Potentially Misleading Hepatocellular Carcinoma. <i>Medicina (Lithuania)</i> , 2021 , 57,	3.1	
70	Patient-Derived Scaffolds of Colorectal Cancer Metastases as an Organotypic 3D Model of the Liver Metastatic Microenvironment. <i>Cancers</i> , 2020 , 12,	6.6	24
69	Synchronous nodal metastatic risk in screening detected and endoscopically removed pT1 colorectal cancers. <i>Pathology Research and Practice</i> , 2020 , 216, 152966	3.4	4
68	Laparoscopic hyperthermic intraperitoneal chemotherapy for appendiceal tumors. <i>Asian Journal of Endoscopic Surgery</i> , 2020 , 13, 614-617	1.4	0
67	Molecular characterization of "sessile serrated" adenoma to carcinoma transition in six early colorectal cancers. <i>Pathology Research and Practice</i> , 2019 , 215, 957-962	3.4	8
66	Decellularized colorectal cancer matrix as bioactive microenvironment for in vitro 3D cancer research. <i>Journal of Cellular Physiology</i> , 2018 , 233, 5937-5948	7	43
65	Tumor budding as a risk factor for nodal metastasis in pT1 colorectal cancers: a meta-analysis. <i>Human Pathology</i> , 2017 , 65, 62-70	3.7	48
64	Efficacy of FOLFOXIRI plus bevacizumab in liver-limited metastatic colorectal cancer: A pooled analysis of clinical studies by Gruppo Oncologico del Nord Ovest. <i>European Journal of Cancer</i> , 2017 , 73, 74-84	7.5	32
63	Genetic variation of clock genes and cancer risk: a field synopsis and meta-analysis. <i>Oncotarget</i> , 2017 , 8, 23978-23995	3.3	36
62	Pancreaticojejunostomy versus pancreaticogastrostomy reconstruction for the prevention of postoperative pancreatic fistula following pancreaticoduodenectomy. <i>The Cochrane Library</i> , 2017 , 9, CD012257	5.2	36
61	Vitamin B6 and Cancer Risk: A Field Synopsis and Meta-Analysis. <i>Journal of the National Cancer Institute</i> , 2017 , 109, 1-9	9.7	31
60	Breast Cancer Chemoprevention: A Network Meta-Analysis of Randomized Controlled Trials. <i>Journal of the National Cancer Institute</i> , 2016 , 108,	9.7	28
59	A retrospective analysis of 141 patients with liver metastases from uveal melanoma: a two-cohort study comparing transarterial chemoembolization with CPT-11 charged microbeads and historical treatments. <i>Melanoma Research</i> , 2015 , 25, 164-8	3.3	29
58	Sentinel lymph node biopsy followed by lymph node dissection for localised primary cutaneous melanoma. <i>The Cochrane Library</i> , 2015 , CD010307	5.2	19

57	Human miRNome profiling in colorectal cancer and liver metastasis development. <i>Genomics Data</i> , 2014 , 2, 184-8		6
56	Systemic treatments for metastatic cutaneous melanoma. <i>The Cochrane Library</i> , 2014 ,	5.2	7
55	Interventions for melanoma in situ, including lentigo maligna. <i>The Cochrane Library</i> , 2014 , CD010308	5.2	24
54	Impact of microRNAs on regulatory networks and pathways in human colorectal carcinogenesis and development of metastasis. <i>BMC Genomics</i> , 2013 , 14, 589	4.5	120
53	Interferon alpha for the adjuvant treatment of cutaneous melanoma. <i>The Cochrane Library</i> , 2013 , CD008955	9.5	88
52	Coinhibitory molecules in cancer biology and therapy. <i>Cytokine and Growth Factor Reviews</i> , 2013 , 24, 147-61	17.9	24
51	Adherence to treatment guidelines for primary sarcomas affects patient survival: a side study of the European CONnective Tissue CANcer NETwork (CONTICANET). <i>Annals of Oncology</i> , 2013 , 24, 1685-91	10.3	46
50	Interventions for melanoma in situ, including lentigo maligna 2013 ,		3
49	Sentinel lymph node biopsy followed by lymph node dissection for early cutaneous melanoma 2013 ,		1
48	Cyto-reductive Surgery combined with Hyperthermic Intra-peritoneal Chemotherapy for Peritoneal Surface Malignancies: current treatment and results. <i>Cancer Treatment Reviews</i> , 2012 , 38, 258-68	14.4	15
47	Multiplexed protein signal pathway mapping identifies patients with rectal cancer that responds to neoadjuvant treatment. <i>Clinical Colorectal Cancer</i> , 2012 , 11, 268-74	3.8	5
46	Prognostic value of putative circulating cancer stem cells in patients undergoing hepatic resection for colorectal liver metastasis. <i>Annals of Surgical Oncology</i> , 2012 , 19, 402-8	3.1	66
45	Cancer resistance to type II topoisomerase inhibitors. <i>Current Medicinal Chemistry</i> , 2012 , 19, 3900-6	4.3	18
44	Interferon alpha for the adjuvant treatment of cutaneous melanoma 2011 ,		6
43	Long-term results of melphalan-based isolated limb perfusion with or without low-dose TNF for in-transit melanoma metastases. <i>Annals of Surgical Oncology</i> , 2010 , 17, 3000-7	3.1	31
42	Oncomirs: from tumor biology to molecularly targeted anticancer strategies. <i>Mini-Reviews in Medicinal Chemistry</i> , 2009 , 9, 70-80	3.2	35
41	Survivin gene levels in the peripheral blood of patients with gastric cancer independently predict survival. <i>Journal of Translational Medicine</i> , 2009 , 7, 111	8.5	40
40	Celiomesenteric trunk aneurysm. <i>Annals of Vascular Surgery</i> , 2009 , 23, 257.e7-10	1.7	8

39	Sentinel node status prediction by four statistical models: results from a large bi-institutional series (n = 1132). <i>Annals of Surgery</i> , 2009 , 250, 964-9	7.8	21
38	Peptide-based anticancer vaccines: recent advances and future perspectives. <i>Current Medicinal Chemistry</i> , 2009 , 16, 4779-96	4.3	36
37	Recent advances in conventional and molecular prognostic factors for gastric carcinoma. <i>Surgical Oncology Clinics of North America</i> , 2008 , 17, 467-83, vii	2.7	9
36	Strategies to enhance the anticancer potential of TNF. <i>Frontiers in Bioscience - Landmark</i> , 2008 , 13, 3181-93	2.8	9
35	N-ratio: a novel independent prognostic factor for patients with stage-III cutaneous melanoma. <i>Annals of Surgical Oncology</i> , 2008 , 15, 310-5	3.1	30
34	Factors predictive of nonsentinel lymph node involvement and clinical outcome in melanoma patients with metastatic sentinel lymph node. <i>Annals of Surgical Oncology</i> , 2008 , 15, 1202-10	3.1	59
33	TNF-based isolated limb perfusion followed by consolidation biotherapy with systemic low-dose interferon alpha 2b in patients with in-transit melanoma metastases: a pilot trial. <i>Annals of Surgical Oncology</i> , 2008 , 15, 1218-23	3.1	15
32	Correlation between melphalan pharmacokinetics and hepatic toxicity following hyperthermic isolated liver perfusion for unresectable metastatic disease. <i>Annals of Surgical Oncology</i> , 2007 , 14, 802-9 ^{3.1}	3.1	6
31	Towards the development of tumor necrosis factor (TNF) sensitizers: making TNF work against cancer. <i>Current Pharmaceutical Design</i> , 2007 , 13, 537-51	3.3	15
30	Meta-analysis of hepatic arterial infusion for unresectable liver metastases from colorectal cancer: the end of an era?. <i>Journal of Clinical Oncology</i> , 2007 , 25, 5649-54	2.2	138
29	Sentinel lymph node molecular ultrastaging in patients with melanoma: a systematic review and meta-analysis of prognosis. <i>Journal of Clinical Oncology</i> , 2007 , 25, 1588-95	2.2	84
28	Recovery profiles of general anesthesia and spinal anesthesia for chemotherapeutic perfusion with circulatory block (stop-flow perfusion). <i>Anesthesia and Analgesia</i> , 2007 , 105, 1500-3, table of contents	3.9	
27	Tumor necrosis factor, cancer and anticancer therapy. <i>Cytokine and Growth Factor Reviews</i> , 2005 , 16, 35-53	17.9	232
26	Hyperthermic isolated perfusion with low-dose tumor necrosis factor alpha and doxorubicin for the treatment of limb-threatening soft tissue sarcomas. <i>Annals of Surgical Oncology</i> , 2005 , 12, 398-405	3.1	38
25	Colorectal liver metastasis: towards the integration of conventional and molecularly targeted therapeutic approaches. <i>Frontiers in Bioscience - Landmark</i> , 2005 , 10, 3042-57	2.8	18
24	DNA array-based gene profiling: from surgical specimen to the molecular portrait of cancer. <i>Annals of Surgery</i> , 2005 , 241, 16-26	7.8	29
23	Induction of endothelial nitric oxide synthase expression by melanoma sensitizes endothelial cells to tumor necrosis factor-driven cytotoxicity. <i>Clinical Cancer Research</i> , 2004 , 10, 6879-86	12.9	19
22	DNA array-based gene profiling in tumor immunology. <i>Clinical Cancer Research</i> , 2004 , 10, 4597-606	12.9	24

21	IL-10 stimulatory effects on human NK cells explored by gene profile analysis. <i>Genes and Immunity</i> , 2004 , 5, 621-30	4.4	81
20	Hyperthermic isolated limb perfusion with low-dose tumor necrosis factor-alpha and melphalan for bulky in-transit melanoma metastases. <i>Annals of Surgical Oncology</i> , 2004 , 11, 173-7	3.1	59
19	True versus mild hyperthermia during isolated hepatic perfusion: effects on melphalan pharmacokinetics and liver function. <i>World Journal of Surgery</i> , 2004 , 28, 775-81	3.3	5
18	Hyperthermic intraperitoneal intraoperative chemotherapy after cytoreductive surgery for the treatment of abdominal sarcomatosis: clinical outcome and prognostic factors in 60 consecutive patients. <i>Cancer</i> , 2004 , 100, 1943-50	6.4	88
17	Molecular detection of circulating tumor cells is an independent prognostic factor in patients with high-risk cutaneous melanoma. <i>International Journal of Cancer</i> , 2004 , 111, 741-5	7.5	52
16	Hypoxic antiblastic stop-flow limb perfusion: clinical outcome and pharmacokinetic findings of a novel treatment for in transit melanoma metastases. <i>Oncology Reports</i> , 2004 , 12, 895-901	3.5	3
15	TNFalpha-based isolated perfusion for limb-threatening soft tissue sarcomas: state of the art and future trends. <i>Journal of Immunotherapy</i> , 2003 , 26, 291-300	5	21
14	Cytoreductive surgery combined with hyperthermic intraperitoneal intraoperative chemotherapy for peritoneal carcinomatosis arising from colon adenocarcinoma. <i>Annals of Surgical Oncology</i> , 2003 , 10, 508-13	3.1	120
13	Doxorubicin activity is enhanced by hyperthermia in a model of ex vivo vascular perfusion of human colon carcinoma. <i>World Journal of Surgery</i> , 2003 , 27, 640-6	3.3	9
12	Use of quantitative real-time PCR to determine immune cell density and cytokine gene profile in the tumor microenvironment. <i>Journal of Immunological Methods</i> , 2003 , 280, 1-11	2.5	40
11	Gastrointestinal stromal tumors: from a surgical to a molecular approach. <i>International Journal of Cancer</i> , 2003 , 107, 171-6	7.5	111
10	The role of preoperative ultrasound scan in detecting lymph node metastasis before sentinel node biopsy in melanoma patients. <i>Journal of Surgical Oncology</i> , 2003 , 83, 80-4	2.8	93
9	Pharmacokinetics of intraperitoneal cisplatin and doxorubicin. <i>Surgical Oncology Clinics of North America</i> , 2003 , 12, 781-94	2.7	34
8	Quantitative real-time PCR: a powerful ally in cancer research. <i>Trends in Molecular Medicine</i> , 2003 , 9, 189-95	11.5	146
7	Isolated limb perfusion in locally advanced cutaneous melanoma. <i>Seminars in Oncology</i> , 2002 , 29, 400-9	5.5	42
6	Hyperthermic intraoperative intraperitoneal chemotherapy with cisplatin and doxorubicin in patients who undergo cytoreductive surgery for peritoneal carcinomatosis and sarcomatosis: phase I study. <i>Cancer</i> , 2002 , 94, 492-9	6.4	69
5	Patterns of recurrence after resection of colorectal liver metastases: prediction by models of outcome analysis. <i>World Journal of Surgery</i> , 2001 , 25, 638-44	3.3	60
4	Soft tissue limb sarcomas: Italian clinical trials with hyperthermic antiblastic perfusion. <i>Cancer</i> , 1999 , 86, 1742-9	6.4	71

3	Hepatic Arterial Infusion (HAI) for Unresectable Liver Metastases (ULM) from Colorectal Carcinoma. <i>Tumori</i> , 1997 , 83, 61-61	1.7	3
2	Colorectal metastases to the liver: present status of management. <i>Diseases of the Colon and Rectum</i> , 1990 , 33, 688-94	3.1	32
1	The impact of COVID-19 on the oncologic outcomes of 3236 patients undergoing ColoRectal Cancer surgery in Northern Italy in 2019 and 2020 (COVID-CRC): results of a multicentric comparative cohort study		1