
## Tomoo Hidaka

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8611310/publications.pdf Version: 2024-02-01



Τομοο Ηισλέλ

#	Article	IF	CITATIONS
1	HEAVY METALS IN BLOOD AND URINE AND ITS RELATION TO DEPRESSIVE SYMPTOMS IN PARKINSON'S DISEASE PATIENTS. Fukushima Journal of Medical Sciences, 2013, 59, 76-80.	0.1	24
2	Prevalence of Metabolic Syndrome and Its Components among Japanese Workers by Clustered Business Category. PLoS ONE, 2016, 11, e0153368.	1.1	21
3	Risk and preventive factors for heat illness in radiation decontamination workers after the Fukushima Daiichi Nuclear Power Plant accident. Journal of Occupational Health, 2015, 57, 331-338.	1.0	20
4	Heat-related illness risk and associated personal and environmental factors of construction workers during work in summer. Scientific Reports, 2021, 11, 1119.	1.6	15
5	Effect of age and social connection on perceived anxiety over radiation exposure among decontamination workers in Fukushima Prefecture, Japan. Journal of Occupational Health, 2016, 58, 186-195.	1.0	13
6	Polypharmacy at admission prolongs length of hospitalization in gastrointestinal surgery patients. Geriatrics and Gerontology International, 2020, 20, 1085-1090.	0.7	11
7	Association of Anxiety over Radiation Exposure and Acquisition of Knowledge Regarding Occupational Health Management in Operation Leader Candidates of Radioactivity Decontamination Workers in Fukushima, Japan: A Cross-Sectional Study. International Journal of Environmental Research and Public Health. 2020. 17. 228.	1.2	11
8	Characteristics of anxiety and the factors associated with presence or absence of each anxiety among radiation decontamination workers in Fukushima. Industrial Health, 2019, 57, 580-587.	0.4	9
9	Nicotine cut-off value in human hair as a tool to distinguish active from passive smokers: A cross-sectional study in Japanese men. Cancer Biomarkers, 2017, 20, 41-48.	0.8	8
10	CORRELATIONS AMONG HEAVY METALS IN BLOOD AND URINE AND THEIR RELATIONS TO DEPRESSIVE SYMPTOMS IN PARKINSON'S DISEASE PATIENTS. Fukushima Journal of Medical Sciences, 2014, 60, 108-115.	0.1	7
11	Associations of presence or absence of exercise and/or physical activity with non-restorative sleep by gender and age: a cross-sectional study. BMJ Open, 2019, 9, e025730.	0.8	7
12	Markedly higher mortality among psychiatric inpatients mandatorily evacuated after the <scp>Fukushima Daiichi Nuclear Power Plant</scp> accident. Psychiatry and Clinical Neurosciences, 2021, 75, 29-30.	1.0	7
13	EFFECT OF <i>CYP2A6*4</i> GENETIC POLYMORPHISMS ON SMOKING BEHAVIORS AND NICOTINE DEPENDENCE IN A GENERAL POPULATION OF JAPANESE MEN. Fukushima Journal of Medical Sciences, 2015, 61, 125-130.	0.1	6
14	Unhealthy changes in eating habits cause acute onset hypertension in the normotensive community-dwelling elderly—3 years cohort study. Medicine (United States), 2019, 98, e15071.	0.4	6
15	Development of simple HPLC/UV with a column-switching method for the determination of nicotine and cotinine in hair samples. Health, 2013, 05, 687-694.	0.1	6
16	Preventive measures and lifestyle habits against exertional heat illness in radiation decontamination workers. Journal of Occupational Health, 2017, 59, 428-432.	1.0	5
17	Associations of combinations of housing tenure status and household structure with subjective happiness among communityâ€dwelling elderly people: A crossâ€sectional study with stratified random sampling. Geriatrics and Gerontology International, 2020, 20, 615-620.	0.7	5
18	Effect of occupation on sleep duration among daytime Japanese workers. Medicine (United States), 2021, 100, e28123.	0.4	4

Τομοο Ηιδακά

#	Article	IF	CITATIONS
19	How Japanese Language Has Been Used and Transformed—Focused on Social-cultural Context and the Use in Communication. Integrative Psychological and Behavioral Science, 2010, 44, 156-161.	0.5	3
20	Factors associated with possession of accurate knowledge regarding occupational health management among operations leaders of radiation decontamination workers in Fukushima, Japan: a cross-sectional study. BMJ Open, 2019, 9, e025729.	0.8	3
21	Disparity in pre-emptive end-of-life conversation experience caused by subjective economic status among general Japanese elderly people: a cross-sectional study with stratified random sampling. BMJ Open, 2019, 9, e031681.	0.8	3
22	Discovery and Revitalization of "Feeling of Hometown―from a Disaster Site Inhabitant's Continuous Engagement in Reconstruction Work: Ethnographic Interviews with a Radiation Decontamination Worker Over 5 Years Following the Fukushima Nuclear Power Plant Accident 1. Japanese Psychological Research, 2021, 63, 393-405.	0.4	3
23	Determinants of the evacuation destination for psychiatric hospital inpatients following the Fukushima nuclear disaster. International Journal of Disaster Risk Reduction, 2021, 66, 102600.	1.8	3
24	Are lifestyle pattern changes associated to poor subjective sleep quality?: a cross-sectional study by gender among the general Japanese population underwent specified medical check-ups in 2014 and 2015. BMJ Open, 2020, 10, e037613.	0.8	3
25	Heart rate increase from rest as an early sign of heat-related illness risk in construction workers. International Journal of Industrial Ergonomics, 2022, 89, 103282.	1.5	3
26	Life in company dormitories and a career change are associated with anxiety over lack of privacy among radiation decontamination workers in Fukushima Prefecture, Japan. Journal of Occupational Health, 2018, 60, 361-368.	1.0	2
27	Effects of the Great East Japan Earthquake and the Fukushima Daiichi Nuclear Power Plant accident on behavioural and psychological symptoms of dementia among patients. Psychogeriatrics, 2021, 21, 709-715.	0.6	2
28	Visualizing the decline of public interest in the Great East Japan Earthquake and Fukushima Daiichi nuclear power plant accident by analyzing letters to the editor in Japanese newspapers. Fukushima Journal of Medical Sciences, 2022, 68, .	0.1	2
29	Characteristics of awareness and behavior of medical staff for prevention of falling accidents among inpatients. Fukushima Journal of Medical Sciences, 2019, 65, 13-23.	0.1	1
30	Individual Factors of Fall According to Time of Day in a Residential Care Facility for the Elderly. Rigakuryoho Kagaku, 2017, 32, 133-137.	0.0	1
31	Qualitative and Quantitative Study on Components of Future Time Perspective and Their Association with Persistent Treatment for Type 2 Diabetes. Diabetes Therapy, 2021, 12, 3187-3199.	1.2	1
32	Association between participation in sports club activities and decision-making preferences in end-of-life treatment among Japanese elderly people:a cross-sectional study. Fukushima Journal of Medical Sciences, 2021, 67, 135-142.	0.1	1
33	Association between subjective economic status and refusal of life-prolonging treatment: a cross-sectional study using content analysis with stratified random sampling. Fukushima Journal of Medical Sciences, 2022, 68, 11-18.	0.1	1
34	1178â€The difference in external radiation exposure depending on the working process among radiation decontamination workers in fukushima. , 2018, , .		0
35	Accurate weight gain perception may inhibit weight loss compared to inaccurate weight gain perception among Japanese adults. Psychology, Health and Medicine, 2021, 26, 509-517.	1.3	Ο
36	Evaluation of the antimicrobial effectiveness of ozonated water for handwashing in the presence of organic material contamination using the ASTM E2946-13 standard test method. Journal of Food Protection, 2021, 84, 1922-1924.	0.8	0

Τομοο Ηιδακά

#	Article	IF	CITATIONS
37	How does the investigation of the meaning of earthquake experience associate to support for disaster victims?. The Proceedings of the Annual Convention of the Japanese Psychological Association, 2019, 83, SS-035-SS-035.	0.0	0
38	How can we work with "meaning�. The Proceedings of the Annual Convention of the Japanese Psychological Association, 2019, 83, SS-085-SS-085.	0.0	0
39	Metabolic syndrome and central obesity in domestic migrant radiation decontamination workers. Environmental and Occupational Health Practice, 2020, 2, n/a.	0.3	0
40	The Systematic Workplace-Improvement Needs Generation (SWING): Verifying a Worker-Centred Tool for Identifying Necessary Workplace Improvements in a Nursing Home in Japan. International Journal of Environmental Research and Public Health, 2022, 19, 1671.	1.2	0