

Susan S Suarez

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8612449/susan-s-suarez-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

67
papers

5,943
citations

48
h-index

70
g-index

70
ext. papers

6,527
ext. citations

4.2
avg. IF

6.19
L-index

#	Paper	IF	Citations
67	Sperm interaction with the uterine innate immune system: toll-like receptor 2 (TLR2) is a main sensor in cattle.. <i>Reproduction, Fertility and Development</i> , 2021 , 34, 139-148	1.8	2
66	Co-Adaptation of Physical Attributes of the Mammalian Female Reproductive Tract and Sperm to Facilitate Fertilization. <i>Cells</i> , 2021 , 10,	7.9	5
65	Assessment of sperm motility in livestock: Perspectives based on sperm swimming conditions in vivo. <i>Animal Reproduction Science</i> , 2021 , 106849	2.1	0
64	Toll-like receptor 2 mediates the immune response of the bovine oviductal ampulla to sperm binding. <i>Molecular Reproduction and Development</i> , 2020 , 87, 1059-1069	2.6	5
63	Sperm success and immunity. <i>Current Topics in Developmental Biology</i> , 2019 , 135, 287-313	5.3	32
62	Fluid viscoelasticity promotes collective swimming of sperm. <i>Scientific Reports</i> , 2017 , 7, 3152	4.9	59
61	Mammalian sperm interactions with the female reproductive tract. <i>Cell and Tissue Research</i> , 2016 , 363, 185-194	4.2	149
60	Dynamics of Bovine Sperm Interaction with Epithelium Differ Between Oviductal Isthmus and Ampulla. <i>Biology of Reproduction</i> , 2016 , 95, 90	3.9	30
59	Gamete and Zygote Transport 2015 , 197-232		12
58	Emergence of upstream swimming via a hydrodynamic transition. <i>Physical Review Letters</i> , 2015 , 114, 108102	7.4	65
57	Microgrooves and fluid flows provide preferential passageways for sperm over pathogen <i>Tritrichomonas foetus</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015 , 112, 5431-6	11.5	57
56	On a matter of seminal importance. <i>BioEssays</i> , 2015 , 37, 142-7	4.1	54
55	Ejaculated mouse sperm enter cumulus-oocyte complexes more efficiently in vitro than epididymal sperm. <i>PLoS ONE</i> , 2015 , 10, e0127753	3.7	17
54	Cooperative roles of biological flow and surface topography in guiding sperm migration revealed by a microfluidic model. <i>Lab on A Chip</i> , 2014 , 14, 1348-56	7.2	61
53	Increased conception rates in beef cattle inseminated with nanopurified bull semen. <i>Biology of Reproduction</i> , 2014 , 91, 97	3.9	60
52	Cryopreservation increases coating of bull sperm by seminal plasma binder of sperm proteins BSP1, BSP3, and BSP5. <i>Reproduction</i> , 2013 , 146, 111-7	3.8	35
51	Different migration patterns of sea urchin and mouse sperm revealed by a microfluidic chemotaxis device. <i>PLoS ONE</i> , 2013 , 8, e60587	3.7	23

50	Alterations to the bull sperm surface proteins that bind sperm to oviductal epithelium. <i>Biology of Reproduction</i> , 2012 , 87, 88	3.9	25
49	Unexpected flagellar movement patterns and epithelial binding behavior of mouse sperm in the oviduct. <i>Biology of Reproduction</i> , 2012 , 86, 140, 1-8	3.9	51
48	Coupling biochemistry and hydrodynamics captures hyperactivated sperm motility in a simple flagellar model. <i>Journal of Theoretical Biology</i> , 2011 , 283, 203-16	2.3	50
47	Two distinct Ca(2+) signaling pathways modulate sperm flagellar beating patterns in mice. <i>Biology of Reproduction</i> , 2011 , 85, 296-305	3.9	69
46	Rethinking the relationship between hyperactivation and chemotaxis in mammalian sperm. <i>Biology of Reproduction</i> , 2010 , 83, 507-13	3.9	65
45	A model of CatSper channel mediated calcium dynamics in mammalian spermatozoa. <i>Bulletin of Mathematical Biology</i> , 2010 , 72, 1925-46	2.1	28
44	CatSper-null mutant spermatozoa are unable to ascend beyond the oviductal reservoir. <i>Reproduction, Fertility and Development</i> , 2009 , 21, 345-50	1.8	102
43	Soluble adenylyl cyclase is required for activation of sperm but does not have a direct effect on hyperactivation. <i>Reproduction, Fertility and Development</i> , 2008 , 20, 247-52	1.8	20
42	Control of hyperactivation in sperm. <i>Human Reproduction Update</i> , 2008 , 14, 647-57	15.8	360
41	Regulation of sperm storage and movement in the mammalian oviduct. <i>International Journal of Developmental Biology</i> , 2008 , 52, 455-62	1.9	251
40	Annexins are candidate oviductal receptors for bovine sperm surface proteins and thus may serve to hold bovine sperm in the oviductal reservoir. <i>Biology of Reproduction</i> , 2007 , 77, 906-13	3.9	95
39	Bovine sperm hyperactivation is promoted by alkaline-stimulated Ca ²⁺ influx. <i>Biology of Reproduction</i> , 2007 , 76, 660-5	3.9	80
38	Contributions of extracellular and intracellular Ca ²⁺ to regulation of sperm motility: Release of intracellular stores can hyperactivate CatSper1 and CatSper2 null sperm. <i>Developmental Biology</i> , 2007 , 303, 214-21	3.1	94
37	Different regulatory systems operate in the midpiece and principal piece of the mammalian sperm flagellum. <i>Society of Reproduction and Fertility Supplement</i> , 2007 , 65, 331-4		9
36	Bovine seminal plasma proteins PDC-109, BSP-A3, and BSP-30-kDa share functional roles in storing sperm in the oviduct. <i>Biology of Reproduction</i> , 2006 , 75, 501-7	3.9	153
35	Gamete and Zygote Transport 2006 , 113-145		11
34	The "soluble" adenylyl cyclase in sperm mediates multiple signaling events required for fertilization. <i>Developmental Cell</i> , 2005 , 9, 249-59	10.2	304
33	Calcium/calmodulin and calmodulin kinase II stimulate hyperactivation in demembrated bovine sperm. <i>Biology of Reproduction</i> , 2005 , 73, 519-26	3.9	60

32	Different signaling pathways in bovine sperm regulate capacitation and hyperactivation. <i>Biology of Reproduction</i> , 2004 , 70, 1626-33	3.9	134
31	Selective passage through the uterotubal junction of sperm from a mixed population produced by chimeras of calmegin-knockout and wild-type male mice. <i>Biology of Reproduction</i> , 2004 , 71, 959-65	3.9	53
30	Characterization of the intracellular calcium store at the base of the sperm flagellum that regulates hyperactivated motility. <i>Biology of Reproduction</i> , 2003 , 68, 1590-6	3.9	186
29	Transport of Spermatozoa in the Female Genital Tract 2003 , 227-236		1
28	PDC-109 (BSP-A1/A2) promotes bull sperm binding to oviductal epithelium in vitro and may be involved in forming the oviductal sperm reservoir. <i>Biology of Reproduction</i> , 2003 , 69, 809-15	3.9	135
27	Formation of a reservoir of sperm in the oviduct. <i>Reproduction in Domestic Animals</i> , 2002 , 37, 140-3	1.6	109
26	Hyperactivated motility of bull sperm is triggered at the axoneme by Ca ²⁺ and not cAMP. <i>Developmental Biology</i> , 2002 , 250, 208-17	3.1	179
25	Gamete Transport 2002 , 3-28		10
24	Characterization of a fucose-binding protein from bull sperm and seminal plasma that may be responsible for formation of the oviductal sperm reservoir. <i>Biology of Reproduction</i> , 2001 , 64, 1806-11	3.9	99
23	An inositol 1,4,5-trisphosphate receptor-gated intracellular Ca(2+) store is involved in regulating sperm hyperactivated motility. <i>Biology of Reproduction</i> , 2001 , 65, 1606-15	3.9	171
22	Carbohydrate-mediated formation of the oviductal sperm reservoir in mammals. <i>Cells Tissues Organs</i> , 2001 , 168, 105-12	2.1	76
21	Physiological state of bull sperm affects fucose- and mannose-binding properties. <i>Biology of Reproduction</i> , 2000 , 62, 1010-5	3.9	62
20	Three-dimensional structure of the Golgi apparatus in mouse spermatids: a scanning electron microscopic study. <i>The Anatomical Record</i> , 1999 , 256, 189-94		22
19	Bull sperm binding to oviductal epithelium is mediated by a Ca ²⁺ -dependent lectin on sperm that recognizes Lewis-a trisaccharide. <i>Biology of Reproduction</i> , 1998 , 59, 39-44	3.9	71
18	The oviductal sperm reservoir in mammals: mechanisms of formation. <i>Biology of Reproduction</i> , 1998 , 58, 1105-7	3.9	115
17	Membrane contact with oviductal epithelium modulates the intracellular calcium concentration of equine spermatozoa in vitro. <i>Biology of Reproduction</i> , 1997 , 56, 861-9	3.9	106
16	Bovine sperm binding to oviductal epithelium involves fucose recognition. <i>Biology of Reproduction</i> , 1997 , 56, 1198-204	3.9	145
15	Distribution of mucus and sperm in bovine oviducts after artificial insemination: the physical environment of the oviductal sperm reservoir. <i>Biology of Reproduction</i> , 1997 , 56, 447-53	3.9	76

14	Effect of capacitation on bull sperm binding to homologous oviductal epithelium. <i>Biology of Reproduction</i> , 1996 , 54, 575-82	3.9	154
13	Characterization of the oviductal sperm reservoir in cattle. <i>Biology of Reproduction</i> , 1995 , 53, 1066-74	3.9	112
12	Sperm motility hyperactivation facilitates penetration of the hamster zona pellucida. <i>Biology of Reproduction</i> , 1995 , 53, 1280-5	3.9	147
11	Intracellular calcium reaches different levels of elevation in hyperactivated and acrosome-reacted hamster sperm. <i>Molecular Reproduction and Development</i> , 1995 , 42, 325-33	2.6	60
10	Hyperactivation enhances mouse sperm capacity for penetrating viscoelastic media. <i>Biology of Reproduction</i> , 1992 , 46, 686-91	3.9	167
9	Hyperactivated sperm progress in the mouse oviduct. <i>Biology of Reproduction</i> , 1992 , 46, 779-85	3.9	173
8	Fertilizing capacity of bovine sperm may be maintained by binding of oviductal epithelial cells. <i>Biology of Reproduction</i> , 1991 , 44, 102-7	3.9	238
7	Hamster sperm motility transformation during development of hyperactivation in vitro and epididymal maturation. <i>Gamete Research</i> , 1988 , 19, 51-65		48
6	Sperm transport and motility in the mouse oviduct: observations in situ. <i>Biology of Reproduction</i> , 1987 , 36, 203-10	3.9	234
5	Initiation of hyperactivated flagellar bending in mouse sperm within the female reproductive tract. <i>Biology of Reproduction</i> , 1987 , 36, 1191-8	3.9	103
4	Hyperactivated motility induced in mouse sperm by calcium ionophore A23187 is reversible. <i>The Journal of Experimental Zoology</i> , 1987 , 244, 331-6		70
3	Changes in motility that accompany the acrosome reaction in hyperactivated hamster spermatozoa. <i>Gamete Research</i> , 1984 , 10, 253-265		59
2	Movement characteristics and acrosomal status of rabbit spermatozoa recovered at the site and time of fertilization. <i>Biology of Reproduction</i> , 1983 , 29, 1277-87	3.9	112
1	Interaction of rabbit spermatozoa and serum complement components. <i>Biology of Reproduction</i> , 1982 , 27, 473-83	3.9	20