José G Pajuelo

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8612826/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Life history of the red porgy Pagrus pagrus (Teleostei: Sparidae) off the Canary Islands, central east Atlantic. Fisheries Research, 1996, 28, 163-177.	0.9	56
2	Population biology of the common pandora Pagellus erythrinus (Pisces: Sparidae) off the Canary Islands. Fisheries Research, 1998, 36, 75-86.	0.9	47
3	Introduction of non-native marine fish species to the Canary Islands waters through oil platforms as vectors. Journal of Marine Systems, 2016, 163, 23-30.	0.9	42
4	Age, growth, reproduction and mortality of the striped seabream, Lithognathus mormyrus (Pisces,) Tj ETQq0 0 204-209.	0 rgBT /Ov 0.3	erlock 10 Tf 5 37
5	Life History of Black Seabream, Spondyliosoma cantharus, off the Canary Islands, Central-east Atlantic. Environmental Biology of Fishes, 1999, 54, 325-336.	0.4	35
6	Reproduction, age, growth and mortality of axillary seabream, Pagellus acarne (Sparidae), from the Canarian archipelago. Journal of Applied Ichthyology, 2000, 16, 41-47.	0.3	30
7	Biological parameters reflecting the current state of the exploited pink dentex <i>Dentex gibbosus</i> (Pisces: Sparidae) population off the Canary Islands. African Journal of Marine Science, 1995, 16, 311-319.	0.6	29
8	Biological parameters of the bathyal fish black scabbardfish (Aphanopus carbo Lowe, 1839) off the Canary Islands, Central-east Atlantic. Fisheries Research, 2008, 92, 140-147.	0.9	29
9	Growth and age estimation of Diplodus sargus cadenati (Sparidae) off the Canary Islands. Fisheries Research, 2002, 59, 93-100.	0.9	28
10	Reproductive characteristics of the benthic coastal fish Diplodus vulgaris (Teleostei: Sparidae) in the Canarian archipelago, northwest Africa. Journal of Applied Ichthyology, 2006, 22, 414-418.	0.3	27
11	Basic characteristics of the population dynamic and state of exploitation of Moroccan white seabream Diplodus sargus cadenati (Sparidae) in the Canarian archipelago. Journal of Applied Ichthyology, 2004, 20, 15-21.	0.3	26
12	Aspects of the Life History of the Salema, Sarpa salpa (Pisces, Sparidae), off the Canarian Archipelago (Central-East Atlantic). Environmental Biology of Fishes, 2002, 63, 183-192.	0.4	25
13	Bycatch and incidental catch of the black scabbardfish (Aphanopus spp.) fishery off the Canary Islands. Fisheries Research, 2010, 106, 448-453.	0.9	21
14	On the Population Ecology of the Zebra Seabream Diplodus cervinus cervinus (Lowe 1838) from the Coasts of the Canarian archipelago, North West Africa. Environmental Biology of Fishes, 2003, 67, 407-416.	0.4	19
15	The growth of the common two-banded seabream, Diplodus vulgaris (Teleostei, Sparidae), in Canarian waters, estimated by reading otoliths and by back-calculation. Journal of Applied Ichthyology, 2003, 19, 79-83.	0.3	19
16	Determination of age and growth of the striped seabream <i>Lithognathus mormyrus</i> (Sparidae), in the Canary archipelago by otolith readings and backcalculation. Scientia Marina, 2002, 66, 27-32.	0.3	18
17	Sex and reproduction of the alfonsino Beryx splendens (Pisces, Berycidae) from the Macaronesian archipelagos. Journal of Applied Ichthyology, 2003, 19, 104-108.	0.3	16
18	Age and growth of the sharpsnout seabream Diplodus puntazzo (Cetti, 1777) inhabiting the Canarian archipelago, estimated by reading otoliths and by backcalculation. Fisheries Research, 2006, 81, 142-148.	0.9	16

José G Pajuelo

#	Article	IF	CITATIONS
19	Gonadal development and spawning cycle in the digynic hermaphrodite sharpsnout seabream Diplodus puntazzo (Sparidae) off the Canary Islands, northwest of Africa. Journal of Applied Ichthyology, 2007, 24, 071018043205006-???.	0.3	16
20	Latitudinal patterns in the life-history traits of three isolated Atlantic populations of the deep-water shrimp Plesionika edwardsii (Decapoda, Pandalidae). Deep-Sea Research Part I: Oceanographic Research Papers, 2016, 117, 28-38.	0.6	16
21	Sex-structure, depth distribution, intermoult period and reproductive pattern of the deep-sea red crab Chaceon affinis (Brachyura, Geryonidae) in two populations in the north-eastern Atlantic. Deep-Sea Research Part I: Oceanographic Research Papers, 2015, 95, 99-114.	0.6	15
22	Reproductive pattern and egg development of the deep-sea crab Paromola cuvieri (Brachyura,) Tj ETQqO O O rgBT Papers, 2014, 85, 1-14.	Overlock 0.6	10 Tf 50 62 13
23	Growth and reproductive biology of chub mackerel <i>Scomber japonicus</i> off the Canary Islands. African Journal of Marine Science, 1996, 17, 275-280.	0.6	12
24	Sexual development and maturity scale for the angel shark Squatina squatina (Elasmobranchii:) Tj ETQq0 0 0 rgBT 117-132.	/Overlock 0.5	10 Tf 50 5 12
25	Age estimation and growth pattern of the island grouper, Mycteroperca fusca (Serranidae) in an island population on the northwest coast of Africa. Scientia Marina, 2009, 73, 319-328.	0.3	12
26	Age and growth of the annular seabream, Diplodus annularis (Pisces: Sparidae), from the Canarian archipelago (central-east Atlantic). Ciencias Marinas, 2002, 28, 1-11.	0.4	12
27	Life history of the red-banded seabream Pagrus auriga (Sparidae) from the coasts of the Canarian archipelago. Journal of Applied Ichthyology, 2006, 22, 430-436.	0.3	11
28	Ovarian maturity, egg development, and offspring generation of the deep-water shrimp Plesionika edwardsii (Decapoda, Pandalidae) from three isolated populations in the eastern North Atlantic. Marine Biology Research, 2017, 13, 174-187.	0.3	11
29	Age estimation and growth of the zebra seabream Diplodus cervinus cervinus (Lowe, 1838) on the Canary Islands shelf (Central-east Atlantic). Fisheries Research, 2003, 62, 97-103.	0.9	10
30	The community of deep-sea decapod crustaceans between 175 and 2600m in submarine canyons of a volcanic oceanic island (central-eastern Atlantic). Deep-Sea Research Part I: Oceanographic Research Papers, 2015, 105, 83-95.	0.6	10
31	Life history of the <i>Pomadasys incisus</i> (Osteichthyes: Haemulidae) of the Canarian Archipelago. Scientia Marina, 2003, 67, 241-248.	0.3	10
32	Biology of the red mulletMullus surmuletus(Mullidae) off the Canary Islands, Central-East Atlantic. African Journal of Marine Science, 1997, 18, 265-272.	0.6	9
33	Population biology of the shark, Squalus megalops, harvested in the central-east Atlantic Ocean. Fisheries Research, 2011, 108, 31-41.	0.9	9
34	Assemblages of deep-sea fishes on the middle slope off Northwest Africa (26°–33° N, eastern Atlantic). Deep-Sea Research Part I: Oceanographic Research Papers, 2016, 118, 66-83.	0.6	8
35	Age-based life-history parameters of the mesopelagic fish Notoscopelus resplendens (Richardson, 1845) in the Central Eastern Atlantic. Fisheries Research, 2018, 204, 412-423.	0.9	8
36	Growth pattern and age estimation of the coastal sparid fish Pagrus auriga on the Canary Islands shelf. Fisheries Research, 2006, 82, 7-13.	0.9	6

José G Pajuelo

#	Article	IF	CITATIONS
37	Artisanal fisheries in the Canary Islands (eastern-central Atlantic): description, analysis of their economic contribution, current threats, and strategic actions for sustainable development. Acta Ichthyologica Et Piscatoria, 2020, 50, 269-289.	0.3	6
38	Age and growth of the sand smelt Atherina (Hepsetia) presbyter Cuvier, 1829 in the Canary Islands (Central-east Atlantic). Fisheries Research, 1999, 41, 177-182.	0.9	5
39	Biology of the Sand Smelt, Atherina presbyter (Teleostei: Atherinidae), Off the Canary Islands (central-east Atlantic). Environmental Biology of Fishes, 2000, 59, 91-97.	0.4	4
40	Caudal region regeneration in a natural population of the morid fish Physiculus cyanostrophus in the tropical eastern Atlantic ocean Deep-Sea Research Part I: Oceanographic Research Papers, 2019, 150, 103062.	0.6	4
41	Reproductive biology of the island grouper (<i>Mycteroperca fusca</i>) in the Canary Islands, northwest coast of Africa. Scientia Marina, 2010, 74, 613-619.	0.3	4
42	Spatioâ€ŧemporal variation in biomass of the deepâ€sea red crab <i>Chaceon affinis</i> in Gran Canaria Island (Canary Islands, Eastern entral Atlantic). Marine Ecology, 2017, 38, e12462.	0.4	3
43	Perception of faunal circadian rhythms depends on sampling technique. Marine Environmental Research, 2018, 134, 68-75.	1.1	3
44	Changes in catch and bycatch composition and in species diversity of a semi-floating shrimp-trap fishery in three eastern Atlantic island ecosystems with different degrees of human alteration. Scientia Marina, 2018, 82, 107.	0.3	3
45	Biological parameters of the roudi escolar Promethichthys prometheus (Pisces: Gempylidae) off the Canary Islands. Fisheries Research, 1995, 24, 65-71.	0.9	2
46	Validation of age determination methods and growth studies of the sand sole Pegusa lascaris (Soleidae) from the eastern-central Atlantic. Ciencias Marinas, 2011, 37, 323-338.	0.4	2
47	Reproductive characteristics of the sand sole <i>Pegusa lascaris</i> (Soleidae), from the eastern-central Atlantic. Journal of the Marine Biological Association of the United Kingdom, 2008, 88, 629-635.	0.4	1
48	Age estimation and growth pattern of the grouper <i>Cephalopholis taeniops</i> (Epinephelidae) off the Cape Verde Archipelago, north-west Africa. Journal of the Marine Biological Association of the United Kingdom, 2015, 95, 599-609.	0.4	1
49	Life-history traits of seabream <i>Boops boops</i> (Linnaeus, 1758) in the central eastern Atlantic Ocean (Canary Islands). African Journal of Marine Science, 2018, 40, 423-437.	0.4	1
50	Sex with the lights off: Can a morphological structure reveal the sex and functional sexual maturity in the genus Plesionika?. Deep-Sea Research Part I: Oceanographic Research Papers, 2018, 142, 69-76.	0.6	1
51	Length–weight relationships of five selected demersal fishes from the Cabo Verde Islands (easternâ€central Atlantic). Journal of Applied Ichthyology, 2021, 37, 350-353.	0.3	1
52	Relevance of feeding ecology in the management of invasive species: Prey variability in a novel invasive crab. Estuarine, Coastal and Shelf Science, 2022, 274, 107949.	0.9	1