

Bjrn T Stokke

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8613400/bjorn-t-stokke-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

144
papers

5,572
citations

42
h-index

70
g-index

148
ext. papers

6,014
ext. citations

6
avg, IF

5.56
L-index

#	Paper	IF	Citations
144	On the Determination of Mechanical Properties of Aqueous Microgels-Towards High-Throughput Characterization. <i>Gels</i> , 2021 , 7,	4.2	2
143	A Titratable Cell Lysis-on-Demand System for Droplet-Compartmentalized Ultrahigh-Throughput Screening in Functional Metagenomics and Directed Evolution. <i>ACS Synthetic Biology</i> , 2021 , 10, 1882-1894	5.7	0
142	Signal Amplification of a Gravimetric Glucose Biosensor Based on the Concanavalin A-Dextran Affinity Assay. <i>IEEE Sensors Journal</i> , 2021 , 21, 4391-4404	4	1
141	Fabrication of monodisperse alginate microgel beads by microfluidic picoinjection: a chelate free approach. <i>Lab on A Chip</i> , 2021 , 21, 2232-2243	7.2	6
140	Impact of Silanization Parameters and Antibody Immobilization Strategy on Binding Capacity of Photonic Ring Resonators. <i>Sensors</i> , 2020 , 20,	3.8	4
139	Toehold Length of Target ssDNA Affects Its Reaction-Diffusion Behavior in DNA-Responsive DNA-Acrylamide Hydrogels. <i>Biomacromolecules</i> , 2020 , 21, 1687-1699	6.9	2
138	Donnan Contribution and Specific Ion Effects in Swelling of Cationic Hydrogels are Additive: Combined High-Resolution Experiments and Finite Element Modeling. <i>Gels</i> , 2020 , 6,	4.2	4
137	The Characterisation and Quantification of Immobilised Concanavalin A on Quartz Surfaces Based on The Competitive Binding to Glucose and Fluorescent Labelled Dextran. <i>Applied Sciences (Switzerland)</i> , 2019 , 9, 318	2.6	5
136	Nanoparticle-Hydrogel Composites: From Molecular Interactions to Macroscopic Behavior. <i>Polymers</i> , 2019 , 11,	4.5	74
135	Myeloma-derived extracellular vesicles mediate HGF/c-Met signaling in osteoblast-like cells. <i>Experimental Cell Research</i> , 2019 , 383, 111490	4.2	7
134	Tn and STn are members of a family of carbohydrate tumor antigens that possess carbohydrate-carbohydrate interactions. <i>Glycobiology</i> , 2018 , 28, 437-442	5.8	10
133	In vitro single-cell dissection revealing the interior structure of cable bacteria. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018 , 115, 8517-8522	11.5	30
132	Self-Coacervation of a Silk-Like Protein and Its Use As an Adhesive for Cellulosic Materials. <i>ACS Macro Letters</i> , 2018 , 7, 1120-1125	6.6	18
131	Polymer sequencing by molecular machines: a framework for predicting the resolving power of a sliding contact force spectroscopy sequencing method. <i>Nanoscale</i> , 2017 , 9, 15089-15097	7.7	
130	Interactions between the breast cancer-associated MUC1 mucins and C-type lectin characterized by optical tweezers. <i>PLoS ONE</i> , 2017 , 12, e0175323	3.7	7
129	Competitive ligand exchange of crosslinking ions for ionotropic hydrogel formation. <i>Journal of Materials Chemistry B</i> , 2016 , 4, 6175-6182	7.3	25
128	Interactions of mucins with the Tn or Sialyl Tn cancer antigens including MUC1 are due to GalNAc-GalNAc interactions. <i>Glycobiology</i> , 2016 , 26, 1338-1350	5.8	8

127	Microarrays for the study of compartmentalized microorganisms in alginate microbeads and (W/O/W) double emulsions. <i>RSC Advances</i> , 2016 , 6, 114830-114842	3.7	8
126	Sliding Contact Dynamic Force Spectroscopy Method for Interrogating Slowly Forming Polymer Cross-Links. <i>Langmuir</i> , 2016 , 32, 12814-12822	4	4
125	Recovering fluorophore concentration profiles from confocal images near lateral refractive index step changes. <i>Journal of Biomedical Optics</i> , 2016 , 21, 126014	3.5	2
124	Effects of added oligoguluronate on mechanical properties of Ca - alginate - oligoguluronate hydrogels depend on chain length of the alginate. <i>Carbohydrate Polymers</i> , 2016 , 147, 234-242	10.3	8
123	Single molecule investigation of the onset and minimum size of the calcium-mediated junction zone in alginate. <i>Carbohydrate Polymers</i> , 2016 , 148, 52-60	10.3	22
122	Local structure of Ca(2+) induced hydrogels of alginate-oligoguluronate blends determined by small-angle-X-ray scattering. <i>Carbohydrate Polymers</i> , 2016 , 152, 532-540	10.3	14
121	Bioresponsive DNA-co-polymer hydrogels for fabrication of sensors. <i>Current Opinion in Colloid and Interface Science</i> , 2016 , 26, 1-8	7.6	15
120	Versatile, cell and chip friendly method to gel alginate in microfluidic devices. <i>Lab on A Chip</i> , 2016 , 16, 3718-27	7.2	42
119	Nanoindentation and finite element modelling of chitosan-alginate multilayer coated hydrogels. <i>Soft Matter</i> , 2016 , 12, 7338-49	3.6	9
118	CD14, TLR4 and TRAM Show Different Trafficking Dynamics During LPS Stimulation. <i>Traffic</i> , 2015 , 16, 677-90	5.7	27
117	Direct Determination of Chitosan-Mucin Interactions Using a Single-Molecule Strategy: Comparison to Alginate-Mucin Interactions. <i>Polymers</i> , 2015 , 7, 161-185	4.5	22
116	Delaying cluster growth of ionotropic induced alginate gelation by oligoguluronate. <i>Carbohydrate Polymers</i> , 2015 , 133, 126-34	10.3	7
115	Novel imaging technologies for characterization of microbial extracellular polysaccharides. <i>Frontiers in Microbiology</i> , 2015 , 6, 525	5.7	8
114	Single molecule study of heterotypic interactions between mucins possessing the Tn cancer antigen. <i>Glycobiology</i> , 2015 , 25, 524-34	5.8	5
113	Swelling Dynamics of a DNA-Polymer Hybrid Hydrogel Prepared Using Polyethylene Glycol as a Porogen. <i>Gels</i> , 2015 , 1, 219-234	4.2	8
112	Energy Landscape of Alginate-Epimerase Interactions Assessed by Optical Tweezers and Atomic Force Microscopy. <i>PLoS ONE</i> , 2015 , 10, e0141237	3.7	6
111	Polyelectrolyte and antipolyelectrolyte effects in swelling of polyampholyte and polyzwitterionic charge balanced and charge offset hydrogels. <i>European Polymer Journal</i> , 2014 , 53, 65-74	5.2	39
110	Structure-function relationships in glycopolymers: effects of residue sequences, duplex, and triplex organization. <i>Biopolymers</i> , 2013 , 99, 757-71	2.2	11

109	The relation of apple texture with cell wall nanostructure studied using an atomic force microscope. <i>Carbohydrate Polymers</i> , 2013 , 92, 128-37	10.3	54
108	PEGylated chitosan complexes DNA while improving polyplex colloidal stability and gene transfection efficiency. <i>Carbohydrate Polymers</i> , 2013 , 94, 436-43	10.3	21
107	Higher order structures of a bioactive, water-soluble (1->3)-D-glucan derived from <i>Saccharomyces cerevisiae</i> . <i>Carbohydrate Polymers</i> , 2013 , 92, 1026-32	10.3	10
106	Swelling of a hemi-ellipsoidal ionic hydrogel for determination of material properties of deposited thin polymer films: an inverse finite element approach. <i>Soft Matter</i> , 2013 , 9, 5815	3.6	5
105	Evidence for age-dependent in vivo conformational rearrangement within A β amyloid deposits. <i>ACS Chemical Biology</i> , 2013 , 8, 1128-33	4.9	63
104	Cyclodextrin triggered dimensional changes of polysaccharide nanogel integrated hydrogels at nanometer resolution. <i>Soft Matter</i> , 2013 , 9, 5178	3.6	10
103	High resolution interferometry as a tool for characterization of swelling of weakly charged hydrogels subjected to amphiphile and cyclodextrin exposure. <i>Journal of Colloid and Interface Science</i> , 2013 , 390, 282-90	9.3	5
102	Isothermal titration calorimetry study of the polyelectrolyte complexation of xanthan and chitosan samples of different degree of polymerization. <i>Biopolymers</i> , 2012 , 97, 1-10	2.2	12
101	Impregnation of weakly charged anionic microhydrogels with cationic polyelectrolytes and their swelling properties monitored by a high resolution interferometric technique. Transformation from a polyelectrolyte to polyampholyte hydrogel. <i>European Polymer Journal</i> , 2012 , 48, 1949-1959	5.2	10
100	Oligogulonate induced competitive displacement of mucin α lginate interactions: relevance for mucolytic function. <i>Soft Matter</i> , 2012 , 8, 8413	3.6	26
99	Enhanced self-association of mucins possessing the T and Tn carbohydrate cancer antigens at the single-molecule level. <i>Biomacromolecules</i> , 2012 , 13, 1400-9	6.9	17
98	Direct measurement of the interaction force between immunostimulatory CpG-DNA and TLR9 fusion protein. <i>Journal of Molecular Recognition</i> , 2012 , 25, 74-81	2.6	5
97	Nanoscopic and photonic ultrastructural characterization of two distinct insulin amyloid states. <i>International Journal of Molecular Sciences</i> , 2012 , 13, 1461-80	6.3	9
96	Logic swelling response of DNA β polymer hybrid hydrogel. <i>Soft Matter</i> , 2011 , 7, 4615	3.6	35
95	Toehold of dsDNA exchange affects the hydrogel swelling kinetics of a polymer β dsDNA hybrid hydrogel. <i>Soft Matter</i> , 2011 , 7, 1741-1746	3.6	38
94	Alginate Oligogulonates as a Tool for Tailoring Properties of Ca-Alginate Gels. <i>Macromolecular Symposia</i> , 2010 , 291-292, 345-353	0.8	9
93	Responsive hydrogels for label-free signal transduction within biosensors. <i>Sensors</i> , 2010 , 10, 4381-409	3.8	66
92	Higher order structure of short immunostimulatory oligonucleotides studied by atomic force microscopy. <i>Ultramicroscopy</i> , 2010 , 110, 689-93	3.1	21

91	Interferometric characterization of swelling of covalently crosslinked alginate gel and changes associated with polymer impregnation. <i>Carbohydrate Polymers</i> , 2010 , 80, 828-832	10.3	9
90	Single-molecule pair studies of the interactions of the alpha-GalNAc (Tn-antigen) form of porcine submaxillary mucin with soybean agglutinin. <i>Biopolymers</i> , 2009 , 91, 719-28	2.2	24
89	Glucose sensors based on a responsive gel incorporated as a Fabry-Perot cavity on a fiber-optic readout platform. <i>Biosensors and Bioelectronics</i> , 2009 , 24, 2034-9	11.8	74
88	Structure and stability of polynucleotide-(1,3)- β -D-glucan complexes. <i>Carbohydrate Polymers</i> , 2009 , 76, 389-399	10.3	11
87	Single molecular pair interactions between hydrophobically modified hydroxyethyl cellulose and amylose determined by dynamic force spectroscopy. <i>Langmuir</i> , 2009 , 25, 10174-82	4	14
86	Development of an oligonucleotide functionalized hydrogel integrated on a high resolution interferometric readout platform as a label-free macromolecule sensing device. <i>Biomacromolecules</i> , 2009 , 10, 1619-26	6.9	39
85	Determination of glucose levels using a functionalized hydrogel-optical fiber biosensor: toward continuous monitoring of blood glucose in vivo. <i>Analytical Chemistry</i> , 2009 , 81, 3630-6	7.8	95
84	Determination of swelling of responsive gels with nanometer resolution. Fiber-optic based platform for hydrogels as signal transducers. <i>Analytical Chemistry</i> , 2008 , 80, 5086-93	7.8	54
83	Higher order structure of (1,3)-beta-D-glucans and its influence on their biological activities and complexation abilities. <i>Biopolymers</i> , 2008 , 89, 310-21	2.2	134
82	The fluid phase of morsellized bone: characterization of viscosity and chemical composition. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2008 , 1, 199-205	4.1	5
81	Polyelectrolyte layer interpenetration and swelling of alginate-chitosan multilayers studied by dual wavelength reflection interference contrast microscopy. <i>Carbohydrate Polymers</i> , 2008 , 71, 672-681	10.3	29
80	Polyelectrolyte complex formation using alginate and chitosan. <i>Carbohydrate Polymers</i> , 2008 , 74, 813-821	10.3	255
79	Quantitative analysis of atomic force microscopy topographs of biopolymer multilayers: Surface structure and polymer assembly modes. <i>Thin Solid Films</i> , 2008 , 516, 7770-7776	2.2	9
78	Potentials of bionanotechnology in the study and manufacturing of self-assembled biopolymer complexes and gels. <i>Food Hydrocolloids</i> , 2008 , 22, 2-11	10.6	7
77	Influence of oligoguluronates on alginate gelation, kinetics, and polymer organization. <i>Biomacromolecules</i> , 2007 , 8, 2388-97	6.9	64
76	Potential of histamine release by Microfungal (1 \rightarrow 3)- and (1 \rightarrow 6)-beta-D-glucans. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2007 , 101, 455-8	3.1	17
75	Evidence for egg-box-compatible interactions in calcium-alginate gels from fiber X-ray diffraction. <i>Biomacromolecules</i> , 2007 , 8, 2098-103	6.9	330
74	The influence of charge density of chitosan in the compaction of the polyanions DNA and xanthan. <i>Biomacromolecules</i> , 2007 , 8, 1124-30	6.9	40

73	Similarities and differences between alginic acid gels and ionically crosslinked alginate gels. <i>Food Hydrocolloids</i> , 2006 , 20, 170-175	10.6	97
72	Small angle x-ray scattering study of local structure and collapse transition of (1,3)-beta-D-glucan-chitosan gels. <i>Journal of Chemical Physics</i> , 2006 , 125, 054908	3.9	6
71	Determination of molecular parameters of linear and circular scleroglucan coexisting in ternary mixtures using light scattering. <i>Biomacromolecules</i> , 2006 , 7, 858-65	6.9	18
70	Glycosaminoglycan destabilization of DNA-chitosan polyplexes for gene delivery depends on chitosan chain length and GAG properties. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2005 , 1721, 44-54	4	65
69	Electrostatically Self-Assembled Multilayers of Chitosan and Xanthan Studied by Atomic Force Microscopy and Micro-Interferometry. <i>Macromolecular Symposia</i> , 2005 , 227, 161-172	0.8	9
68	Swelling, mechanical properties and effect of annealing of scleroglucan gels. <i>Carbohydrate Polymers</i> , 2005 , 60, 363-378	10.3	2
67	Mapping enzymatic functionalities of mannanuronan C-5 epimerases and their modular units by dynamic force spectroscopy. <i>Carbohydrate Research</i> , 2005 , 340, 2782-95	2.9	15
66	Toroids of stiff polyelectrolytes. <i>Current Opinion in Colloid and Interface Science</i> , 2005 , 10, 16-21	7.6	23
65	DNA-polycation complexation and polyplex stability in the presence of competing polyanions. <i>Biopolymers</i> , 2005 , 77, 86-97	2.2	53
64	Development and application of a model for chitosan hydrolysis by a family 18 chitinase. <i>Biopolymers</i> , 2005 , 77, 273-85	2.2	27
63	Probing macromolecular architectures of nanosized cyclic structures of (1-->3)-beta-D-glucans by AFM and SEC-MALLS. <i>Carbohydrate Research</i> , 2005 , 340, 971-9	2.9	28
62	Biochemical analysis of the processive mechanism for epimerization of alginate by mannanuronan C-5 epimerase AlgE4. <i>Biochemical Journal</i> , 2004 , 381, 155-64	3.8	78
61	Improved chitosan-mediated gene delivery based on easily dissociated chitosan polyplexes of highly defined chitosan oligomers. <i>Gene Therapy</i> , 2004 , 11, 1441-52	4	327
60	Metastable and stable states of xanthan polyelectrolyte complexes studied by atomic force microscopy. <i>Biopolymers</i> , 2004 , 74, 199-213	2.2	46
59	Crystal Structure of Cellulose Triacetate I. <i>Macromolecules</i> , 2004 , 37, 4547-4553	5.5	39
58	Single-molecular pair unbinding studies of Mannuronan C-5 epimerase AlgE4 and its polymer substrate. <i>Biomacromolecules</i> , 2004 , 5, 1288-95	6.9	42
57	Structural analysis of chitosan mediated DNA condensation by AFM: influence of chitosan molecular parameters. <i>Biomacromolecules</i> , 2004 , 5, 928-36	6.9	121
56	Characterisation of bacterial polysaccharides: steps towards single-molecular studies. <i>Carbohydrate Research</i> , 2003 , 338, 2459-75	2.9	45

55	Analysis of Compacted Semiflexible Polyanions Visualized by Atomic Force Microscopy: Influence of Chain Stiffness on the Morphologies of Polyelectrolyte Complexes <i>Journal of Physical Chemistry B</i> , 2003 , 107, 8172-8180	3.4	64
54	Scleroglucan gelation by in situ neutralization of the alkaline solution. <i>Biomacromolecules</i> , 2003 , 4, 914-219	10.3	17
53	Small-angle X-ray scattering and rheological characterization of alginate gels. 3. Alginic acid gels. <i>Biomacromolecules</i> , 2003 , 4, 1661-8	6.9	78
52	Mode of action of recombinant <i>Azotobacter vinelandii</i> mannuronan C-5 epimerases AlgE2 and AlgE4. <i>Biopolymers</i> , 2002 , 63, 77-88	2.2	46
51	Structural stability of (1 \rightarrow 3)- β -D-glucan macrocycles. <i>Carbohydrate Polymers</i> , 2001 , 44, 113-121	10.3	24
50	Gelation of periodate oxidised scleroglucan (scleraldehyde). <i>Carbohydrate Polymers</i> , 2001 , 46, 241-248	10.3	19
49	Effects of molecular weight and elastic segment flexibility on syneresis in Ca-alginate gels. <i>Food Hydrocolloids</i> , 2001 , 15, 485-490	10.6	81
48	The cytokine stimulating activity of (1 \rightarrow 3)- β -D-glucans is dependent on the triple helix conformation. <i>Carbohydrate Research</i> , 2000 , 329, 587-96	2.9	186
47	Small-angle X-ray scattering and rheological characterization of alginate gels. 2. Time-resolved studies on ionotropic gels. <i>Journal of Molecular Structure</i> , 2000 , 554, 21-34	3.4	43
46	Small-Angle X-ray Scattering and Rheological Characterization of Alginate Gels. 1. Ca ²⁺ Alginate Gels. <i>Macromolecules</i> , 2000 , 33, 1853-1863	5.5	278
45	The recombinant <i>Azotobacter vinelandii</i> mannuronan C-5-epimerase AlgE4 epimerizes alginate by a nonrandom attack mechanism. <i>Journal of Biological Chemistry</i> , 1999 , 274, 12316-22	5.4	69
44	Scleroglucan gel volume changes in dimethylsulphoxide/water and alkaline solutions are partly caused by polymer chain conformational transitions. <i>Carbohydrate Polymers</i> , 1999 , 39, 249-255	10.3	7
43	Mode of action of chitin deacetylase from <i>Mucor rouxii</i> on partially N-acetylated chitosans. <i>Carbohydrate Research</i> , 1998 , 311, 71-78	2.9	45
42	Free-radical degradation of triple-stranded scleroglucan by hydrogen peroxide and ferrous ions. <i>Carbohydrate Polymers</i> , 1998 , 37, 41-48	10.3	28
41	Gelation kinetics of scleraldehyde-chitosan co-gels. <i>Polymer Gels and Networks</i> , 1998 , 6, 113-135		26
40	Sclerox-chitosan co-gels: Effects of charge density on swelling of gels in ionic aqueous solution and in poor solvents, and on the rehydration of dried gels. <i>Polymer Gels and Networks</i> , 1998 , 6, 471-492		24
39	Acid Hydrolysis of β and γ Carrageenan in the Disordered and Ordered Conformations: Characterization of Partially Hydrolyzed Samples and Single-Stranded Oligomers Released from the Ordered Structures. <i>Macromolecules</i> , 1998 , 31, 1842-1851	5.5	41
38	Small-angle X-ray scattering and rheological characterization of alginate gels. <i>Macromolecular Symposia</i> , 1997 , 120, 91-101	0.8	14

37	Colloidal gold and colloidal gold labelled wheat germ agglutinin as molecular probes for identification in mucin/chitosan complexes. <i>Carbohydrate Polymers</i> , 1997 , 33, 91-99	10.3	19
36	Metastable, Partially Depolymerized Xanthans and Rearrangements toward Perfectly Matched Duplex Structures. <i>Macromolecules</i> , 1996 , 29, 2939-2944	5.5	8
35	Release of disordered xanthan oligomers upon partial acid hydrolysis of double-stranded xanthan. <i>Food Hydrocolloids</i> , 1996 , 10, 83-89	10.6	13
34	Transient electric birefringence study of rod-like triple-helical polysaccharide schizophyllan. <i>Carbohydrate Polymers</i> , 1996 , 29, 277-283	10.3	2
33	Sequence specificities for lysozyme depolymerization of partially N-acetylated chitosans. <i>Canadian Journal of Chemistry</i> , 1995 , 73, 1972-1981	0.9	29
32	Carboxylation of scleroglucan for controlled crosslinking by heavy metal ions. <i>Carbohydrate Polymers</i> , 1995 , 27, 5-11	10.3	18
31	Conformation dependent depolymerisation kinetics of polysaccharides studied by viscosity measurements. <i>Carbohydrate Polymers</i> , 1994 , 24, 265-275	10.3	51
30	An antitumor, branched (1 \rightarrow 3)-beta-D-glucan from a water extract of fruiting bodies of <i>Cryptoporus volvatus</i> . <i>Carbohydrate Research</i> , 1994 , 263, 111-21	2.9	74
29	Numerical model for alginate block specificity of mannuronate lyase from <i>Haliotis</i> . <i>Carbohydrate Research</i> , 1994 , 260, 83-98	2.9	11
28	The role of side-chains in the Cr ³⁺ -induced gelation of xanthan and xylinan (acetan) variants. <i>Carbohydrate Polymers</i> , 1994 , 25, 25-29	10.3	5
27	Pregel cluster formation in gelling polysaccharides visualized by electron microscopy. <i>Polymer Gels and Networks</i> , 1994 , 2, 173-190		11
26	Conformation of (2 \rightarrow 1)-beta-D-fructan in aqueous solution. <i>International Journal of Biological Macromolecules</i> , 1994 , 16, 313-7	7.9	19
25	P265 the potential of chitosan as mucoadhesive drug carrier: Studies on its interaction with pig gastric mucin on a molecular level. <i>European Journal of Pharmaceutical Sciences</i> , 1994 , 2, 185	5.1	8
24	Influence of Aqueous Solvation on Side Chain-Backbone Interaction in Comblike Branched Bacterial Polysaccharides. <i>Macromolecules</i> , 1994 , 27, 1124-1135	5.5	6
23	Macrocyclization of polysaccharides visualized by electron microscopy. <i>International Journal of Biological Macromolecules</i> , 1993 , 15, 63-8	7.9	51
22	Depolymerization of double-stranded xanthan by acid hydrolysis: characterization of partially degraded double strands and single-stranded oligomers released from the ordered structures. <i>Macromolecules</i> , 1993 , 26, 6111-6120	5.5	54
21	Comparison of scanning tunnelling microscopy and transmission electron microscopy image data of a microbial polysaccharide. <i>Ultramicroscopy</i> , 1993 , 48, 197-201	3.1	27
20	Distribution of uronate residues in alginate chains in relation to alginate gelling properties II: Enrichment of α -D-mannuronic acid and depletion of β -D-guluronic acid in sol fraction. <i>Carbohydrate Polymers</i> , 1993 , 21, 39-46	10.3	58

19	Predicted influence of monomer sequence distribution and acetylation on the extension of naturally occurring alginates. <i>Carbohydrate Polymers</i> , 1993 , 22, 57-66	10.3	22
18	Rheology of xanthan and scleroglucan in synthetic seawater. <i>Carbohydrate Polymers</i> , 1992 , 17, 209-220	10.3	36
17	Degradation of multistranded polymers: effects of interstrand stabilization in xanthan and scleroglucan studied by a Monte Carlo method. <i>Macromolecules</i> , 1992 , 25, 2209-2214	5.5	20
16	Gelation of xanthan with trivalent metal ions. <i>Carbohydrate Polymers</i> , 1992 , 18, 243-251	10.3	52
15	Optical rotation of dilute aqueous xanthan solutions at elevated hydrostatic pressure. <i>Journal of Applied Polymer Science</i> , 1991 , 42, 2063-2071	2.9	3
14	Supercoiling in circular triple-helical polysaccharides. <i>Macromolecules</i> , 1991 , 24, 6349-6351	5.5	60
13	Distribution of uronate residues in alginate chains in relation to alginate gelling properties. <i>Macromolecules</i> , 1991 , 24, 4637-4645	5.5	131
12	Long-term storage of xanthan in seawater at elevated temperature: physical dimensions and chemical composition of degradation products. <i>International Journal of Biological Macromolecules</i> , 1989 , 11, 137-44	7.9	9
11	Controlled gelation of xanthan by trivalent chronic ions. <i>Carbohydrate Polymers</i> , 1988 , 8, 245-256	10.3	21
10	The molecular size and shape of xanthan, xylinan, bronchial mucin, alginate, and amylose as revealed by electron microscopy. <i>Carbohydrate Research</i> , 1987 , 160, 13-28	2.9	67
9	Thermal stability and chain conformational studies of xanthan at different ionic strengths. <i>Carbohydrate Polymers</i> , 1987 , 7, 421-433	10.3	20
8	The human erythrocyte membrane skeleton may be an ionic gel. I. Membrane mechanochemical properties. <i>European Biophysics Journal</i> , 1986 , 13, 203-18	1.9	63
7	The human erythrocyte membrane skeleton may be an ionic gel. III. Micropipette aspiration of unswollen erythrocytes. <i>Journal of Theoretical Biology</i> , 1986 , 123, 205-11	2.3	16
6	The molecular basis of erythrocyte shape. <i>Science</i> , 1986 , 234, 1217-23	33.3	270
5	Spectrin, human erythrocyte shapes, and mechanochemical properties. <i>Biophysical Journal</i> , 1986 , 49, 319-27	2.9	36
4	Electron microscopic study of single-and double-stranded xanthan. <i>International Journal of Biological Macromolecules</i> , 1986 , 8, 217-225	7.9	55
3	A computerized low-shear pendulum viscoelastometer, stress-relaxation, shear creep, and dynamic elastic moduli measurements of soft biogels. <i>International Journal of Bio-medical Computing</i> , 1985 , 17, 215-26		3
2	A practical, high-resolution, microcomputer-based method for the analysis of relaxation data exhibiting multicomponent exponential decays. <i>International Journal of Bio-medical Computing</i> , 1985 , 16, 35-57		5

- 1 An electrophoretic device concentrating charged macromolecules to a predetermined final solution volume. *Analytical Biochemistry*, **1985**, 148, 527-32

3.1 1