

Dorota Zozulińska-Zińska, kiewicz

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8615389/publications.pdf>

Version: 2024-02-01

104
papers

1,104
citations

471061

17
h-index

525886

27
g-index

107
all docs

107
docs citations

107
times ranked

1952
citing authors

#	ARTICLE	IF	CITATIONS
1	Menopause and diabetes: EMAS clinical guide. <i>Maturitas</i> , 2018, 117, 6-10.	1.0	91
2	Brain-Derived Neurotrophic Factor and Diabetes. <i>International Journal of Molecular Sciences</i> , 2020, 21, 841.	1.8	70
3	Candida-associated denture stomatitis in type 2 diabetes mellitus. <i>Diabetes Research and Clinical Practice</i> , 2010, 90, 81-86.	1.1	53
4	TG/HDL-C ratio and visceral adiposity index may be useful in assessment of insulin resistance in adults with type 1 diabetes in clinical practice. <i>Journal of Clinical Lipidology</i> , 2018, 12, 734-740.	0.6	48
5	Influence of remission and its duration on development of early microvascular complications in young adults with type 1 diabetes. <i>Journal of Diabetes and Its Complications</i> , 2015, 29, 1105-1111.	1.2	40
6	Association Between IL-6 Concentration and Diabetes-Related Variables in DM1 Patients with and without Microvascular Complications. <i>Inflammation</i> , 2013, 36, 723-728.	1.7	38
7	2019 Guidelines on the management of diabetic patients. A position of Diabetes Poland. <i>Clinical Diabetology</i> , 2019, 8, 1-95.	0.2	34
8	Flash Glucose Measurements in Children with Type 1 Diabetes in Real-Life Settings: To Trust or Not to Trust?. <i>Diabetes Technology and Therapeutics</i> , 2018, 20, 17-24.	2.4	32
9	Increased Accumulation of Skin Advanced Glycation End Products Is Associated with Microvascular Complications in Type 1 Diabetes. <i>Diabetes Technology and Therapeutics</i> , 2011, 13, 837-842.	2.4	29
10	Autoantibodies against zinc transporter 8 are related to age and metabolic state in patients with newly diagnosed autoimmune diabetes. <i>Acta Diabetologica</i> , 2018, 55, 287-294.	1.2	29
11	Safety and glycemic outcomes of do-it-yourself AndroidAPS hybrid closed-loop system in adults with type 1 diabetes. <i>PLoS ONE</i> , 2021, 16, e0248965.	1.1	28
12	Retinal Neurodegeneration in the Course of Diabetes-Pathogenesis and Clinical Perspective. <i>Current Neuropharmacology</i> , 2016, 14, 805-809.	1.4	27
13	Skin autofluorescence is associated with carotid intima-media thickness, diabetic microangiopathy, and long-lasting metabolic control in type 1 diabetic patients. Results from Poznan Prospective Study. <i>Microvascular Research</i> , 2015, 98, 62-67.	1.1	26
14	Safe Completion of a Trail Running Ultramarathon by Four Men with Type 1 Diabetes. <i>Diabetes Technology and Therapeutics</i> , 2018, 20, 147-152.	2.4	25
15	Visceral adiposity index as a useful tool for the assessment of cardiometabolic disease risk in women aged 65 to 74. <i>Diabetes/Metabolism Research and Reviews</i> , 2018, 34, e3052.	1.7	24
16	State of the art paper Tuberculosis and diabetes mellitus – an underappreciated association. <i>Archives of Medical Science</i> , 2014, 5, 1019-1027.	0.4	22
17	Dermal microvessel density and maturity is closely associated with atherogenic dyslipidemia and accumulation of advanced glycation end products in adult patients with type 1 diabetes. <i>Microvascular Research</i> , 2019, 121, 46-51.	1.1	18
18	Can We Prevent Mitochondrial Dysfunction and Diabetic Cardiomyopathy in Type 1 Diabetes Mellitus? Pathophysiology and Treatment Options. <i>International Journal of Molecular Sciences</i> , 2020, 21, 2852.	1.8	18

#	ARTICLE	IF	CITATIONS
19	Knowledge after five-day teaching program in intensive insulin therapy performed at the onset of type 1 diabetes influence the development of late diabetic complications. <i>Diabetes Research and Clinical Practice</i> , 2008, 81, 61-67.	1.1	17
20	Are zinc transporter type 8 antibodies a marker of autoimmune thyroiditis in non-obese adults with new-onset diabetes?. <i>European Journal of Endocrinology</i> , 2014, 170, 651-658.	1.9	17
21	Higher free triiodothyronine concentration is associated with lower prevalence of microangiopathic complications and better metabolic control in adult euthyroid people with type 1 diabetes. <i>Endocrine</i> , 2018, 60, 458-465.	1.1	17
22	Impaired olfactory function is related to the presence of neuropathy in adults with type 1 diabetes. <i>Diabetes and Vascular Disease Research</i> , 2017, 14, 139-143.	0.9	15
23	The relationship between concentrations of magnesium and oxidized low density lipoprotein and the activity of platelet activating factor acetylhydrolase in the serum of patients with type 1 diabetes. <i>Magnesium Research</i> , 2010, 23, 97-104.	0.4	15
24	Association Between Self-reported Physical Activity and Skin Autofluorescence, a Marker of Tissue Accumulation of Advanced Glycation End Products in Adults With Type 1 Diabetes: A Cross-sectional Study. <i>Clinical Therapeutics</i> , 2018, 40, 872-880.	1.1	14
25	Zinc transporter 8 autoantibodies (ZnT8-ab) are associated with higher prevalence of multiple diabetes-related autoantibodies in adults with type 1 diabetes. <i>Diabetes Research and Clinical Practice</i> , 2018, 146, 313-320.	1.1	14
26	The evaluation of IL-12 concentration, PAF-AH, and PLA2 activity in patients with type 1 diabetes treated with intensive insulin therapy. <i>Clinical Biochemistry</i> , 2009, 42, 1621-1627.	0.8	13
27	Skin pH Is Lower in Type 1 Diabetes Subjects and Is Related to Glycemic Control of the Disease. <i>Diabetes Technology and Therapeutics</i> , 2015, 17, 16-20.	2.4	13
28	Sexual Dysfunction Is a More Common Problem in Young Women with Type 1 Diabetes than in Healthy Women. <i>Journal of Sex and Marital Therapy</i> , 2019, 45, 643-651.	1.0	13
29	Carotid intima-media thickness and arterial stiffness in type 1 diabetic patients with and without microangiopathy. <i>Archives of Medical Science</i> , 2012, 3, 484-490.	0.4	12
30	High-intensity Exercise in Men with Type 1 Diabetes and Mode of Insulin Therapy. <i>International Journal of Sports Medicine</i> , 2017, 38, 329-335.	0.8	12
31	Novel Biochemical Markers of Neurovascular Complications in Type 1 Diabetes Patients. <i>Journal of Clinical Medicine</i> , 2020, 9, 198.	1.0	12
32	Presence of retinopathy in type 1 diabetic patients is associated with subclinical macroangiopathy. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2011, 71, 563-568.	0.6	11
33	Does oxidized LDL contribute to atherosclerotic plaque formation and microvascular complications in patients with type 1 diabetes?. <i>Clinical Biochemistry</i> , 2012, 45, 1620-1623.	0.8	11
34	In diabetic Charcot neuroarthropathy impaired microvascular function is related to long lasting metabolic control and low grade inflammatory process. <i>Microvascular Research</i> , 2015, 101, 143-147.	1.1	11
35	An increased skin microvessel density is associated with neurovascular complications in type 1 diabetes mellitus. <i>Diabetes and Vascular Disease Research</i> , 2019, 16, 513-522.	0.9	11
36	Utilization of do-it-yourself artificial pancreas systems in the management of patients with type 1 diabetes: a position statement of the Pump School Education Initiative by Diabetes Poland. <i>Polish Archives of Internal Medicine</i> , 2019, 129, 937-938.	0.3	10

#	ARTICLE	IF	CITATIONS
37	Association between small fiber neuropathy and higher skin accumulation of advanced glycation end products in patients with type 1 diabetes. Polish Archives of Internal Medicine, 2016, 126, 847-853.	0.3	9
38	Positive autoantibodies to ZnT8 indicate elevated risk for additional autoimmune conditions in patients with Addison's disease. Endocrine, 2016, 53, 249-257.	1.1	8
39	Type 1 Diabetes and Periodontal Health. Clinical Therapeutics, 2018, 40, 823-827.	1.1	8
40	Type 1 Diabetes at High Altitude: Performance of Personal Insulin Pumps and Patient Metabolic Control. Diabetes Technology and Therapeutics, 2017, 19, 600-602.	2.4	7
41	Assessment of Exercise Capacity in Children with Type 1 Diabetes in the Cooper Running Test. International Journal of Sports Medicine, 2019, 40, 110-115.	0.8	7
42	Insulin Resistance in Adults with Type 1 Diabetes is Associated with Lower Vitamin D Serum Concentration. Experimental and Clinical Endocrinology and Diabetes, 2021, 129, 396-402.	0.6	7
43	The Influence of Prepubertal Onset of Type 1 Diabetes and Age of Menarche on Polycystic Ovary Syndrome Diagnosis. Journal of Clinical Endocrinology and Metabolism, 2021, 106, 1811-1820.	1.8	7
44	Ambulatory Glucose Profile (AGP) Report in Daily Care of Patients with Diabetes: Practical Tips and Recommendations. Diabetes Therapy, 2022, 13, 811-821.	1.2	7
45	Influence of resistant starch resulting from the cooling of rice on postprandial glycemia in type 1 diabetes. Nutrition and Diabetes, 2022, 12, 21.	1.5	7
46	Association investigation of BACH2 rs3757247 and SOD2 rs4880 polymorphisms with the type 1 diabetes and diabetes long-term complications risk in the Polish population. Biomedical Reports, 2015, 3, 327-332.	0.9	6
47	Patients with diabetes type 1 and thyroid autoimmunity have low prevalence of microangiopathic complications. Endocrine, 2016, 51, 185-188.	1.1	6
48	The Higher the Insulin Resistance the Lower the Cardiac Output in Men with Type 1 Diabetes During the Maximal Exercise Test. Metabolic Syndrome and Related Disorders, 2017, 15, 252-257.	0.5	6
49	Impact of factory-calibrated Freestyle Libre System with new glucose algorithm measurement accuracy and clinical performance in children with type 1 diabetes during summer camp. Pediatric Diabetes, 2021, 22, 261-270.	1.2	6
50	Above 40% of Polish children and young adults with type 1 diabetes achieve international $\langle \text{HbA1c} \rangle$ target - results of a nationwide cross-sectional evaluation of glycemic control: The $\langle \text{PolPeDiab HbA1c} \rangle$ study. Pediatric Diabetes, 2021, 22, 1003-1013.	1.2	6
51	Association between adjunctive metformin therapy in young type 1 diabetes patients with excess body fat and reduction of carotid intima-media thickness. Polish Archives of Internal Medicine, 2016, 126, 514-520.	0.3	6
52	Albuminuria and VEGF as early markers of cardiovascular disturbances in young type 1 diabetic patients. Microvascular Research, 2010, 80, 440-444.	1.1	5
53	Factors related to insulin resistance in type 1 diabetic patients treated with intensive insulin therapy from the onset of the disease. Diabetes Research and Clinical Practice, 2010, 90, e23-e24.	1.1	5
54	Assessment of Safety and Glycemic Control During Football Tournament in Children and Adolescents With Type 1 Diabetes - Results of GoalDiab Study. Pediatric Exercise Science, 2019, 31, 401-407.	0.5	5

#	ARTICLE	IF	CITATIONS
55	Insulin resistance is associated with impaired olfactory function in adult patients with type 1 diabetes: A cross-sectional study. <i>Diabetes/Metabolism Research and Reviews</i> , 2020, 36, e3307.	1.7	5
56	The prevalence of small intestinal bacterial overgrowth (SIBO) in adult patients with type 1 diabetes and relationship with metabolic control and the presence of chronic complications of the disease. <i>Polish Archives of Internal Medicine</i> , 2016, 126, 628-634.	0.3	5
57	Evaluation of sudomotor function in adult patients with long lasting type 1 diabetes. <i>Polish Archives of Internal Medicine</i> , 2017, 127, 16-24.	0.3	5
58	Association of skin autofluorescence with periodontal inflammation in adults with type 1 diabetes. <i>Polish Archives of Internal Medicine</i> , 2017, 127, 708-711.	0.3	5
59	Metformin added to intensive insulin therapy improves metabolic control in patients with type 1 diabetes and excess body fat. <i>Polish Archives of Internal Medicine</i> , 2018, 128, 294-300.	0.3	5
60	Baseline diabetic knowledge after 5-day teaching program is an independent predictor of subclinical macroangiopathy in patients with type 1 diabetes (Poznan Prospective Study). <i>Advances in Medical Sciences</i> , 2014, 59, 240-244.	0.9	4
61	Abdominal aorta diameter as a novel marker of diabetes incidence risk in elderly women. <i>Scientific Reports</i> , 2020, 10, 13734.	1.6	4
62	Clinical Remission of Type 1 Diabetes Predicts Higher Insulin Sensitivity at 7 Years from Diagnosis of the Disease. <i>Diabetes Technology and Therapeutics</i> , 2020, 22, 577-583.	2.4	4
63	Arterial Stiffness and Type 1 Diabetes: The Current State of Knowledge. <i>Current Diabetes Reviews</i> , 2022, 18, 41-51.	0.6	4
64	Prevalence of Anti-Thyroid Peroxidase in Adults with Type 1 Diabetes Participating in Poznań, Prospective Study. <i>Advances in Clinical and Experimental Medicine</i> , 2015, 24, 79-84.	0.6	4
65	Cellular active protein and soluble intracellular adhesion molecules are related to pulse wave reflection in type 1 diabetes. <i>Journal of Cellular Biochemistry</i> , 2017, 136, 112-117.	0.8	4
66	Is cathelicidin a novel marker of diabetic microangiopathy in patients with type 1 diabetes?. <i>Clinical Biochemistry</i> , 2017, 50, 1110-1114.	0.8	3
67	Physical workload and glycemia changes during football matches in adolescents with type 1 diabetes can be comparable. <i>Acta Diabetologica</i> , 2019, 56, 1191-1198.	1.2	3
68	MALDI-TOF Protein Profiling Reflects Changes in Type 1 Diabetes Patients Depending on the Increased Amount of Adipose Tissue, Poor Control of Diabetes and the Presence of Chronic Complications. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 2263.	1.2	3
69	Changes in high-density lipoprotein cholesterol (HDL-C) level and triglyceride/HDL-C ratio during the first year of type 1 diabetes mellitus: Prospective observational study InLipoDiab1. <i>Polish Archives of Internal Medicine</i> , 2019, 129, 598-604.	0.3	3
70	Assessment of changes in blood lactate levels in children and adolescents with type 1 diabetes during a football tournament (GoalDiab Study). <i>Pediatric Endocrinology, Diabetes and Metabolism</i> , 2021, 27, 237-244.	0.3	3
71	Sodium-glucose cotransporter inhibitors for type 1 diabetes: Not any more?. <i>Diabetes, Obesity and Metabolism</i> , 2022, 24, 764-765.	2.2	3
72	Insulin resistance is associated with larger thyroid volume in adults with type 1 diabetes independently from presence of thyroid autoimmunity. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2018, 78, 287-292.	0.6	2

#	ARTICLE	IF	CITATIONS
73	Tobacco smoking decreases clinical symptoms of gingivitis in patients with type 1 diabetesâ€”a crossâ€”sectional study. <i>Oral Diseases</i> , 2018, 24, 1336-1342.	1.5	2
74	Physiological Characteristics of Type 1 Diabetes Patients during High Mountain Trekking. <i>Journal of Diabetes Research</i> , 2020, 2020, 1-6.	1.0	2
75	Worry and the level of depression among patients with type 1 diabetes mellitus. The mediating role of illness acceptance. <i>Journal of Medical Science</i> , 2021, 90, e509.	0.2	2
76	Association between central non-dipping pattern and platelet morphology in adults with type 1 diabetes without cardiovascular disease: a cross-sectional study. <i>Scientific Reports</i> , 2021, 11, 15416.	1.6	2
77	Palacze z cukrzycy... typu 1 s... bardziej oporni na insulin... Wyniki z Pozna... Prospective Study (PoProStu).. <i>Clinical Diabetology</i> , 2018, 7, 122-127.	0.2	2
78	An increase in highâ€”density lipoprotein cholesterol concentration after initiation of insulin treatment is doseâ€”dependent in newly diagnosed type 1 diabetes. The results of the InLipoDiab1 study. <i>Polish Archives of Internal Medicine</i> , 2018, 128, 69-71.	0.3	2
79	Nonadherence to the protocol regarding potassium replacement results in prolonged diabetic ketoacidosis management. <i>Polish Archives of Internal Medicine</i> , 2018, 128, 416-420.	0.3	2
80	Erectile Dysfunction in Individuals with Type 1 Diabetes is Associated with Long-term Metabolic Control and Diabetic Complications: A Cross-Sectional Study. <i>International Journal of Angiology</i> , 2022, 31, 097-106.	0.2	2
81	Zalecenia dotycz...ce oceny schorze... wsp...istniej...cych u chorych na przewlek... bia...aczk... szpikow... w procesie wyboru inhibitora kinaz tyrozynowych. <i>Acta Haematologica Polonica</i> , 2016, 47, 184-196.	0.1	1
82	Suppression of serum lipid transfer proteins involved in high-density lipoprotein cholesterol metabolism by intensive insulin therapy in the first year of type 1 diabetes mellitus: Prospective InLipoDiab1 study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2021, 31, 1219-1226.	1.1	1
83	Higher concentrations of osteoprotegerin in type 1 diabetic patients are related to retinopathy: Results from the Pozna... Prospective Study. <i>Advances in Clinical and Experimental Medicine</i> , 2017, 26, 1343-1349.	0.6	1
84	The association between the level of baseline daily physical activity and selected clinical and biochemical parameters during mountain trekking in patients with type 1 diabetes. <i>Clinical Diabetology</i> , 2017, 6, 77-80.	0.2	1
85	Anthropometric, metabolic and clinical factors associated with diabetes and prediabetes prevalence in women aged 65â€”74 living in central Poland. <i>Clinical Diabetology</i> , 2019, 8, 238-247.	0.2	1
86	Polish Forum for Prevention Guidelines on Diabetes: update 2017. <i>Kardiologia Polska</i> , 2017, 75, 628-631.	0.3	1
87	Glikokortykosteroidy a zaburzenia metabolizmu glukozy. <i>Diabetologia Kliniczna</i> , 2015, 4, 110-116.	0.0	1
88	Cz...stow... wyst...powania zespo...u rozrostu bakteryjnego jelita cienkiego (SIBO) u pacjent...w z cukrzycy... <i>Clinical Diabetology</i> , 2015, 4, 175-182.	0.2	1
89	Compliance in diabetes â€” target or way to success?. <i>Clinical Diabetology</i> , 2016, 5, 32-39.	0.2	1
90	Peripheral diabetic neuropathy: better prevent than cure. <i>Polish Archives of Internal Medicine</i> , 2019, 129, 151-153.	0.3	1

#	ARTICLE	IF	CITATIONS
91	Excess body fat increases the accumulation of advanced glycation end products in the skin of patients with type 1 diabetes. <i>Advances in Clinical and Experimental Medicine</i> , 2020, 29, 1193-1199.	0.6	1
92	Long-term negative pressure wound therapy decreases a risk of diabetic foot amputation assessed in the university of Texas wound classification. <i>Wound Medicine</i> , 2019, 24, 33-35.	2.7	0
93	Nighttime Hypoglycemia in Children with Type 1 Diabetes after one Day of Football Tournament. <i>International Journal of Sports Medicine</i> , 2020, 41, 972-980.	0.8	0
94	Characteristics of Selected Somatic and Motor Abilities of Youth Soccer Players with Diabetes Type 1 Treated with Insulin Pump Therapy. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 3493.	1.2	0
95	Expression of mitochondrial superoxide dismutase in polymorphonuclear leukocytes from patients with type 1 diabetes with and without microvascular complications. <i>Polish Archives of Internal Medicine</i> , 2014, 124, 239-246.	0.3	0
96	Kr3tszy czas wyprawdzania z cukrzycowej kwasicy ketonowej podczas leczenia w oÅrodku referencyjnym u os3b z cukrzyc... typu 1 i innymi specyficznymi typami cukrzycy. <i>Diabetologia Kliniczna</i> , 2015, 4, 98-103.	0.0	0
97	Czy leki inkretynowe i inhibitory SGLT-2 mog... znaleÅz zastosowanie w leczeniu cukrzycy typu 1?. <i>Diabetologia Kliniczna</i> , 2015, 4, 147-151.	0.0	0
98	Assessment of adherence to the dietary recommendations concerning the amount of carbohydrates intake in type 1 diabetic patients treated with continuous subcutaneous insulin infusion during pregnancy and 8 weeks after the delivery. <i>Clinical Diabetology</i> , 2016, 5, 49-56.	0.2	0
99	Internal medicine as the queen of medical sciences: an underestimated specialization in Poland. <i>Polish Archives of Internal Medicine</i> , 2016, 126, 827-828.	0.3	0
100	Insulin therapy and lipoproteins in patients with type 1 diabetes. <i>Clinical Diabetology</i> , 2016, 5, 111-116.	0.2	0
101	Prevalence of depressive symptoms and diagnosed depression among subjects with longstanding type 1 diabetes and no serious chronic complications, hospitalized due to inadequate metabolic control of diabetes. <i>Clinical Diabetology</i> , 2017, 5, 173-177.	0.2	0
102	Influence of Chlorhexidine and Cetylpyridine on Periodontal Status and Indicators of Oxidative Stress in Patients with Type 1 Diabetes. <i>Antioxidants</i> , 2021, 10, 1732.	2.2	0
103	Determinants of Vitamin D Supplementation among Individuals with Type 1 Diabetes. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 715.	1.2	0
104	Is it time to change the goals of lipid management in type 1 diabetes mellitus? Changes in apolipoprotein levels during the first year of type 1 diabetes mellitus. Prospective InLipoDiab1 study. <i>Archives of Medical Science</i> , 2020, 18, 596-603.	0.4	0