## Dorota ZozuliÅ, ska-ZióÅ, kiewicz

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8615389/publications.pdf

Version: 2024-02-01

104 papers 1,104 citations

471061 17 h-index 27 g-index

107 all docs

107 docs citations

times ranked

107

1952 citing authors

#	Article	IF	Citations
1	Arterial Stiffness and Type 1 Diabetes: The Current State of Knowledge. Current Diabetes Reviews, 2022, 18, 41-51.	0.6	4
2	<scp>S</scp> odiumâ€glucose coâ€transporterâ€2 inhibitors for type 1 diabetes: Not any more?. Diabetes, Obesity and Metabolism, 2022, 24, 764-765.	2.2	3
3	Erectile Dysfunction in Individuals with Type 1 Diabetes is Associated with Long-term Metabolic Control and Diabetic Complications: A Cross-Sectional Study. International Journal of Angiology, 2022, 31, 097-106.	0.2	2
4	Ambulatory Glucose Profile (AGP) Report in Daily Care of Patients with Diabetes: Practical Tips and Recommendations. Diabetes Therapy, 2022, 13, 811-821.	1.2	7
5	Influence of resistant starch resulting from the cooling of rice on postprandial glycemia in type $1$ diabetes. Nutrition and Diabetes, 2022, $12$ , $21$ .	1.5	7
6	Insulin Resistance in Adults with Type 1 Diabetes is Associated with Lower Vitamin D Serum Concentration. Experimental and Clinical Endocrinology and Diabetes, 2021, 129, 396-402.	0.6	7
7	Impact of factoryâ€calibrated Freestyle Libre System with new glucose algorithm measurement accuracy and clinical performance in children with type 1 diabetes during summer camp. Pediatric Diabetes, 2021, 22, 261-270.	1.2	6
8	The Influence of Prepubertal Onset of Type 1 Diabetes and Age of Menarche on Polycystic Ovary Syndrome Diagnosis. Journal of Clinical Endocrinology and Metabolism, 2021, 106, 1811-1820.	1.8	7
9	MALDI-TOF Protein Profiling Reflects Changes in Type 1 Diabetes Patients Depending on the Increased Amount of Adipose Tissue, Poor Control of Diabetes and the Presence of Chronic Complications. International Journal of Environmental Research and Public Health, 2021, 18, 2263.	1.2	3
10	Characteristics of Selected Somatic and Motor Abilities of Youth Soccer Players with Diabetes Type 1 Treated with Insulin Pump Therapy. International Journal of Environmental Research and Public Health, 2021, 18, 3493.	1.2	0
11	Suppression of serum lipid transfer proteins involved in high-density lipoprotein cholesterol metabolism by intensive insulin therapy in the first year of type 1 diabetes mellitus: Prospective InLipoDiab1 study. Nutrition, Metabolism and Cardiovascular Diseases, 2021, 31, 1219-1226.	1.1	1
12	Safety and glycemic outcomes of do-it-yourself AndroidAPS hybrid closed-loop system in adults with type 1 diabetes. PLoS ONE, 2021, 16, e0248965.	1.1	28
13	Worry and the level of depression among patients with type 1 diabetes mellitus. The mediating role of illness acceptance. Journal of Medical Science, 2021, 90, e509.	0.2	2
14	Association between central non-dipping pattern and platelet morphology in adults with type 1 diabetes without cardiovascular disease: a cross-sectional study. Scientific Reports, 2021, 11, 15416.	1.6	2
15	Above 40% of Polish children and young adults with type 1 diabetes achieve international <scp>HbA1c</scp> target ―results of a nationwide crossâ€sectional evaluation of glycemic control: The <scp>PolPeDiab HbA1c</scp> study. Pediatric Diabetes, 2021, 22, 1003-1013.	1.2	6
16	Influence of Chlorhexidine and Cetylpyridine on Periodontal Status and Indicators of Oxidative Stress in Patients with Type 1 Diabetes. Antioxidants, 2021, 10, 1732.	2.2	0
17	Assessment of changes in blood lactate levels in children and adolescents with type 1 diabetes during a football tournament (GoalDiab Study). Pediatric Endocrinology, Diabetes and Metabolism, 2021, 27, 237-244.	0.3	3
18	Physiological Characteristics of Type 1 Diabetes Patients during High Mountain Trekking. Journal of Diabetes Research, 2020, 2020, 1-6.	1.0	2

#	Article	IF	CITATIONS
19	Nighttime Hypoglycemia in Children with Type 1 Diabetes after one Day of Football Tournament. International Journal of Sports Medicine, 2020, 41, 972-980.	0.8	0
20	Abdominal aorta diameter as a novel marker of diabetes incidence risk in elderly women. Scientific Reports, 2020, 10, 13734.	1.6	4
21	Clinical Remission of Type 1 Diabetes Predicts Higher Insulin Sensitivity at 7 Years from Diagnosis of the Disease. Diabetes Technology and Therapeutics, 2020, 22, 577-583.	2.4	4
22	Insulin resistance is associated with impaired olfactory function in adult patients with type 1 diabetes: A crossâ€sectional study. Diabetes/Metabolism Research and Reviews, 2020, 36, e3307.	1.7	5
23	Novel Biochemical Markers of Neurovascular Complications in Type 1 Diabetes Patients. Journal of Clinical Medicine, 2020, 9, 198.	1.0	12
24	Brain-Derived Neurotrophic Factor and Diabetes. International Journal of Molecular Sciences, 2020, 21, 841.	1.8	70
25	Can We Prevent Mitochondrial Dysfunction and Diabetic Cardiomyopathy in Type 1 Diabetes Mellitus? Pathophysiology and Treatment Options. International Journal of Molecular Sciences, 2020, 21, 2852.	1.8	18
26	Determinants of Vitamin D Supplementation among Individuals with Type 1 Diabetes. International Journal of Environmental Research and Public Health, 2020, 17, 715.	1.2	0
27	Excess body fat increases the accumulation of advanced glycation end products in the skin of patients with type 1 diabetes. Advances in Clinical and Experimental Medicine, 2020, 29, 1193-1199.	0.6	1
28	Is it time to change theÂgoals ofÂlipid management in type 1 diabetes mellitus? Changes in apolipoprotein levels during theÂfirst year ofÂtype 1 diabetes mellitus. Prospective InLipoDiab1 study. Archives of Medical Science, 2020, 18, 596-603.	0.4	0
29	An increased skin microvessel density is associated with neurovascular complications in type 1 diabetes mellitus. Diabetes and Vascular Disease Research, 2019, 16, 513-522.	0.9	11
30	Physical workload and glycemia changes during football matches in adolescents with type 1 diabetes can be comparable. Acta Diabetologica, 2019, 56, 1191-1198.	1.2	3
31	Assessment of Safety and Glycemic Control During Football Tournament in Children and Adolescents With Type 1 Diabetes—Results of GoalDiab Study. Pediatric Exercise Science, 2019, 31, 401-407.	0.5	5
32	Sexual Dysfunction Is a More Common Problem in Young Women with Type 1 Diabetes than in Healthy Women. Journal of Sex and Marital Therapy, 2019, 45, 643-651.	1.0	13
33	Long-term negative pressure wound therapy decreases a risk of diabetic foot amputation assessed in the university of Texas wound classification. Wound Medicine, 2019, 24, 33-35.	2.7	0
34	Assessment of Exercise Capacity in Children with Type 1 Diabetes in the Cooper Running Test. International Journal of Sports Medicine, 2019, 40, 110-115.	0.8	7
35	Dermal microvessel density and maturity is closely associated with atherogenic dyslipidemia and accumulation of advanced glycation end products in adult patients with type $1$ diabetes. Microvascular Research, 2019, 121, 46-51.	1.1	18
36	Utilization of do-it-yourself artificial pancreas systems in the management of patients with type 1 diabetes: a position statement of the Pump School Education Initiative by Diabetes Poland. Polish Archives of Internal Medicine, 2019, 129, 937-938.	0.3	10

#	Article	IF	CITATIONS
37	2019 Guidelines on the management of diabetic patients. A position of Diabetes Poland. Clinical Diabetology, 2019, 8, 1-95.	0.2	34
38	Anthropometric, metabolic and clinical factors associated with diabetes and prediabetes prevalence in women aged 65–74 living in central Poland. Clinical Diabetology, 2019, 8, 238-247.	0.2	1
39	Peripheral diabetic neuropathy: better prevent than cure. Polish Archives of Internal Medicine, 2019, 129, 151-153.	0.3	1
40	Changes in high-density lipoprotein cholesterol (HDL-C) level and triglyceride/HDL-C ratio during the first year of type 1 diabetes mellitus: Prospective observational study InLipoDiab1. Polish Archives of Internal Medicine, 2019, 129, 598-604.	0.3	3
41	Insulin resistance is associated with larger thyroid volume in adults with type 1 diabetes independently from presence of thyroid autoimmunity. Scandinavian Journal of Clinical and Laboratory Investigation, 2018, 78, 287-292.	0.6	2
42	TG/HDL-C ratio and visceral adiposity index may be useful in assessment of insulin resistance in adults with type 1 diabetes in clinical practice. Journal of Clinical Lipidology, 2018, 12, 734-740.	0.6	48
43	Autoantibodies against zinc transporter 8 are related to age and metabolic state in patients with newly diagnosed autoimmune diabetes. Acta Diabetologica, 2018, 55, 287-294.	1.2	29
44	Type 1 Diabetes and Periodontal Health. Clinical Therapeutics, 2018, 40, 823-827.	1.1	8
45	Safe Completion of a Trail Running Ultramarathon by Four Men with Type 1 Diabetes. Diabetes Technology and Therapeutics, 2018, 20, 147-152.	2.4	25
46	Higher free triiodothyronine concentration is associated with lower prevalence of microangiopathic complications and better metabolic control in adult euthyroid people with type 1 diabetes. Endocrine, 2018, 60, 458-465.	1.1	17
47	Association Between Self-reported Physical Activity and Skin Autofluorescence, a Marker of Tissue Accumulation of Advanced Glycation End Products in Adults With Type 1 Diabetes: A Cross-sectional Study. Clinical Therapeutics, 2018, 40, 872-880.	1.1	14
48	Flash Glucose Measurements in Children with Type 1 Diabetes in Real-Life Settings: To Trust or Not to Trust?. Diabetes Technology and Therapeutics, 2018, 20, 17-24.	2.4	32
49	Zinc transporter 8 autoantibodies (ZnT8-ab) are associated with higher prevalence of multiple diabetes-related autoantibodies in adults with type 1 diabetes. Diabetes Research and Clinical Practice, 2018, 146, 313-320.	1.1	14
50	Tobacco smoking decreases clinical symptoms of gingivitis in patients with type 1 diabetes—a crossâ€sectional study. Oral Diseases, 2018, 24, 1336-1342.	1.5	2
51	Visceral adiposity index as a useful tool for the assessment of cardiometabolic disease risk in women aged 65 to 74. Diabetes/Metabolism Research and Reviews, 2018, 34, e3052.	1.7	24
52	Menopause and diabetes: EMAS clinical guide. Maturitas, 2018, 117, 6-10.	1.0	91
53	Palacze z cukrzycą typu 1 są bardziej oporni na insulinę. Wyniki z Poznań Prospective Study (PoProStu) Clinical Diabetology, 2018, 7, 122-127.	0.2	2
54	An increase in highâ€'density lipoprotein cholesterol concentration after initiation of insulin treatment is doseâ€'dependent in newly diagnosed type 1 diabetes. The results of the InLipoDiab1 study. Polish Archives of Internal Medicine, 2018, 128, 69-71.	0.3	2

#	Article	IF	CITATIONS
55	Metformin added to intensive insulin therapy improves metabolic control in patients with type 1 diabetes and excess body fat. Polish Archives of Internal Medicine, 2018, 128, 294-300.	0.3	5
56	Nonadherence to the protocol regarding potassium replacement results in prolonged diabetic ketoacidosis management. Polish Archives of Internal Medicine, 2018, 128, 416-420.	0.3	2
57	High-intensity Exercise in Men with Type 1 Diabetes and Mode of Insulin Therapy. International Journal of Sports Medicine, 2017, 38, 329-335.	0.8	12
58	The Higher the Insulin Resistance the Lower the Cardiac Output in Men with Type 1 Diabetes During the Maximal Exercise Test. Metabolic Syndrome and Related Disorders, 2017, 15, 252-257.	0.5	6
59	Is cathelicidin a novel marker of diabetic microangiopathy in patients with type $1$ diabetes?. Clinical Biochemistry, 2017, 50, $1110$ - $1114$ .	0.8	3
60	Impaired olfactory function is related to the presence of neuropathy in adults with type 1 diabetes. Diabetes and Vascular Disease Research, 2017, 14, 139-143.	0.9	15
61	Type 1 Diabetes at High Altitude: Performance of Personal Insulin Pumps and Patient Metabolic Control. Diabetes Technology and Therapeutics, 2017, 19, 600-602.	2.4	7
62	Higher concentrations of osteoprotegerin in type 1 diabetic patients are related to retinopathy: Results from the PoznaÅ,, Prospective Study. Advances in Clinical and Experimental Medicine, 2017, 26, 1343-1349.	0.6	1
63	Evaluation of sudomotor function in adult patients with long lasting type 1 diabetes. Polish Archives of Internal Medicine, 2017, 127, 16-24.	0.3	5
64	The association between the level of baseline daily physical activity and selected clinical and biochemical parameters during mountain trekking in patients with type 1 diabetes. Clinical Diabetology, 2017, 6, 77-80.	0.2	1
65	Polish Forum for Prevention Guidelines on Diabetes: update 2017. Kardiologia Polska, 2017, 75, 628-631.	0.3	1
66	Prevalence of depressive symptoms and diagnosed depression among subjects with longstanding type 1 diabetes and no serious chronic complications, hospitalized due to inadequate metabolic control of diabetes. Clinical Diabetology, 2017, 5, 173-177.	0.2	0
67	Association of skin autofluorescence with periodontal inflammation in adults with type 1 diabetes. Polish Archives of Internal Medicine, 2017, 127, 708-711.	0.3	5
68	Zalecenia dotyczÄ…ce oceny schorzeÅ,, wspóÅ,istniejÄ…cych u chorych na przewlekÅ,Ä… biaÅ,aczkÄ™ szpikowÆ procesie wyboru inhibitora kinaz tyrozynowych. Acta Haematologica Polonica, 2016, 47, 184-196.	Ψ.σ. <sup>į</sup> .	1
69	Positive autoantibodies to ZnT8 indicate elevated risk for additional autoimmune conditions in patients with Addison's disease. Endocrine, 2016, 53, 249-257.	1.1	8
70	Patients with diabetes type 1 and thyroid autoimmunity have low prevalence of microangiopathic complications. Endocrine, 2016, 51, 185-188.	1.1	6
71	The prevalence of small intestinal bacterial overgrowth (SIBO) in adult patients with type 1 diabetes and relationship with metabolic control and the presence of chronic complications of the disease. Polish Archives of Internal Medicine, 2016, 126, 628-634.	0.3	5
72	Association between adjunctive metformin therapy in young type 1 diabetes patients with excess body fat and reduction of carotid intima–media thickness. Polish Archives of Internal Medicine, 2016, 126, 514-520.	0.3	6

#	Article	IF	Citations
73	Association between small fiber neuropathy and higher skin accumulation of advanced glycation end products in patients with type 1 diabetes. Polish Archives of Internal Medicine, 2016, 126, 847-853.	0.3	9
74	Retinal Neurodegeneration in the Course of Diabetes-Pathogenesis and Clinical Perspective. Current Neuropharmacology, 2016, 14, 805-809.	1.4	27
<b>7</b> 5	Compliance in diabetes — target or way to success?. Clinical Diabetology, 2016, 5, 32-39.	0.2	1
76	Assessment of adherence to the dietary recommendations concerning the amount of carbohydrates intake in type 1 diabetic patients treated with continuous subcutaneous insulin infusion during pregnancy and 8 weeks after the delivery. Clinical Diabetology, 2016, 5, 49-56.	0.2	0
77	Internal medicine as the queen of medical sciences: an underestimated specialization in Poland. Polish Archives of Internal Medicine, 2016, 126, 827-828.	0.3	0
78	Insulin therapy and lipoproteins in patients with type 1 diabetes. Clinical Diabetology, 2016, 5, 111-116.	0.2	0
79	Influence of remission and its duration on development of early microvascular complications in young adults with type 1 diabetes. Journal of Diabetes and Its Complications, 2015, 29, 1105-1111.	1.2	40
80	Skin autofluorescence is associated with carotid intima-media thickness, diabetic microangiopathy, and long-lasting metabolic control in type 1 diabetic patients. Results from Poznan Prospective Study. Microvascular Research, 2015, 98, 62-67.	1.1	26
81	Association investigation of BACH2 rs3757247 and SOD2 rs4880 polymorphisms with the type 1 diabetes and diabetes long-term complications risk in the Polish population. Biomedical Reports, 2015, 3, 327-332.	0.9	6
82	In diabetic Charcot neuroarthropathy impaired microvascular function is related to long lasting metabolic control and low grade inflammatory process. Microvascular Research, 2015, 101, 143-147.	1.1	11
83	Skin pH Is Lower in Type 1 Diabetes Subjects and Is Related to Glycemic Control of the Disease. Diabetes Technology and Therapeutics, 2015, 17, 16-20.	2.4	13
84	Prevalence of Anti-Thyroid Peroxidase in Adults with Type 1 Diabetes Participating in PoznaÅ,, Prospective Study. Advances in Clinical and Experimental Medicine, 2015, 24, 79-84.	0.6	4
85	Glikokortykosteroidy a zaburzenia metabolizmu glukozy. Diabetologia Kliniczna, 2015, 4, 110-116.	0.0	1
86	Krótszy czas wyprowadzania z cukrzycowej kwasicy ketonowej podczas leczenia w oÅ>rodku referencyjnym u osób z cukrzycÄ typu 1 i innymi specyficznymi typami cukrzycy. Diabetologia Kliniczna, 2015, 4, 98-103.	0.0	0
87	Czy leki inkretynowe i inhibitory SGLT-2 mogÄ znaleŪć zastosowanie w leczeniu cukrzycy typu 1?. Diabetologia Kliniczna, 2015, 4, 147-151.	0.0	0
88	CzÄ™stoÅ>ć wystÄ™powania zespoÅ,u rozrostu bakteryjnego jelita cienkiego (SIBO) u pacjentów z cukrzycÄ Clinical Diabetology, 2015, 4, 175-182.	"0.2	1
89	Are zinc transporter type 8 antibodies a marker of autoimmune thyroiditis in non-obese adults with new-onset diabetes?. European Journal of Endocrinology, 2014, 170, 651-658.	1.9	17
90	Baseline diabetic knowledge after 5-day teaching program is an independent predictor of subclinical macroangiopathy in patients with type 1 diabetes (Poznan Prospective Study). Advances in Medical Sciences, 2014, 59, 240-244.	0.9	4

#	Article	IF	Citations
91	State of the art paper Tuberculosis and diabetes mellitus – an underappreciated association. Archives of Medical Science, 2014, 5, 1019-1027.	0.4	22
92	<scp>Câ€R</scp> eactive protein and soluble intracellular adhesion moleculeâ€1 are related to pulse wave reflection in type 1 diabetes åœ"1åž‹ç³-å°¿çä¸ <scp>C</scp> â€åå²"蛋白以åŠå•沶性细胞间é»é™,	å^†ä•æ"1	与ê"‰å†²æ³
93	Expression of mitochondrial superoxide dismutase in polymorphonuclear leukocytes from patients with type 1 diabetes with and without microvascular complications. Polish Archives of Internal Medicine, 2014, 124, 239-246.	0.3	O
94	Association Between IL-6 Concentration and Diabetes-Related Variables in DM1 Patients with and without Microvascular Complications. Inflammation, 2013, 36, 723-728.	1.7	38
95	Does oxidized LDL contribute to atherosclerotic plaque formation and microvascular complications in patients with type 1 diabetes?. Clinical Biochemistry, 2012, 45, 1620-1623.	0.8	11
96	Carotid intima-media thickness and arterial stiffness in type 1 diabetic patients with and without microangiopathy. Archives of Medical Science, 2012, 3, 484-490.	0.4	12
97	Presence of retinopathy in type 1 diabetic patients is associated with subclinical macroangiopathy. Scandinavian Journal of Clinical and Laboratory Investigation, 2011, 71, 563-568.	0.6	11
98	Increased Accumulation of Skin Advanced Glycation End Products Is Associated with Microvascular Complications in Type 1 Diabetes. Diabetes Technology and Therapeutics, 2011, 13, 837-842.	2.4	29
99	Albuminuria and VEGF as early markers of cardiovascular disturbances in young type 1 diabetic patients. Microvascular Research, 2010, 80, 440-444.	1.1	5
100	Factors related to insulin resistance in type 1 diabetic patients treated with intensive insulin therapy from the onset of the disease. Diabetes Research and Clinical Practice, 2010, 90, e23-e24.	1.1	5
101	Candida-associated denture stomatitis in type 2 diabetes mellitus. Diabetes Research and Clinical Practice, 2010, 90, 81-86.	1.1	53
102	The relationship between concentrations of magnesium and oxidized low density lipoprotein and the activity of platelet activating factor acetylhydrolase in the serum of patients with type $1$ diabetes. Magnesium Research, 2010, 23, 97-104.	0.4	15
103	The evaluation of IL-12 concentration, PAF-AH, and PLA2 activity in patients with type 1 diabetes treated with intensive insulin therapy. Clinical Biochemistry, 2009, 42, $1621-1627$ .	0.8	13
104	Knowledge after five-day teaching program in intensive insulin therapy performed at the onset of type 1 diabetes influence the development of late diabetic complications. Diabetes Research and Clinical Practice, 2008, 81, 61-67.	1.1	17