Doo-Yeoun Cho

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8615439/publications.pdf

Version: 2024-02-01

623188 642321 39 614 14 23 citations g-index h-index papers 39 39 39 1060 docs citations times ranked citing authors all docs

#	Article	IF	Citations
1	The effect of SLCO1B1*15 on the disposition of pravastatin and pitavastatin is substrate dependent: the contribution of transporting activity changes by SLCO1B1*15. Pharmacogenetics and Genomics, 2008, 18, 424-433.	0.7	103
2	Vitamin K Supplement Along with Vitamin D and Calcium Reduced Serum Concentration of Undercarboxylated Osteocalcin While Increasing Bone Mineral Density in Korean Postmenopausal Women over Sixty-Years-Old. Journal of Korean Medical Science, 2011, 26, 1093.	1.1	37
3	Effects of tetraalkylammonium compounds with different affinities for organic cation transporters on the pharmacokinetics of metformin. Biopharmaceutics and Drug Disposition, 2007, 28, 501-510.	1.1	34
4	Women with Fibromyalgia Have Lower Levels of Calcium, Magnesium, Iron and Manganese in Hair Mineral Analysis. Journal of Korean Medical Science, 2011, 26, 1253.	1.1	32
5	Contribution of N-Glucuronidation to Efavirenz Elimination <i>In Vivo</i> in the Basal and Rifampin-Induced Metabolism of Efavirenz. Antimicrobial Agents and Chemotherapy, 2011, 55, 1504-1509.	1.4	32
6	HPLC determination of irbesartan in human plasma: its application to pharmacokinetic studies. Biomedical Chromatography, 2009, 23, 568-572.	0.8	31
7	Biological Aspects of Aggression and Violence in Schizophrenia. Clinical Psychopharmacology and Neuroscience, 2019, 17, 475-486.	0.9	31
8	Simultaneous determination of metoprolol and its metabolites, αâ€hydroxymetoprolol and <i><scp>O</scp></i> â€desmethylmetoprolol, in human plasma by liquid chromatography with tandem mass spectrometry: <scp>A</scp> pplication to the pharmacokinetics of metoprolol associated with <scp>CYP</scp> 2 <scp>D</scp> 6 genotypes. Journal of Separation Science, 2014, 37, 1256-1264.	1.3	26
9	Duplex pyrosequencing assay of the 388A> G and 521T> C SLCO1B1 polymorphisms in three Asian populations. Clinica Chimica Acta, 2008, 388, 68-72.	0.5	23
10	Serum Total Bilirubin Concentration Is Inversely Correlated with Framingham Risk Score in Koreans. Archives of Medical Research, 2012, 43, 288-293.	1.5	23
11	Identification of P2Y12 single-nucleotide polymorphisms and their influences on the variation in ADP-induced platelet aggregation. Thrombosis Research, 2011, 127, 220-227.	0.8	22
12	Carcinoembryonic Antigen Level Can be Overestimated in Metabolic Syndrome. Journal of Korean Medical Science, 2011, 26, 759.	1.1	22
13	Reliability and Validity of the Korean Version of the Multidimensional Fatigue Inventory (MFI-20): A Multicenter, Cross-Sectional Study. Pain Research and Management, 2018, 2018, 1-6.	0.7	19
14	Low levels of total and high-molecular-weight adiponectin may predict non-alcoholic fatty liver in Korean adults. Metabolism: Clinical and Experimental, 2020, 103, 154026.	1.5	18
15	Selective Inhibition of Cytochrome P450 2D6 by Sarpogrelate and Its Active Metabolite, M-1, in Human Liver Microsomes. Drug Metabolism and Disposition, 2014, 42, 33-39.	1.7	15
16	The Effect of Lycii Radicis Cortex Extract on Bone Formation in Vitro and in Vivo. Molecules, 2014, 19, 19594-19609.	1.7	14
17	Rifampin enhances cytochrome P450 (CYP) 2B6-mediated efavirenz 8-hydroxylation in healthy volunteers. Drug Metabolism and Pharmacokinetics, 2016, 31, 107-116.	1.1	14
18	Identification of a null allele of cytochrome P450 3A7: CYP3A7 polymorphism in a Korean population. Molecular Biology Reports, 2010, 37, 213-217.	1.0	11

#	Article	IF	CITATIONS
19	Pharmacokinetic equivalence of CTâ€P17 to highâ€concentration (100Âmg/ml) reference adalimumab: A randomized phase I study in healthy subjects. Clinical and Translational Science, 2021, 14, 1280-1291.	1.5	11
20	<p>A first-in-human study to investigate the safety, tolerability, pharmacokinetics, and pharmacodynamics of KM-819 (FAS-associated factor 1 inhibitor), a drug for Parkinson's disease, in healthy volunteers</p> . Drug Design, Development and Therapy, 2019, Volume 13, 1011-1022.	2.0	10
21	The effect of CYP2C19 genotype on the time course of platelet aggregation inhibition after clopidogrel administration. Journal of Clinical Pharmacology, 2014, 54, 850-857.	1.0	9
22	Effect of the potent CYP2D6 inhibitor sarpogrelate on the pharmacokinetics and pharmacodynamics of metoprolol in healthy male Korean volunteers. Xenobiotica, 2015, 45, 256-263.	0.5	7
23	Coronary Calcification Is Reversely Related with Bone and Hair Calcium: The Relationship among Different Calcium Pools in Body. Journal of Bone Metabolism, 2016, 23, 191.	0.5	7
24	Highâ€sensitive <scp>LC</scp> â€∢scp>MS/ <scp>MS</scp> method for the simultaneous determination of mirodenafil and its major metabolite, <scp>SK</scp> â€3541, in human plasma: Application to microdose clinical trials of mirodenafil. Journal of Separation Science, 2013, 36, 840-848.	1.3	6
25	Pharmacokinetic and Pharmacodynamic Comparison of Two Recombinant Human Erythropoietin Formulations, PDA10 and Eprex, in Healthy Korean Male Volunteers: A Randomized, Double-Blinded, Single-Dose, Two-Period Crossover Study. Clinical Drug Investigation, 2015, 35, 659-664.	1.1	6
26	Hair Calcium Concentration is Associated with Calcium Intake and Bone Mineral Density. International Journal for Vitamin and Nutrition Research, 2013, 83, 154-161.	0.6	6
27	Reference Intervals for Plasma Amyloid \hat{l}^2 in Korean Adults Without Cognitive Impairment. Annals of Laboratory Medicine, 2016, 36, 595-598.	1.2	5
28	Effect of eradicating hydrogen-forming small intestinal bacterial overgrowth with rifaximin on body weight change. Medicine (United States), 2019, 98, e18396.	0.4	5
29	Outcomes Assessment of Sustainable and Innovatively Simple Lifestyle Modification at the Workplace-Drinking Electrolyzed-Reduced Water (OASIS-ERW): A Randomized, Double-Blind, Placebo-Controlled Trial. Antioxidants, 2020, 9, 564.	2.2	5
30	The relationship of alanine aminotransferase to metabolic syndrome in a Korean population. Turkish Journal of Gastroenterology, 2018, 29, 52-59.	0.4	5
31	Serum Gamma-glutamyl Transferase Concentration Within the Reference Range is Related to the Coronary Heart Disease Risk Prediction in Korean Men. Chinese Medical Journal, 2015, 128, 2006-2011.	0.9	4
32	Combined Effect of Blood Cadmium and Lead Levels on Coronary Heart Disease Prediction Risk in Korean Men. Angiology, 2016, 67, 582-586.	0.8	4
33	Low Levels of Sex Hormone-Binding Globulin Constitute an Independent Risk Factor for Arterial Stiffness in Korean Women. International Journal of Endocrinology, 2017, 2017, 1-7.	0.6	4
34	Identification and characterization of in vitro inhibitors against UDP-glucuronosyltransferase 1A1 in uva-ursi extracts and evaluation of in vivo uva-ursi-drug interactions. Food and Chemical Toxicology, 2018, 120, 651-661.	1.8	4
35	Elevated levels of urine isocitrate, hydroxymethylglutarate, and formiminoglutamate are associated with arterial stiffness in Korean adults. Scientific Reports, 2021, 11, 10180.	1.6	4
36	Acid Inhibitory Effect of a Combination of Omeprazole and Sodium Bicarbonate (CDFR0209) Compared With Delayedâ€Release Omeprazole 40Âmg Alone in Healthy Adult Male Subjects. Clinical Pharmacology in Drug Development, 2018, 7, 53-58.	0.8	2

#	Article	IF	CITATIONS
37	Efficacy and Safety of "URSA Complex―in Subjects with Physical Fatigue. Chinese Medical Journal, 2016, 129, 129-134.	0.9	1
38	The Effect of Age on the Pharmacokinetics of Udenafil in Healthy Subjects. Journal of Clinical Pharmacology, 2016, 56, 1372-1377.	1.0	1
39	Bowel preparation for colonoscopy may decrease the levels of testosterone in Korean men. Scientific Reports, 2019, 9, 7080.	1.6	1