

Shuang Jiang

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8615653/shuang-jiang-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

38

papers

533

citations

12

h-index

22

g-index

42

ext. papers

695

ext. citations

5.4

avg, IF

3.76

L-index

#	Paper	IF	Citations
38	Circular Polarized Light Emission in Chiral Inorganic Nanomaterials.. <i>Advanced Materials</i> , 2022 , e2108431	12.4	13
37	Effect of-substitute group on the chirality of monocarboxylic acid stabilized CdSe nanocrystals. <i>Nanotechnology</i> , 2021 , 32,	3.4	1
36	The efficient catalytic oxidation of 2,3,6-trimethylphenol with air over composite catalyst to synthesize Vitamin E intermediate. <i>Research on Chemical Intermediates</i> , 2021 , 47, 3705-3718	2.8	
35	Controllable chiral behavior of type-II core/shell quantum dots adjusted by shell thickness and coordinated ligands. <i>Chirality</i> , 2021 , 33, 167-175	2.1	
34	Boosted electron-transfer by coupling Ag and Z-scheme heterostructures in CdSe-Ag-WO ₃ -Ag for excellent photocatalytic H ₂ evolution with simultaneous degradation. <i>Chemical Engineering Journal</i> , 2021 , 417, 129298	14.7	19
33	Impact of native achiral ligands on the chirality of enantiopure cysteine stabilized CdSe nanocrystals. <i>Journal of Materials Chemistry C</i> , 2021 , 9, 555-561	7.1	1
32	High selective hydroxylation of phenol catalyzed by PNP ligand-containing [FeFe]-hydrogenase model complexes. <i>Journal of Chemical Technology and Biotechnology</i> , 2020 , 95, 2180-2186	3.5	2
31	Bacitracin-assisted synthesis of spherical BiVO ₄ nanoparticles with C doping for remarkable photocatalytic performance under visible light. <i>CrystEngComm</i> , 2020 , 22, 1812-1821	3.3	2
30	Controllable self-assembly of BiOI/oxidized mesocarbon microbeads core-shell composites: A novel hierarchical structure facilitated photocatalytic activities. <i>Chemical Engineering Science</i> , 2020 , 221, 115653	4.4	7
29	Cu-Deficient plasmonic Cu ₂ S nanocrystals induced tunable photocatalytic activities. <i>CrystEngComm</i> , 2020 , 22, 678-685	3.3	11
28	Catalytic reduction of 1,4-benzoquinone to hydroquinone via [FeFe]-hydrogenase model complexes under mild conditions. <i>Journal of Chemical Technology and Biotechnology</i> , 2020 , 95, 1250	3.5	1
27	Catalytic Performance and Kinetics of the Precursor of [Fe]-Hydrogenase in the Reaction of Phenol Hydroxylation in Aqueous Phase at Ambient Temperature. <i>Catalysis Letters</i> , 2020 , 150, 1238-1243	2.8	3
26	Synthesis and properties of novel colorless and thermostable polyimides containing cross-linkable bulky tetrafluorostyrol pendant group and organosoluble triphenylmethane backbone structure. <i>Journal of Polymer Science</i> , 2020 , 58, 2355-2365	2.4	3
25	Synergistic combination of carbon-black and graphene for 3D printable stretchable conductors. <i>Materials Technology</i> , 2020 , 1-10	2.1	6
24	Chiral 3D CdSe Nanotetrapods. <i>Inorganic Chemistry</i> , 2020 , 59, 14382-14388	5.1	4
23	Versatile solid forms of boscalid: insight into the crystal structures and phase transformations. <i>CrystEngComm</i> , 2019 , 21, 6838-6849	3.3	4
22	Chiroptical Activity of Type II Core/Shell CuS/CdSe Nanocrystals. <i>Inorganic Chemistry</i> , 2019 , 58, 6534-6543	3.1	7

21	Polymorphism and molecular conformations of nicosulfuron: structure, properties and desolvation process. <i>CrystEngComm</i> , 2019 , 21, 2790-2798	3.3	7
20	Controllable synthesis of Ag/AgCl@MIL-88A via in situ growth method for morphology-dependent photocatalytic performance. <i>Journal of Materials Chemistry C</i> , 2019 , 7, 5451-5460	7.1	21
19	Enhanced photothermal behavior derived from controllable self-assembly of CuS microstructures. <i>Dalton Transactions</i> , 2019 , 48, 4495-4503	4.3	3
18	Photocatalytic selective hydroxylation of phenol to dihydroxybenzene by BiOI/TiO ₂ p-n heterojunction photocatalysts for enhanced photocatalytic activity. <i>Applied Surface Science</i> , 2018 , 439, 1047-1056	6.7	56
17	An ingenious strategy of preparing TiO ₂ /g-C ₃ N ₄ heterojunction photocatalyst: In situ growth of TiO ₂ nanocrystals on g-C ₃ N ₄ nanosheets via impregnation-calcination method. <i>Applied Surface Science</i> , 2018 , 433, 963-974	6.7	50
16	The influence of phosphine ligand substituted [2Fe2S] model complexes as electro-catalyst on proton reduction.. <i>RSC Advances</i> , 2018 , 8, 42262-42268	3.7	12
15	Effect of the Terminal Ligands of [FeFe]-Hydrogenase Model Complexes on Proton Reduction Properties and Catalytic Hydroxylation of Benzene. <i>ChemistrySelect</i> , 2017 , 2, 3306-3310	1.8	2
14	Synthesis and electrochemical properties of [FeFe]-hydrogenase model complexes with acid-functionalized or base-functionalized ligands. <i>Journal of Applied Electrochemistry</i> , 2017 , 47, 583-591 ^{2.6}		
13	Bio-inspired Catalyst: [(E(SCH(CH ₂ CH ₃)CH ₂ S))Fe(CO) ₅] ₂ (k ₁ ,k ₁ -DPPF) for Proton Reduction and Phenol Hydroxylation. <i>ChemistrySelect</i> , 2017 , 2, 9407-9411	1.8	4
12	Chiral Ceramic Nanoparticles and Peptide Catalysis. <i>Journal of the American Chemical Society</i> , 2017 , 139, 13701-13712	16.4	67
11	Ferrocene particles incorporated into Zr-based metal-organic frameworks for selective phenol hydroxylation to dihydroxybenzenes. <i>RSC Advances</i> , 2017 , 7, 38691-38698	3.7	23
10	Synthesis, structural characterization, and chemical properties of pentacoordinate model complexes for the active site of [Fe]-hydrogenase. <i>RSC Advances</i> , 2016 , 6, 84139-84148	3.7	5
9	Water-mediated promotion of direct oxidation of benzene over the metal-organic framework HKUST-1. <i>RSC Advances</i> , 2015 , 5, 56020-56027	3.7	13
8	Nitrogen heterocyclic carbene containing pentacoordinate iron dicarbonyl as a [Fe]-hydrogenase active site model. <i>Dalton Transactions</i> , 2015 , 44, 16708-12	4.3	15
7	Improved process for 2,3,5-trimethylhydroquinone manufacture: highly efficient catalytic hydrogenation of 2,3,5-trimethylbenzoquinone. <i>Research on Chemical Intermediates</i> , 2015 , 41, 663-677	2.8	4
6	Synthesis, characterization, electrochemical properties and catalytic reactivity of N-heterocyclic carbene-containing diiron complexes. <i>RSC Advances</i> , 2015 , 5, 29022-29031	3.7	30
5	Synthesis and Characterization of Bio-Inspired Diiron Complexes and Their Catalytic Activity for Direct Hydroxylation of Aromatic Compounds. <i>European Journal of Inorganic Chemistry</i> , 2015 , 2015, 817-825	3.3	25
4	Efficient hydroxylation of aromatic compounds catalyzed by an iron(II) complex with H ₂ O ₂ . <i>Applied Organometallic Chemistry</i> , 2014 , 28, 666-672	3.1	11

3	Enhanced Water Retention by Using Polymeric Microcapsules to Confer High Proton Conductivity on Membranes at Low Humidity. <i>Advanced Functional Materials</i> , 2011 , 21, 971-978	15.6	88
2	In situ construction of Bi ₅ O ₇ I/Bi ₄ Ti ₃ O ₁₂ heterostructure composites with plentiful phase interfaces for the boosted selective oxidation of benzylic alcohols under visible light. <i>Journal of Materials Chemistry C</i> ,	7.1	2
1	A new strategy to achieve enhanced upconverted circularly polarized luminescence in chiral perovskite nanocrystals. <i>Nano Research</i> ,1	10	6