

Kazuma Yamakawa

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8616969/kazuma-yamakawa-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

100
papers

2,049
citations

25
h-index

41
g-index

102
ext. papers

2,575
ext. citations

5.8
avg, IF

5.03
L-index

#	Paper	IF	Citations
100	Japanese rapid/living recommendations on drug management for COVID-19: updated guidelines (September 2021). <i>Acute Medicine & Surgery</i> , 2021 , 8, e706	1.7	4
99	Effect of tranexamic acid on thrombotic events and seizures in bleeding patients: a systematic review and meta-analysis. <i>Critical Care</i> , 2021 , 25, 380	10.8	8
98	Optimal target blood pressure in critically ill adult patients with vasodilatory shock: a protocol for a systematic review and meta-analysis. <i>BMJ Open</i> , 2021 , 11, e048512	3	0
97	Effect of Earlier Door-to-CT and Door-to-Bleeding Control in Severe Blunt Trauma: A Retrospective Cohort Study. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	5
96	Urine Titin N-Fragment as a Biomarker of Muscle Injury for Critical Illness Myopathy. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2021 , 203, 515-518	10.2	3
95	Current spectrum of causative pathogens in sepsis: A prospective nationwide cohort study in Japan. <i>International Journal of Infectious Diseases</i> , 2021 , 103, 343-351	10.5	4
94	Recombinant Thrombomodulin in Disseminated Intravascular Coagulation Associated with Stage IV Solid Tumors: A Nationwide Observational Study in Japan. <i>Thrombosis and Haemostasis</i> , 2021 , 121, 36-45 ⁷		1
93	Japanese Rapid/Living recommendations on drug management for COVID-19. <i>Acute Medicine & Surgery</i> , 2021 , 8, e664	1.7	6
92	Head positioning in suspected patients with acute stroke from prehospital to emergency department settings: a systematic review and meta-analysis. <i>Acute Medicine & Surgery</i> , 2021 , 8, e631	1.7	
91	Efficacy and safety of nintedanib for pulmonary fibrosis in severe pneumonia induced by COVID-19: An interventional study. <i>International Journal of Infectious Diseases</i> , 2021 , 108, 454-460	10.5	19
90	Prolonged enhancement of cytotoxic T lymphocytes in the post-recovery state of severe COVID-19.. <i>Journal of Intensive Care</i> , 2021 , 9, 76	7	2
89	Comparison of diazepam and lorazepam for the emergency treatment of adult status epilepticus: a systemic review and meta-analysis. <i>Acute Medicine & Surgery</i> , 2020 , 7, e582	1.7	3
88	A multicenter prospective validation study on disseminated intravascular coagulation in trauma-induced coagulopathy. <i>Journal of Thrombosis and Haemostasis</i> , 2020 , 18, 2232-2244	15.4	8
87	Clinical characteristics of patients with severe sepsis and septic shock in relation to bacterial virulence of beta-hemolytic and. <i>Acute Medicine & Surgery</i> , 2020 , 7, e513	1.7	2
86	History of diabetes may delay antibiotic administration in patients with severe sepsis presenting to emergency departments. <i>Medicine (United States)</i> , 2020 , 99, e19446	1.8	
85	Impact of blood glucose abnormalities on outcomes and disease severity in patients with severe sepsis: An analysis from a multicenter, prospective survey of severe sepsis. <i>PLoS ONE</i> , 2020 , 15, e0229919 ⁷	3.7	16
84	Safety of tranexamic acid in thrombotic adverse events and seizure in patients with haemorrhage: a protocol for a systematic review and meta-analysis. <i>BMJ Open</i> , 2020 , 10, e036020	3	2

83	Comparative Analysis of Three Machine-Learning Techniques and Conventional Techniques for Predicting Sepsis-Induced Coagulopathy Progression. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	6
82	Characteristics and outcomes of bacteremia among ICU-admitted patients with severe sepsis. <i>Scientific Reports</i> , 2020 , 10, 2983	4.9	6
81	Risk modifiers of acute respiratory distress syndrome in patients with non-pulmonary sepsis: a retrospective analysis of the FORECAST study. <i>Journal of Intensive Care</i> , 2020 , 8, 7	7	5
80	Potential impacts of a novel integrated extracorporeal-CPR workflow using an interventional radiology and immediate whole-body computed tomography system in the emergency department. <i>BMC Cardiovascular Disorders</i> , 2020 , 20, 23	2.3	2
79	Galpagosization of sepsis management in Japan: a nationwide survey of current practices. <i>Acute Medicine & Surgery</i> , 2020 , 7, e561	1.7	1
78	Antithrombin use and mortality in patients with stage IV solid tumor-associated disseminated intravascular coagulation: a nationwide observational study in Japan. <i>BMC Cancer</i> , 2020 , 20, 867	4.8	3
77	Hematological Phenotype of COVID-19-Induced Coagulopathy: Far from Typical Sepsis-Induced Coagulopathy. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	21
76	Recombinant human soluble thrombomodulin in patients with sepsis-associated coagulopathy (SCARLET): an updated meta-analysis. <i>Critical Care</i> , 2019 , 23, 302	10.8	16
75	In-hospital mortality associated with the misdiagnosis or unidentified site of infection at admission. <i>Critical Care</i> , 2019 , 23, 202	10.8	10
74	Prognostic Accuracy of Quick SOFA is different according to the severity of illness in infectious patients. <i>Journal of Infection and Chemotherapy</i> , 2019 , 25, 943-949	2.2	5
73	Proposal of a two-step process for the diagnosis of sepsis-induced disseminated intravascular coagulation. <i>Journal of Thrombosis and Haemostasis</i> , 2019 , 17, 1265-1268	15.4	15
72	Variations in infection sites and mortality rates among patients in intensive care units with severe sepsis and septic shock in Japan. <i>Journal of Intensive Care</i> , 2019 , 7, 28	7	21
71	Nighttime and non-business days are not associated with increased risk of in-hospital mortality in patients with severe sepsis in intensive care units in Japan: The JAAM FORECAST study. <i>Journal of Critical Care</i> , 2019 , 52, 97-102	4	6
70	Role of disseminated intravascular coagulation in severe sepsis. <i>Thrombosis Research</i> , 2019 , 178, 182-188	8.2	31
69	Diagnostic value of procalcitonin and presepsin for sepsis in critically ill adult patients: a systematic review and meta-analysis. <i>Journal of Intensive Care</i> , 2019 , 7, 22	7	43
68	Optimal Timing and Early Intervention With Anticoagulant Therapy for Sepsis-Induced Disseminated Intravascular Coagulation. <i>Clinical and Applied Thrombosis/Hemostasis</i> , 2019 , 25, 1076029619835055	3.3	8
67	Impact of initial coagulation and fibrinolytic markers on mortality in patients with severe blunt trauma: a multicentre retrospective observational study. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2019 , 27, 25	3.6	7
66	The Treatment Intensity of Anticoagulant Therapy for Patients With Sepsis-Induced Disseminated Intravascular Coagulation and Outcomes: A Multicenter Cohort Study. <i>Clinical and Applied Thrombosis/Hemostasis</i> , 2019 , 25, 1076029619839154	3.3	1

65	Identifying Sepsis Populations Benefitting from Anticoagulant Therapy: A Prospective Cohort Study Incorporating a Restricted Cubic Spline Regression Model. <i>Thrombosis and Haemostasis</i> , 2019 , 119, 1740-1751	7.1	5
64	Significance of plasma fibrinogen level and antithrombin activity in sepsis: A multicenter cohort study using a cubic spline model. <i>Thrombosis Research</i> , 2019 , 181, 17-23	8.2	24
63	Trauma-induced coagulopathy: The past, present, and future: A comment. <i>Journal of Thrombosis and Haemostasis</i> , 2019 , 17, 1571-1574	15.4	3
62	Trends in sepsis care in Japan: comparison of two sepsis cohort studies conducted by the Japanese Association for Acute Medicine. <i>Acute Medicine & Surgery</i> , 2019 , 6, 425-427	1.7	
61	A Systematic Summary of Systematic Reviews on Anticoagulant Therapy in Sepsis. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	14
60	Interventional radiology versus operative management for splenic injuries: a study protocol for a systematic review and meta-analysis. <i>BMJ Open</i> , 2019 , 9, e028172	3	
59	Implementation of earlier antibiotic administration in patients with severe sepsis and septic shock in Japan: a descriptive analysis of a prospective observational study. <i>Critical Care</i> , 2019 , 23, 360	10.8	17
58	Impact of Body Temperature Abnormalities on the Implementation of Sepsis Bundles and Outcomes in Patients With Severe Sepsis: A Retrospective Sub-Analysis of the Focused Outcome Research on Emergency Care for Acute Respiratory Distress Syndrome, Sepsis and Trauma Study. <i>Critical Care Medicine</i> , 2019 , 47, e91-99	1.4	25
57	Clinical Significance of MicroRNAs in Patients with Sepsis: Protocol for a Systematic Review and Meta-Analysis. <i>Diagnostics</i> , 2019 , 9,	3.8	2
56	Recombinant Human Soluble Thrombomodulin in Sepsis-Induced Coagulopathy: An Updated Systematic Review and Meta-Analysis. <i>Thrombosis and Haemostasis</i> , 2019 , 119, 56-65	7	31
55	External Validation of the Two Newly Proposed Criteria for Assessing Coagulopathy in Sepsis. <i>Thrombosis and Haemostasis</i> , 2019 , 119, 203-212	7	19
54	Epidemiology of disseminated intravascular coagulation in sepsis and validation of scoring systems. <i>Journal of Critical Care</i> , 2019 , 50, 23-30	4	25
53	The Survival Benefit of a Novel Trauma Workflow that Includes Immediate Whole-body Computed Tomography, Surgery, and Interventional Radiology, All in One Trauma Resuscitation Room: A Retrospective Historical Control Study. <i>Annals of Surgery</i> , 2019 , 269, 370-376	7.8	66
52	Concomitant Versus Individual Administration of Antithrombin and Thrombomodulin for Sepsis-Induced Disseminated Intravascular Coagulation: A Nationwide Japanese Registry Study. <i>Clinical and Applied Thrombosis/Hemostasis</i> , 2018 , 24, 734-740	3.3	9
51	Optimal patient selection for anticoagulant therapy in sepsis: an evidence-based proposal from Japan. <i>Journal of Thrombosis and Haemostasis</i> , 2018 , 16, 462-464	15.4	22
50	Impact of non-anticoagulant therapy on patients with sepsis-induced disseminated intravascular coagulation: A multicenter, case-control study. <i>Thrombosis Research</i> , 2018 , 163, 22-29	8.2	2
49	The Japanese Clinical Practice Guidelines for Management of Sepsis and Septic Shock 2016 (J-SSCG 2016). <i>Journal of Intensive Care</i> , 2018 , 6, 7	7	55
48	Sepsis-Induced Coagulopathy and Japanese Association for Acute Medicine DIC in Coagulopathic Patients with Decreased Antithrombin and Treated by Antithrombin. <i>Clinical and Applied Thrombosis/Hemostasis</i> , 2018 , 24, 1020-1026	3.3	13

47	Optimal Antithrombin Activity Threshold for Initiating Antithrombin Supplementation in Patients With Sepsis-Induced Disseminated Intravascular Coagulation: A Multicenter Retrospective Observational Study. <i>Clinical and Applied Thrombosis/Hemostasis</i> , 2018 , 24, 874-883	3.3	13
46	Early rehabilitation to prevent postintensive care syndrome in patients with critical illness: a systematic review and meta-analysis. <i>BMJ Open</i> , 2018 , 8, e019998	3	69
45	Effect of the Hybrid Emergency Room System on Functional Outcome in Patients with Severe Traumatic Brain Injury. <i>World Neurosurgery</i> , 2018 , 118, e792-e799	2.1	20
44	Screening itself for disseminated intravascular coagulation may reduce mortality in sepsis: A nationwide multicenter registry in Japan. <i>Thrombosis Research</i> , 2018 , 161, 60-66	8.2	23
43	Nationwide registry of sepsis patients in Japan focused on disseminated intravascular coagulation 2011-2013. <i>Scientific Data</i> , 2018 , 5, 180243	8.2	9
42	GRam stain-guided Antibiotics ChoicE for Ventilator-Associated Pneumonia (GRACE-VAP) trial: rationale and study protocol for a randomised controlled trial. <i>Trials</i> , 2018 , 19, 614	2.8	6
41	Characteristics, management, and in-hospital mortality among patients with severe sepsis in intensive care units in Japan: the FORECAST study. <i>Critical Care</i> , 2018 , 22, 322	10.8	53
40	First clinical experiences of concurrent bleeding control and intracranial pressure monitoring using a hybrid emergency room system in patients with multiple injuries. <i>World Journal of Emergency Surgery</i> , 2018 , 13, 56	9.2	10
39	Gram stain-guided antibiotic choice: a GRACEful method to safely restrict overuse of broad-spectrum antibiotic agents. <i>Critical Care</i> , 2018 , 22, 338	10.8	3
38	Prognostic accuracy of different disseminated intravascular coagulation criteria in critically ill adult patients: a protocol for a systematic review and meta-analysis. <i>BMJ Open</i> , 2018 , 8, e024878	3	1
37	Polymyxin B Hemoperfusion for Sepsis and Septic Shock: A Systematic Review and Meta-Analysis. <i>Surgical Infections</i> , 2017 , 18, 225-233	2	32
36	Head-to-head comparison of procalcitonin and presepsin for the diagnosis of sepsis in critically ill adult patients: a protocol for a systematic review and meta-analysis. <i>BMJ Open</i> , 2017 , 7, e014305	3	20
35	Tranexamic acid and trauma-induced coagulopathy. <i>Journal of Intensive Care</i> , 2017 , 5, 5	7	33
34	Early rehabilitation for the prevention of postintensive care syndrome in critically ill patients: a study protocol for a systematic review and meta-analysis. <i>BMJ Open</i> , 2017 , 7, e013828	3	12
33	Clinical Significance of Tissue Factor and CD13 Double-Positive Microparticles in Sepsis Patients with Trauma and Severe Sepsis. <i>Shock</i> , 2017 , 47, 409-415	3.4	11
32	Potential survival benefit of polymyxin B hemoperfusion in patients with septic shock: a propensity-matched cohort study. <i>Critical Care</i> , 2017 , 21, 134	10.8	21
31	Therapeutic Effectiveness of Anti-RAGE Antibody Administration in a Rat Model of Crush Injury. <i>Scientific Reports</i> , 2017 , 7, 12255	4.9	9
30	Low-dose immunoglobulin G is not associated with mortality in patients with sepsis and septic shock. <i>Critical Care</i> , 2017 , 21, 181	10.8	10

29	Impact of Gram stain results on initial treatment selection in patients with ventilator-associated pneumonia: a retrospective analysis of two treatment algorithms. <i>Critical Care</i> , 2017 , 21, 156	10.8	13
28	Design and Evaluation of New Unified Criteria for Disseminated Intravascular Coagulation Based on the Japanese Association for Acute Medicine Criteria. <i>Clinical and Applied Thrombosis/Hemostasis</i> , 2016 , 22, 153-60	3.3	9
27	Efficacy and safety of anticoagulant therapy in three specific populations with sepsis: a meta-analysis of randomized controlled trials: reply. <i>Journal of Thrombosis and Haemostasis</i> , 2016 , 14, 2310-2311	15.4	1
26	Antithrombin Supplementation and Mortality in Sepsis-Induced Disseminated Intravascular Coagulation: A Multicenter Retrospective Observational Study. <i>Shock</i> , 2016 , 46, 623-631	3.4	41
25	Efficacy and safety of anticoagulant therapy in three specific populations with sepsis: a meta-analysis of randomized controlled trials. <i>Journal of Thrombosis and Haemostasis</i> , 2016 , 14, 518-30	15.4	114
24	Recombinant human soluble thrombomodulin and mortality in sepsis-induced disseminated intravascular coagulation. A multicentre retrospective study. <i>Thrombosis and Haemostasis</i> , 2016 , 115, 1157-66	7	78
23	Effect of Histone Acetylation on N-Methyl-D-Aspartate 2B Receptor Subunits and Interleukin-1 Receptors in Association with Nociception-Related Somatosensory Cortex Dysfunction in a Mouse Model of Sepsis. <i>Shock</i> , 2016 , 45, 660-7	3.4	10
22	The Beneficial Effects of ETS-GS, a Novel Vitamin E Derivative, on a Rat Model of Crush Injury. <i>Shock</i> , 2016 , 46, 681-687	3.4	4
21	Benefit profile of anticoagulant therapy in sepsis: a nationwide multicentre registry in Japan. <i>Critical Care</i> , 2016 , 20, 229	10.8	63
20	Characteristics, treatments, and outcomes of severe sepsis of 3195 ICU-treated adult patients throughout Japan during 2011-2013. <i>Journal of Intensive Care</i> , 2016 , 4, 44	7	25
19	Benefit profile of recombinant human soluble thrombomodulin in sepsis-induced disseminated intravascular coagulation: a multicenter propensity score analysis. <i>Critical Care</i> , 2015 , 19, 78	10.8	49
18	Recombinant human soluble thrombomodulin in severe sepsis: a systematic review and meta-analysis. <i>Journal of Thrombosis and Haemostasis</i> , 2015 , 13, 508-19	15.4	106
17	Rapid and Sustained Long-Term Decrease of Fecal Short-Chain Fatty Acids in Critically Ill Patients With Systemic Inflammatory Response Syndrome. <i>Journal of Parenteral and Enteral Nutrition</i> , 2015 , 39, 569-77	4.2	40
16	Enhanced expression of cell-specific surface antigens on endothelial microparticles in sepsis-induced disseminated intravascular coagulation. <i>Shock</i> , 2015 , 43, 443-9	3.4	33
15	The clinical significance of circulating soluble RAGE in patients with severe sepsis. <i>Journal of Trauma and Acute Care Surgery</i> , 2015 , 78, 1086-93; discussion 1093-4	3.3	19
14	Expression of the Robo4 receptor in endothelial cells is regulated by two AP-1 protein complexes. <i>Biochemical and Biophysical Research Communications</i> , 2015 , 467, 987-91	3.4	6
13	Recombinant human soluble thrombomodulin in sepsis-induced disseminated intravascular coagulation: a multicenter propensity score analysis. <i>Intensive Care Medicine</i> , 2013 , 39, 644-52	14.5	90
12	Ultrasound-guided infraclavicular axillary vein puncture is effective to avoid pinch-off syndrome: a long-term follow-up study. <i>Surgery Today</i> , 2013 , 43, 745-50	3	9

11	Impact on survival of whole-body computed tomography before emergency bleeding control in patients with severe blunt trauma. <i>Critical Care</i> , 2013 , 17, R178	10.8	48
10	Maximal chemiluminescent intensity in response to lipopolysaccharide assessed by endotoxin activity assay on admission day predicts mortality in patients with sepsis. <i>Critical Care Medicine</i> , 2013 , 41, 1443-9	1.4	6
9	Platelet mitochondrial membrane potential correlates with severity in patients with systemic inflammatory response syndrome. <i>Journal of Trauma and Acute Care Surgery</i> , 2013 , 74, 411-7; discussion 418	3.3	23
8	Electrical vagus nerve stimulation attenuates systemic inflammation and improves survival in a rat heatstroke model. <i>PLoS ONE</i> , 2013 , 8, e56728	3.7	31
7	First clinical experience with IVR-CT system in the emergency room: positive impact on trauma workflow. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2012 , 20, 52	3.6	29
6	Recombinant human soluble thrombomodulin improves mortality and respiratory dysfunction in patients with severe sepsis. <i>Journal of Trauma</i> , 2012 , 72, 1150-7		64
5	Systemic involvement of high-mobility group box 1 protein and therapeutic effect of anti-high-mobility group box 1 protein antibody in a rat model of crush injury. <i>Shock</i> , 2012 , 37, 634-8	3.4	35
4	A novel technique of differential lung ventilation in the critical care setting. <i>BMC Research Notes</i> , 2011 , 4, 134	2.3	6
3	Assessment of risk factors related to healthcare-associated methicillin-resistant <i>Staphylococcus aureus</i> infection at patient admission to an intensive care unit in Japan. <i>BMC Infectious Diseases</i> , 2011 , 11, 303	4	16
2	Treatment effects of recombinant human soluble thrombomodulin in patients with severe sepsis: a historical control study. <i>Critical Care</i> , 2011 , 15, R123	10.8	102
1	A Case of Jejunal Carcinoid Tumor Detected by Huge Nodal Metastasis. <i>Japanese Journal of Gastroenterological Surgery</i> , 2009 , 42, 566-570	0.1	1