

Andrea J Tenner

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8617268/publications.pdf>

Version: 2024-02-01

103
papers

10,895
citations

30068

54
h-index

33889

99
g-index

115
all docs

115
docs citations

115
times ranked

11262
citing authors

#	ARTICLE	IF	CITATIONS
1	C1q and SRPX2 regulate microglia mediated synapse elimination during early development in the visual thalamus but not the visual cortex. <i>Glia</i> , 2022, 70, 451-465.	4.9	18
2	Impact of COVID-19 on the Onset and Progression of Alzheimer's Disease and Related Dementias: A Roadmap for Future Research. <i>Alzheimer's and Dementia</i> , 2022, 18, 1038-1046.	0.8	34
3	Modulation of C5aR1 signaling alters the dynamics of AD progression. <i>Journal of Neuroinflammation</i> , 2022, 19, .	7.2	15
4	Glia-Selective Deletion of Complement C1q Prevents Radiation-Induced Cognitive Deficits and Neuroinflammation. <i>Cancer Research</i> , 2021, 81, 1732-1744.	0.9	28
5	Therapeutic Targeting of the Complement System: From Rare Diseases to Pandemics. <i>Pharmacological Reviews</i> , 2021, 73, 792-827.	16.0	97
6	Generation of a humanized $\text{A}\beta$ expressing mouse demonstrating aspects of Alzheimer's disease-like pathology. <i>Nature Communications</i> , 2021, 12, 2421.	12.8	53
7	Complement factor C1q mediates sleep spindle loss and epileptic spikes after mild brain injury. <i>Science</i> , 2021, 373, eabj2685.	12.6	55
8	The Role of Complement in Synaptic Pruning and Neurodegeneration. <i>ImmunoTargets and Therapy</i> , 2021, Volume 10, 373-386.	5.8	64
9	Systematic phenotyping and characterization of the 5xFAD mouse model of Alzheimer's disease. <i>Scientific Data</i> , 2021, 8, 270.	5.3	138
10	Complement as a powerful "influencer" in the brain during development, adulthood and neurological disorders. <i>Advances in Immunology</i> , 2021, 152, 157-222.	2.2	11
11	Systematic Phenotyping and Characterization of the 3xTg-AD Mouse Model of Alzheimer's Disease. <i>Frontiers in Neuroscience</i> , 2021, 15, 785276.	2.8	58
12	Complement-Mediated Events in Alzheimer's Disease: Mechanisms and Potential Therapeutic Targets. <i>Journal of Immunology</i> , 2020, 204, 306-315.	0.8	61
13	The good, the bad, and the opportunities of the complement system in neurodegenerative disease. <i>Journal of Neuroinflammation</i> , 2020, 17, 354.	7.2	133
14	Model organism development and evaluation for late-onset Alzheimer's disease: MODEL-AD. <i>Alzheimer's and Dementia: Translational Research and Clinical Interventions</i> , 2020, 6, e12110.	3.7	63
15	Translational animal models for Alzheimer's disease: An Alzheimer's Association Business Consortium Think Tank. <i>Alzheimer's and Dementia: Translational Research and Clinical Interventions</i> , 2020, 6, e12114.	3.7	49
16	Complement Nomenclature "Deconvoluted". <i>Frontiers in Immunology</i> , 2019, 10, 1308.	4.8	59
17	Peripheral complement interactions with amyloid β peptide in Alzheimer's disease: 2. Relationship to amyloid β immunotherapy. <i>Alzheimer's and Dementia</i> , 2018, 14, 243-252.	0.8	27
18	Peripheral complement interactions with amyloid β peptide in Alzheimer's disease: Polymorphisms, structure, and function of complement receptor 1. <i>Alzheimer's and Dementia</i> , 2018, 14, 1438-1449.	0.8	32

#	ARTICLE	IF	CITATIONS
19	New tricks for an ancient system: Physiological and pathological roles of complement in the CNS. <i>Molecular Immunology</i> , 2018, 102, 3-13.	2.2	85
20	Preface to the Special issue for the 27th International complement workshop. <i>Molecular Immunology</i> , 2018, 102, 1-2.	2.2	0
21	CD200 modulates macrophage cytokine secretion and phagocytosis in response to poly(lactic-co-glycolic acid) microparticles and films. <i>Journal of Materials Chemistry B</i> , 2017, 5, 1574-1584.	5.8	28
22	Cell-specific deletion of C1qa identifies microglia as the dominant source of C1q in mouse brain. <i>Journal of Neuroinflammation</i> , 2017, 14, 48.	7.2	264
23	Peripheral complement interactions with amyloid β peptide: Erythrocyte clearance mechanisms. <i>Alzheimer's and Dementia</i> , 2017, 13, 1397-1409.	0.8	38
24	C1q: A fresh look upon an old molecule. <i>Molecular Immunology</i> , 2017, 89, 73-83.	2.2	188
25	C5a Increases the Injury to Primary Neurons Elicited by Fibrillar Amyloid Beta. <i>ASN Neuro</i> , 2017, 9, 175909141668787.	2.7	33
26	Incorporation of a Ligand Peptide for Immune Inhibitory Receptor LAIR-1 on Biomaterial Surfaces Inhibits Macrophage Inflammatory Responses. <i>Advanced Healthcare Materials</i> , 2017, 6, 1700707.	7.6	20
27	[F5a0302]: THE BIOLOGY OF COMPLEMENT RISK GENES IN ALZHEIMER'S DISEASE. <i>Alzheimer's and Dementia</i> , 2017, 13, P1448.	0.8	0
28	Prevention of C5aR1 signaling delays microglial inflammatory polarization, favors clearance pathways and suppresses cognitive loss. <i>Molecular Neurodegeneration</i> , 2017, 12, 66.	10.8	64
29	Analysis of the Putative Role of CR1 in Alzheimer's Disease: Genetic Association, Expression and Function. <i>PLoS ONE</i> , 2016, 11, e0149792.	2.5	77
30	Preface to the Special Issue for the XXVI International Complement Workshop. <i>Immunobiology</i> , 2016, 221, 1035-1036.	1.9	2
31	Sialylation of neurites inhibits complement-mediated macrophage removal in a human macrophage-neuron Co-culture System. <i>Glia</i> , 2016, 64, 35-47.	4.9	26
32	A Commentary On: "NF- κ B-Activated Astroglial Release of Complement C3 Compromises Neuronal Morphology and Function Associated with Alzheimer's Disease". A cautionary note regarding C3aR. <i>Frontiers in Immunology</i> , 2015, 6, 220.	4.8	17
33	Elimination of Microglia Improves Functional Outcomes Following Extensive Neuronal Loss in the Hippocampus. <i>Journal of Neuroscience</i> , 2015, 35, 9977-9989.	3.6	195
34	Complement protein C1q bound to apoptotic cells suppresses human macrophage and dendritic cell-mediated Th17 and Th1 T cell subset proliferation. <i>Journal of Leukocyte Biology</i> , 2015, 97, 147-160.	3.3	92
35	Real-time imaging of <i>Toxoplasma</i> -infected human monocytes under fluidic shear stress reveals rapid translocation of intracellular parasites across endothelial barriers. <i>Cellular Microbiology</i> , 2014, 16, 580-595.	2.1	46
36	Complement modulation of T cell immune responses during homeostasis and disease. <i>Journal of Leukocyte Biology</i> , 2014, 96, 745-756.	3.3	74

#	ARTICLE	IF	CITATIONS
37	Complement activation fragment C5a receptors, CD88 and C5L2, are associated with neurofibrillary pathology. <i>Journal of Neuroinflammation</i> , 2013, 10, 25.	7.2	33
38	A Dramatic Increase of C1q Protein in the CNS during Normal Aging. <i>Journal of Neuroscience</i> , 2013, 33, 13460-13474.	3.6	361
39	C1q-induced LRP1B and GPR6 Proteins Expressed Early in Alzheimer Disease Mouse Models, Are Essential for the C1q-mediated Protection against Amyloid- β Neurotoxicity. <i>Journal of Biological Chemistry</i> , 2013, 288, 654-665.	3.4	116
40	Sialic Acid on the Neuronal Glycocalyx Prevents Complement C1 Binding and Complement Receptor-3-Mediated Removal by Microglia. <i>Journal of Neuroscience</i> , 2012, 32, 946-952.	3.6	112
41	Extensive innate immune gene activation accompanies brain aging, increasing vulnerability to cognitive decline and neurodegeneration: a microarray study. <i>Journal of Neuroinflammation</i> , 2012, 9, 179.	7.2	423
42	Complement Protein C1q Directs Macrophage Polarization and Limits Inflammasome Activity during the Uptake of Apoptotic Cells. <i>Journal of Immunology</i> , 2012, 188, 5682-5693.	0.8	216
43	Complement in the brain. <i>Molecular Immunology</i> , 2011, 48, 1592-1603.	2.2	345
44	Contribution of complement activation pathways to neuropathology differs among mouse models of Alzheimer's disease. <i>Journal of Neuroinflammation</i> , 2011, 8, 4.	7.2	76
45	Complement Protein C1q-Mediated Neuroprotection Is Correlated with Regulation of Neuronal Gene and MicroRNA Expression. <i>Journal of Neuroscience</i> , 2011, 31, 3459-3469.	3.6	129
46	A novel CD93 polymorphism in non-obese diabetic (NOD) and NZB/W F1 mice is linked to a CD4+ iNKT cell deficient state. <i>Immunogenetics</i> , 2010, 62, 397-407.	2.4	21
47	The Role of the Complement System and the Activation Fragment C5a in the Central Nervous System. <i>NeuroMolecular Medicine</i> , 2010, 12, 179-192.	3.4	136
48	Microglial C5aR (CD88) expression correlates with amyloid- β deposition in murine models of Alzheimer's disease. <i>Journal of Neurochemistry</i> , 2010, 113, 389-401.	3.9	76
49	Innate Immune Proteins C1q and Mannan-Binding Lectin Enhance Clearance of Atherogenic Lipoproteins by Human Monocytes and Macrophages. <i>Journal of Immunology</i> , 2010, 185, 3932-3939.	0.8	53
50	C1q enhances microglial clearance of apoptotic neurons and neuronal blebs, and modulates subsequent inflammatory cytokine production. <i>Journal of Neurochemistry</i> , 2010, 112, 733-743.	3.9	165
51	Treatment with a C5aR Antagonist Decreases Pathology and Enhances Behavioral Performance in Murine Models of Alzheimer's Disease. <i>Journal of Immunology</i> , 2009, 183, 1375-1383.	0.8	229
52	C1q Differentially Modulates Phagocytosis and Cytokine Responses during Ingestion of Apoptotic Cells by Human Monocytes, Macrophages, and Dendritic Cells. <i>Journal of Immunology</i> , 2009, 183, 6175-6185.	0.8	136
53	The role of the anaphylatoxins in health and disease. <i>Molecular Immunology</i> , 2009, 46, 2753-2766.	2.2	582
54	Complement component C1q inhibits β -amyloid- and serum amyloid P-induced neurotoxicity via caspase- and calpain-independent mechanisms. <i>Journal of Neurochemistry</i> , 2008, 104, 696-707.	3.9	88

#	ARTICLE	IF	CITATIONS
55	Complement C3 and C4 expression in C1q sufficient and deficient mouse models of Alzheimer's disease. <i>Journal of Neurochemistry</i> , 2008, 106, 2080-2092.	3.9	111
56	Development of a humanized C1q A chain knock-in mouse: Assessment of antibody independent A β -amyloid induced complement activation. <i>Molecular Immunology</i> , 2008, 45, 3244-3252.	2.2	11
57	Murine Low-Density Lipoprotein Receptor-Related Protein 1 (LRP) Is Required for Phagocytosis of Targets Bearing LRP Ligands but Is Not Required for C1q-Triggered Enhancement of Phagocytosis. <i>Journal of Immunology</i> , 2008, 181, 364-373.	0.8	65
58	A role for complement components C1q and C3 in the clearance of apoptotic cells by microglia. <i>FASEB Journal</i> , 2008, 22, 554-554.	0.5	1
59	SREBP-1a Regulates Cellular Defense Responses in Bone Marrow-Derived Macrophages. <i>FASEB Journal</i> , 2008, 22, 273-273.	0.5	0
60	Generation of Inhibitory NF- κ B Complexes and Phosphorylated cAMP Response Element-binding Protein Correlates with the Anti-inflammatory Activity of Complement Protein C1q in Human Monocytes. <i>Journal of Biological Chemistry</i> , 2007, 282, 7360-7367.	3.4	61
61	Complement proteins C1q and MBL are pattern recognition molecules that signal immediate and long-term protective immune functions. <i>Molecular Immunology</i> , 2007, 44, 33-43.	2.2	180
62	Complement in BuB/BnJ mice revisited: Serum C3 levels and complement opsonic activity are not elevated. <i>Molecular Immunology</i> , 2006, 43, 1722-1725.	2.2	19
63	ERK1/2 Activation Mediates A β 2 Oligomer-induced Neurotoxicity via Caspase-3 Activation and Tau Cleavage in Rat Organotypic Hippocampal Slice Cultures. <i>Journal of Biological Chemistry</i> , 2006, 281, 20315-20325.	3.4	159
64	C1q and MBL, components of the innate immune system, influence monocyte cytokine expression. <i>Journal of Leukocyte Biology</i> , 2006, 80, 107-116.	3.3	126
65	The Double-Edged Flower: Roles of Complement Protein C1q in Neurodegenerative Diseases. , 2006, 586, 153-176.		32
66	Modulated interaction of the ERM protein, moesin, with CD93. <i>Immunology</i> , 2005, 115, 63-73.	4.4	39
67	CD93 Is Rapidly Shed from the Surface of Human Myeloid Cells and the Soluble Form Is Detected in Human Plasma. <i>Journal of Immunology</i> , 2005, 175, 1239-1247.	0.8	76
68	CD93 interacts with the PDZ domain-containing adaptor protein GIPC: implications in the modulation of phagocytosis. <i>Journal of Leukocyte Biology</i> , 2005, 77, 80-89.	3.3	40
69	Differential regulation of Abeta42-induced neuronal C1q synthesis and microglial activation. <i>Journal of Neuroinflammation</i> , 2005, 2, 1.	7.2	33
70	Novel Abeta peptide immunogens modulate plaque pathology and inflammation in a murine model of Alzheimer's disease. <i>Journal of Neuroinflammation</i> , 2005, 2, 28.	7.2	33
71	Absence of C1q Leads to Less Neuropathology in Transgenic Mouse Models of Alzheimer's Disease. <i>Journal of Neuroscience</i> , 2004, 24, 6457-6465.	3.6	295
72	Influence of Innate Immune Responses on Autoimmunity. <i>Autoimmunity</i> , 2004, 37, 83-84.	2.6	2

#	ARTICLE	IF	CITATIONS
73	Complement C1q expression induced by A β 2 in rat hippocampal organotypic slice cultures. <i>Experimental Neurology</i> , 2004, 185, 241-253.	4.1	30
74	Neuronal localization of C1q in preclinical Alzheimer's disease. <i>Neurobiology of Disease</i> , 2004, 15, 40-46.	4.4	67
75	Cell surface expression of C1qRP/CD93 is stabilized by O-glycosylation. <i>Journal of Cellular Physiology</i> , 2003, 196, 512-522.	4.1	33
76	Human Cord Blood Leukocyte Innate Immune Responses to Defense Collagens. <i>Pediatric Research</i> , 2003, 54, 724-731.	2.3	12
77	C1qRp defines a new human stem cell population with hematopoietic and hepatic potential. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002, 99, 10441-10445.	7.1	163
78	Complement Association with Neurons and A β 2-Amyloid Deposition in the Brains of Aged Individuals with Down Syndrome. <i>Neurobiology of Disease</i> , 2001, 8, 252-265.	4.4	89
79	Inflammatory Responses to Amyloidosis in a Transgenic Mouse Model of Alzheimer's Disease. <i>American Journal of Pathology</i> , 2001, 158, 1345-1354.	3.8	275
80	Complement in Alzheimer's disease: opportunities for modulating protective and pathogenic events. <i>Neurobiology of Aging</i> , 2001, 22, 849-861.	3.1	83
81	Antibody-Mediated Phagocytosis of the Amyloid A β 2-Peptide in Microglia Is Differentially Modulated by C1q. <i>Journal of Immunology</i> , 2001, 166, 7496-7503.	0.8	106
82	Identification of a Site on Mannan-binding Lectin Critical for Enhancement of Phagocytosis. <i>Journal of Biological Chemistry</i> , 2001, 276, 43087-43094.	3.4	59
83	Structural and functional evidence for microglial expression of C1qRP, the C1q receptor that enhances phagocytosis. <i>Journal of Leukocyte Biology</i> , 2000, 67, 109-116.	3.3	71
84	Adiponectin, a new member of the family of soluble defense collagens, negatively regulates the growth of myelomonocytic progenitors and the functions of macrophages. <i>Blood</i> , 2000, 96, 1723-1732.	1.4	1,153
85	Complement Component C1q Modulates the Phagocytosis of A β 2 by Microglia. <i>Experimental Neurology</i> , 2000, 161, 127-138.	4.1	115
86	Molecular Dating of Senile Plaques in the Brains of Individuals with Down Syndrome and in Aged Dogs. <i>Experimental Neurology</i> , 2000, 163, 111-122.	4.1	51
87	Characterization of the murine homolog of C1qRP: identical cellular expression pattern, chromosomal location and functional activity of the human and murine C1qRP. <i>Molecular Immunology</i> , 2000, 37, 377-389.	2.2	22
88	Adiponectin, a new member of the family of soluble defense collagens, negatively regulates the growth of myelomonocytic progenitors and the functions of macrophages. <i>Blood</i> , 2000, 96, 1723-1732.	1.4	63
89	Membrane receptors for soluble defense collagens. <i>Current Opinion in Immunology</i> , 1999, 11, 34-41.	5.5	100
90	Neuronal Protection in Stroke by an sLe ^x -Glycosylated Complement Inhibitory Protein. <i>Science</i> , 1999, 285, 595-599.	12.6	328

#	ARTICLE	IF	CITATIONS
91	The Presence of Isoaspartic Acid in \hat{A}^2 -Amyloid Plaques Indicates Plaque Age. <i>Experimental Neurology</i> , 1999, 157, 277-288.	4.1	55
92	C1q Receptors: Regulating Specific Functions of Phagocytic Cells. <i>Immunobiology</i> , 1998, 199, 250-264.	1.9	56
93	Glutamate Receptor GluR3 Antibodies and Death of Cortical Cells. <i>Neuron</i> , 1998, 20, 153-163.	8.1	126
94	Complement activation by cross-linked truncated and chimeric full-length \hat{A}^2 -amyloid. <i>NeuroReport</i> , 1997, 8, 3457-3462.	1.2	27
95	cDNA Cloning and Primary Structure Analysis of C1qRP, the Human C1q/MBL/SPA Receptor That Mediates Enhanced Phagocytosis In Vitro. <i>Immunity</i> , 1997, 6, 119-129.	14.3	239
96	Aspartate residue 7 in amyloid \hat{A}^2 -protein is critical for classical complement pathway activation: Implications for Alzheimer's disease pathogenesis. <i>Nature Medicine</i> , 1997, 3, 077-079.	30.7	134
97	Localization and Cell Association of C1q in Alzheimer's Disease Brain. <i>Experimental Neurology</i> , 1996, 138, 22-32.	4.1	211
98	C1q triggers neutrophil superoxide production by a unique CD18-dependent mechanism. <i>Journal of Leukocyte Biology</i> , 1995, 58, 168-176.	3.3	37
99	Localization of the Site on the Complement Component C1q Required for the Stimulation of Neutrophil Superoxide Production. <i>Journal of Biological Chemistry</i> , 1995, 270, 30627-30634.	3.4	29
100	Mannose binding protein (MBP) enhances mononuclear phagocyte function via a receptor that contains the 126,000 Mr component of the Clq receptor. <i>Immunity</i> , 1995, 3, 485-493.	14.3	155
101	Cultured Rat Microglia Express C1q and Receptor for C1q: Implications for Amyloid Effects on Microglia. <i>Experimental Neurology</i> , 1995, 134, 214-221.	4.1	51
102	Decreased levels of C1q in cerebrospinal fluid of living Alzheimer patients correlate with disease state. <i>Neurobiology of Aging</i> , 1994, 15, 609-614.	3.1	51
103	Clq acts synergistically with phorbol dibutyrate to activate CR1-mediated phagocytosis by human mononuclear phagocytes. <i>European Journal of Immunology</i> , 1988, 18, 2001-2007.	2.9	63