

# Carlos Frederico Duarte Rocha

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8617321/publications.pdf>

Version: 2024-02-01

270  
papers

5,599  
citations

147801  
31  
h-index

128289  
60  
g-index

273  
all docs

273  
docs citations

273  
times ranked

4696  
citing authors

#	ARTICLE	IF	CITATIONS
1	Erosion of Lizard Diversity by Climate Change and Altered Thermal Niches. <i>Science</i> , 2010, 328, 894-899.	12.6	1,430
2	Phylogenetic Affinities of <i>Mabuya atlantica</i> Schmidt, 1945, Endemic to the Atlantic Ocean Archipelago of Fernando de Noronha (Brazil): Necessity of Partitioning the Genus <i>Mabuya</i> Fitzinger, 1826 (Scincidae: Lygosominae). <i>Zoologischer Anzeiger</i> , 2002, 241, 281-293.	0.9	86
3	Thermal biology and flight distance of <i>Tropidurus oreadicus</i> (Sauria Iguanidae) in an area of Amazonian Brazil. <i>Ethology Ecology and Evolution</i> , 1990, 2, 263-268.	1.4	78
4	Bigger ant colonies reduce herbivory and herbivore residence time on leaves of an ant-plant: <i>Azteca muelleri</i> vs. <i>Coelomera ruficornis</i> on <i>Cecropia pachystachya</i> . <i>Oecologia</i> , 1992, 91, 249-252.	2.0	75
5	Antipredator Defenses Influence the Distribution of Amphibian Prey Species in the Central Amazon Rain Forest1. <i>Biotropica</i> , 2001, 33, 131-141.	1.6	67
6	Environmental Factors Affecting Calling Activity of a Tropical Diurnal Frog ( <i>Hylodes phyllodes</i> ) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 542	0.5	62
7	Ecological Differences in Tropical Sympatric Skinks ( <i>Mabuya macrorhyncha</i> and <i>Mabuya agilis</i> ) in Southeastern Brazil. <i>Journal of Herpetology</i> , 1996, 30, 60.	0.5	59
8	Endemic and threatened tetrapods in the restingas of the biodiversity corridors of Serra do Mar and of the central da Mata Atlântica in Eastern Brazil. <i>Brazilian Journal of Biology</i> , 2005, 65, 159-168.	0.9	57
9	Activity patterns and body temperatures of two sympatric lizards ( <i>Tropidurus torquatus</i> and) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 56 1993, 14, 312-315.	0.5	56
10	Feeding Ecology of <i>Tropidurus torquatus</i> : Ontogenetic Shift in Plant Consumption and Seasonal Trends in Diet. <i>Journal of Herpetology</i> , 2000, 34, 325.	0.5	55
11	Spatial and trophic niche differentiation in two sympatric lizards ( <i>Tropidurus torquatus</i> and) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 53 1998, 32, 229.	0.5	53
12	The Ecology of the Skink <i>Mabuya frenata</i> in an Area of Rock Outcrops in Southeastern Brazil. <i>Journal of Herpetology</i> , 1998, 32, 229.	0.5	50
13	Helminth communities of two sympatric skinks ( <i>Mabuya agilis</i> and <i>Mabuya macrorhyncha</i> ) from two restinga habitats in southeastern Brazil. <i>Journal of Helminthology</i> , 2002, 76, 355-361.	1.0	50
14	Nematode infection patterns in four sympatric lizards from a restinga habitat (Jurubatiba) in Rio de Janeiro state, southeastern Brazil. <i>Amphibia - Reptilia</i> , 2000, 21, 307-316.	0.5	48
15	Insights on leatherback turtle movements and high use areas in the Southwest Atlantic Ocean. <i>Journal of Experimental Marine Biology and Ecology</i> , 2009, 378, 31-39.	1.5	45
16	Effects of Brazil's Political Crisis on the Science Needed for Biodiversity Conservation. <i>Frontiers in Ecology and Evolution</i> , 2018, 6, .	2.2	45
17	Volume de Água armazenado no tanque de bromélias, em restingas da costa brasileira. <i>Acta Botanica Brasilica</i> , 2010, 24, 84-95.	0.8	45
18	Reproductive and Fat Body Cycles of the Tropical Sand Lizard ( <i>Liolaemus lutzae</i> ) of Southeastern Brazil. <i>Journal of Herpetology</i> , 1992, 26, 17.	0.5	44

#	ARTICLE	IF	CITATIONS
19	Nematode infection in two sympatric lizards ( <i>Tropidurus torquatus</i> and <i>Ameiva ameiva</i> ) with different foraging tactics. <i>Amphibia - Reptilia</i> , 1998, 19, 323-330.	0.5	44
20	Native and exotic species in the urban landscape of the city of Rio de Janeiro, Brazil: density, richness, and arboreal deficit. <i>Urban Ecosystems</i> , 2010, 13, 209-222.	2.4	42
21	Diet, Activity, and Microhabitat Use of Two Syntopic <i>Tropidurus</i> Species (Lacertilia: Tropiduridae) in Minas Gerais, Brazil. <i>Journal of Herpetology</i> , 2004, 38, 606-611.	0.5	41
22	Reproductive Cycle and Life-History Traits of the Viviparous Skink <i>Mabuya frenata</i> in Southeastern Brazil. <i>Copeia</i> , 1998, 1998, 612.	1.3	39
23	Diet, Reproduction, and Density of the Leptodactylid Litter Frog <i>Zachaeus parvulus</i> in an Atlantic Rain Forest of Southeastern Brazil. <i>Journal of Herpetology</i> , 2001, 35, 322.	0.5	39
24	Body temperatures of <i>Tropidurus torquatus</i> (Squamata, Tropiduridae) from coastal populations: Do body temperatures vary along their geographic range?. <i>Journal of Thermal Biology</i> , 2005, 30, 449-456.	2.5	39
25	Unraveling the influences of climate change in Lepidosauria (Reptilia). <i>Journal of Thermal Biology</i> , 2018, 78, 401-414.	2.5	39
26	<scp>ATLANTIC EPIPHYTES</scp>: a data set of vascular and non-vascular epiphyte plants and lichens from the Atlantic Forest. <i>Ecology</i> , 2019, 100, e02541.	3.2	38
27	Helminths of the exotic lizard <i>Hemidactylus mabouia</i> from a rock outcrop area in southeastern Brazil. <i>Journal of Helminthology</i> , 2005, 79, 307-313.	1.0	37
28	Ecological parameters of the leaf-litter frog community of an Atlantic Rainforest area at Ilha Grande, Rio de Janeiro state, Brazil. <i>Austral Ecology</i> , 2007, 32, 254-260.	1.5	37
29	Activity of Leaf-Litter Frogs: When Should Frogs Be Sampled?. <i>Journal of Herpetology</i> , 2000, 34, 285.	0.5	36
30	One step ahead to predict potential poaching hotspots: Modeling occupancy and detectability of poachers in a neotropical rainforest. <i>Biological Conservation</i> , 2018, 227, 133-140.	4.1	36
31	Conquering Brazil: the invasion by the exotic gekkonid lizard <i>Hemidactylus mabouia</i> (Squamata) in Brazilian natural environments. <i>Zoologia</i> , 2011, 28, 747-754.	0.5	35
32	Landscape connectivity may explain anuran species distribution in an Atlantic forest fragmented area. <i>Landscape Ecology</i> , 2014, 29, 29-40.	4.2	35
33	Brazilian legislation on genetic heritage harms Biodiversity Convention goals and threatens basic biology research and education. <i>Anais Da Academia Brasileira De Ciencias</i> , 2018, 90, 1279-1284.	0.8	34
34	Diet of a Tropical Lizard ( <i>Liolaemus lutzae</i> ) of Southeastern Brazil. <i>Journal of Herpetology</i> , 1989, 23, 292.	0.5	33
35	Thermoregulatory behaviour in <i>Tropidurus torquatus</i> (Squamata, Tropiduridae) from Brazilian coastal populations: an estimate of passive and active thermoregulation in lizards. <i>Acta Zoologica</i> , 2006, 88, 81-87.	0.8	33
36	NewCnemidophorus(Squamata; Teiidae) from Coastal Rio de Janeiro State, Southeastern Brazil. <i>Copeia</i> , 2000, 2000, 501-509.	1.3	32

#	ARTICLE	IF	CITATIONS
37	Herpetofauna of an Atlantic rainforest area (Morro SÃ£o JoÃ£o) in Rio de Janeiro State, Brazil. Anais Da Academia Brasileira De Ciencias, 2008, 80, 291-300.	0.8	32
38	Nematode parasites of the Brazilian sand lizard, <i>Liolaemus lutzae</i> . Amphibia - Reptilia, 1995, 16, 412-415.	0.5	31
39			

#	ARTICLE	IF	CITATIONS
55	NEOTROPICAL CARNIVORES: a data set on carnivore distribution in the Neotropics. <i>Ecology</i> , 2020, 101, e03128.	3.2	26
56	Host-ectoparasite specificity in a small mammal community in an area of Atlantic Rain Forest (Ilha) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 793-798.	1.6	25
57	An ant-membracid-plant interaction in a cerrado area of Brazil. <i>Journal of Tropical Ecology</i> , 1992, 8, 339-348.	1.1	24
58	Nematode infection in three sympatric lizards in an isolated fragment of restinga habitat in southeastern Brazil. <i>Amphibia - Reptilia</i> , 1997, 18, 442-446.	0.5	24
59	Helminths infecting the parthenogenetic whiptail lizard <i>Cnemidophorus nativo</i> in a restinga habitat of Bahia State, Brazil. <i>Journal of Helminthology</i> , 2004, 78, 323-328.	1.0	24
60	Anurofauna of an Atlantic Rainforest fragment and its surroundings in Northern Rio de Janeiro State, Brazil. <i>Brazilian Journal of Biology</i> , 2010, 70, 871-877.	0.9	24
61	Underestimation of Extinction Threat to Stream-Dwelling Amphibians due to Lack of Consideration of Narrow Area of Occupancy. <i>Conservation Biology</i> , 2014, 28, 616-619.	4.7	24
62	Nematodes infecting the skink <i>Mabuya frenata</i> in Valinhos, Sao Paulo State, southeastern Brazil. <i>Amphibia - Reptilia</i> , 1999, 20, 333-339.	0.5	23
63	Estimates of forest floor litter frog communities: A comparison of two methods. <i>Austral Ecology</i> , 2001, 26, 14-21.	1.5	23
64	Spatial use of rodents (Rodentia: Mammalia) host body surface by ectoparasites. <i>Brazilian Journal of Biology</i> , 2002, 62, 419-425.	0.9	23
65	Feeding Ecology of <i>Thoropa Miliaris</i> (Anura, Cycloramphidae) in Four Areas of Atlantic Rain Forest, Southeastern Brazil. <i>Journal of Herpetology</i> , 2006, 40, 520-525.	0.5	23
66	Diet and microhabitat use by two Hylodinae species (Anura, Cycloramphidae) living in sympatry and syntopy in a Brazilian Atlantic Rainforest area. <i>Iheringia - Serie Zoologia</i> , 2007, 97, 27-30.	0.5	23
67	NEOTROPICAL ALIEN MAMMALS: a data set of occurrence and abundance of alien mammals in the Neotropics. <i>Ecology</i> , 2020, 101, e03115.	3.2	22
68	Breeding ecology of <i>Scinax trapicheiroi</i> (Anura, Hylidae) at a creek in the Atlantic Rainforest of Ilha Grande, southeastern Brazil. <i>Amphibia - Reptilia</i> , 2004, 25, 277-286.	0.5	21
69	Clutch and egg size of the tropical lizard <i>Tropidurus torquatus</i> (Tropiduridae) along its geographic range in coastal eastern Brazil. <i>Canadian Journal of Zoology</i> , 2008, 86, 1376-1388.	1.0	21
70	Density and richness of leaf litter frogs (Amphibia: Anura) of an Atlantic Rainforest area in the Serra dos Ñgrios, Rio de Janeiro State, Brazil. <i>Zoologia</i> , 2009, 26, 97-102.	0.5	21
71	Ecology of the Brazilian Flea Frog <i>Brachycephalus didactylus</i> (Terrarana: Brachycephalidae). <i>Journal of Herpetology</i> , 2011, 45, 251-255.	0.5	21
72	NATURAL HISTORY TRAITS OF CROSSODACTYLUS AENEUS (ANURA, LEPTODACTYLIDAE, HYLODINAE) FROM AN ATLANTIC RAINFOREST AREA IN RIO DE JANEIRO STATE, SOUTHEASTERN BRAZIL. <i>South American Journal of Herpetology</i> , 2006, 1, 37-41.	0.5	20

#	ARTICLE	IF	CITATIONS
73	Temporal niche of acoustic activity in anurans: interspecific and seasonal variation in a neotropical assemblage from south-eastern Brazil. <i>Amphibia - Reptilia</i> , 2007, 28, 269-276.	0.5	20
74	Patterns of infestation by the trombiculid mite <i>Eutrombicula alfreddugesi</i> in four sympatric lizard species (genus <i>Tropidurus</i> ) in northeastern Brazil. <i>Parasite</i> , 2008, 15, 131-136.	2.0	20
75	The endemic and threatened lizard <i>Liolaemus lutzae</i> (Squamata: Liolaemidae): current geographic distribution and areas of occurrence with estimated population densities. <i>Zoologia</i> , 2009, 26, 454-460.	0.5	20
76	Diversity and Distribution of Lizards in Fragmented Atlantic Forest Landscape in Southeastern Brazil. <i>Journal of Herpetology</i> , 2014, 48, 423-429.	0.5	20
77	Habitat amount drives the functional diversity and nestedness of anuran communities in an Atlantic Forest fragmented landscape. <i>Biotropica</i> , 2019, 51, 874-884.	1.6	20
78	Roadkill of medium to large mammals along a Brazilian road (BR-262) in Southeastern Brazil: spatial distribution and seasonal variation. <i>Studies on Neotropical Fauna and Environment</i> , 2020, 55, 216-225.	1.0	20
79	Reproductive Ecology of the Parthenogenetic Whiptail Lizard <i>Cnemidophorus nativo</i> in a Brazilian Restinga Habitat. <i>Journal of Herpetology</i> , 2004, 38, 280-282.	0.5	19
80	The snake community of Serra do Mendenha, in Rio de Janeiro State, southeastern Brazil: composition, abundance, richness and diversity in areas with different conservation degrees. <i>Brazilian Journal of Biology</i> , 2009, 69, 795-804.	0.9	19
81	Host bromeliads and their associated frog species: Further considerations on the importance of species interactions for conservation. <i>Symbiosis</i> , 2017, 73, 201-211.	2.3	19
82	Estimates of forest floor litter frog communities: A comparison of two methods. <i>Austral Ecology</i> , 2001, 26, 14-21.	1.5	19
83	Ecology of <i>Ischnocnema parva</i> (Anura: Brachycephalidae) at the Atlantic Rainforest of Serra da Concórdia, state of Rio de Janeiro, Brazil. <i>Zoologia</i> , 2010, 27, 201-208.	0.5	18
84	Living together, sometimes feeding in a similar way: the case of the syntopic hylid frogs <i>Hypsiboas raniceps</i> and <i>Scinax acuminatus</i> (Anura: Hylidae) in the Pantanal of Miranda, Mato Grosso do Sul State, Brazil. <i>Brazilian Journal of Biology</i> , 2010, 70, 955-959.	0.9	18
85	Anurans from two high-elevation areas of Atlantic Forest in the state of Rio de Janeiro, Brazil. <i>Zoologia</i> , 2011, 28, 457-464.	0.5	18
86	Seasonal variations in behaviour of thermoregulation in juveniles and adults <i>Liolaemus lutzae</i> (Squamata, Liolaemidae) in a remnant of Brazilian restinga. <i>Behavioural Processes</i> , 2013, 100, 48-53.	1.1	18
87	Use of cacti as heat sources by thermoregulating <i>Mabuya agilis</i> (Raddi) and <i>Mabuya macrorhyncha</i> Hoge (Lacertilia, Scincidae) in two restinga habitats in southeastern Brazil. <i>Revista Brasileira De Zoologia</i> , 2002, 19, 77-83.	0.5	18
88	Selectivity in plant food consumption in the lizard <i>Liolaemus lutzae</i> from southeastern Brazil. <i>Studies on Neotropical Fauna and Environment</i> , 2000, 35, 14-18.	1.0	17
89	Variação na estrutura e na composição de Bromeliaceae em cinco zonas de restinga no Parque Nacional da Restinga de Jurubatiba, Macaé, RJ. <i>Revista Brasileira De Botanica</i> , 2001, 24, 01.	1.3	17
90	Reproductive ecology of the invader species gekkonid lizard <i>Hemidactylus mabouia</i> in an area of southeastern Brazil. <i>Iheringia - Serie Zoologia</i> , 2008, 98, 205-209.	0.5	17

#	ARTICLE	IF	CITATIONS
91	Reptiles from Lençóis Maranhenses National Park, Maranhão, northeastern Brazil. <i>ZooKeys</i> , 2012, 246, 51-68.	1.1	17
92	Variation in the diet of the lizard <i>Tropidurus torquatus</i> along its coastal range in Brazil. <i>Biota Neotropica</i> , 2013, 13, 93-101.	1.0	17
93	Tail loss in the Syntopic Lizards <i>Tropidurus itambere</i> (Tropiduridae) and <i>Mabuya frenata</i> (Scincidae) in Southeastern Brazil. <i>Studies on Neotropical Fauna and Environment</i> , 2002, 37, 227-231.	1.0	16
94	Observations on the natural history of the lizard <i>Mabuya macrorhyncha</i> Hoge (Scincidae) in Queimada Grande Island, São Paulo, Brazil. <i>Revista Brasileira De Zoologia</i> , 2005, 22, 1185-1190.	0.5	16
95	Reproduction in neotropical <i>Tropidurus</i> lizards (Tropiduridae): evaluating the effect of environmental factors on <i>T. torquatus</i> . <i>Amphibia - Reptilia</i> , 2010, 31, 117-126.	0.5	16
96	Herpetofauna of the Reserva Ecológica de Guapiaçu (REGUA) and its surrounding areas, in the state of Rio de Janeiro, Brazil. <i>Biota Neotropica</i> , 2014, 14, .	1.0	16
97	Local and Landscape Factors Driving the Structure of Tropical Anuran Communities: Do Ephemeral Ponds have a Nested Pattern?. <i>Biotropica</i> , 2016, 48, 365-372.	1.6	16
98	Growth of the tropical sand lizard <i>Liolaemus lutzae</i> in southeastern Brazil. <i>Amphibia - Reptilia</i> , 1995, 16, 257-264.	0.5	15
99	Ecology and Natural History of the Easternmost Native Lizard Species in South America, <i>Trachylepis atlantica</i> (Scincidae), from the Fernando de Noronha Archipelago, Brazil. <i>Journal of Herpetology</i> , 2009, 43, 450-459.	0.5	15
100	Invasion by <i>Artocarpus heterophyllus</i> (Moraceae) in an island in the Atlantic Forest Biome, Brazil: distribution at the landscape level, density and need for control. <i>Journal of Coastal Conservation</i> , 2016, 20, 191-198.	1.6	15
101	Description of <i>Skrjabinodon spinosulus</i> sp. n. (Nematoda, Oxyuroidea, Pharyngodonidae) from the Brazilian lizard <i>Mabuya dorsivittata</i> Cope, 1862 (Scincidae). <i>Revista Brasileira De Zoologia</i> , 2002, 19, 157-162.	0.5	14
102	Prediction of threatened tetrapods based on the species-area relationship in Atlantic Forest, Brazil. <i>Journal of Zoology</i> , 2005, 265, 359-364.	1.7	14
103	Predation by lizards as a mortality source for juvenile lizards in Brazil. <i>South American Journal of Herpetology</i> , 2008, 3, 82-87.	0.5	14
104	Richness, abundance, and mass in snake assemblages from two Atlantic Rainforest sites (Ilha do Mel, Paraná). <i>Journal of Herpetology</i> , 2014, 48, 10-14.	1.0	14
105	Snakes from the Atlantic Rainforest area of Serra do Mendenha, in Rio de Janeiro state, southeastern Brazil: a first approximation to the taxocenosis composition. <i>Brazilian Journal of Biology</i> , 2008, 68, 601-608.	0.9	14
106	Pentastomids infecting an invader lizard, <i>Hemidactylus mabouia</i> (Gekkonidae) in northeastern Brazil. <i>Brazilian Journal of Biology</i> , 2008, 68, 611-615.	0.9	14
107	Ecology of ticks in a taxocenosis of snakes from the Serra do Mendenha, Rio de Janeiro, Brazil, with new host records. <i>Zoologia</i> , 2009, 26, 328-333.	0.5	14
108	Plant Consumption of Insular and Mainland Populations of a Tropical Lizard. <i>Herpetologica</i> , 2011, 67, 32-45.	0.4	14

#	ARTICLE	IF	CITATIONS
109	Living in a caatinga-rocky field transitional habitat: ecological aspects of the whiptail lizard <i>Cnemidophorus ocellifer</i> (Teiidae) in northeastern Brazil. <i>Zoologia</i> , 2011, 28, 8-16.	0.5	14
110	Seasonal variation in the leaf-litter frog community (Amphibia: Anura) from an Atlantic Forest Area in the Salto Morato Natural Reserve, southern Brazil. <i>Zoologia</i> , 2011, 28, 755-761.	0.5	14
111	Thermal ecology of five <i>Cnemidophorus</i> species (Squamata: Teiidae) in east coast of Brazil. <i>Journal of Thermal Biology</i> , 2011, 36, 232-238.	2.5	14
112	Larval Diet in Bromeliad Pools: A Case Study of Tadpoles of Two Species in the Genus <i>Scinax</i> (Hylidae). <i>Copeia</i> , 2012, 2012, 683-689.	1.3	14
113	Environmental humidity and leaf-litter depth affecting ecological parameters of a leaf-litter frog community in an Atlantic Rainforest area. <i>Journal of Natural History</i> , 2013, 47, 2115-2124.	0.5	14
114	Habitat Structural Effect on Squamata Fauna of the Restinga Ecosystem in Northeastern Brazil. <i>Anais Da Academia Brasileira De Ciencias</i> , 2014, 86, 359-371.	0.8	14
115	Journal of coastal conservation: a review on the anurofauna of Brazilâ€™s sandy coastal plains. How much do we know about it?. <i>Journal of Coastal Conservation</i> , 2015, 19, 35-49.	1.6	14
116	Spatial distribution and preferential substrate of <i>Neoregelia johannis</i> (CarriÃ©re) L.B. Smith (Bromeliaceae) in a disturbed area of Atlantic Rainforest at Ilha Grande, RJ, Brazil. <i>Revista Brasileira De Botanica</i> , 2001, 24, 389-394.	1.3	13
117	NEW GENUS, NEW SPECIES OF ACANTHOCEPHALA (ECHINORHYNCHIDAE) FROM THE BRAZILIAN FROG <i>HYLODES PHYLLODES</i> (ANURA: LEPTODACTYLIDAE). <i>Journal of Parasitology</i> , 2006, 92, 353-356.	0.7	13
118	The alien and native pentastomids fauna of an exotic lizard population from Brazilian Northeast. <i>Parasitology Research</i> , 2007, 101, 627-628.	1.6	13
119	Feeding ecology of the lizard <i>Tropidurus oreadicus</i> Rodrigues 1987 (Tropiduridae) at Serra dos CarajÃ¡s, ParÃ¡ state, northern Brazil. <i>Brazilian Journal of Biology</i> , 2008, 68, 109-113.	0.9	13
120	Environmental parameters affecting the structure of leaf-litter frog (Amphibia: Anura) communities in tropical forests: a case study from an Atlantic Rainforest area in southeastern Brazil. <i>Zoologia</i> , 2014, 31, 147-152.	0.5	13
121	DistribuiÃ§Ã£o espacial de bromÃ©lias na restinga de jurubatiba, MacaÃº, RJ. <i>Acta Botanica Brasilica</i> , 2000, 14, 175-180.	0.8	12
122	Interpopulational Variation in Litter Size of the Skink <i>Mabuya agilis</i> in Southeastern Brazil. <i>Copeia</i> , 2002, 2002, 857-864.	1.3	12
123	Microhabitat Use and Orientation to Water Flow Direction by Tadpoles of the Leptodactylid Frog <i>Thoropa miliaris</i> in Southeastern Brazil. <i>Journal of Herpetology</i> , 2002, 36, 98-100.	0.5	12
124	Influence of structural habitat use on the thermal ecology of <i>Gonatodes humeralis</i> (Squamata: Tropiduridae). <i>Journal of Herpetology</i> , 2005, 39, 10-14.	0.5	12
125	Diet of the toad <i>Rhinella icterica</i> (Anura: Bufonidae) from Atlantic Forest Highlands of southeastern Brazil. <i>Biota Neotropica</i> , 2012, 12, 258-262.	1.0	12
126	Environmental Factors Affecting Calling Behavior of Sympatric Frog Species at an Atlantic Rain Forest Area, Southeastern Brazil. <i>Journal of Herpetology</i> , 2012, 46, 41-46.	0.5	12

#	ARTICLE	IF	CITATIONS
127	Adults and tadpoles of species of Hylodidae (Anura): history and taxonomy perspectives. <i>Zoologia</i> , 2012, 29, 89-94.	0.5	12
128	Bromeliad treefrogs as phoretic hosts of ostracods. <i>Die Naturwissenschaften</i> , 2014, 101, 493-497.	1.6	12
129	Differential success in sampling of Atlantic Forest amphibians among different periods of the day. <i>Brazilian Journal of Biology</i> , 2015, 75, 261-267.	0.9	12
130	Population density and conservation status of the teiid lizard <i>Cnemidophorus littoralis</i> , an endangered species endemic to the sandy coastal plains (restinga habitats) of Rio de Janeiro state, Brazil. <i>Journal of Coastal Conservation</i> , 2016, 20, 97-106.	1.6	12
131	TROPICAL TADPOLE ASSEMBLAGES: WHICH FACTORS AFFECT THEIR STRUCTURE AND DISTRIBUTION?. <i>Oecologia Australis</i> , 2013, 17, 217-228.	0.2	12
132	Orientation of thermoregulating <i>Tropidurus torquatus</i> . <i>Amphibia - Reptilia</i> , 1998, 19, 319-323.	0.5	11
133	Body size, female reproduction and sexual dimorphism in the lizard <i>Ameiva ameiva</i> (Teiidae) in a restinga of southeastern Brazil. <i>Revista Brasileira De Zoologia</i> , 2008, 25, 370-372.	0.5	11
134	Plant consumption in coastal populations of the lizard <i>Tropidurus torquatus</i> (Reptilia: Tropiduridae). <i>Natural History</i> , 2010, 45, 171-182.	0.5	11
135	An overview of female reproductive traits in South American <i>Mabuya</i> (Squamata, Scincidae), with emphasis on brood size and its correlates. <i>Journal of Natural History</i> , 2011, 45, 813-825.	0.5	11
136	Diet and nematode infection in <i>Proceratophrrys boiei</i> (Anura: Cycloramphidae) from two Atlantic rainforest remnants in Southeastern Brazil. <i>Anais Da Academia Brasileira De Ciencias</i> , 2011, 83, 1303-1312.	0.8	11
137	Food niche overlap between two sympatric leaf-litter frog species from Central Amazonia. <i>Zoologia</i> , 2012, 29, 95-98.	0.5	11
138	Ecology of the bromeligenous frog <i>Phyllodytes luteolus</i> (Anura, Hylidae) from three restinga remnants across Brazil's coast. <i>Anais Da Academia Brasileira De Ciencias</i> , 2016, 88, 93-104.	0.8	11
139	The new Brazilian gold rush: Is Amazonia at risk?. <i>Forest Policy and Economics</i> , 2020, 119, 102270.	3.4	11
140	Herpetofauna, Estado Ecológica Estadual do Pará, state of Rio de Janeiro, southeastern Brazil. <i>Check List</i> , 2011, 7, 745.	0.4	11
141	Anurans from the "Restinga" of Parque Natural Municipal de Grumari, state of Rio de Janeiro, southeastern Brazil. <i>Check List</i> , 2012, 8, 1267.	0.4	11
142	Bromeliaceae da restinga da Reserva Biológica Estadual da Praia do Sul: composição, abundância e similaridade da comunidade. <i>Acta Botanica Brasilica</i> , 2006, 20, 709-717.	0.8	10
143	Species composition of Bromeliaceae and their distribution at the Massambaba restinga in Arraial do Cabo, Rio de Janeiro, Brazil. <i>Brazilian Journal of Biology</i> , 2008, 68, 251-257.	0.9	10
144	&gt;Systematics of the endangered toad genus <em>Andinophryne</em> (Anura). <i>Tj ETQq0 0 0 rgBT /Overlock 10 3947, 347.</i>	0.5	10

#	ARTICLE	IF	CITATIONS
145	Diet, Diel Activity Pattern, Habitat Use, and Reproductive Effort of <i>Hylodes nasus</i> (Anura: Tj ETQq1 1 0.784314 rgBT /Overlock 10 South American Journal of Herpetology, 2016, 11, 127-135.	0.5	10
146	Climate change effects on population dynamics of three species of Amazonian lizards. Comparative Biochemistry and Physiology Part A, Molecular & Integrative Physiology, 2019, 236, 110530.	1.8	10
147	Description, microhabitat and temporal distribution of the tadpole of <i>Proceratophrys tupinamba</i> Prado and Pombal, 2008. Zootaxa, 2010, 2684, 57.	0.5	10
148	New species of Oochoristica (Cestoda; Linstowiidae) and other endoparasites of <i>Trachylepis atlantica</i> (Sauria: Scincidae) from Fernando de Noronha Island, Brazil. Zootaxa, 2010, 2715, 45.	0.5	10
149	Diet of <i>Teius oculatus</i> (Sauria, Teiidae) in southern Brazil (Dom Feliciano, Rio Grande do Sul). Iheringia - Serie Zoologia, 2007, 97, 31-35.	0.5	9
150	Parameters from the community of leaf-litter frogs from Estação Ecológica Estadual Paraíso, Guapimirim, Rio de Janeiro State, southeastern Brazil. Anais Da Academia Brasileira De Ciencias, 2011, 83, 1259-1268.	0.8	9
151	Diet of the lizard <i>Eublepharus gaudichaudii</i> (Gymnophthalmidae) in Atlantic Rainforest, state of Rio de Janeiro, Brazil. Zoologia, 2011, 28, 587-592.	0.5	9
152	A morphometric study of <i>Eutrombicula alfreddugesi</i> (Acari: Trombiculidae) infesting four sympatric species of <i>Tropidurus</i> (Squamata: Tropiduridae) in northeastern Brazil. Phylomedusa, 2011, 10, 79.	0.2	9
153	Ecological aspects of the pumpkin toadlet, <i>Brachycephalus garbeanus</i> Miranda-Ribeiro, 1920 (Anura: Tj ETQq1 1 0.784314 rgBT /Overlock History, 2012, 46, 2497-2507.	0.5	9
154	Feeding habits of the leaf litter frog <i>Haddadus binotatus</i> (Anura, Craugastoridae) from two Atlantic Forest areas in southeastern Brazil. Anais Da Academia Brasileira De Ciencias, 2014, 86, 239-249.	0.8	9
155	Amphibians on the hotspot: Molecular biology and conservation in the South American Atlantic Rainforest. PLoS ONE, 2019, 14, e0224320.	2.5	9
156	Why releasing mining on Amazonian indigenous lands and the advance of agrobusiness is extremely harmful for the mitigation of world's climate change? Comment on Pereira et al. (Environmental Tj ETQq0 0 0 rgBT /Overlock 10 Tf ...		
157	Anuran species of the Salto Morato Nature Reserve in Paraná, southern Brazil: review of the species list. Check List, 2016, 12, 1907.	0.4	9
158	Ecology of <i>Mabuya agilis</i> (Raddi) (Lacertilia, Scincidae) at the restinga of Grumari, Rio de Janeiro, southeastern Brazil. Revista Brasileira De Zoologia, 2002, 19, 19-29.	0.5	9
159	Feeding habits of the endemic tropical parthenogenetic lizard <i>Cnemidophorus nativo</i> (Teiidae) in a restinga area of northeastern Brazil. Journal of Natural History, 2008, 42, 2575-2583.	0.5	8
160	Species composition and density estimates of the anurofauna of a site within the northernmost large Atlantic Forest remnant (Parque Estadual do Desengano) in the state of Rio de Janeiro, Brazil. Biota Neotropica, 2011, 11, 131-137.	1.0	8
161	New host records for <i>Amblyomma rotundatum</i> (Acari: Ixodidae) from Grussá-restinga, Rio de Janeiro, Brazil. Brazilian Journal of Veterinary Parasitology, 2012, 21, 319-322.	0.7	8
162	Mitochondrial DNA and microsatellite loci data supporting a management plan for a critically endangered lizard from Brazil. Conservation Genetics, 2013, 14, 943-951.	1.5	8

#	ARTICLE	IF	CITATIONS
163	Asymmetry in Reptiles: What Do We Know So Far?. Springer Science Reviews, 2015, 3, 13-26.	1.3	8
164	The Larva of <i>Crossodactylus aeneus</i> MÃ¼ller, 1924: Morphology and Ecological Aspects. Herpetologica, 2015, 71, 46-57.	0.4	8
165	Local Environmental Factors Influence the Structure of Frog Communities on the Sandy Coastal Plains of Southeastern Brazil. Herpetologica, 2017, 73, 307-312.	0.4	8
166	The amphibians of the state of Rio de Janeiro, Brazil: an updated and commented list. Papeis Avulsos De Zoologia, 0, 58, 5.	0.4	8
167	Assessing the importance of reproductive modes for the evaluation of altitudinal distribution patterns in tropical frogs. Biotropica, 2021, 53, 786-797.	1.6	8
168	A third species of the rare frog genus <i>Holoaden</i> ( <i>Terrarana</i> , <i>Strabomantidae</i> ) from a montane rainforest area of southeastern Brazil. Zootaxa, 2008, 1938, 61-68.	0.5	8
169	Altitudinal records of data-deficient and threatened frog species from the Atlantic Rainforest of the Serra dos ã“rgãos mountains, in southeastern Brazil. Brazilian Journal of Biology, 2013, 73, 229-230.	0.9	8
170	GRADIENTES ALTITUDINAIS: CONCEITOS E IMPLICAÃ‡Ã•ES SOBRE A BIOLOGIA, A DISTRIBUIÃ‡Ã•O E A CONSERVAÃ‡Ã•O DOS ANFÃ•BIOS ANUROS. Oecologia Australis, 2013, 17, 282-302.	0.2	8
171	Cytogenetics of the Brazilian whiptail lizard <i>Cnemidophorus littoralis</i> (Teiidae) from a restinga area (Barra de MaricÃ¡) in Southeastern Brazil. Brazilian Journal of Biology, 2004, 64, 661-667.	0.9	7
172	Field Body Temperatures of Pregnant and Nonpregnant Females of Three Species of Viviparous Skinks (Mabuya) from Southeastern Brazil. Journal of Herpetology, 2004, 38, 447-451.	0.5	7
173	Reproductive cycle of <i>Pitcairnia flammea</i> Lindl. (Bromeliaceae/Pitcairnioideae) in an insular Atlantic rainforest area in southeastern Brazil. Flora: Morphology, Distribution, Functional Ecology of Plants, 2008, 203, 229-233.	1.2	7
174	Effects of a fire on a population of treefrogs ( <i>Scinax cf. alter</i> , Lutz) in a restinga habitat in southern Brazil. Brazilian Journal of Biology, 2008, 68, 539-543.	0.9	7
175	Potential distribution of the endangered endemic lizard <i>Liolaemus lutzae</i> Mertens, 1938 (Liolaemidae): are there other suitable areas for a geographically restricted species?. Brazilian Journal of Biology, 2014, 74, 338-348.	0.9	7
176	Species composition, richness and nestedness of lizard assemblages from Restinga habitats along the brazilian coast. Brazilian Journal of Biology, 2014, 74, 349-354.	0.9	7
177	Clutch size in populations and species of cnemidophorines (Squamata: Teiidae) on the eastern coast of Brazil. Anais Da Academia Brasileira De Ciencias, 2014, 86, 707-722.	0.8	7
178	Living in a same microhabitat should means eating the same food? Diet and trophic niche of sympatric leaf-litter frogs <i>Ischnocnema henselii</i> and <i>Adenomera marmorata</i> in a forest of Southern Brazil. Brazilian Journal of Biology, 2015, 75, 13-18.	0.9	7
179	Brazil's public universities in crisis. Science, 2017, 356, 812-812.	12.6	7
180	Tadpole of <i>Hylodes freyi</i> (Anura; Hylodidae), a frog endemic to an Atlantic Forest island (Ilha Grande,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf <sub>0.5</sub>	7	7

#	ARTICLE	IF	CITATIONS
181	Amphibia, Leptodactylidae, <i>Paratelmatobius mantiqueira</i> Pombal and Haddad, 1999: distribution extension. Check List, 2010, 6, 001.	0.4	7
182	Bromeliaceae da Ilha Grande, RJ: revisão da lista de espécies. Biota Neotropica, 2009, 9, 213-219.	1.0	6
183	A potential recovery of a population of the sand lizard <i>Liolaemus lutzae</i> Mertens, 1938 in an area within its range: a lizard endemic and threatened with extinction. Brazilian Journal of Biology, 2009, 69, 185-187.	0.9	6
184	Abundance of tegu lizards ( <i>Tupinambis merianae</i> ) in a remnant of the Brazilian Atlantic forest. Amphibia - Reptilia, 2010, 31, 563-570.	0.5	6
185	Anuran community composition along two large rivers in a tropical disturbed landscape. Zoologia, 2015, 32, 09-13.	0.5	6
186	Thermal ecology of five remaining populations of an endangered lizard ( <i>Liolaemus lutzae</i> ) in different restinga habitats in Brazil. Journal of Coastal Conservation, 2015, 19, 335-343.	1.6	6
187	The Herpetofauna from Ilha Grande (Angra dos Reis, Rio de Janeiro, Brazil): updating species composition, richness, distribution and endemisms. Papéis Avulsos De Zoologia, 0, 58, 25.	0.4	6
188	Occupancy, detectability, and density of crab-eating fox (<i>Cerdocyon thous</i>) in two protected areas of restinga habitats in Brazil. Canadian Journal of Zoology, 2019, 97, 952-959.	1.0	6
189	Lizard assemblages on sandy coastal plains in southeastern Brazil: An analysis of occurrence and composition, and the role of habitat structure. Anais Da Academia Brasileira De Ciencias, 2019, 91, e20170403.	0.8	6
190	Ocorrência e distribuição de <i>Cetengraulis edentulus</i> (Cuvier) (Teleostei, Engraulidae) na Laguna de Itaipu, Niterói, Rio de Janeiro, Brasil. Revista Brasileira De Zoologia, 2000, 17, 463-472.	0.5	6
191	Occurrence and distribution of the exotic lizard <i>Hemidactylus mabouia</i> Moreau de Jonnès, 1818 in Ilha Grande, RJ, Brazil. Brazilian Journal of Biology, 2011, 71, 447-450.	0.9	6
192	Os anfíbios da serrapilheira da Mata Atlântica brasileira: Estado atual do conhecimento. Oecologia Australis, 2011, 15, 750-761.	0.2	6
193	Activity and microhabitat use by the endemic whiptail lizard, <i>Cnemidophorus nativo</i> (Teiidae), in a restinga habitat (Setiba) in the state of Espírito Santo, Brazil. South American Journal of Herpetology, 2008, 3, 89-95.	0.5	5
194	<i>Sibynomorphus neuwiedi</i> (Ihering, 1911) (Serpentes; Dipsadidae) and <i>Potamojanuarius lamellatus</i> (Semper, 1885) (Gastropoda; Veronicellidae): a trophic relationship revealed. Biotemas, 2012, 25, .	0.1	5
195	A new species of <i>Caryospora</i> Lüger, 1904 (Apicomplexa: Eimeriidae) from the snake <i>Philodryas olfersii</i> Lichtenstein (Colubridae) from a coastal habitat in Brazil. Systematic Parasitology, 2013, 85, 195-199.	1.1	5
196	Diet and helminths of <i>Enyalius brasiliensis</i> (Lacertilia, Iguania, Leiosauridae) in an Atlantic Rainforest remnant in southeastern Brazil. Brazilian Journal of Biology, 2014, 74, 199-204.	0.9	5
197	Challenges and Perspectives for Studies on Home Range of Lizards from South America. South American Journal of Herpetology, 2015, 10, 82-89.	0.5	5
198	Lizard assemblage from a sand dune habitat from southeastern Brazil: a niche overlap analysis. Anais Da Academia Brasileira De Ciencias, 2016, 88, 677-687.	0.8	5

#	ARTICLE	IF	CITATIONS
199	Use of polyvinyl chloride pipes (PVC) as potential artificial shelters for amphibians in a coastal plain forest of southeastern Brazil. <i>Journal of Coastal Conservation</i> , 2017, 21, 327-331.	1.6	5
200	Geographic and altitudinal distribution of the insular endemic frog <i>Hylodes fredi</i> (Anura: Hylodidae) of the Atlantic coast of southeastern Brazil. <i>Journal of Coastal Conservation</i> , 2019, 23, 615-621.	1.6	5
201	Good timing: evaluating anuran activity and detectability patterns in the Brazilian Atlantic Forest. <i>Wildlife Research</i> , 2019, 46, 566.	1.4	5
202	Amphibia, Anura, <i>Hylodes charadraetes</i> , <i>Ischnocnema octavioi</i> , and <i>Euparkerella cochranae</i> : distribution extension. <i>Check List</i> , 2008, 4, 103.	0.4	5
203	Amphibia, Anura, <i>Brachycephalus didactylus</i> (Izecksohn, 1971) and <i>Zachaenus parvulus</i> (Girard, 1853): distribution extension. <i>Check List</i> , 2012, 8, 242.	0.4	5
204	<i>Ecpaleopus gaudichaudii</i> Duméril and Bibron, 1839 (Squamata: Gymnophthalmidae) and <i>Psychosaura agmosticha</i> (Rodrigues, 2000) (Squamata: Scincidae): distribution extension and new records from Atlantic Forest in Bahia state, Brazil. <i>Check List</i> , 2013, 9, 607.	0.4	5
205	Invasion of the alien gecko <i>Hemidactylus mabouia</i> (Moureau de Jonnâ's, 1818) in a natural habitat at Praia do Sul Biological Reserve, Ilha Grande, RJ, Brazil. <i>Brazilian Journal of Biology</i> , 2015, 75, 768-770.	0.9	5
206	Territorial-like defensive behavior of floral resources by <i>Heliconius ethilla narcea</i> Godart over <i>H. sara apseudes</i> (Häbner) (Lepidoptera, Nymphalidae, Heliconiinae). <i>Revista Brasileira De Zoologia</i> , 2001, 18, 323-328.	0.5	5
207	Feeding habits, microhabitat use, and daily activity of <i>Cycloramphus brasiliensis</i> (Anura: Tettigoniidae). <i>Journal of Natural History</i> , 2011, 45, 1078-1094.	0.5	4
208	Aspectos da ecologia terminal e uso do habitat por <i>Cnemidophorus ocellifer</i> (Sauria: Teiidae) na restinga da Barra de Maricá, RJ. <i>Oecologia Brasiliensis</i> , 1995, 01, 155-165.	0.5	5
209	Ecologia e conservação do lagarto endêmico <i>Tropidurus hygomi</i> (Sauria: Tropiduridae) nas restingas do Litoral Norte da Bahia, Brasil. <i>Biotemas</i> , 2010, , 71-75.	0.1	4
210	An unusual ecology among whiptails: the case of <i>Cnemidophorus lacertoides</i> from a restinga habitat in southern Brazil. <i>Journal of Natural History</i> , 2011, 45, 2605-2625.	0.5	4
211	Population dynamics of tadpoles of <i>Crossodactylus gaudichaudii</i> (Anura: Hylodidae) in the Atlantic Rainforest of Ilha Grande, southeastern Brazil. <i>Journal of Natural History</i> , 2012, 46, 2725-2733.	0.5	4
212	The behaviour of orientation of openings of burrows by <i>Liolemus lutzae</i> (Squamata: Liolaemidae): is it influenced by environmental factors?. <i>Journal of Natural History</i> , 2013, 47, 253-262.	0.5	4
213	Density, habitat use, and activity patterns of a vulnerable population of the Solitary Tinamou ( <i>Tinamus solitarius</i> ) in a Brazilian Atlantic Forest fragment. <i>Canadian Journal of Zoology</i> , 2018, 96, 245-252.	1.0	4
214	Helminth infections in a pair of sympatric congeneric lizard species. <i>Parasitology Research</i> , 2018, 117, 89-96.	1.6	4
215	Anuran amphibians in state of Paraná, southern Brazil. <i>Biota Neotropica</i> , 2018, 18, .	0.5	4
216	Reptilia, Polychrotidae, <i>Anolis fuscoauratus</i> : distribution extension. <i>Check List</i> , 2009, 5, 746.	0.4	4

#	ARTICLE	IF	CITATIONS
217	When invasion may not be harmful: niche relations in a lizard assemblage. <i>Biotropica</i> , 2017, 49, 117-129.	1.6	3
218	Abundance, density and activity of <i>Salvator merianae</i> (Reptilia: Teiidae) and the effect of poaching on the site occupancy by the lizard in an Atlantic Forest Reserve, Brazil. <i>Austral Ecology</i> , 2018, 43, 663-671.	1.5	3
219	Phylogeography of the endangered sand dune whiptail lizard <i>Glucomastix Áabaetensis</i> (Dias, Rocha) Tj ETQq1 1 0.784314 rgBT /Overlo	0.5	3
220	High prevalence and intensity of infestation of <i>Eutrombicula alfreddugesi</i> (Acarina: Trombiculidae) on <i>Tropidurus torquatus</i> (Squamata, Tropiduridae): effects of body size and on body condition across ten populations along the Brazilian coast. <i>Biologia (Poland)</i> , 2020, 75, 2231-2237.	1.5	3
221	Diverging temporal and thermal niche dimensions favor syntopy of <i>Tropidurus hispidus</i> and <i>Tropidurus semitaeniatus</i> (Squamata: Tropiduridae). <i>Biologia (Poland)</i> , 2021, 76, 133-146.	1.5	3
222	DIVERSITY AND DISTRIBUTION OF ANURANS FROM MATA DAS FLORES STATE PARK, ESPÍRITO SANTO, SOUTHEASTERN BRAZIL. <i>Oecologia Australis</i> , 2019, 23, 292-300.	0.2	3
223	Reproductive phenology and flower visitors' guild of <i>Canistropsis microps</i> (Bromeliaceae) in an Atlantic Rainforest of southeastern Brazil. <i>Journal of Natural History</i> , 2011, 45, 1021-1034.	0.5	2
224	When invasive exotic populations are threatened with extinction. <i>Biodiversity and Conservation</i> , 2012, 21, 3729-3730.	2.6	2
225	Feeding habits of <i>Enyalius perditus</i> (Squamata: Leiosauridae) in an Atlantic Forest remnant in southeastern Brazil. <i>Phylomedusa</i> , 2016, 15, 21.	0.2	2
226	Survival of Amazonian Tadpoles Under Harsh Water-Limiting Conditions. <i>South American Journal of Herpetology</i> , 2017, 12, 212-217.	0.5	2
227	The rusty-margined guan ( <i>Penelope superciliaris</i> ) in the Brazilian Atlantic rain forest: density, population size, activity and habitat use. <i>Wildlife Research</i> , 2018, 45, 551.	1.4	2
228	Habitat structure and their influence in lizardâ€™s presence. <i>Papeis Avulsos De Zoologia</i> , 0, 59, e20195959.	0.4	2
229	Non-Avian Reptiles of the state of Rio de Janeiro, Brazil: status of knowledge and commented list. <i>Papeis Avulsos De Zoologia</i> , 0, 60, e20206024.	0.4	2
230	Diet and microhabitat use by juveniles <i>Rhinella ornata</i> (Anura, Bufonidae) in an insular Brazilian Atlantic Rainforest area. <i>Brazilian Journal of Biology</i> , 2021, 81, 1129-1131.	0.9	2
231	Amphibians and reptiles from the Parque Nacional da Tijuca, Brazil, one of the worldâ€™s largest urban forests. <i>Biota Neotropica</i> , 2021, 21, .	0.5	2
232	Reptiles of the Serra das Torres Natural Monument: using the Rapid Assessment method to fill a knowledge gap in the Atlantic Forest of southeastern Brazil. <i>Biota Neotropica</i> , 2020, 20, .	0.5	2
233	The tadpole of the hylodid frog <i>Hylodes charadraetaes</i> Heyer and Coccoft, 1986. <i>Zootaxa</i> , 2010, 2680, 65.	0.5	2
234	What to do to defend themselves: description of three defensive strategies displayed by a serpent <i>Dipsas alternans</i> (Fischer, 1885) (Serpentes, Dipsadidae). <i>Biotemas</i> , 2012, 25, .	0.1	2

#	ARTICLE	IF	CITATIONS
235	Random placement models explain species richness and dissimilarity of frog assemblages within Atlantic Forest fragments. <i>Journal of Animal Ecology</i> , 2022, 91, 618-629.	2.8	2
236	Squamata, Iguania, <i>Anolis punctatus</i> Daudin, 1802 and <i>Tropidurus torquatus</i> (Wied, 1820): distribution extension and new records for Ilha Grande, state of Rio de Janeiro, southeastern Brazil. <i>Check List</i> , 2011, 7, 270.	0.4	1
237	Diet and endoparasites of the lizard <i>Gymnodactylus darwinii</i> (Gekkota, Phyllodactylidae) from an Atlantic Rainforest area in southeastern Brazil. <i>Biotemas</i> , 2012, 25, .	0.1	1
238	Methodology Development of microsatellite markers for the Neotropical endemic Brazilian Guanabara frog, <i>Euparkerella brasiliensis</i> , through 454 shotgun pyrosequencing. <i>Genetics and Molecular Research</i> , 2013, 12, 230-234.	0.2	1
239	Population Dynamics of <i>Hylodes uai</i> Tadpoles (Anura, Hylodidae) in a Tropical Forest Stream, Southeastern Brazil. <i>Journal of Herpetology</i> , 2015, 49, 23-27.	0.5	1
240	First-order effects of fire and prolonged-drought effects on an undescribed semi-aquatic turtle in Atlantic rainforest in southeastern Brazil. <i>Journal of Coastal Conservation</i> , 2019, 23, 367-372.	1.6	1
241	Six years laterâ€”  New population monitoring data for an endemic and endangered coastal lizard species in Brazil. <i>Journal of Coastal Conservation</i> , 2020, 24, 1.	1.6	1
242	Ecological aspects of the endemic tree frog <i>&lt; i&gt;Oolygon kautskyi&lt;/i&gt;</i> (Anura: Hylidae) in an Atlantic Forest area of Southeastern Brazil. <i>Journal of Natural History</i> , 2020, 54, 1499-1511.	0.5	1
243	Living in a tiny world: reproductive biology and population ecology of the Neotropical miniature frog <i>Euparkerella aff. brasiliensis</i> (Terraranae, Strabomantidae). <i>Amphibia - Reptilia</i> , 2020, 41, 201-213.	0.5	1
244	The influence of matrix type in the relationship between patch size and amphibia richness: A global Meta-Analysis. <i>Acta Oecologica</i> , 2020, 105, 103577.	1.1	1
245	Changes in the community structure of anurans in the Coastal plain forest, southeastern Brazil. <i>Ecological Research</i> , 2020, 35, 540-549.	1.5	1
246	Phytophagous consumption by frogs inhabiting bromeliads from Atlantic Forest. <i>Ethology Ecology and Evolution</i> , 0, , 1-15.	1.4	1
247	Amphibia, Anura, Hylodidae, <i>Hylodes lateristrigatus</i> (Baumann, 1912): Filling distribution gap. <i>Check List</i> , 2014, 10, 677-678.	0.4	1
248	New altitudinal records of the endemic species <i>Cycloramphus brasiliensis</i> (Anura, Cycloramphidae) from the Atlantic Rainforest in the state of Rio de Janeiro, southeastern Brazil. <i>Brazilian Journal of Biology</i> , 2012, 72, 225-226.	0.9	1
249	Ecological and reproductive aspects of <i>Aparasphenodon brunoi</i> (Anura: Hylidae) in an ombrophilous forest area of the Atlantic Rainforest Biome, Brazil. <i>Zoologia</i> , 0, 34, 1-8.	0.5	1
250	Body orientation for thermoregulation and daily activity cycle of <i>Mabuya macrorhyncha</i> (Squamata: ) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5	0.5	1
251	Structure of the leaf litter frog community in an area of Atlantic Forest in southeastern Brazil. <i>Zoologia</i> , 0, 37, 1-10.	0.5	1
252	PredaÃ§Ã£o de <i>Tropidurus hispidus</i> (Squamata, Tropiduridae) por <i>Siphlophis leucocephalus</i> (Squamata,) Tj ETQq0 0 0 rgBT /Overlock 10	0.9	1

#	ARTICLE	IF	CITATIONS
253	Can an exotic tree (Jackfruit, <i>&lt; i&gt;Artocarpus heterophyllus&lt;/i&gt;</i> Lam.) influence the non-volant small mammals assemblage in a protected area of Atlantic Forest?. <i>Journal of Tropical Ecology</i> , 2020, 36, 243-250.	1.1	1
254	Factors Affecting the Abundance and Occurrence of a Threatened Whiptail Lizard Endemic to the Sandy Coastal Plains of Brazil. <i>South American Journal of Herpetology</i> , 2021, 21, .	0.5	1
255	Frog communities from five remnants of sandy coastal plains in Espírito Santo state, southeastern Brazil. <i>Journal of Coastal Conservation</i> , 2020, 24, 1.	1.6	0
256	Reptile diversity in the Duas Bocas Biological Reserve, Espírito Santo, southeastern Brazil. <i>Papeis Avulsos De Zoologia</i> , 0, 60, e20206040.	0.4	0
257	Non-volant small mammals in the different vegetation types of two protected restinga areas, Southeastern Brazil. <i>Journal of Coastal Conservation</i> , 2021, 25, 1.	1.6	0
258	Influence of altitude and climate on species richness and endemism: A study case with non-volant small mammals in the Atlantic Forest, Brazil. <i>Austral Ecology</i> , 2021, 46, 603-612.	1.5	0
259	Feeding Habits, Microhabitat Use, and Daily Activity Cycle of <i>Adenomera marmorata</i> (Anura, Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tfp) 2021, 20, .	0.5	0
260	Do restinga cnemidophorine lizards run on empty along the Brazilian coast?. <i>Brazilian Journal of Biology</i> , 2021, 81, 1050-1053.	0.9	0
261	A summary of reptile and anuran amphibian species from Brazilian sandy coastal plains: 31 years of sampling efforts of the "Laboratório de Ecologia de Vertebrados, Universidade do Estado do Rio de Janeiro". <i>Brazilian Journal of Biology</i> , 2021, 81, 1144-1165.	0.9	0
262	Amphibians of Serra das Torres Natural Monument: a reservoir of biodiversity in the Atlantic Forest of southeastern Brazil. <i>Biota Neotropica</i> , 2021, 21, .	0.5	0
263	Integration of the elements involved in scientific publication. <i>Anais Da Academia Brasileira De Ciencias</i> , 2021, 93, e20201948.	0.8	0
264	COMPORTAMENTO DE MOVIMENTAÇÃO HORIZONTAL E VERTICAL DA TARTARUGA-DE-COURO <i>Dermochelys coriacea</i> . <i>Oecologia Australis</i> , 2009, 13, 99-114.	0.2	0
265	A three-year Herpetofauna survey from one of the largest remnants of the Atlantic Rainforest Biome (Reserva Natural Vale). <i>Papeis Avulsos De Zoologia</i> , 0, 62, e202262005.	0.4	0
266	Anuran species composition and density estimates from an Atlantic Forest area within the APA Serra da Mantiqueira, Rio de Janeiro state, Brazil. <i>Biota Neotropica</i> , 2022, 22, .	0.5	0
267	Diverging structures, perch heights, temperatures, and levels of sunlight of spatial niche dimensions ease the syntopic life of <i>Tropidurus hispidus</i> and <i>Tropidurus semitaeniatus</i> (Squamata: Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tfp)	0.4	0
268	Climate change, lizard populations, and species vulnerability/persistence: trends in ecological and predictive climate studies. <i>Environment, Development and Sustainability</i> , 2023, 25, 8929-8950.	5.0	0
269	Microhabitat Use and Orientation to Water Flow Direction by Tadpoles of the Leptodactylid Frog <i>Thoropa miliaris</i> in Southeastern Brazil. <i>Journal of Herpetology</i> , 2002, 36, 98.	0.5	0
270	Ecology of the Horned Leaf-Frog, <i>Proceratophrys appendiculata</i> (Leptodactylidae), in an Insular Atlantic Rain-Forest Area of Southeastern Brazil. <i>Journal of Herpetology</i> , 2002, 36, 318.	0.5	0