

Carlos Frederico Duarte Rocha

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8617321/publications.pdf>

Version: 2024-02-01

270
papers

5,599
citations

147801

31
h-index

128289

60
g-index

273
all docs

273
docs citations

273
times ranked

4696
citing authors

#	ARTICLE	IF	CITATIONS
1	Climate change, lizard populations, and species vulnerability/persistence: trends in ecological and predictive climate studies. <i>Environment, Development and Sustainability</i> , 2023, 25, 8929-8950.	5.0	0
2	Random placement models explain species richness and dissimilarity of frog assemblages within Atlantic Forest fragments. <i>Journal of Animal Ecology</i> , 2022, 91, 618-629.	2.8	2
3	Anuran species composition and density estimates from an Atlantic Forest area within the APA Serra da Mantiqueira, Rio de Janeiro state, Brazil. <i>Biota Neotropica</i> , 2022, 22, .	0.5	0
4	Diverging temporal and thermal niche dimensions favor syntopy of <i>Tropidurus hispidus</i> and <i>Tropidurus semitaeniatus</i> (Squamata: Tropiduridae). <i>Biologia (Poland)</i> , 2021, 76, 133-146.	1.5	3
5	Non-volant small mammals in the different vegetation types of two protected restinga areas, Southeastern Brazil. <i>Journal of Coastal Conservation</i> , 2021, 25, 1.	1.6	0
6	Influence of altitude and climate on species richness and endemism: A study case with non-volant small mammals in the Atlantic Forest, Brazil. <i>Austral Ecology</i> , 2021, 46, 603-612.	1.5	0
7	Assessing the importance of reproductive modes for the evaluation of altitudinal distribution patterns in tropical frogs. <i>Biotropica</i> , 2021, 53, 786-797.	1.6	8
8	Feeding Habits, Microhabitat Use, and Daily Activity Cycle of <i>Adenomera marmorata</i> (Anura.) <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 467</i> 2021, 20, .	0.5	0
9	Do restinga cnemidophorine lizards run on empty along the Brazilian coast?. <i>Brazilian Journal of Biology</i> , 2021, 81, 1050-1053.	0.9	0
10	A summary of reptile and anuran amphibian species from Brazilian sandy coastal plains: 31 years of sampling efforts of the "Laboratório de Ecologia de Vertebrados, Universidade do Estado do Rio de Janeiro". <i>Brazilian Journal of Biology</i> , 2021, 81, 1144-1165.	0.9	0
11	Diet and microhabitat use by juveniles <i>Rhinella ornata</i> (Anura, Bufonidae) in an insular Brazilian Atlantic Rainforest area. <i>Brazilian Journal of Biology</i> , 2021, 81, 1129-1131.	0.9	2
12	Amphibians and reptiles from the Parque Nacional da Tijuca, Brazil, one of the world's largest urban forests. <i>Biota Neotropica</i> , 2021, 21, .	0.5	2
13	Amphibians of Serra das Torres Natural Monument: a reservoir of biodiversity in the Atlantic Forest of southeastern Brazil. <i>Biota Neotropica</i> , 2021, 21, .	0.5	0
14	Integration of the elements involved in scientific publication. <i>Anais Da Academia Brasileira De Ciencias</i> , 2021, 93, e20201948.	0.8	0
15	Factors Affecting the Abundance and Occurrence of a Threatened Whiptail Lizard Endemic to the Sandy Coastal Plains of Brazil. <i>South American Journal of Herpetology</i> , 2021, 21, .	0.5	1
16	Diverging structures, perch heights, temperatures, and levels of sunlight of spatial niche dimensions ease the syntopic life of <i>Tropidurus hispidus</i> and <i>Tropidurus semitaeniatus</i> (Squamata:) <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50</i>	0.5	0
17	Why releasing mining on Amazonian indigenous lands and the advance of agrobusiness is extremely harmful for the mitigation of world's climate change? Comment on Pereira et al. (<i>Environmental</i>) <i>Tj ETQq1 1 0.784314 rgBT /Overlock</i>	0.784314	0
18	Frog communities from five remnants of sandy coastal plains in Espírito Santo state, southeastern Brazil. <i>Journal of Coastal Conservation</i> , 2020, 24, 1.	1.6	0

#	ARTICLE	IF	CITATIONS
19	NEOTROPICAL ALIEN MAMMALS: a data set of occurrence and abundance of alien mammals in the Neotropics. <i>Ecology</i> , 2020, 101, e031115.	3.2	22
20	The new Brazilian gold rush: Is Amazonia at risk?. <i>Forest Policy and Economics</i> , 2020, 119, 102270.	3.4	11
21	Six years later! New population monitoring data for an endemic and endangered coastal lizard species in Brazil. <i>Journal of Coastal Conservation</i> , 2020, 24, 1.	1.6	1
22	NEOTROPICAL CARNIVORES: a data set on carnivore distribution in the Neotropics. <i>Ecology</i> , 2020, 101, e03128.	3.2	26
23	Ecological aspects of the endemic tree frog <i>Ollolygon kautskyi</i> (Anura: Hylidae) in an Atlantic Forest area of Southeastern Brazil. <i>Journal of Natural History</i> , 2020, 54, 1499-1511.	0.5	1
24	Living in a tiny world: reproductive biology and population ecology of the Neotropical miniature frog <i>Euparkerella aff. brasiliensis</i> (Terraranae, Strabomantidae). <i>Amphibia - Reptilia</i> , 2020, 41, 201-213.	0.5	1
25	High prevalence and intensity of infestation of <i>Eutrombicula alfreddugesi</i> (Acarina: Trombiculidae) on <i>Tropidurus torquatus</i> (Squamata, Tropiduridae): effects of body size and on body condition across ten populations along the Brazilian coast. <i>Biologia (Poland)</i> , 2020, 75, 2231-2237.	1.5	3
26	The influence of matrix type in the relationship between patch size and amphibian richness: A global Meta-Analysis. <i>Acta Oecologica</i> , 2020, 105, 103577.	1.1	1
27	Changes in the community structure of anurans in the Coastal plain forest, southeastern Brazil. <i>Ecological Research</i> , 2020, 35, 540-549.	1.5	1
28	Are reptiles toast? A worldwide evaluation of Lepidosauria vulnerability to climate change. <i>Climatic Change</i> , 2020, 159, 581-599.	3.6	29
29	Roadkill of medium to large mammals along a Brazilian road (BR-262) in Southeastern Brazil: spatial distribution and seasonal variation. <i>Studies on Neotropical Fauna and Environment</i> , 2020, 55, 216-225.	1.0	20
30	Reptiles of the Serra das Torres Natural Monument: using the Rapid Assessment method to fill a knowledge gap in the Atlantic Forest of southeastern Brazil. <i>Biota Neotropica</i> , 2020, 20, .	0.5	2
31	Can an exotic tree (Jackfruit, <i>Artocarpus heterophyllus</i> Lam.) influence the non-volant small mammals assemblage in a protected area of Atlantic Forest?. <i>Journal of Tropical Ecology</i> , 2020, 36, 243-250.	1.1	1
32	Habitat amount drives the functional diversity and nestedness of anuran communities in an Atlantic Forest fragmented landscape. <i>Biotropica</i> , 2019, 51, 874-884.	1.6	20
33	Climate change effects on population dynamics of three species of Amazonian lizards. <i>Comparative Biochemistry and Physiology Part A, Molecular & Integrative Physiology</i> , 2019, 236, 110530.	1.8	10
34	Occupancy, detectability, and density of crab-eating fox (<i>Cerdocyon thous</i>) in two protected areas of restinga habitats in Brazil. <i>Canadian Journal of Zoology</i> , 2019, 97, 952-959.	1.0	6
35	Phylogeography of the endangered sand dune whiptail lizard <i>Glaucocystis xanthe</i> (Dias, Rocha) Tj ETQq1 1 0.784314 rgBT /Over 0.5 3	0.5	3
36	Amphibians on the hotspot: Molecular biology and conservation in the South American Atlantic Rainforest. <i>PLoS ONE</i> , 2019, 14, e0224320.	2.5	9

#	ARTICLE	IF	CITATIONS
37	<sc>ATLANTIC EPIPHYTES</sc>: a data set of vascular and non-vascular epiphyte plants and lichens from the Atlantic Forest. Ecology, 2019, 100, e02541.	3.2	38
38	Geographic and altitudinal distribution of the insular endemic frog <i>Hylodes fredei</i> (Anura: Hylodidae) of the Atlantic coast of southeastern Brazil. Journal of Coastal Conservation, 2019, 23, 615-621.	1.6	5
39	Good timing: evaluating anuran activity and detectability patterns in the Brazilian Atlantic Forest. Wildlife Research, 2019, 46, 566.	1.4	5
40	Lizard assemblages on sandy coastal plains in southeastern Brazil: An analysis of occurrence and composition, and the role of habitat structure. Anais Da Academia Brasileira De Ciencias, 2019, 91, e20170403.	0.8	6
41	First-order effects of fire and prolonged-drought effects on an undescribed semi-aquatic turtle in Atlantic rainforest in southeastern Brazil. Journal of Coastal Conservation, 2019, 23, 367-372.	1.6	1
42	DIVERSITY AND DISTRIBUTION OF ANURANS FROM MATA DAS FLORES STATE PARK, ESPÍRITO SANTO, SOUTHEASTERN BRAZIL. Oecologia Australis, 2019, 23, 292-300.	0.2	3
43	Abundance, density and activity of <i>Salvator merianae</i> (Reptilia: Teiidae) and the effect of poaching on the site occupancy by the lizard in an Atlantic Forest Reserve, Brazil. Austral Ecology, 2018, 43, 663-671.	1.5	3
44	Density, habitat use, and activity patterns of a vulnerable population of the Solitary Tinamou (<i>Tinamus solitarius</i>) in a Brazilian Atlantic Forest fragment. Canadian Journal of Zoology, 2018, 96, 245-252.	1.0	4
45	Helminth infections in a pair of sympatric congeneric lizard species. Parasitology Research, 2018, 117, 89-96.	1.6	4
46	Unraveling the influences of climate change in Lepidosauria (Reptilia). Journal of Thermal Biology, 2018, 78, 401-414.	2.5	39
47	The rusty-margined guan (<i>Penelope superciliaris</i>) in the Brazilian Atlantic rain forest: density, population size, activity and habitat use. Wildlife Research, 2018, 45, 551.	1.4	2
48	Effects of Brazil's Political Crisis on the Science Needed for Biodiversity Conservation. Frontiers in Ecology and Evolution, 2018, 6, .	2.2	45
49	One step ahead to predict potential poaching hotspots: Modeling occupancy and detectability of poachers in a neotropical rainforest. Biological Conservation, 2018, 227, 133-140.	4.1	36
50	Anuran amphibians in state of Paraná, southern Brazil. Biota Neotropica, 2018, 18, .	0.5	4
51	Brazilian legislation on genetic heritage harms Biodiversity Convention goals and threatens basic biology research and education. Anais Da Academia Brasileira De Ciencias, 2018, 90, 1279-1284.	0.8	34
52	When invasion may not be harmful: niche relations in a lizard assemblage. Biotropica, 2017, 49, 117-129.	1.6	3
53	Use of polyvinyl chloride pipes (PVC) as potential artificial shelters for amphibians in a coastal plain forest of southeastern Brazil. Journal of Coastal Conservation, 2017, 21, 327-331.	1.6	5
54	Brazil's public universities in crisis. Science, 2017, 356, 812-812.	12.6	7

#	ARTICLE	IF	CITATIONS
55	Host bromeliads and their associated frog species: Further considerations on the importance of species interactions for conservation. <i>Symbiosis</i> , 2017, 73, 201-211.	2.3	19
56	Local Environmental Factors Influence the Structure of Frog Communities on the Sandy Coastal Plains of Southeastern Brazil. <i>Herpetologica</i> , 2017, 73, 307-312.	0.4	8
57	Survival of Amazonian Tadpoles Under Harsh Water-Limiting Conditions. <i>South American Journal of Herpetology</i> , 2017, 12, 212-217.	0.5	2
58	Feeding habits of <i>Enyalius perditus</i> (Squamata: Leiosauridae) in an Atlantic Forest remnant in southeastern Brazil. <i>Phyllomedusa</i> , 2016, 15, 21.	0.2	2
59	Lizard assemblage from a sand dune habitat from southeastern Brazil: a niche overlap analysis. <i>Anais Da Academia Brasileira De Ciencias</i> , 2016, 88, 677-687.	0.8	5
60	Ecology of the bromeligenous frog <i>Phyllodytes luteolus</i> (Anura, Hylidae) from three restinga remnants across Brazil's coast. <i>Anais Da Academia Brasileira De Ciencias</i> , 2016, 88, 93-104.	0.8	11
61	Invasion by <i>Artocarpus heterophyllus</i> (Moraceae) in an island in the Atlantic Forest Biome, Brazil: distribution at the landscape level, density and need for control. <i>Journal of Coastal Conservation</i> , 2016, 20, 191-198.	1.6	15
62	Diet, Diel Activity Pattern, Habitat Use, and Reproductive Effort of <i>Hylodes nasus</i> (Anura). <i>South American Journal of Herpetology</i> , 2016, 11, 127-135.	0.5	10
63	Patch size matters for amphibians in tropical fragmented landscapes. <i>Biological Conservation</i> , 2016, 195, 89-96.	4.1	28
64	Local and Landscape Factors Driving the Structure of Tropical Anuran Communities: Do Ephemeral Ponds have a Nested Pattern?. <i>Biotropica</i> , 2016, 48, 365-372.	1.6	16
65	Population density and conservation status of the teiid lizard <i>Cnemidophorus littoralis</i> , an endangered species endemic to the sandy coastal plains (restinga habitats) of Rio de Janeiro state, Brazil. <i>Journal of Coastal Conservation</i> , 2016, 20, 97-106.	1.6	12
66	Anuran species of the Salto Morato Nature Reserve in Paran�i, southern Brazil: review of the species list. <i>Check List</i> , 2016, 12, 1907.	0.4	9
67	Preda�o de <i>Tropidurus hispidus</i> (Squamata, Tropiduridae) por <i>Siphlophis leucocephalus</i> (Squamata). <i>Brazilian Journal of Biology</i> , 2015, 75, 13-18.	0.9	7
68	Living in a same microhabitat should means eating the same food? Diet and trophic niche of sympatric leaf-litter frogs <i>Ischnocnema henselii</i> and <i>Adenomera marmorata</i> in a forest of Southern Brazil. <i>Brazilian Journal of Biology</i> , 2015, 75, 13-18.	0.9	7
69	Differential success in sampling of Atlantic Forest amphibians among different periods of the day. <i>Brazilian Journal of Biology</i> , 2015, 75, 261-267.	0.9	12
70	Systematics of the endangered toad genus <i>Andinophryne</i> (Anura). <i>Journal of Herpetology</i> , 2015, 49, 23-27.	0.5	10
71	Anuran community composition along two large rivers in a tropical disturbed landscape. <i>Zoologia</i> , 2015, 32, 09-13.	0.5	6
72	Population Dynamics of <i>Hylodes uai</i> Tadpoles (Anura, Hylodidae) in a Tropical Forest Stream, Southeastern Brazil. <i>Journal of Herpetology</i> , 2015, 49, 23-27.	0.5	1

#	ARTICLE	IF	CITATIONS
73	Asymmetry in Reptiles: What Do We Know So Far?. Springer Science Reviews, 2015, 3, 13-26.	1.3	8
74	Thermal ecology of five remaining populations of an endangered lizard (<i>Liolaemus lutzae</i>) in different restinga habitats in Brazil. Journal of Coastal Conservation, 2015, 19, 335-343.	1.6	6
75	The Larva of <i>Crossodactylus aeneus</i> Miller, 1924: Morphology and Ecological Aspects. Herpetologica, 2015, 71, 46-57.	0.4	8
76	Challenges and Perspectives for Studies on Home Range of Lizards from South America. South American Journal of Herpetology, 2015, 10, 82-89.	0.5	5
77	Habitat Loss Reduces the Diversity of Frog Reproductive Modes in an Atlantic Forest Fragmented Landscape. Biotropica, 2015, 47, 113-118.	1.6	28
78	Journal of coastal conservation: a review on the anurofauna of Brazil's sandy coastal plains. How much do we know about it?. Journal of Coastal Conservation, 2015, 19, 35-49.	1.6	14
79	Invasion of the alien gecko <i>Hemidactylus mabouia</i> (Moureaux de Jona, 1818) in a natural habitat at Praia do Sul Biological Reserve, Ilha Grande, RJ, Brazil. Brazilian Journal of Biology, 2015, 75, 768-770.	0.9	5
80	Herpetofauna of the Reserva Ecológica de Guapiaçu (REGUA) and its surrounding areas, in the state of Rio de Janeiro, Brazil. Biota Neotropica, 2014, 14, .	1.0	16
81	Feeding habits of the leaf litter frog <i>Haddadus binotatus</i> (Anura, Craugastoridae) from two Atlantic Forest areas in southeastern Brazil. Anais Da Academia Brasileira De Ciencias, 2014, 86, 239-249.	0.8	9
82	Environmental parameters affecting the structure of leaf-litter frog (Amphibia: Anura) communities in tropical forests: a case study from an Atlantic Rainforest area in southeastern Brazil. Zoologia, 2014, 31, 147-152.	0.5	13
83	Potential distribution of the endangered endemic lizard <i>Liolaemus lutzae</i> Mertens, 1938 (Liolaemidae): are there other suitable areas for a geographically restricted species?. Brazilian Journal of Biology, 2014, 74, 338-348.	0.9	7
84	Species composition, richness and nestedness of lizard assemblages from Restinga habitats along the Brazilian coast. Brazilian Journal of Biology, 2014, 74, 349-354.	0.9	7
85	Diet and helminths of <i>Enyalius brasiliensis</i> (Lacertilia, Iguania, Leiosauridae) in an Atlantic Rainforest remnant in southeastern Brazil. Brazilian Journal of Biology, 2014, 74, 199-204.	0.9	5
86	Habitat Structural Effect on Squamata Fauna of the Restinga Ecosystem in Northeastern Brazil. Anais Da Academia Brasileira De Ciencias, 2014, 86, 359-371.	0.8	14
87	Underestimation of Extinction Threat to Stream-dwelling Amphibians due to Lack of Consideration of Narrow Area of Occupancy. Conservation Biology, 2014, 28, 616-619.	4.7	24
88	Landscape connectivity may explain anuran species distribution in an Atlantic forest fragmented area. Landscape Ecology, 2014, 29, 29-40.	4.2	35
89	Bromeliad treefrogs as phoretic hosts of ostracods. Die Naturwissenschaften, 2014, 101, 493-497.	1.6	12
90	Diversity and Distribution of Lizards in Fragmented Atlantic Forest Landscape in Southeastern Brazil. Journal of Herpetology, 2014, 48, 423-429.	0.5	20

#	ARTICLE	IF	CITATIONS
91	Clutch size in populations and species of cnemidophorines (Squamata: Teiidae) on the eastern coast of Brazil. <i>Anais Da Academia Brasileira De Ciencias</i> , 2014, 86, 707-722.	0.8	7
92	Amphibia, Anura, Hylodidae, <i>Hylodes lateristrigatus</i> (Baumann, 1912): Filling distribution gap. <i>Check List</i> , 2014, 10, 677-678.	0.4	1
93	Seasonal variations in behaviour of thermoregulation in juveniles and adults <i>Liolaemus lutzae</i> (Squamata, Liolaemidae) in a remnant of Brazilian restinga. <i>Behavioural Processes</i> , 2013, 100, 48-53.	1.1	18
94	Influences of sex, ontogeny and body size on the thermal ecology of <i>Liolaemus lutzae</i> (Squamata, Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50	2.5	29
95	Mitochondrial DNA and microsatellite loci data supporting a management plan for a critically endangered lizard from Brazil. <i>Conservation Genetics</i> , 2013, 14, 943-951.	1.5	8
96	A new species of <i>Caryospora</i> L�ger, 1904 (Apicomplexa: Eimeriidae) from the snake <i>Philodryas olfersii</i> Lichtenstein (Colubridae) from a coastal habitat in Brazil. <i>Systematic Parasitology</i> , 2013, 85, 195-199.	1.1	5
97	Environmental humidity and leaf-litter depth affecting ecological parameters of a leaf-litter frog community in an Atlantic Rainforest area. <i>Journal of Natural History</i> , 2013, 47, 2115-2124.	0.5	14
98	The behaviour of orientation of openings of burrows by <i>Liolaemus lutzae</i> (Squamata: Liolaemidae): is it influenced by environmental factors?. <i>Journal of Natural History</i> , 2013, 47, 253-262.	0.5	4
99	Variation in the diet of the lizard <i>Tropidurus torquatus</i> along its coastal range in Brazil. <i>Biota Neotropica</i> , 2013, 13, 93-101.	1.0	17
100	Methodology Development of microsatellite markers for the Neotropical endemic Brazilian Guanabara frog, <i>Euparkerella brasiliensis</i> , through 454 shotgun pyrosequencing. <i>Genetics and Molecular Research</i> , 2013, 12, 230-234.	0.2	1
101	Cryptic Genetic Diversity Is Paramount in Small-Bodied Amphibians of the Genus <i>Euparkerella</i> (Anura: Tj ETQq1 1 0,784314 rgBT /Overlock 30	2.5	30
102	<i>Epleopus gaudichaudi</i> Dum�ril and Bibron, 1839 (Squamata: Gymnophthalmidae) and <i>Psychosaura agmosticha</i> (Rodrigues, 2000) (Squamata: Scincidae): distribution extension and new records from Atlantic Forest in Bahia state, Brazil. <i>Check List</i> , 2013, 9, 607.	0.4	5
103	Altitudinal records of data-deficient and threatened frog species from the Atlantic Rainforest of the Serra dos �rg�os mountains, in southeastern Brazil. <i>Brazilian Journal of Biology</i> , 2013, 73, 229-230.	0.9	8
104	TROPICAL TADPOLE ASSEMBLAGES: WHICH FACTORS AFFECT THEIR STRUCTURE AND DISTRIBUTION?. <i>Oecologia Australis</i> , 2013, 17, 217-228.	0.2	12
105	GRADIENTES ALTITUDINAIS: CONCEITOS E IMPLICA�ES SOBRE A BIOLOGIA, A DISTRIBUI�O E A CONSERVA�O DOS ANF�BIOS ANUROS. <i>Oecologia Australis</i> , 2013, 17, 282-302.	0.2	8
106	Diet of the toad <i>Rhinella icterica</i> (Anura: Bufonidae) from Atlantic Forest Highlands of southeastern Brazil. <i>Biota Neotropica</i> , 2012, 12, 258-262.	1.0	12
107	Larval Diet in Bromeliad Pools: A Case Study of Tadpoles of Two Species in the Genus <i>Scinax</i> (Hylidae). <i>Copeia</i> , 2012, 2012, 683-689.	1.3	14
108	Influences of Seasonality, Thermal Environment and Wind Intensity on the Thermal Ecology of Brazilian Sand Lizards In A Restinga Remnant. <i>South American Journal of Herpetology</i> , 2012, 7, 241-251.	0.5	31

#	ARTICLE	IF	CITATIONS
109	Reptiles from Lençóis Maranhenses National Park, Maranhão, northeastern Brazil. ZooKeys, 2012, 246, 51-68.	1.1	17
110	When invasive exotic populations are threatened with extinction. Biodiversity and Conservation, 2012, 21, 3729-3730.	2.6	2
111	Environmental Factors Affecting Calling Behavior of Sympatric Frog Species at an Atlantic Rain Forest Area, Southeastern Brazil. Journal of Herpetology, 2012, 46, 41-46.	0.5	12
112	Ecological aspects of the pumpkin toadlet, <i>Brachycephalus garbeanus</i> Miranda-Ribeiro, 1920 (Anura): Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5 History, 2012, 46, 2497-2507.	0.5	9
113	Population dynamics of tadpoles of <i>Crossodactylus gaudichaudii</i> (Anura: Hylodidae) in the Atlantic Rainforest of Ilha Grande, southeastern Brazil. Journal of Natural History, 2012, 46, 2725-2733.	0.5	4
114	<i>Sibynomorphus neuwiedi</i> (Ihering, 1911) (Serpentes; Dipsadidae) and <i>Potamojanuarius lamellatus</i> (Semper, 1885) (Gastropoda; Veronicellidae): a trophic relationship revealed. Biotemas, 2012, 25, .	0.1	5
115	Adults and tadpoles of species of Hylodidae (Anura): history and taxonomy perspectives. Zoologia, 2012, 29, 89-94.	0.5	12
116	Food niche overlap between two sympatric leaf-litter frog species from Central Amazonia. Zoologia, 2012, 29, 95-98.	0.5	11
117	Diet and endoparasites of the lizard <i>Gymnodactylus darwini</i> (Gekkota, Phyllodactylidae) from an Atlantic Rainforest area in southeastern Brazil. Biotemas, 2012, 25, .	0.1	1
118	New host records for <i>Amblyomma rotundatum</i> (Acari: Ixodidae) from Grussa Restinga, Rio de Janeiro, Brazil. Brazilian Journal of Veterinary Parasitology, 2012, 21, 319-322.	0.7	8
119	Amphibia, Anura, <i>Brachycephalus didactylus</i> (Izecksohn, 1971) and <i>Zachaenus parvulus</i> (Girard, 1853): distribution extension. Check List, 2012, 8, 242.	0.4	5
120	Anurans from the Restinga of Parque Natural Municipal de Grumari, state of Rio de Janeiro, southeastern Brazil. Check List, 2012, 8, 1267.	0.4	11
121	New altitudinal records of the endemic species <i>Cycloramphus brasiliensis</i> (Anura, Cycloramphidae) from the Atlantic Rainforest in the state of Rio de Janeiro, southeastern Brazil. Brazilian Journal of Biology, 2012, 72, 225-226.	0.9	1
122	Feeding habits, microhabitat use, and daily activity of <i>Cycloramphus brasiliensis</i> (Anura): Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 222 Td (C	0.5	9
123	What to do to defend themselves: description of three defensive strategies displayed by a serpent <i>Dipsas alternans</i> (Fischer, 1885) (Serpentes, Dipsadidae). Biotemas, 2012, 25, .	0.1	2
124	An overview of female reproductive traits in South American <i>Mabuya</i> (Squamata, Scincidae), with emphasis on brood size and its correlates. Journal of Natural History, 2011, 45, 813-825.	0.5	11
125	Reproductive phenology and flower visitors' guild of <i>Canistropsis microps</i> (Bromeliaceae) in an Atlantic Rainforest of southeastern Brazil. Journal of Natural History, 2011, 45, 1021-1034.	0.5	2
126	Plant Consumption of Insular and Mainland Populations of a Tropical Lizard. Herpetologica, 2011, 67, 32-45.	0.4	14

#	ARTICLE	IF	CITATIONS
127	An unusual ecology among whiptails: the case of <i>Cnemidophorus lacertoides</i> from a restinga habitat in southern Brazil. <i>Journal of Natural History</i> , 2011, 45, 2605-2625.	0.5	4
128	Ecology of the Brazilian Flea Frog <i>Brachycephalus didactylus</i> (Terrarana: Brachycephalidae). <i>Journal of Herpetology</i> , 2011, 45, 251-255.	0.5	21
129	Living in a caatinga-rocky field transitional habitat: ecological aspects of the whiptail lizard <i>Cnemidophorus ocellifer</i> (Teiidae) in northeastern Brazil. <i>Zoologia</i> , 2011, 28, 8-16.	0.5	14
130	Parameters from the community of leaf-litter frogs from <i>Estação Ecológica Estadual Paraíso</i> , Guapimirim, Rio de Janeiro State, southeastern Brazil. <i>Anais Da Academia Brasileira De Ciencias</i> , 2011, 83, 1259-1268.	0.8	9
131	Species composition and density estimates of the anurofauna of a site within the northernmost large Atlantic Forest remnant (<i>Parque Estadual do Desengano</i>) in the state of Rio de Janeiro, Brazil. <i>Biota Neotropica</i> , 2011, 11, 131-137.	1.0	8
132	Diet of the lizard <i>Eubleopis gaudichaudii</i> (Gymnophthalmidae) in Atlantic Rainforest, state of Rio de Janeiro, Brazil. <i>Zoologia</i> , 2011, 28, 587-592.	0.5	9
133	Anurans from two high-elevation areas of Atlantic Forest in the state of Rio de Janeiro, Brazil. <i>Zoologia</i> , 2011, 28, 457-464.	0.5	18
134	Seasonal variation in the leaf-litter frog community (Amphibia: Anura) from an Atlantic Forest Area in the Salto Morato Natural Reserve, southern Brazil. <i>Zoologia</i> , 2011, 28, 755-761.	0.5	14
135	Diet and nematode infection in <i>Proceratophrys boiei</i> (Anura: Cycloramphidae) from two Atlantic rainforest remnants in Southeastern Brazil. <i>Anais Da Academia Brasileira De Ciencias</i> , 2011, 83, 1303-1312.	0.8	11
136	Squamata, Iguania, <i>Anolis punctatus</i> Daudin, 1802 and <i>Tropidurus torquatus</i> (Wied, 1820): distribution extension and new records for Ilha Grande, state of Rio de Janeiro, southeastern Brazil. <i>Check List</i> , 2011, 7, 270.	0.4	1
137	A morphometric study of <i>Eutrombicula alfreddugesi</i> (Acari: Trombiculidae) infesting four sympatric species of <i>Tropidurus</i> (Squamata: Tropiduridae) in northeastern Brazil. <i>Phyllomedusa</i> , 2011, 10, 79.	0.2	9
138	Conquering Brazil: the invasion by the exotic gekkonid lizard <i>Hemidactylus mabouia</i> (Squamata) in Brazilian natural environments. <i>Zoologia</i> , 2011, 28, 747-754.	0.5	35
139	News records of phoresy and hyperphoresy among treefrogs, ostracods, and ciliates in bromeliad of Atlantic forest. <i>Biodiversity and Conservation</i> , 2011, 20, 1837-1841.	2.6	28
140	Thermal ecology of five <i>Cnemidophorus</i> species (Squamata: Teiidae) in east coast of Brazil. <i>Journal of Thermal Biology</i> , 2011, 36, 232-238.	2.5	14
141	Herpetofauna, <i>Estação Ecológica Estadual do Paraíso</i> , state of Rio de Janeiro, southeastern Brazil. <i>Check List</i> , 2011, 7, 745.	0.4	11
142	Occurrence and distribution of the exotic lizard <i>Hemidactylus mabouia</i> Moreau de Jonnés, 1818 in Ilha Grande, RJ, Brazil. <i>Brazilian Journal of Biology</i> , 2011, 71, 447-450.	0.9	6
143	Os anfíbios da serrapilheira da Mata Atlântica brasileira: Estado atual do conhecimento. <i>Oecologia Australis</i> , 2011, 15, 750-761.	0.2	6
144	Native and exotic species in the urban landscape of the city of Rio de Janeiro, Brazil: density, richness, and arboreal deficit. <i>Urban Ecosystems</i> , 2010, 13, 209-222.	2.4	42

#	ARTICLE	IF	CITATIONS
145	Ecologia e conservação do lagarto endêmico <i>Tropidurus hygomi</i> (Sauria: Tropiduridae) nas restingas do Litoral Norte da Bahia, Brasil. <i>Biotemas</i> , 2010, , 71-75.	0.1	4
146	Ecology of <i>Ischnocnema parva</i> (Anura: Brachycephalidae) at the Atlantic Rainforest of Serra da Conca3rdia, state of Rio de Janeiro, Brazil. <i>Zoologia</i> , 2010, 27, 201-208.	0.5	18
147	Influence of structural habitat use on the thermal ecology of <i>Gonatodes humeralis</i> (Squamata: Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf	0.5	12
148	Living together, sometimes feeding in a similar way: the case of the syntopic hylid frogs <i>Hypsiboas raniceps</i> and <i>Scinax acuminatus</i> (Anura: Hylidae) in the Pantanal of Miranda, Mato Grosso do Sul State, Brazil. <i>Brazilian Journal of Biology</i> , 2010, 70, 955-959.	0.9	18
149	Anurofauna of an Atlantic Rainforest fragment and its surroundings in Northern Rio de Janeiro State, Brazil. <i>Brazilian Journal of Biology</i> , 2010, 70, 871-877.	0.9	24
150	Reproduction in neotropical <i>Tropidurus</i> lizards (Tropiduridae): evaluating the effect of environmental factors on <i>T. torquatus</i> . <i>Amphibia - Reptilia</i> , 2010, 31, 117-126.	0.5	16
151	Erosion of Lizard Diversity by Climate Change and Altered Thermal Niches. <i>Science</i> , 2010, 328, 894-899.	12.6	1,430
152	Abundance of tegu lizards (<i>Tupinambis merianae</i>) in a remnant of the Brazilian Atlantic forest. <i>Amphibia - Reptilia</i> , 2010, 31, 563-570.	0.5	6
153	Plant consumption in coastal populations of the lizard <i>Tropidurus torquatus</i> (Reptilia: Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf Natural History, 2010, 45, 171-182.	0.5	11
154	Tadpole of <i>Hylodes fredii</i> (Anura; Hylodidae), a frog endemic to an Atlantic Forest island (Ilha Grande,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf	0.5	7
155	Description, microhabitat and temporal distribution of the tadpole of <i>Proceratophrys tupinamba</i> Prado and Pombal, 2008. <i>Zootaxa</i> , 2010, 2684, 57.	0.5	10
156	New species of <i>Oochoristica</i> (Cestoda; Linstowiidae) and other endoparasites of <i>Trachylepis atlantica</i> (Sauria: Scincidae) from Fernando de Noronha Island, Brazil. <i>Zootaxa</i> , 2010, 2715, 45.	0.5	10
157	<i>Amphibia, Leptodactylidae, Paratelmatoobius mantiqueira</i> Pombal and Haddad, 1999: distribution extension. <i>Check List</i> , 2010, 6, 001.	0.4	7
158	Volume de gua armazenado no tanque de bromlias, em restingas da costa brasileira. <i>Acta Botanica Braslica</i> , 2010, 24, 84-95.	0.8	45
159	The tadpole of the hylodid frog <i>Hylodes charadranaetes</i> Heyer and Cocroft, 1986. <i>Zootaxa</i> , 2010, 2680, 65.	0.5	2
160	The endemic and threatened lizard <i>Liolaemus lutzae</i> (Squamata: Liolaemidae): current geographic distribution and areas of occurrence with estimated population densities. <i>Zoologia</i> , 2009, 26, 454-460.	0.5	20
161	Bromeliaceae da Ilha Grande, RJ: reviso da lista de espcies. <i>Biota Neotropica</i> , 2009, 9, 213-219.	1.0	6
162	A potential recovery of a population of the sand lizard <i>Liolaemus lutzae</i> Mertens, 1938 in an area within its range: a lizard endemic and threatened with extinction. <i>Brazilian Journal of Biology</i> , 2009, 69, 185-187.	0.9	6

#	ARTICLE	IF	CITATIONS
163	Ecology of ticks in a taxocenosis of snakes from the Serra do Mendanha, Rio de Janeiro, Brazil, with new host records. <i>Zoologia</i> , 2009, 26, 328-333.	0.5	14
164	The snake community of Serra do Mendanha, in Rio de Janeiro State, southeastern Brazil: composition, abundance, richness and diversity in areas with different conservation degrees. <i>Brazilian Journal of Biology</i> , 2009, 69, 795-804.	0.9	19
165	Density and richness of leaf litter frogs (Amphibia: Anura) of an Atlantic Rainforest area in the Serra dos Argaos, Rio de Janeiro State, Brazil. <i>Zoologia</i> , 2009, 26, 97-102.	0.5	21
166	Insights on leatherback turtle movements and high use areas in the Southwest Atlantic Ocean. <i>Journal of Experimental Marine Biology and Ecology</i> , 2009, 378, 31-39.	1.5	45
167	Ecology and Natural History of the Easternmost Native Lizard Species in South America, <i>Trachylepis atlantica</i> (Scincidae), from the Fernando de Noronha Archipelago, Brazil. <i>Journal of Herpetology</i> , 2009, 43, 450-459.	0.5	15
168	Reptilia, Polychrotidae, <i>Anolis fuscoauratus</i> : distribution extension. <i>Check List</i> , 2009, 5, 746.	0.4	4
169	COMPORTAMENTO DE TERMORREGULAÇÃO EM LAGARTOS BRASILEIROS. <i>Oecologia Australis</i> , 2009, 13, 115-131.	0.2	27
170	COMPORTAMENTO DE MOVIMENTAÇÃO HORIZONTAL E VERTICAL DA TARTARUGA-DE-COURO <i>Dermochelys coriacea</i> . <i>Oecologia Australis</i> , 2009, 13, 99-114.	0.2	0
171	Activity and microhabitat use by the endemic whiptail lizard, <i>Cnemidophorus natio</i> (Teiidae), in a restinga habitat (Setiba) in the state of Espírito Santo, Brazil. <i>South American Journal of Herpetology</i> , 2008, 3, 89-95.	0.5	5
172	Herpetofauna of an Atlantic rainforest area (Morro São João) in Rio de Janeiro State, Brazil. <i>Anais Da Academia Brasileira De Ciencias</i> , 2008, 80, 291-300.	0.8	32
173	Clutch and egg size of the tropical lizard <i>Tropidurus torquatus</i> (Tropiduridae) along its geographic range in coastal eastern Brazil. <i>Canadian Journal of Zoology</i> , 2008, 86, 1376-1388.	1.0	21
174	Reproductive cycle of <i>Pitcairnia flammea</i> Lindl. (Bromeliaceae/Pitcairnioideae) in an insular Atlantic rainforest area in southeastern Brazil. <i>Flora: Morphology, Distribution, Functional Ecology of Plants</i> , 2008, 203, 229-233.	1.2	7
175	Feeding habits of the endemic tropical parthenogenetic lizard <i>Cnemidophorus natio</i> (Teiidae) in a restinga area of northeastern Brazil. <i>Journal of Natural History</i> , 2008, 42, 2575-2583.	0.5	8
176	Predation by lizards as a mortality source for juvenile lizards in Brazil. <i>South American Journal of Herpetology</i> , 2008, 3, 82-87.	0.5	14
177	Patterns of infestation by the trombiculid mite <i>Eutrombicula alfreddugesi</i> in four sympatric lizard species (genus <i>Tropidurus</i>) in northeastern Brazil. <i>Parasite</i> , 2008, 15, 131-136.	2.0	20
178	Richness, abundance, and mass in snake assemblages from two Atlantic Rainforest sites (Ilha do Tijuca). <i>Overlock</i> , 2010, 10, 50-51.	1.0	14
179	Reproductive ecology of the invader species gekkonid lizard <i>Hemidactylus mabouia</i> in an area of southeastern Brazil. <i>Iheringia - Serie Zoologia</i> , 2008, 98, 205-209.	0.5	17
180	Feeding ecology of the lizard <i>Tropidurus oreadicus</i> Rodrigues 1987 (Tropiduridae) at Serra dos Carajás, Pará state, northern Brazil. <i>Brazilian Journal of Biology</i> , 2008, 68, 109-113.	0.9	13

#	ARTICLE	IF	CITATIONS
181	Frog species richness, composition and beta-diversity in coastal Brazilian restinga habitats. Brazilian Journal of Biology, 2008, 68, 101-107.	0.9	31
182	Species composition of Bromeliaceae and their distribution at the Massambaba restinga in Arraial do Cabo, Rio de Janeiro, Brazil. Brazilian Journal of Biology, 2008, 68, 251-257.	0.9	10
183	Effects of a fire on a population of treefrogs (<i>Scinax cf. alter</i> , Lutz) in a restinga habitat in southern Brazil. Brazilian Journal of Biology, 2008, 68, 539-543.	0.9	7
184	Snakes from the Atlantic Rainforest area of Serra do Mendanha, in Rio de Janeiro state, southeastern Brazil: a first approximation to the taxocenosis composition. Brazilian Journal of Biology, 2008, 68, 601-608.	0.9	14
185	Body size, female reproduction and sexual dimorphism in the lizard <i>Ameiva ameiva</i> (Teiidae) in a restinga of southeastern Brazil. Revista Brasileira De Zoologia, 2008, 25, 370-372.	0.5	11
186	Pentastomids infecting an invader lizard, <i>Hemidactylus mabouia</i> (Gekkonidae) in northeastern Brazil. Brazilian Journal of Biology, 2008, 68, 611-615.	0.9	14
187	A third species of the rare frog genus <i>Holoaden</i> (Terrarana, Strabomantidae) from a montane rainforest area of southeastern Brazil. Zootaxa, 2008, 1938, 61-68.	0.5	8
188	Amphibia, Anura, <i>Hylodes charadranetes</i> , <i>Ischnocnema octavioi</i> , and <i>Euparkerella cochranae</i> : distribution extension. Check List, 2008, 4, 103.	0.4	5
189	Temporal niche of acoustic activity in anurans: interspecific and seasonal variation in a neotropical assemblage from south-eastern Brazil. Amphibia - Reptilia, 2007, 28, 269-276.	0.5	20
190	Niche differences between two sympatric whiptail lizards (<i>Cnemidophorus abaetensis</i> and <i>C. ocellifer</i>), Tj ETQq0 0 0 rgBT /Overlock 10 T	0.9	26
191	Diet and microhabitat use by two Hylodinae species (Anura, Cycloramphidae) living in sympatry and syntopy in a Brazilian Atlantic Rainforest area. Iheringia - Serie Zoologia, 2007, 97, 27-30.	0.5	23
192	Diet of <i>Teius oculatus</i> (Sauria, Teiidae) in southern Brazil (Dom Feliciano, Rio Grande do Sul). Iheringia - Serie Zoologia, 2007, 97, 31-35.	0.5	9
193	Ecological parameters of the leaf-litter frog community of an Atlantic Rainforest area at Ilha Grande, Rio de Janeiro state, Brazil. Austral Ecology, 2007, 32, 254-260.	1.5	37
194	The alien and native pentastomids fauna of an exotic lizard population from Brazilian Northeast. Parasitology Research, 2007, 101, 627-628.	1.6	13
195	Feeding Ecology of <i>Thoropa miliaris</i> (Anura, Cycloramphidae) in Four Areas of Atlantic Rain Forest, Southeastern Brazil. Journal of Herpetology, 2006, 40, 520-525.	0.5	23
196	NATURAL HISTORY TRAITS OF <i>CROSSODACTYLUS AENEUS</i> (ANURA, LEPTODACTYLIDAE, HYLODINAE) FROM AN ATLANTIC RAINFOREST AREA IN RIO DE JANEIRO STATE, SOUTHEASTERN BRAZIL. South American Journal of Herpetology, 2006, 1, 37-41.	0.5	20
197	Bromeliaceae da restinga da Reserva Biol3gica Estadual da Praia do Sul: composi3o, abund3ncia e similaridade da comunidade. Acta Botanica Brasilica, 2006, 20, 709-717.	0.8	10
198	Thermoregulatory behaviour in <i>Tropidurus torquatus</i> (Squamata, Tropiduridae) from Brazilian coastal populations: an estimate of passive and active thermoregulation in lizards. Acta Zoologica, 2006, 88, 81-87.	0.8	33

#	ARTICLE	IF	CITATIONS
199	NEW GENUS, NEW SPECIES OF ACANTHOCEPHALA (ECHINORHYNCHIDAE) FROM THE BRAZILIAN FROG HYLODES PHYLLODES (ANURA: LEPTODACTYLIDAE). <i>Journal of Parasitology</i> , 2006, 92, 353-356.	0.7	13
200	Helminths of the exotic lizard <i>Hemidactylus mabouia</i> from a rock outcrop area in southeastern Brazil. <i>Journal of Helminthology</i> , 2005, 79, 307-313.	1.0	37
201	Body temperatures of <i>Tropidurus torquatus</i> (Squamata, Tropiduridae) from coastal populations: Do body temperatures vary along their geographic range?. <i>Journal of Thermal Biology</i> , 2005, 30, 449-456.	2.5	39
202	Prediction of threatened tetrapods based on the species-area relationship in Atlantic Forest, Brazil. <i>Journal of Zoology</i> , 2005, 265, 359-364.	1.7	14
203	Endemic and threatened tetrapods in the restingas of the biodiversity corridors of Serra do Mar and of the central da Mata Atlântica in Eastern Brazil. <i>Brazilian Journal of Biology</i> , 2005, 65, 159-168.	0.9	57
204	Observations on the natural history of the lizard <i>Mabuya macrorhyncha</i> Hoge (Scincidae) in Queimada Grande Island, São Paulo, Brazil. <i>Revista Brasileira De Zoologia</i> , 2005, 22, 1185-1190.	0.5	16
205	Cytogenetics of the Brazilian whiptail lizard <i>Cnemidophorus littoralis</i> (Teiidae) from a restinga area (Barra de Maricá) in Southeastern Brazil. <i>Brazilian Journal of Biology</i> , 2004, 64, 661-667.	0.9	7
206	Breeding ecology of <i>Scinax trapicheiroi</i> (Anura, Hylidae) at a creek in the Atlantic Rainforest of Ilha Grande, southeastern Brazil. <i>Amphibia - Reptilia</i> , 2004, 25, 277-286.	0.5	21
207	Field Body Temperatures of Pregnant and Nonpregnant Females of Three Species of Viviparous Skinks (<i>Mabuya</i>) from Southeastern Brazil. <i>Journal of Herpetology</i> , 2004, 38, 447-451.	0.5	7
208	Reproductive Ecology of the Parthenogenetic Whiptail Lizard <i>Cnemidophorus natio</i> in a Brazilian Restinga Habitat. <i>Journal of Herpetology</i> , 2004, 38, 280-282.	0.5	19
209	Diet, Activity, and Microhabitat Use of Two Syntopic <i>Tropidurus</i> Species (Lacertilia: Tropiduridae) in Minas Gerais, Brazil. <i>Journal of Herpetology</i> , 2004, 38, 606-611.	0.5	41
210	Thermal Ecology, Activity Patterns, and Microhabitat Use by Two Sympatric Whiptail Lizards (<i>Cnemidophorus abaetensis</i> and <i>Cnemidophorus ocellifer</i>) from Northeastern Brazil. <i>Journal of Herpetology</i> , 2004, 38, 586-588.	0.5	29
211	Helminths infecting the parthenogenetic whiptail lizard <i>Cnemidophorus natio</i> in a restinga habitat of Bahia State, Brazil. <i>Journal of Helminthology</i> , 2004, 78, 323-328.	1.0	24
212	Host-ectoparasite specificity in a small mammal community in an area of Atlantic Rain Forest (Ilha) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 793-798.	1.6	25
213	Nematode assemblages of some insular and continental lizard hosts of the genus <i>Mabuya</i> Fitzinger (Reptilia, Scincidae) along the eastern Brazilian coast. <i>Revista Brasileira De Zoologia</i> , 2003, 20, 755-759.	0.5	28
214	Interpopulational Variation in Litter Size of the Skink <i>Mabuya agilis</i> in Southeastern Brazil. <i>Copeia</i> , 2002, 2002, 857-864.	1.3	12
215	Microhabitat Use and Orientation to Water Flow Direction by Tadpoles of the Leptodactylid Frog <i>Thoropa miliaris</i> in Southeastern Brazil. <i>Journal of Herpetology</i> , 2002, 36, 98-100.	0.5	12
216	Spatial use of rodents (Rodentia: Mammalia) host body surface by ectoparasites. <i>Brazilian Journal of Biology</i> , 2002, 62, 419-425.	0.9	23

#	ARTICLE	IF	CITATIONS
217	Helminth communities of two sympatric skinks (<i>Mabuya agilis</i> and <i>Mabuya macrorhyncha</i>) from two restinga habitats in southeastern Brazil. <i>Journal of Helminthology</i> , 2002, 76, 355-361.	1.0	50
218	Environmental Factors Affecting Calling Activity of a Tropical Diurnal Frog (<i>Hylodes phyllodes</i>). <i>Overlock</i> 10, Tf 50 702	0.5	62
219	Ecology of the Horned Leaf-Frog, <i>Proceratophrys appendiculata</i> (Leptodactylidae), in an insular Atlantic Rain-Forest Area of Southeastern Brazil. <i>Journal of Herpetology</i> , 2002, 36, 318-322.	0.5	27
220	Tail loss in the Syntopic Lizards <i>Tropidurus itambere</i> (Tropiduridae) and <i>Mabuya frenata</i> (Scincidae) in Southeastern Brazil. <i>Studies on Neotropical Fauna and Environment</i> , 2002, 37, 227-231.	1.0	16
221	Description of <i>Skrjabinodon spinosulus</i> sp. n. (Nematoda, Oxyuroidea, Pharyngodonidae) from the Brazilian lizard <i>Mabuya dorsivittata</i> Cope, 1862 (Scincidae). <i>Revista Brasileira De Zoologia</i> , 2002, 19, 157-162.	0.5	14
222	Phylogenetic Affinities of <i>Mabuya atlantica</i> Schmidt, 1945, Endemic to the Atlantic Ocean Archipelago of Fernando de Noronha (Brazil): Necessity of Partitioning the Genus <i>Mabuya</i> Fitzinger, 1826 (Scincidae: Lygosominae). <i>Zoologischer Anzeiger</i> , 2002, 241, 281-293.	0.9	86
223	Use of cacti as heat sources by thermoregulating <i>Mabuya agilis</i> (Raddi) and <i>Mabuya macrorhyncha</i> Hoge (Lacertilia, Scincidae) in two restinga habitats in southeastern Brazil. <i>Revista Brasileira De Zoologia</i> , 2002, 19, 77-83.	0.5	18
224	Ecology of <i>Mabuya agilis</i> (Raddi) (Lacertilia, Scincidae) at the restinga of Grumari, Rio de Janeiro, southeastern Brazil. <i>Revista Brasileira De Zoologia</i> , 2002, 19, 19-29.	0.5	9
225	Microhabitat Use and Orientation to Water Flow Direction by Tadpoles of the Leptodactylid Frog <i>Thoropa miliaris</i> in Southeastern Brazil. <i>Journal of Herpetology</i> , 2002, 36, 98.	0.5	0
226	Ecology of the Horned Leaf-Frog, <i>Proceratophrys appendiculata</i> (Leptodactylidae), in an Insular Atlantic Rain-Forest Area of Southeastern Brazil. <i>Journal of Herpetology</i> , 2002, 36, 318.	0.5	0
227	Diet, Reproduction, and Density of the Leptodactylid Litter Frog <i>Zachaeus parvulus</i> in an Atlantic Rain Forest of Southeastern Brazil. <i>Journal of Herpetology</i> , 2001, 35, 322.	0.5	39
228	Spatial distribution and preferential substrate of <i>Neoregelia johannis</i> (Carri�re) L.B. Smith (Bromeliaceae) in a disturbed area of Atlantic Rainforest at Ilha Grande, RJ, Brazil. <i>Revista Brasileira De Botanica</i> , 2001, 24, 389-394.	1.3	13
229	Varia��o na estrutura e na composi��o de Bromeliaceae em cinco zonas de restinga no Parque Nacional da Restinga de Jurubatiba, Maca�, RJ. <i>Revista Brasileira De Botanica</i> , 2001, 24, 01.	1.3	17
230	Antipredator Defenses Influence the Distribution of Amphibian Prey Species in the Central Amazon Rain Forest. <i>Biotropica</i> , 2001, 33, 131-141.	1.6	67
231	Estimates of forest floor litter frog communities: A comparison of two methods. <i>Austral Ecology</i> , 2001, 26, 14-21.	1.5	23
232	Estimates of forest floor litter frog communities: A comparison of two methods. <i>Austral Ecology</i> , 2001, 26, 14-21.	1.5	19
233	Territorial-like defensive behavior of floral resources by <i>Heliconius ethilla narcaea</i> Godart over <i>H. sara apseudes</i> (H�bner) (Lepidoptera, Nymphalidae, Heliconiinae). <i>Revista Brasileira De Zoologia</i> , 2001, 18, 323-328.	0.5	5
234	Distribui��o espacial de brom�lias na restinga de jurubatiba, Maca�, RJ. <i>Acta Botanica Braslica</i> , 2000, 14, 175-180.	0.8	12

#	ARTICLE	IF	CITATIONS
235	Nematode infection patterns in four sympatric lizards from a restinga habitat (Jurubatiba) in Rio de Janeiro state, southeastern Brazil. <i>Amphibia - Reptilia</i> , 2000, 21, 307-316.	0.5	48
236	Feeding Ecology of <i>Tropidurus torquatus</i> : Ontogenetic Shift in Plant Consumption and Seasonal Trends in Diet. <i>Journal of Herpetology</i> , 2000, 34, 325.	0.5	55
237	Activity of Leaf-Litter Frogs: When Should Frogs Be Sampled?. <i>Journal of Herpetology</i> , 2000, 34, 285.	0.5	36
238	New <i>Cnemidophorus</i> (Squamata; Teiidae) from Coastal Rio de Janeiro State, Southeastern Brazil. <i>Copeia</i> , 2000, 2000, 501-509.	1.3	32
239	Selectivity in plant food consumption in the lizard <i>Liolaemus lutzae</i> from southeastern Brazil. <i>Studies on Neotropical Fauna and Environment</i> , 2000, 35, 14-18.	1.0	17
240	Ocorrência e distribuição de <i>Cetengraulis edentulus</i> (Cuvier) (Teleostei, Engraulidae) na Laguna de Itaipu, Niterói, Rio de Janeiro, Brasil. <i>Revista Brasileira De Zoologia</i> , 2000, 17, 463-472.	0.5	6
241	Nematodes infecting the skink <i>Mabuya frenata</i> in Valinhos, Sao Paulo State, southeastern Brazil. <i>Amphibia - Reptilia</i> , 1999, 20, 333-339.	0.5	23
242	Reproductive Cycle and Life-History Traits of the Viviparous Skink <i>Mabuya frenata</i> in Southeastern Brazil. <i>Copeia</i> , 1998, 1998, 612.	1.3	39
243	Ontogenetic Shift in the Rate of Plant Consumption in a Tropical Lizard (<i>Liolaemus lutzae</i>). <i>Journal of Herpetology</i> , 1998, 32, 274.	0.5	28
244	The Ecology of the Skink <i>Mabuya frenata</i> in an Area of Rock Outcrops in Southeastern Brazil. <i>Journal of Herpetology</i> , 1998, 32, 229.	0.5	50
245	Orientation of thermoregulating <i>Tropidurus torquatus</i> . <i>Amphibia - Reptilia</i> , 1998, 19, 319-323.	0.5	11
246	Nematode infection in two sympatric lizards (<i>Tropidurus torquatus</i> and <i>Ameiva ameiva</i>) with different foraging tactics. <i>Amphibia - Reptilia</i> , 1998, 19, 323-330.	0.5	44
247	Nematode infection in three sympatric lizards in an isolated fragment of restinga habitat in southeastern Brazil. <i>Amphibia - Reptilia</i> , 1997, 18, 442-446.	0.5	24
248	Ecological Differences in Tropical Sympatric Skinks (<i>Mabuya macrorhyncha</i> and <i>Mabuya agilis</i>) in Southeastern Brazil. <i>Journal of Herpetology</i> , 1996, 30, 60.	0.5	59
249			

#	ARTICLE	IF	CITATIONS
253	Nematodes infecting the lizard <i>Tropidurus itambere</i> in southeastern Brazil. <i>Amphibia - Reptilia</i> , 1994, 15, 405-408.	0.5	29
254	Spatial and trophic niche differentiation in two sympatric lizards (<i>Tropidurus torquatus</i> and <i>T. itambere</i>). <i>Journal of Tropical Ecology</i> , 1992, 8, 339-348.	1.5	53
255	Activity patterns and body temperatures of two sympatric lizards (<i>Tropidurus torquatus</i> and <i>T. itambere</i>). <i>Journal of Tropical Ecology</i> , 1993, 14, 312-315.	0.5	56
256	An ant-membracid-plant interaction in a cerrado area of Brazil. <i>Journal of Tropical Ecology</i> , 1992, 8, 339-348.	1.1	24
257	Reproductive and Fat Body Cycles of the Tropical Sand Lizard (<i>Liolaemus lutzae</i>) of Southeastern Brazil. <i>Journal of Herpetology</i> , 1992, 26, 17.	0.5	44
258	Bigger ant colonies reduce herbivory and herbivore residence time on leaves of an ant-plant: <i>Azteca muelleri</i> vs. <i>Coelomera ruficornis</i> on <i>Cecropia pachystachya</i> . <i>Oecologia</i> , 1992, 91, 249-252.	2.0	75
259	Thermal biology and flight distance of <i>Tropidurus oreadicus</i> (Sauria Iguanidae) in an area of Amazonian Brazil. <i>Ethology Ecology and Evolution</i> , 1990, 2, 263-268.	1.4	78
260	Diet of a Tropical Lizard (<i>Liolaemus lutzae</i>) of Southeastern Brazil. <i>Journal of Herpetology</i> , 1989, 23, 292.	0.5	33
261	The amphibians of the state of Rio de Janeiro, Brazil: an updated and commented list. <i>Papeis Avulsos De Zoologia</i> , 0, 58, 5.	0.4	8
262	The Herpetofauna from Ilha Grande (Angra dos Reis, Rio de Janeiro, Brazil): updating species composition, richness, distribution and endemisms. <i>Papeis Avulsos De Zoologia</i> , 0, 58, 25.	0.4	6
263	Habitat structure and their influence in lizard's presence. <i>Papeis Avulsos De Zoologia</i> , 0, 59, e20195959.	0.4	2
264	Reptile diversity in the Duas Bocas Biological Reserve, Esp�rito Santo, southeastern Brazil. <i>Papeis Avulsos De Zoologia</i> , 0, 60, e20206040.	0.4	0
265	Non-Avian Reptiles of the state of Rio de Janeiro, Brazil: status of knowledge and commented list. <i>Papeis Avulsos De Zoologia</i> , 0, 60, e20206024.	0.4	2
266	Phytophagous consumption by frogs inhabiting bromeliads from Atlantic Forest. <i>Ethology Ecology and Evolution</i> , 0, , 1-15.	1.4	1
267	Ecological and reproductive aspects of <i>Aparasphenodon bruno</i> (Anura: Hylidae) in an ombrophilous forest area of the Atlantic Rainforest Biome, Brazil. <i>Zoologia</i> , 0, 34, 1-8.	0.5	1
268	Body orientation for thermoregulation and daily activity cycle of <i>Mabuya macrorhyncha</i> (Squamata). <i>Journal of Tropical Ecology</i> , 1992, 8, 339-348.	0.5	1
269	Structure of the leaf litter frog community in an area of Atlantic Forest in southeastern Brazil. <i>Zoologia</i> , 0, 37, 1-10.	0.5	1
270	A three-year Herpetofauna survey from one of the largest remnants of the Atlantic Rainforest Biome (Reserva Natural Vale). <i>Papeis Avulsos De Zoologia</i> , 0, 62, e202262005.	0.4	0