

Simonetta Monini

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8617850/publications.pdf>

Version: 2024-02-01

22
papers

218
citations

1040056

9
h-index

1058476

14
g-index

22
all docs

22
docs citations

22
times ranked

243
citing authors

#	ARTICLE	IF	CITATIONS
1	Combined protocol for treatment of secondary effects from facial nerve palsy. Acta Oto-Laryngologica, 2011, 131, 882-886.	0.9	34
2	Patient satisfaction after auditory implant surgery: ten-year experience from a single implanting unit center. Acta Oto-Laryngologica, 2017, 137, 389-397.	0.9	32
3	EsteemÂ® middle ear device versus conventional hearing aids for rehabilitation of bilateral sensorineural hearing loss. European Archives of Oto-Rhino-Laryngology, 2013, 270, 2027-2033.	1.6	17
4	Bone conductive implants in single-sided deafness. Acta Oto-Laryngologica, 2015, 135, 381-388.	0.9	16
5	Can unilateral, progressive or sudden hearing loss be immune-mediated in origin?. Acta Oto-Laryngologica, 2017, 137, 823-828.	0.9	16
6	Kabat rehabilitation for Bell's palsy in the elderly. Acta Oto-Laryngologica, 2017, 137, 646-650.	0.9	14
7	Perceived disability from hearing and voice changes in the elderly. Geriatrics and Gerontology International, 2015, 15, 147-155.	1.5	11
8	Is the Bone-Conduction Headband Test Useful for Predicting the Functional Outcome of a Round Window Active Middle Ear Implant?. Otology and Neurotology, 2013, 34, 1329-1335.	1.3	9
9	Ruolo della riabilitazione Kabat nella paralisi del nervo facciale: studio randomizzato su casi severi di paralisi di Bell. Acta Otorhinolaryngologica Italica, 2016, 36, 282-288.	1.5	9
10	Complications after round window vibroplasty. European Archives of Oto-Rhino-Laryngology, 2019, 276, 1601-1605.	1.6	9
11	Individualised headband simulation test for predicting outcome after percutaneous bone conductive implantation. Acta Otorhinolaryngologica Italica, 2015, 35, 258-64.	1.5	9
12	Proposal of a Video-recording System for the Assessment of Bell's Palsy: Methodology and Preliminary Results. Otology and Neurotology, 2017, 38, 1178-1185.	1.3	8
13	Ten years of active middle ear implantation for sensorineural hearing loss. Acta Oto-Laryngologica, 2018, 138, 807-814.	0.9	8
14	Validation of the objective assessment of facial movement with a new software-based system. Acta Oto-Laryngologica, 2019, 139, 456-460.	0.9	5
15	Bone conductive implantation in asymmetric hearing loss (AHL). Acta Oto-Laryngologica, 2020, 140, 643-650.	0.9	5
16	An objective, markerless videosystem for staging facial palsy. European Archives of Oto-Rhino-Laryngology, 2021, 278, 3541-3550.	1.6	4
17	Video Head Impulse Test in Labyrinthine Fistula due to Middle Ear Cholesteatoma. Journal of International Advanced Otology, 2019, 15, 283-288.	1.0	4
18	The impact of surgical masks on the nasal function in the COVID-19 era. Acta Oto-Laryngologica, 2021, 141, 941-947.	0.9	3

#	ARTICLE	IF	CITATIONS
19	A new semi-implantable middle ear implant for sensorineural hearing loss: three-years follow-up in a pilot patientâ€™s group. <i>Acta Oto-Laryngologica</i> , 2018, 138, 31-35.	0.9	2
20	Revision of active middle ear implants (AMEI): causes, surgical issues and rehabilitative transition at a single implanting center. <i>European Archives of Oto-Rhino-Laryngology</i> , 2021, 278, 4289-4294.	1.6	2
21	Simultaneous Contralateral Vestibular Schwannoma and Middle Ear Paraganglioma Tumor. <i>Journal of International Advanced Otology</i> , 2017, 13, 426-429.	1.0	1
22	A case of cavernous hemangioma of the infratemporal fossa causing recurrent secretory otitis media. <i>Brazilian Journal of Otorhinolaryngology</i> , 2022, 88, 999-1002.	1.0	0