## Jolanda de Vries

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8618266/publications.pdf

Version: 2024-02-01

201385 182168 2,983 91 27 51 citations h-index g-index papers 95 95 95 3038 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Measuring fatigue in sarcoidosis: The Fatigue Assessment Scale (FAS). British Journal of Health Psychology, 2004, 9, 279-291.	1.9	270
2	Quality of life after hip fracture in the elderly: A systematic literature review. Injury, 2016, 47, 1369-1382.	0.7	228
3	Content validity, construct validity, and reliability of the WHOQOL-Bref in a population of Dutch adult psychiatric outpatients. Quality of Life Research, 2005, 14, 151-160.	1.5	200
4	Sarcoidosis-associated fatigue. European Respiratory Journal, 2012, 40, 255-263.	3.1	197
5	Everyday Cognitive Failure in Sarcoidosis: The Prevalence and the Effect of Anti-TNF-α Treatment. Respiration, 2010, 80, 212-219.	1.2	122
6	Minimal (clinically) important differences for the Fatigue Assessment Scale in sarcoidosis. Respiratory Medicine, 2011, 105, 1388-1395.	1.3	96
7	The course, prediction, and treatment of acute and posttraumatic stress in trauma patients. Journal of Trauma and Acute Care Surgery, 2017, 82, 1158-1183.	1.1	87
8	The World Health Organization Quality of Life Assessment Instrument (WHOQOL-100): Validation Study with the Dutch Version. European Journal of Psychological Assessment, 1997, 13, 164-178.	1.7	85
9	Diffuse axonal injury after traumatic brain injury is a prognostic factor for functional outcome: a systematic review and meta-analysis. Brain Injury, 2018, 32, 395-402.	0.6	76
10	The Fatigue Assessment Scale. Current Opinion in Pulmonary Medicine, 2018, 24, 495-503.	1.2	75
11	Consequences of Sarcoidosis. Clinics in Chest Medicine, 2015, 36, 727-737.	0.8	69
12	Health status and quality of life in postpartum women: a systematic review of associated factors. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2015, 185, 45-52.	0.5	63
13	Relationship between Symptoms and Quality of Life in a Sarcoidosis Population. Respiration, 2007, 74, 401-405.	1.2	60
14	Uterine Artery Embolization for Symptomatic Adenomyosis with or without Uterine Leiomyomas with the Use of Calibrated Tris-acryl Gelatin Microspheres: Midterm Clinical and MR Imaging Follow-up. Journal of Vascular and Interventional Radiology, 2007, 18, 835-841.	0.2	57
15	Benefits of Physical Training in Sarcoidosis. Lung, 2015, 193, 701-708.	1.4	51
16	Gender Differences in Sarcoidosis: Symptoms, Quality of Life, and Medical Consumption. Women and Health, 2000, 30, 99-114.	0.4	50
17	Determinants of general fatigue and emotional exhaustion: a prospective study. Psychology and Health, 2004, 19, 223-235.	1.2	48
18	The suitability of patient-based measures in the field of Parkinson's disease: A systematic review. Movement Disorders, 2007, 22, 1390-1401.	2.2	46

#	Article	IF	Citations
19	No effect of CBTâ€based online selfâ€help training to reduce fear of cancer recurrence: First results of the CAREST multicenter randomized controlled trial. Psycho-Oncology, 2020, 29, 86-97.	1.0	39
20	Predictors of fatigue in sarcoidosis: The value of exercise testing. Respiratory Medicine, 2016, 116, 49-54.	1.3	38
21	Everyday cognitive failure and depressive symptoms predict fatigue in sarcoidosis: A prospective follow-up study. Respiratory Medicine, 2018, 138, S24-S30.	1.3	38
22	The relationship between fatigue and clinical parameters in pulmonary sarcoidosis. Sarcoidosis Vasculitis and Diffuse Lung Diseases, 2004, 21, 127-36.	0.2	37
23	Quality of Life in Sarcoidosis: Assessment and Management. Seminars in Respiratory and Critical Care Medicine, 2010, 31, 485-493.	0.8	35
24	Quality of life and health status in interstitial lung diseases. Current Opinion in Pulmonary Medicine, 2006, 12, 354-358.	1,2	34
25	Study protocol of the CAREST-trial: a randomised controlled trial on the (cost-) effectiveness of a CBT-based online self-help training for fear of cancer recurrence in women with curatively treated breast cancer. BMC Cancer, 2016, 16, 527.	1.1	31
26	Do dissatisfied patients have unrealistic expectations? A systematic review and best-evidence synthesis in knee and hip arthroplasty patients. EFORT Open Reviews, 2020, 5, 226-240.	1.8	31
27	Physical activity and training in sarcoidosis: review and experience-based recommendations. Expert Review of Respiratory Medicine, 2016, 10, 1057-1068.	1.0	30
28	Health-Related Quality of Life (HRQoL) in Sarcoidosis: Diagnosis, Management, and Health Outcomes. Diagnostics, 2021, 11, 1089.	1.3	30
29	Quality of Life and Health Status in Sarcoidosis: A Review. Seminars in Respiratory and Critical Care Medicine, 2007, 28, 121-127.	0.8	28
30	Quality of Life and Health Status in Sarcoidosis: AÂReview of the Literature. Clinics in Chest Medicine, 2008, 29, 525-532.	0.8	28
31	Determinants of fatigue 6 and 12 months after surgery in women with early-stage breast cancer: A comparison with women with benign breast problems. Journal of Psychosomatic Research, 2009, 66, 495-502.	1.2	28
32	Quality of Life in Patients Suffering from Critical Limb Ischemia. Annals of Vascular Surgery, 2016, 36, 310-319.	0.4	26
33	Translation and validation of the Dutch version of the Fear of Cancer Recurrence Inventory (FCRI-NL). Journal of Psychosomatic Research, 2017, 102, 21-28.	1.2	26
34	Uterine Artery Embolization Versus Hysterectomy in the Treatment of Symptomatic Adenomyosis: Protocol for the Randomized QUESTA Trial. JMIR Research Protocols, 2018, 7, e47.	0.5	26
35	Relationship between perceived stress and sarcoidosis in a Dutch patient population. Sarcoidosis Vasculitis and Diffuse Lung Diseases, 2004, 21, 57-63.	0.2	26
36	Trait anxiety determines depressive symptoms and fatigue in women with an abnormality in the breast. British Journal of Health Psychology, 2009, 14, 143-157.	1.9	24

#	Article	IF	CITATIONS
37	Post Intensive Care Syndrome (PICS): an overview of the definition, etiology, risk factors, and possible counseling and treatment strategies. Expert Review of Neurotherapeutics, 2021, 21, 1159-1177.	1.4	24
38	Development of a Short Version of the Dutch Version of the Spielberger STAI Trait Anxiety Scale in Women Suspected of Breast Cancer and Breast Cancer Survivors. Journal of Clinical Psychology in Medical Settings, 2013, 20, 215-226.	0.8	23
39	How breast cancer survivors cope with fear of recurrence: a focus group study. Supportive Care in Cancer, 2014, 22, 705-712.	1.0	23
40	Sexual, marital, and general life functioning in couples coping with colorectal cancer: a dyadic study across time. Psycho-Oncology, 2015, 24, 1181-1188.	1.0	22
41	Mild Hypogammaglobulinemia Can Be a Serious Condition. Frontiers in Immunology, 2018, 9, 2384.	2.2	22
42	Quality of Life and Mortality after Endovascular, Surgical, or Conservative Treatment of Elderly Patients Suffering from Critical Limb Ischemia. Annals of Vascular Surgery, 2018, 51, 95-105.	0.4	22
43	The Spanish version of the Fatigue Assessment Scale: reliability and validity assessment in postpartum women. PeerJ, 2017, 5, e3832.	0.9	21
44	Development of the Psychosocial Distress Questionnaireâ€"Breast Cancer (PDQ-BC): a breast cancer-specific screening instrument for psychosocial problems. Supportive Care in Cancer, 2011, 19, 1485-1493.	1.0	20
45	Satisfactory results of a psychometric analysis and calculation of minimal clinically important differences of the World Health Organization quality of life-BREF questionnaire in an observational cohort study with lung cancer and mesothelioma patients. BMC Cancer, 2018, 18, 1173.	1.1	20
46	Patients with Diffuse Axonal Injury Can Recover to a Favorable Long-Term Functional and Quality of Life Outcome. Journal of Neurotrauma, 2018, 35, 2357-2364.	1.7	20
47	The use of the PSH-AM in patients with diffuse axonal injury and autonomic dysregulation: A cohort study and review. Journal of Critical Care, 2019, 49, 110-117.	1.0	20
48	Quality of Life and not Health Status Improves After Major Amputation in the Elderly Critical Limb Ischaemia Patient. European Journal of Vascular and Endovascular Surgery, 2019, 57, 547-553.	0.8	15
49	Benefit of Wearing an Activity Tracker in Sarcoidosis. Journal of Personalized Medicine, 2020, 10, 97.	1.1	15
50	Validation of the King's Sarcoidosis Questionnaire (KSQ) in a Dutch sarcoidosis population. Sarcoidosis Vasculitis and Diffuse Lung Diseases, 2016, 33, 75-82.	0.2	15
51	The Relationship Between Psychological Aspects and Trajectories of Symptoms in Total Knee Arthroplasty and Total Hip Arthroplasty. Journal of Arthroplasty, 2021, 36, 78-87.	1.5	13
52	Biopsychosocial predictors of sexual function and quality of sexual life: a study among patients with colorectal cancer. Translational Andrology and Urology, 2015, 4, 206-17.	0.6	13
53	Health status and fatigue of postpartum anemic women: a prospective cohort study. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2014, 181, 119-123.	0.5	12
54	The Association of Mindful Parenting with Glycemic Control and Quality of Life in Adolescents with Type 1 Diabetes: Results from Diabetes MILESâ€"The Netherlands. Mindfulness, 2016, 7, 1227-1237.	1.6	12

#	Article	IF	CITATIONS
55	The relation between psychological profiles and quality of life in patients with lung cancer. Supportive Care in Cancer, 2020, 28, 1359-1367.	1.0	12
56	Quality of Life and Traditional Outcome Results at 1 Year in Elderly Patients Having Critical Limb Ischemia and the Role of Conservative Treatment. Vascular and Endovascular Surgery, 2020, 54, 126-134.	0.3	12
57	Psychosocial consequences of diagnosis and treatment of lung cancer and evaluation of the need for a lung cancer specific instrument using focus group methodology. Supportive Care in Cancer, 2018, 26, 4177-4185.	1.0	11
58	<p>ls amputation in the elderly patient with critical limb ischemia acceptable in the long term?</p> . Clinical Interventions in Aging, 2019, Volume 14, 1177-1185.	1.3	11
59	Is There an Important Role for Anxiety and Depression in the Elderly Patients with Critical Limb Ischemia, Especially After Major Amputation?. Annals of Vascular Surgery, 2019, 58, 142-150.	0.4	10
60	High Pre-Operative Expectations Precede Both Unfulfilled Expectations and Clinical Improvement After Total Hip and Total Knee Replacement. Journal of Arthroplasty, 2020, 35, 1806-1812.	1.5	10
61	Accuracy in prediction of long-term functional outcome in patients with traumatic axonal injury: a comparison of MRI scales. Brain Injury, 2020, 34, 595-601.	0.6	10
62	Everyday cognitive failure in patients suffering from neurosarcoidosis. Sarcoidosis Vasculitis and Diffuse Lung Diseases, 2019, 36, 2-10.	0.2	9
63	Is a Good Quality of Life and Health Status Possible in Older Patients Dying from Critical Limb-Threatening Ischemia: A Prospective Clinical Study. Annals of Vascular Surgery, 2020, 64, 198-201.	0.4	8
64	Patients' experiences and wellbeing after injury: A focus group study. PLoS ONE, 2021, 16, e0245198.	1.1	8
65	The Psychosocial Distress Questionnaire-Breast Cancer (PDQ-BC) is a useful instrument to screen psychosocial problems. Supportive Care in Cancer, 2012, 20, 1659-1665.	1.0	7
66	Important differences between quality of life and health status in elderly patients suffering from critical limb ischemia Important differences between quality of life and health status in elderly patients suffering from critical limb ischemia	1.3	7
67	Cost-effectiveness of the treatments for critical limb ischemia in the elderly population. Journal of Vascular Surgery, 2019, 70, 530-538.e1.	0.6	7
68	Screening for intellectual disability in Dutch psychiatrically disturbed detainees: Assessing the psychometric properties of the Screener for Intelligence and Learning Disability (SCIL). Journal of Applied Research in Intellectual Disabilities, 2020, 33, 1418-1427.	1.3	7
69	Two-year Outcome of Quality of Life and Health Status for the Elderly with Chronic Limb-threatening Ischemia. Clinical Interventions in Aging, 2020, Volume 15, 2383-2395.	1.3	7
70	The relationship between stress and quality of life in psychiatric outpatients. Stress and Health, 2006, 22, 249-255.	1.4	6
71	A randomized controlled trial examining the addition of folic acid to iron supplementation in the treatment of postpartum anemia. International Journal of Gynecology and Obstetrics, 2014, 126, 101-105.	1.0	6
72	Psychometric properties of the psychosocial screening instrument for physical trauma patients (PSIT). Health and Quality of Life Outcomes, 2019, 17, 172.	1.0	6

#	Article	IF	Citations
73	Physical Trauma Patients with Symptoms of an Acute and Posttraumatic Stress Disorder: Protocol for an Observational Prospective Cohort Study. JMIR Research Protocols, 2018, 7, e88.	0.5	6
74	Reliability and Validity of the Psychosocial Distress Questionnaire-Breast Cancer. Journal of Nursing Measurement, 2014, 22, 14-28.	0.2	5
75	Health status, anxiety, and depressive symptoms following complicated and uncomplicated colorectal surgeries. International Journal of Colorectal Disease, 2016, 31, 273-282.	1.0	5
76	Quality of Life of Couples Living with Sarcoidosis. Respiration, 2019, 98, 373-382.	1.2	5
77	Psychological risk factors thatÂcharacterize the trajectories of quality of life after a physical trauma: a longitudinal study using latent class analysis. Quality of Life Research, 2021, 30, 1317-1335.	1.5	5
78	Psychological distress and lower health-related quality of life are associated with need for dietary support among colorectal cancer survivors with overweight or obesity. Supportive Care in Cancer, 2021, 29, 7659-7668.	1.0	5
79	A descriptive systematic review of the relationship between personality traits and quality of life of women with non-metastatic breast cancer. BMC Cancer, 2022, 22, 426.	1.1	5
80	Demographic Characteristics as Predictors of Quality of Life in a Population of Psychiatric Outpatients. Social Indicators Research, 2006, 76, 165-184.	1.4	4
81	A Novel Finding: The Effect of Nurse Practitioners on the Relation to Quality of Life, Anxiety, and Depressive Symptoms in Vascular Surgery. Annals of Vascular Surgery, 2014, 28, 644-650.	0.4	3
82	Characterizing patients' expectations in hip and knee osteoarthritis. Quality of Life Research, 2020, 29, 1509-1519.	1.5	3
83	Quality of Life and Clinical Outcome After Traumatic Spleen Injury (SPLENIQ Study): Protocol for an Observational Retrospective and Prospective Cohort Study. JMIR Research Protocols, 2019, 8, e12391.	0.5	3
84	Cost Effectiveness of Splenic Artery Embolization versus Splenectomy after Trauma in the Netherlands. Journal of Vascular and Interventional Radiology, 2022, 33, 392-398.e4.	0.2	3
85	Predicting Overall Quality of Life and General Health of Veterans With and Without Health Problems. Military Psychology, 2005, 17, 89-100.	0.7	2
86	Factor structure of the Fear of Cancer Recurrence Inventory (FCRI): Comparison of international FCRI factor structure data and factor analysis of the Dutch FCRIâ€NL using three predominantly breast cancer samples. European Journal of Cancer Care, 2021, 30, e13431.	0.7	2
87	Determination of the smallest detectable change (SDC) and the minimal important difference (MID) for the Small Fiber Neuropathy Screening List (SFNSL) in sarcoidosis. Sarcoidosis Vasculitis and Diffuse Lung Diseases, 2018, 35, 333-341.	0.2	2
88	Psychological risk factors that characterize acute stress disorder and trajectories of posttraumatic stress disorder after injury: a study using latent class analysis. Högre Utbildning, 2022, 13, 2006502.	1.4	2
89	Psychosocial screening for patients with prostate cancer: The development and validation of the psychosocial distress questionnaire-prostate cancer. Journal of Psychosocial Oncology, 2016, 34, 512-529.	0.6	1
90	Multicomponent Prehabilitation as a Novel Strategy for Preventing Delirium in Older Chronic Limb Threatening Ischemia Patients: A Study Protocol. Clinical Interventions in Aging, 2022, Volume 17, 767-776.	1.3	1

#	Article	IF	CITATIONS
91	Effect of Surgery on Quality of Life with Operable Breast Cancer in Limited Resource Environments: Reply. World Journal of Surgery, 2011, 35, 457-457.	0.8	O