

Sosa-Ferrera Zoraida

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8618871/sosa-ferrera-zoraida-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

121
papers

3,051
citations

33
h-index

49
g-index

122
ext. papers

3,367
ext. citations

5.2
avg, IF

5.5
L-index

#	Paper	IF	Citations
121	Occurrence and environmental hazard of organic UV filters in seawater and wastewater from Gran Canaria Island (Canary Islands, Spain).. <i>Environmental Pollution</i> , 2022 , 300, 118843	9.3	3
120	Fabric Phase Sorptive Extraction for the Determination of Anthracyclines in Sewage. <i>Separations</i> , 2022 , 9, 69	3.1	0
119	Assessment of anthropogenic pollution by UV filters using macrophytes as bioindicators.. <i>Science of the Total Environment</i> , 2022 , 155012	10.2	
118	Organic pollutants adsorbed on microplastics: Analytical methodologies and occurrence in oceans. <i>Trends in Environmental Analytical Chemistry</i> , 2021 , 29, e00114	12	19
117	UV filters and UV stabilisers adsorbed in microplastic debris from beach sand. <i>Marine Pollution Bulletin</i> , 2021 , 168, 112434	6.7	3
116	Emerging Contaminants in Seafront Zones. Environmental Impact and Analytical Approaches. <i>Separations</i> , 2021 , 8, 95	3.1	
115	An assessment of the concentration of pharmaceuticals adsorbed on microplastics. <i>Chemosphere</i> , 2021 , 266, 129007	8.4	9
114	Occurrence of Pharmaceutical Compounds in Groundwater from the Gran Canaria Island (Spain). <i>Water (Switzerland)</i> , 2021 , 13, 262	3	6
113	Fate and distribution of benzotriazole UV filters and stabilizers in environmental compartments from Gran Canaria Island (Spain): A comparison study. <i>Science of the Total Environment</i> , 2021 , 756, 144086	10.2	10
112	Fabric Phase Sorptive Extraction of Selected Steroid Hormone Residues in Commercial Raw Milk Followed by Ultra-High-Performance Liquid Chromatography-Tandem Mass Spectrometry. <i>Foods</i> , 2021 , 10,	4.9	1
111	Analysis of microplastics-sorbed endocrine-disrupting compounds in pellets and microplastic fragments from beaches. <i>Microchemical Journal</i> , 2021 , 171, 106834	4.8	1
110	Occurrence of benzotriazole UV stabilizers in coastal fishes. <i>Journal of Environmental Management</i> , 2020 , 269, 110805	7.9	7
109	Quantification of cytostatic platinum compounds in wastewater by inductively coupled plasma mass spectrometry after ion exchange extraction. <i>Microchemical Journal</i> , 2020 , 157, 104862	4.8	9
108	Analytical Methodologies for the Determination of Cytostatic Compounds in Environmental Matrices 2020 , 169-195		1
107	Organic UV filters in marine environments: An update of analytical methodologies, occurrence and distribution. <i>Trends in Environmental Analytical Chemistry</i> , 2020 , 25, e00079	12	34
106	Pharmaceutical and personal care product residues in a macrophyte pond-constructed wetland treating wastewater from a university campus: Presence, removal and ecological risk assessment. <i>Science of the Total Environment</i> , 2020 , 703, 135596	10.2	27
105	An Update of the Occurrence of Organic Contaminants of Emerging Concern in the Canary Islands (Spain). <i>Water (Switzerland)</i> , 2020 , 12, 2548	3	3

104	Multiresidue Analysis of Organic UV Filters and UV Stabilizers in Fish of Common Consumption. <i>Foods</i> , 2020 , 9,	4.9	5
103	Cytostatic compounds in sludge and sediment: extraction and determination by a combination of microwave-assisted extraction and UHPLC-MS/MS. <i>Analytical and Bioanalytical Chemistry</i> , 2020 , 412, 3639-3651	4.4	4
102	A Survey of the Presence of Pharmaceutical Residues in Wastewaters. Evaluation of Their Removal using Conventional and Natural Treatment Procedures. <i>Molecules</i> , 2020 , 25,	4.8	11
101	Simultaneous and systematic analysis of cytostatic drugs in wastewater samples by ultra-high performance liquid chromatography tandem mass spectrometry. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2019 , 1110-1111, 124-132	3.2	8
100	Microwave assisted extraction for the determination of antineoplastic compounds in marine fish. <i>Journal of Food Composition and Analysis</i> , 2019 , 82, 103241	4.1	10
99	Analysis and occurrence of benzotriazole ultraviolet stabilisers in different species of seaweed. <i>Chemosphere</i> , 2019 , 236, 124344	8.4	12
98	Monitoring and environmental risk assessment of benzotriazole UV stabilizers in the sewage and coastal environment of Gran Canaria (Canary Islands, Spain). <i>Journal of Environmental Management</i> , 2019 , 233, 567-575	7.9	19
97	Analytical approaches for the determination of personal care products and evaluation of their occurrence in marine organisms. <i>Science of the Total Environment</i> , 2018 , 633, 405-425	10.2	29
96	Study on the removal of hormones from domestic wastewaters with lab-scale constructed wetlands with different substrates and flow directions. <i>Environmental Science and Pollution Research</i> , 2018 , 25, 20374-20384	5.1	17
95	Applications of Fabric Phase Sorptive Extraction to the Determination of Micropollutants in Liquid Samples. <i>Separations</i> , 2018 , 5, 35	3.1	6
94	Simplified solid-phase extraction procedure combined with liquid chromatography tandem-mass spectrometry for multiresidue assessment of pharmaceutical compounds in environmental liquid samples. <i>Journal of Chromatography A</i> , 2017 , 1487, 54-63	4.5	9
93	Nanofiltration/Reverse Osmosis as Pretreatment Technique for Water Reuse: Ultrafiltration Versus Tertiary Membrane Reactor. <i>Clean - Soil, Air, Water</i> , 2017 , 45, 1600014	1.6	3
92	Occurrence and environmental impact of pharmaceutical residues from conventional and natural wastewater treatment plants in Gran Canaria (Spain). <i>Science of the Total Environment</i> , 2017 , 599-600, 934-943	10.2	60
91	Determination of steroid hormones in fish tissues by microwave-assisted extraction coupled to ultra-high performance liquid chromatography tandem mass spectrometry. <i>Food Chemistry</i> , 2017 , 237, 1012-1020	8.5	30
90	Determination of fluoroquinolones in fishes using microwave-assisted extraction combined with ultra-high performance liquid chromatography and fluorescence detection. <i>Journal of Food Composition and Analysis</i> , 2017 , 56, 140-146	4.1	24
89	Optimization and application of fabric phase sorptive extraction coupled to ultra-high performance liquid chromatography tandem mass spectrometry for the determination of cytostatic drug residues in environmental waters. <i>Journal of Chromatography A</i> , 2017 , 1529, 39-49	4.5	19
88	Analytical tools employed to determine pharmaceutical compounds in wastewaters after application of advanced oxidation processes. <i>Environmental Science and Pollution Research</i> , 2016 , 23, 24476-24494	5.1	12
87	Application of microwave-assisted extraction and ultra-high performance liquid chromatography-tandem mass spectrometry for the analysis of sex hormones and corticosteroids in sewage sludge samples. <i>Analytical and Bioanalytical Chemistry</i> , 2016 , 408, 6833-44	4.4	18

86	Analysis of Ni, Cr, Cu, Pb and Cd in marine bioindicators using mixed-micelles with microwave assisted micellar extraction and GF-AAS. <i>Analytical Methods</i> , 2016 , 8, 7141-7149	3.2	9
85	Estimation of kinetic parameters and UV doses necessary to remove twenty-three pharmaceuticals from pre-treated urban wastewater by UV/H ₂ O ₂ . <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2016 , 329, 130-138	4.7	38
84	Cytostatic drugs in environmental samples: An update on the extraction and determination procedures. <i>TrAC - Trends in Analytical Chemistry</i> , 2016 , 80, 373-386	14.6	38
83	Determination of androgens and progestogens in environmental and biological samples using fabric phase sorptive extraction coupled to ultra-high performance liquid chromatography tandem mass spectrometry. <i>Journal of Chromatography A</i> , 2016 , 1437, 116-126	4.5	45
82	Optimization and Development of SPE and MAE Combined with UHPLCFD for the Determination of Acetylsalicylic Acid, Naproxen, Ibuprofen and Gemfibrozil in Sewage and Sludge Samples. <i>Current Analytical Chemistry</i> , 2016 , 12, 545-552	1.7	5
81	Rapid monitoring of residual UV-stabilizers in seawater samples from beaches using fabric phase sorptive extraction and UHPLC-MS/MS. <i>Chemosphere</i> , 2016 , 164, 201-207	8.4	39
80	Clogging reduction and removal of hormone residues with laboratory-scale vertical flow organic-based filter and hybrid wetland. <i>International Journal of Environmental Science and Technology</i> , 2015 , 12, 1039-1052	3.3	8
79	Environmental Applications of Solid Phase Microextraction Techniques 2015 , 1897-1927		
78	Molecularly imprinted solid-phase extraction coupled with ultra high performance liquid chromatography and fluorescence detection for the determination of estrogens and their metabolites in wastewater. <i>Journal of Separation Science</i> , 2015 , 38, 3961-3968	3.4	14
77	Fabric phase sorptive extraction followed by UHPLC-MS/MS for the analysis of benzotriazole UV stabilizers in sewage samples. <i>Analytical and Bioanalytical Chemistry</i> , 2015 , 407, 8137-50	4.4	48
76	An on-line solid phase extraction method coupled with UHPLC-MS/MS for the determination of steroid hormone compounds in treated water samples from waste water treatment plants. <i>Analytical Methods</i> , 2015 , 7, 5996-6005	3.2	23
75	A dispersive liquid-liquid micellar microextraction for the determination of pharmaceutical compounds in wastewaters using ultra-high-performance liquid chromatography with DAD detection. <i>Biomedical Chromatography</i> , 2015 , 29, 353-6	1.7	7
74	DEVELOPMENT OF A NOVEL IN-TUBE SOLID PHASE MICROEXTRACTION BASED ON MICELLAR DESORPTION FOLLOWED BY LC-DAD-FD FOR THE DETERMINATION OF SOME ENDOCRINE DISRUPTOR COMPOUNDS IN ENVIRONMENTAL LIQUID SAMPLES. <i>Journal of Liquid Chromatography and Related Technologies</i> , 2014 , 37, 1654-1672	1.3	6
73	Liquid chromatography methodologies for the determination of steroid hormones in aquatic environmental systems. <i>Trends in Environmental Analytical Chemistry</i> , 2014 , 3-4, 14-27	12	42
72	Microextraction techniques coupled to liquid chromatography with mass spectrometry for the determination of organic micropollutants in environmental water samples. <i>Molecules</i> , 2014 , 19, 10320-49	4.8	48
71	Development and application of a microwave-assisted extraction and LC/MS/MS methodology to the determination of antifouling booster biocides in sea mullets (<i>Mugil cephalus</i>) organisms. <i>Journal of AOAC INTERNATIONAL</i> , 2014 , 97, 197-204	1.7	3
70	Analysis of Personal Care Products in Sediments and Soils. <i>Handbook of Environmental Chemistry</i> , 2014 , 231-262	0.8	1
69	Extraction and determination methodologies for benzotriazole UV stabilizers in personal-care products in environmental and biological samples. <i>TrAC - Trends in Analytical Chemistry</i> , 2013 , 51, 23-32	14.6	33

68	The Use of Microwave Assisted Extraction and On-line Chromatography-Mass Spectrometry for Determining Endocrine-Disrupting Compounds in Sewage Sludges. <i>Water, Air, and Soil Pollution</i> , 2013 , 224, 1	2.6	10
67	An assessment of the concentrations of pharmaceutical compounds in wastewater treatment plants on the island of Gran Canaria (Spain). <i>SpringerPlus</i> , 2013 , 2, 24		18
66	Assessment of the Presence of Pharmaceutical Compounds in Seawater Samples from Coastal Area of Gran Canaria Island (Spain). <i>Antibiotics</i> , 2013 , 2, 274-87	4.9	27
65	Analytical methodologies for the determination of endocrine disrupting compounds in biological and environmental samples. <i>BioMed Research International</i> , 2013 , 2013, 674838	3	58
64	Evaluation of the presence of endocrine-disrupting compounds in dissolved and solid wastewater treatment plant samples of Gran Canaria Island (Spain). <i>BioMed Research International</i> , 2013 , 2013, 790570	3.7	26
63	Simultaneous determination of hormonal residues in treated waters using ultrahigh performance liquid chromatography-tandem mass spectrometry. <i>Journal of Analytical Methods in Chemistry</i> , 2013 , 2013, 210653	2	14
62	Microwave-assisted extraction combined with on-line solid phase extraction followed by ultra-high-performance liquid chromatography with tandem mass spectrometric determination of benzotriazole UV stabilizers in marine sediments and sewage sludges. <i>Journal of Separation Science</i> , 2012 , 35, 731-8	3.4	31
61	Development of a sensitive determination method for benzotriazole UV stabilizers in environmental water samples with stir bar sorption extraction and liquid desorption prior to ultra-high performance liquid chromatography with tandem mass spectrometry. <i>Journal of Separation Science</i> , 2012 , 35, 2168-75	3.4	19
60	High-sensitivity analysis of female-steroid hormones in environmental samples. <i>TrAC - Trends in Analytical Chemistry</i> , 2012 , 34, 35-58	14.6	82
59	Analytical methods for the determination of common booster biocides in marine samples. <i>Open Chemistry</i> , 2012 , 10, 521-533	1.6	2
58	Combination of microwave-assisted micellar extraction with liquid chromatography tandem mass spectrometry for the determination of fluoroquinolone antibiotics in coastal marine sediments and sewage sludges samples. <i>Biomedical Chromatography</i> , 2012 , 26, 33-40	1.7	26
57	Analysis of anti-inflammatory, analgesic, stimulant and antidepressant drugs in purified water from wastewater treatment plants using SPE-LC tandem mass spectrometry. <i>Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering</i> , 2012 , 47, 887-95	2.3	15
56	Optimisation of an in-tube solid phase microextraction method coupled with HPLC for determination of some oestrogens in environmental liquid samples using different capillary columns. <i>International Journal of Environmental Analytical Chemistry</i> , 2012 , 92, 382-396	1.8	16
55	On-line solid-phase extraction coupled to ultra-performance liquid chromatography with tandem mass spectrometry detection for the determination of benzotriazole UV stabilizers in coastal marine and wastewater samples. <i>Analytical and Bioanalytical Chemistry</i> , 2012 , 403, 867-76	4.4	60
54	Development and optimisation of an on-line solid phase extraction coupled to ultra-high-performance liquid chromatography-tandem mass spectrometry methodology for the simultaneous determination of endocrine disrupting compounds in wastewater samples. <i>Journal of Chromatography A</i> , 2012 , 1230, 66-76	4.5	49
53	Determination and assessment of estradiol-mimicking compounds in the dissolved and particulate phases of wastewater treatment plant samples. <i>Journal of AOAC INTERNATIONAL</i> , 2012 , 95, 1195-204	1.7	2
52	COMPARISON OF SOLID PHASE EXTRACTION USING MICELLAR DESORPTION COMBINED WITH LC-FD AND LC-MS/MS IN THE DETERMINATION OF ANTIBIOTICS FLUOROQUINOLONE RESIDUES IN SEWAGE SAMPLES. <i>Journal of Liquid Chromatography and Related Technologies</i> , 2012 , 35, 2081-2096	1.3	8
51	New Developments in Liquid Chromatography Mass Spectrometry for the Determination of Micropollutants. <i>Chromatography Research International</i> , 2012 , 2012, 1-18		10

50	Determination of steroid hormones in biological and environmental samples using green microextraction techniques: an overview. <i>Analytica Chimica Acta</i> , 2011 , 704, 33-46	6.6	93
49	Determination of various estradiol mimicking-compounds in sewage sludge by the combination of microwave-assisted extraction and LC-MS/MS. <i>Talanta</i> , 2011 , 85, 1825-34	6.2	41
48	Probabilistic risk assessment of common booster biocides in surface waters of the harbours of Gran Canaria (Spain). <i>Marine Pollution Bulletin</i> , 2011 , 62, 985-91	6.7	29
47	Applicability of microwave-assisted extraction combined with LC-MS/MS in the evaluation of booster biocide levels in harbour sediments. <i>Chemosphere</i> , 2011 , 82, 96-102	8.4	22
46	A preliminary assessment of levels of antifouling booster biocides in harbours and marinas of the island of Gran Canaria, using SPE-HPLC. <i>Environmental Chemistry Letters</i> , 2011 , 9, 203-208	13.3	8
45	An evaluation of antifouling booster biocides in Gran Canaria coastal waters using SPE-LC MS/MS. <i>International Journal of Environmental Analytical Chemistry</i> , 2011 , 91, 1166-1177	1.8	7
44	Application of new approaches to liquid-phase microextraction for the determination of emerging pollutants. <i>TrAC - Trends in Analytical Chemistry</i> , 2011 , 30, 731-748	14.6	103
43	Determination of alkylphenol polyethoxylates, bisphenol-A, 17 β ethynylestradiol and 17 β estradiol and its metabolites in sewage samples by SPE and LC/MS/MS. <i>Journal of Hazardous Materials</i> , 2010 , 183, 701-11	12.8	101
42	Analytical methodologies for the determination of nitroimidazole residues in biological and environmental liquid samples: a review. <i>Analytica Chimica Acta</i> , 2010 , 665, 113-22	6.6	80
41	Coupling of solid-phase microextraction with micellar desorption and high performance liquid chromatography for the determination of pharmaceutical residues in environmental liquid samples. <i>Biomedical Chromatography</i> , 2009 , 23, 1175-85	1.7	29
40	Solid-phase microextraction with micellar desorption and HPLC-fluorescence detection for the analysis of fluoroquinolones residues in water samples. <i>Analytical and Bioanalytical Chemistry</i> , 2009 , 394, 927-35	4.4	46
39	Determination of alkylphenol ethoxylates and their degradation products in liquid and solid samples. <i>TrAC - Trends in Analytical Chemistry</i> , 2009 , 28, 1186-1200	14.6	51
38	Methodologies for the extraction of phenolic compounds from environmental samples: new approaches. <i>Molecules</i> , 2009 , 14, 298-320	4.8	158
37	Analysis of Organochlorine Pesticides in Mollusc Samples by HPLC after Microwave Assisted Micellar Extraction Coupled with Solid Phase Extraction. <i>Journal of Liquid Chromatography and Related Technologies</i> , 2008 , 31, 865-877	1.3	2
36	Application of microwave-assisted micellar extraction combined with solid-phase microextraction and high-performance liquid chromatography with UV detection for the determination of organochlorine pesticides in different mud samples. <i>International Journal of Environmental Analytical Chemistry</i> , 2008 , 88, 185-197	1.8	6
35	Implementation of solid-phase microextraction with micellar desorption method for priority phenolic compound determination in natural waters. <i>Journal of Chromatographic Science</i> , 2008 , 46, 325-311	1.4	11
34	Preconcentration of pharmaceuticals residues in sediment samples using microwave assisted micellar extraction coupled with solid phase extraction and their determination by HPLC-UV. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2008 , 863, 150-7	3.2	35
33	Recent trends in the use of organized molecular systems combined with chromatographic techniques in environmental analysis. <i>Analytical and Bioanalytical Chemistry</i> , 2008 , 391, 725-33	4.4	9

32	Microwave-assisted micellar extraction coupled with solid-phase extraction for preconcentration of pharmaceuticals in molluscs prior to determination by HPLC. <i>Biomedical Chromatography</i> , 2008 , 22, 1115-122	1.7	35
31	Determination of Organochlorine Pesticides from Agricultural Soils Using Pressurized Liquid Extraction. <i>Soil and Sediment Contamination</i> , 2007 , 17, 1-11	3.2	7
30	Development of a solid-phase microextraction method with micellar desorption for the determination of chlorophenols in water samples. Comparison with conventional solid-phase microextraction method. <i>Journal of Chromatography A</i> , 2007 , 1140, 13-20	4.5	51
29	SPME and SPE comparative study for coupling with microwave-assisted micellar extraction in the analysis of organochlorine pesticides residues in seaweed samples. <i>Microchemical Journal</i> , 2007 , 87, 1394-1406	4.8	25
28	Solid-phase microextraction of benzimidazole fungicides in environmental liquid samples and HPLC-fluorescence determination. <i>Analytical and Bioanalytical Chemistry</i> , 2007 , 387, 1957-63	4.4	48
27	Optimisation of solid-phase microextraction coupled to HPLC-UV for the determination of organochlorine pesticides and their metabolites in environmental liquid samples. <i>Analytical and Bioanalytical Chemistry</i> , 2006 , 386, 332-40	4.4	25
26	Sample extraction method combining micellar extraction-SPME and HPLC for the determination of organochlorine pesticides in agricultural soils. <i>Journal of Agricultural and Food Chemistry</i> , 2006 , 54, 7747-52	5.7	12
25	Microwave assisted micellar extraction coupled with solid phase microextraction for the determination of organochlorine pesticides in soil samples. <i>Analytica Chimica Acta</i> , 2006 , 571, 51-7	6.6	43
24	Use of polyoxyethylene surfactants for the extraction of organochlorine pesticides from agricultural soils. <i>Journal of Chromatography A</i> , 2006 , 1104, 11-7	4.5	18
23	Combination of microwave assisted micellar extraction and liquid chromatography for the determination of organophosphorous pesticides in soil samples. <i>Journal of Chromatography A</i> , 2005 , 1078, 13-21	4.5	63
22	An environmentally friendly method for the extraction and determination of priority phenols in soils using microwave-assisted micellar extraction. <i>Analytical and Bioanalytical Chemistry</i> , 2005 , 382, 1254-53	4.4	26
21	An Approach to the Application of Microwave-Assisted Micellar Extraction and Liquid Chromatography with Ultraviolet Detection to the Extraction and Determination of Organophosphorus Pesticides in Tomato Samples. <i>Journal of AOAC INTERNATIONAL</i> , 2005 , 88, 1485-1490	1.7	6
20	A new and fast extraction method for the determination of priority phenols from marine sediments by liquid chromatography. <i>Journal of Chromatographic Science</i> , 2005 , 43, 282-8	1.4	4
19	The use of micellar systems in the extraction and pre-concentration of organic pollutants in environmental samples. <i>TrAC - Trends in Analytical Chemistry</i> , 2004 , 23, 469-479	14.6	140
18	Use of polyoxyethylene-6-lauryl ether and microwave-assisted extraction for the determination of chlorophenols in marine sediments. <i>Analytica Chimica Acta</i> , 2004 , 524, 133-139	6.6	17
17	Micellar extraction of organophosphorus pesticides and their determination by liquid chromatography. <i>Analytica Chimica Acta</i> , 2004 , 524, 265-270	6.6	101
16	Extraction of PCDDs from Marine Sediments Using Polyoxyethylene 10 Lauryl Ether and Oligoethylene Glycol Monoalkyl Ether Surfactants. <i>Analytical Letters</i> , 2004 , 37, 1385-1399	2.2	4
15	Extraction and preconcentration of polychlorinated dibenzo-p-dioxins using the cloud-point methodology. <i>Analytica Chimica Acta</i> , 2002 , 470, 205-214	6.6	31

14	Use of non-ionic surfactant solutions for the extraction and preconcentration of phenolic compounds in water prior to their HPLC-UV detection. <i>Analyst, The</i> , 2002 , 127, 1031-7	5	62
13	Microwave-assisted extraction of organochlorine compounds in marine sediments with organized molecular systems. <i>Chromatographia</i> , 2001 , 53, 375-379	2.1	14
12	Application of microwave-assisted extraction using micellar media to the determination of polychlorinated biphenyls in marine sediments. <i>Analytica Chimica Acta</i> , 2001 , 433, 237-244	6.6	24
11	Simultaneous Optimization of Surfactant Concentration and Organic Modifier in Micellar Liquid Chromatography. Application to the Separation of Phenolic Compounds. <i>Analytical Letters</i> , 2000 , 33, 1691-1709	2.2	
10	Application of cloud-point methodology to the determination of polychlorinated dibenzofurans in sea water by high-performance liquid chromatography. <i>Analyst, The</i> , 1999 , 124, 487-491	5	48
9	Determination of polychlorinated biphenyls by liquid chromatography following cloud-point extraction. <i>Analytica Chimica Acta</i> , 1998 , 358, 145-155	6.6	48
8	Optimization of the separation selectivity of PCBs in a hydroorganic reverse-phase liquid chromatography in the presence of cetyltrimethylammonium bromide with fluorescence detection. <i>Biomedical Chromatography</i> , 1997 , 11, 333-4	1.7	
7	Spectrofluorimetric determination of 4-chlorobiphenyl and Arochlor 1221 using the fluorescence quenching produced by cetylpyridinium bromide micellar medium. <i>Fresenius Journal of Analytical Chemistry</i> , 1996 , 354, 221-226		2
6	Fluorescence behaviour of polychlorinated dibenzofurans in organized molecular systems. Analytical applications. <i>Mikrochimica Acta</i> , 1995 , 118, 185-196	5.8	4
5	Analysis of binary mixtures of 3,3',4,4'-tetrachlorobiphenyl and 2,3,7,8-tetrachlorodibenzofuran by derivative synchronous fluorescence spectrometry in organized media. <i>Analyst, The</i> , 1994 , 119, 2241-2246	5.6	2
4	Sensitive simultaneous determination of benzo(a)pyrene, perylene and chrysene by synchronous spectrofluorometry in nonionic micellar media. <i>Talanta</i> , 1992 , 39, 1611-7	6.2	17
3	Simultaneous synchronous fluorimetric determination of benzo[a]pyrene and perylene in micellar media. <i>Analytica Chimica Acta</i> , 1991 , 255, 107-111	6.6	17
2	Bioluminescence, chemiluminescence. <i>Fresenius Journal of Analytical Chemistry</i> , 1990 , 337, 86-96		4
1	Comparative study of the electrochemical behaviour of sepiolite and hectorite modified carbon paste electrodes in the determination of dinocap. <i>Analyst, The</i> , 1988 , 113, 621	5	13