

Do Hwan Kim

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8619084/do-hwan-kim-publications-by-year.pdf>
Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

65 papers	3,975 citations	26 h-index	63 g-index
73 ext. papers	4,725 ext. citations	13.6 avg, IF	5.49 L-index

#	Paper	IF	Citations
65	Electroplated core-shell nanowire network electrodes for highly efficient organic light-emitting diodes.. <i>Nano Convergence</i> , 2022 , 9, 1	9.2	4
64	Skin-inspired electrochemical tactility and luminescence. <i>Electrochimica Acta</i> , 2022 , 415, 140259	6.7	2
63	Ferroelectric ion gel-modulated long-term plasticity in organic synaptic transistors. <i>Materials Chemistry and Physics</i> , 2022 , 287, 126227	4.4	1
62	Wireless-Powered VOCs Sensor Based on Energy-Harvesting Metamaterial. <i>Advanced Electronic Materials</i> , 2021 , 7, 2001240	6.4	0
61	Gas Sensing: Scalable Superior Chemical Sensing Performance of Stretchable Ionotronic Skin via a ÷Hole Receptor Effect (Adv. Mater. 13/2021). <i>Advanced Materials</i> , 2021 , 33, 2170102	24	
60	Visco-Poroelastic Electrochemiluminescence Skin with Piezo-Ionic Effect. <i>Advanced Materials</i> , 2021 , 33, e2100321	24	18
59	Scalable Superior Chemical Sensing Performance of Stretchable Ionotronic Skin via a ÷Hole Receptor Effect. <i>Advanced Materials</i> , 2021 , 33, e2007605	24	10
58	Tetrabranched Photo-Crosslinker Enables Micrometer-Scale Patterning of Light-Emitting Super Yellow for High-Resolution OLEDs. <i>ACS Photonics</i> , 2021 , 8, 2519-2528	6.3	1
57	Interpenetrating Polymer Semiconductor Nanonetwork Channel for Ultrasensitive, Selective, and Fast Recovered Chemodetection. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 55107-55115	9.5	2
56	Unveiling Viscoelastic Response of Capacitive-type Pressure Sensor by Controlling Cross-Linking Density and Surface Structure of Elastomer. <i>ACS Applied Polymer Materials</i> , 2020 , 2, 2190-2198	4.3	9
55	Universal three-dimensional crosslinker for all-photopatterned electronics. <i>Nature Communications</i> , 2020 , 11, 1520	17.4	24
54	Waterproof, Highly Tough, and Fast Self-Healing Polyurethane for Durable Electronic Skin. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 11072-11083	9.5	68
53	Iontronic Graphene Tactile Sensors: Enhanced Sensitivity of Iontronic Graphene Tactile Sensors Facilitated by Spreading of Ionic Liquid Pinned on Graphene Grid (Adv. Funct. Mater. 14/2020). <i>Advanced Functional Materials</i> , 2020 , 30, 2070089	15.6	1
52	All-Printed Electronic Skin Based on Deformable and Ionic Mechanotransducer Array. <i>Macromolecular Bioscience</i> , 2020 , 20, e2000147	5.5	7
51	High-capacitance polyurethane ionogels for low-voltage operated organic transistors and pressure sensors. <i>Journal of Materials Chemistry C</i> , 2020 , 8, 17107-17113	7.1	7
50	Low-power, deformable, dynamic multicolor electrochromic skin. <i>Nano Energy</i> , 2020 , 78, 105199	17.1	14
49	Ionic Tactile Sensors for Emerging Human-Interactive Technologies: A Review of Recent Progress. <i>Advanced Functional Materials</i> , 2020 , 30, 1904532	15.6	54

48	Enhanced Sensitivity of Iontronic Graphene Tactile Sensors Facilitated by Spreading of Ionic Liquid Pinned on Graphene Grid. <i>Advanced Functional Materials</i> , 2020 , 30, 1908993	15.6	20
47	A bioinspired hydrogen bond-triggered ultrasensitive ionic mechanoreceptor skin. <i>Nature Communications</i> , 2019 , 10, 4019	17.4	67
46	Intense-pulsed-UV-converted perhydropolysilazane gate dielectrics for organic field-effect transistors and logic gates.. <i>RSC Advances</i> , 2019 , 9, 3169-3175	3.7	5
45	Universal Route to Impart Orthogonality to Polymer Semiconductors for Sub-Micrometer Tandem Electronics. <i>Advanced Materials</i> , 2019 , 31, e1901400	24	12
44	Triboelectric Nanogenerators: An Ultra-Mechanosensitive Visco-Poroelastic Polymer Ion Pump for Continuous Self-Powering Kinematic Triboelectric Nanogenerators (Adv. Energy Mater. 17/2019). <i>Advanced Energy Materials</i> , 2019 , 9, 1970059	21.8	1
43	An Ultra-Mechanosensitive Visco-Poroelastic Polymer Ion Pump for Continuous Self-Powering Kinematic Triboelectric Nanogenerators. <i>Advanced Energy Materials</i> , 2019 , 9, 1803786	21.8	38
42	Multifunctional Tactile Sensors: A Highly Sensitive Tactile Sensor Using a Pyramid-Plug Structure for Detecting Pressure, Shear Force, and Torsion (Adv. Mater. Technol. 3/2019). <i>Advanced Materials Technologies</i> , 2019 , 4, 1970019	6.8	
41	Multifunctional Smart Textronics with Blow-Spun Nonwoven Fabrics. <i>Advanced Functional Materials</i> , 2019 , 29, 1900025	15.6	41
40	Highly Stretchable, High-Mobility, Free-Standing All-Organic Transistors Modulated by Solid-State Elastomer Electrolytes. <i>Advanced Functional Materials</i> , 2019 , 29, 1808909	15.6	21
39	Organic Electronics: Universal Route to Impart Orthogonality to Polymer Semiconductors for Sub-Micrometer Tandem Electronics (Adv. Mater. 28/2019). <i>Advanced Materials</i> , 2019 , 31, 1970204	24	
38	Design of Wavy Ag Microwire Array for Mechanically Stable, Multimodal Vibrational Haptic Interface. <i>Advanced Functional Materials</i> , 2019 , 29, 1902703	15.6	4
37	Ultralow Voltage Driving Circuits Based on Coplanar a-InGaZnO TFTs with Photopatternable Ionic Polymer Gate Dielectric. <i>Advanced Electronic Materials</i> , 2019 , 5, 1900359	6.4	4
36	Deformable Ionic Polymer Artificial Mechanotransducer with an Interpenetrating Nanofibrillar Network. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 29350-29359	9.5	9
35	Biomimetics for high-performance flexible tactile sensors and advanced artificial sensory systems. <i>Journal of Materials Chemistry C</i> , 2019 , 7, 14816-14844	7.1	33
34	Electrical transport characteristics of chemically robust PDPP-DTT embedded in a bridged silsesquioxane network. <i>Journal of Materials Chemistry C</i> , 2019 , 7, 14889-14896	7.1	5
33	A Highly Sensitive Tactile Sensor Using a Pyramid-Plug Structure for Detecting Pressure, Shear Force, and Torsion. <i>Advanced Materials Technologies</i> , 2019 , 4, 1800284	6.8	47
32	An Ultrastable Ionic Chemiresistor Skin with an Intrinsically Stretchable Polymer Electrolyte. <i>Advanced Materials</i> , 2018 , 30, e1706851	24	54
31	Ultrasensitive, Low-Power Oxide Transistor-Based Mechanotransducer with Microstructured, Deformable Ionic Dielectrics. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 31472-31479	9.5	26

30	Sensors: An Ultrastable Ionic Chemiresistor Skin with an Intrinsically Stretchable Polymer Electrolyte (Adv. Mater. 20/2018). <i>Advanced Materials</i> , 2018 , 30, 1870140	24	
29	Solvent-Free Processable and Photo-Patternable Hybrid Gate Dielectric for Flexible Top-Gate Organic Field-Effect Transistors. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 5366-5374	9.5	19
28	Graphene Phototransistors Sensitized by Cu ₂ Se Nanocrystals with Short Amine Ligands. <i>Journal of Physical Chemistry C</i> , 2017 , 121, 5436-5443	3.8	11
27	An Ultrasensitive, Visco-Poroelastic Artificial Mechanotransducer Skin Inspired by Piezo2 Protein in Mammalian Merkel Cells. <i>Advanced Materials</i> , 2017 , 29, 1605973	24	93
26	Conformable and ionic textiles using sheath-core carbon nanotube microyarns for highly sensitive and reliable pressure sensors. <i>RSC Advances</i> , 2017 , 7, 23820-23826	3.7	21
25	Artificial Skin: An Ultrasensitive, Visco-Poroelastic Artificial Mechanotransducer Skin Inspired by Piezo2 Protein in Mammalian Merkel Cells (Adv. Mater. 13/2017). <i>Advanced Materials</i> , 2017 , 29,	24	1
24	Flexible piezocapacitive sensors based on wrinkled microstructures: toward low-cost fabrication of pressure sensors over large areas. <i>RSC Advances</i> , 2017 , 7, 39420-39426	3.7	57
23	Crack-Enhanced Microfluidic Stretchable E-Skin Sensor. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 44678-44686	9.5	36
22	Highly Sensitive Flexible Pressure Sensors Based on Printed Organic Transistors with Centro-Apically Self-Organized Organic Semiconductor Microstructures. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 42996-43003	9.5	38
21	High Resolution a-IGZO TFT Pixel Circuit for Compensating Threshold Voltage Shifts and OLED Degradations. <i>IEEE Journal of the Electron Devices Society</i> , 2017 , 5, 372-377	2.3	25
20	Influence of Dielectric Layers on Charge Transport through Diketopyrrolopyrrole-Containing Polymer Films: Dielectric Polarizability vs Capacitance. <i>ACS Applied Materials & Interfaces</i> , 2016 , 8, 30344-30350	9.5	27
19	Tailoring Morphology and Structure of Inkjet-Printed Liquid-Crystalline Semiconductor/Insulating Polymer Blends for High-Stability Organic Transistors. <i>Advanced Functional Materials</i> , 2016 , 26, 3003-3011	15.6	34
18	Liquid-Crystalline Semiconductors: Tailoring Morphology and Structure of Inkjet-Printed Liquid-Crystalline Semiconductor/Insulating Polymer Blends for High-Stability Organic Transistors (Adv. Funct. Mater. 18/2016). <i>Advanced Functional Materials</i> , 2016 , 26, 3180-3180	15.6	
17	Stretchable and Multimodal All Graphene Electronic Skin. <i>Advanced Materials</i> , 2016 , 28, 2601-8	24	385
16	Linearly and Highly Pressure-Sensitive Electronic Skin Based on a Bioinspired Hierarchical Structural Array. <i>Advanced Materials</i> , 2016 , 28, 5300-6	24	371
15	Intense pulsed light induced crystallization of a liquid-crystalline polymer semiconductor for efficient production of flexible thin-film transistors. <i>Physical Chemistry Chemical Physics</i> , 2016 , 18, 4627-34	3.6	6
14	Combinatorial Study of Temperature-Dependent Nanostructure and Electrical Conduction of Polymer Semiconductors: Even Bimodal Orientation Can Enhance 3D Charge Transport. <i>Advanced Functional Materials</i> , 2016 , 26, 4627-4634	15.6	41
13	Piezopotential-Programmed Multilevel Nonvolatile Memory As Triggered by Mechanical Stimuli. <i>ACS Nano</i> , 2016 , 10, 11037-11043	16.7	26

12	Highly Sensitive and Multimodal All-Carbon Skin Sensors Capable of Simultaneously Detecting Tactile and Biological Stimuli. <i>Advanced Materials</i> , 2015 , 27, 4178-85	24	293
11	Thermotropic Phase Transition of Benzodithiophene Copolymer Thin Films and Its Impact on Electrical and Photovoltaic Characteristics. <i>Chemistry of Materials</i> , 2015 , 27, 1223-1232	9.6	10
10	Sequentially solution-processed, nanostructured polymer photovoltaics using selective solvents. <i>Energy and Environmental Science</i> , 2014 , 7, 1103	35.4	49
9	Transparent, low-power pressure sensor matrix based on coplanar-gate graphene transistors. <i>Advanced Materials</i> , 2014 , 26, 4735-40	24	160
8	Organic Transistors: 25th Anniversary Article: Microstructure Dependent Bias Stability of Organic Transistors (Adv. Mater. 11/2014). <i>Advanced Materials</i> , 2014 , 26, 1634-1634	24	5
7	Thiolene Cross-Linked Polymer Gate Dielectrics for Low-Voltage Organic Thin-Film Transistors. <i>Chemistry of Materials</i> , 2013 , 25, 4806-4812	9.6	80
6	Comparison of the Photovoltaic Characteristics and Nanostructure of Fullerenes Blended with Conjugated Polymers with Siloxane-Terminated and Branched Aliphatic Side Chains. <i>Chemistry of Materials</i> , 2013 , 25, 431-440	9.6	71
5	Flexible polymer transistors with high pressure sensitivity for application in electronic skin and health monitoring. <i>Nature Communications</i> , 2013 , 4, 1859	17.4	1446
4	Crystalline nanostructure and morphology of TriF-IF-dione for high-performance stable n-type field-effect transistors. <i>Journal of Materials Chemistry</i> , 2012 , 22, 14617		5
3	High-Performance Stable-Type Indenofluorenedione Field-Effect Transistors. <i>Chemistry of Materials</i> , 2011 , 23, 4038-4044	9.6	41
2	Interference-Free, Multimodal Electronic Skin Matrix with Low-Power, Monolithic Integrated Circuits. <i>Advanced Materials Technologies</i> , 2101020	6.8	2
1	A Self-Healing and Ionic Liquid Affiliative Polyurethane toward a Piezo 2 Protein Inspired Ionic Skin. <i>Advanced Functional Materials</i> , 2106341	15.6	5