

Jose A Rodriguez

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8620036/publications.pdf>

Version: 2024-02-01

69
papers

2,561
citations

159585

30
h-index

189892

50
g-index

71
all docs

71
docs citations

71
times ranked

1877
citing authors

#	ARTICLE	IF	CITATIONS
1	The Squeaking Hip: A Phenomenon of Ceramic-on-Ceramic Total Hip Arthroplasty. <i>Journal of Bone and Joint Surgery - Series A</i> , 2009, 91, 1344-1349.	3.0	232
2	Does the Direct Anterior Approach in THA Offer Faster Rehabilitation and Comparable Safety to the Posterior Approach?. <i>Clinical Orthopaedics and Related Research</i> , 2014, 472, 455-463.	1.5	185
3	Correction of limb-length inequality during total hip arthroplasty. <i>Journal of Arthroplasty</i> , 2001, 16, 715-720.	3.1	178
4	Does Fluoroscopy With Anterior Hip Arthroplasty Decrease Acetabular Cup Variability Compared With a Nonguided Posterior Approach?. <i>Clinical Orthopaedics and Related Research</i> , 2014, 472, 1877-1885.	1.5	123
5	The Press-Fit Condylar Modular Total Knee System. Four-to-Six-Year Results with a Posterior-Cruciate-Substituting Design*. <i>Journal of Bone and Joint Surgery - Series A</i> , 1997, 79, 342-8.	3.0	110
6	Modern Trunnions Are More Flexible: A Mechanical Analysis of THA Taper Designs. <i>Clinical Orthopaedics and Related Research</i> , 2014, 472, 3963-3970.	1.5	93
7	Adoption of Robotic vs Fluoroscopic Guidance in Total Hip Arthroplasty: Is Acetabular Positioning Improved in the Learning Curve?. <i>Journal of Arthroplasty</i> , 2017, 32, 125-130.	3.1	88
8	Metal-Backed and All-Polyethylene Tibial Components in Total Knee Replacement. <i>Clinical Orthopaedics and Related Research</i> , 2001, 392, 174-183.	1.5	84
9	Comparison of the PFC sigma fixed-bearing and rotating-platform total knee arthroplasty in the same patient. <i>Journal of Arthroplasty</i> , 2004, 19, 35-39.	3.1	84
10	Long-term results of total knee arthroplasty in class 3 and 4 rheumatoid arthritis. <i>Journal of Arthroplasty</i> , 1996, 11, 141-145.	3.1	77
11	New Findings in Hip Capsular Anatomy: Dimensions of Capsular Thickness and Pericapsular Contributions. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2014, 30, 1235-1245.	2.7	76
12	Risk Factors for Wound Complications After Direct Anterior Approach Hip Arthroplasty. <i>Journal of Arthroplasty</i> , 2016, 31, 2583-2587.	3.1	75
13	Similar Improvement in Gait Parameters Following Direct Anterior & Posterior Approach Total Hip Arthroplasty. <i>Journal of Arthroplasty</i> , 2014, 29, 1261-1264.	3.1	70
14	Two-Year to Five-Year Follow-Up of Femoral Defects in Femoral Revision Treated With the Link MP Modular Stem. <i>Journal of Arthroplasty</i> , 2009, 24, 751-758.	3.1	69
15	Heavy metals in northern Chilean rivers: Spatial variation and temporal trends. <i>Journal of Hazardous Materials</i> , 2010, 181, 747-754.	12.4	67
16	Reproducible fixation with a tapered, fluted, modular, titanium stem in revision hip arthroplasty at 8-15 years follow-up. <i>Journal of Arthroplasty</i> , 2014, 29, 214-218.	3.1	67
17	Distal Fixation of Proximally Coated Tapered Stems May Predispose to a Failure of Osteointegration. <i>Journal of Arthroplasty</i> , 2011, 26, 78-83.	3.1	65
18	Clinical and radiographic evaluation of the Harris-Galante Cup. <i>Journal of Arthroplasty</i> , 2000, 15, 139-145.	3.1	58

#	ARTICLE	IF	CITATIONS
19	Does Total Knee Arthroplasty Change Frontal Plane Knee Biomechanics During Gait?. <i>Clinical Orthopaedics and Related Research</i> , 2012, 470, 1171-1176.	1.5	55
20	Experience With an All-Polyethylene Total Knee Arthroplasty in Younger, Active Patients With Follow-up From 2 to 11 Years. <i>Journal of Arthroplasty</i> , 2005, 20, 7-11.	3.1	46
21	Management of Failed Trochanteric Fracture Fixation With Cementless Modular Hip Arthroplasty Using a Distally Fixing Stem. <i>Journal of Arthroplasty</i> , 2011, 26, 398-403.	3.1	44
22	Accuracy of Diagnostic Injection in Differentiating Source of Atypical Hip Pain. <i>Journal of Arthroplasty</i> , 2010, 25, 129-133.	3.1	42
23	Nutrients dynamics in the main river basins of the centre-southern region of Chile. <i>Journal of Hazardous Materials</i> , 2010, 175, 608-613.	12.4	42
24	Closed incision negative pressure therapy decreases complications after periprosthetic fracture surgery around the hip and knee. <i>Injury</i> , 2018, 49, 386-391.	1.7	42
25	Aseptic Loosening at the Tibia in Total Knee Arthroplasty: A Function of Cement Mantle Quality?. <i>Journal of Arthroplasty</i> , 2020, 35, S190-S196.	3.1	40
26	Cross-Linked Polyethylene in Total Knee Arthroplasty. <i>Journal of Arthroplasty</i> , 2008, 23, 31-34.	3.1	37
27	Revision Arthroplasty for the Management of Stiffness After Primary TKA. <i>Journal of Arthroplasty</i> , 2017, 32, 1935-1939.	3.1	36
28	Patterns of Osseointegration and Remodeling in Femoral Revision With Bone Loss Using Modular, Tapered, Fluted, Titanium Stems. <i>Journal of Arthroplasty</i> , 2011, 26, 1409-1417.e1.	3.1	33
29	Intra-articular hip injection: does pain relief correlate with radiographic severity of osteoarthritis?. <i>Skeletal Radiology</i> , 2011, 40, 1449-1454.	2.0	33
30	The Effect of Taper Angle and Spline Geometry on the Initial Stability of Tapered, Splined Modular Titanium Stems. <i>Journal of Arthroplasty</i> , 2015, 30, 1254-1259.	3.1	22
31	Squeaking in Total Hip Replacement: A Cause for Concern. <i>Orthopedics</i> , 2008, 31, 874, 877-8.	1.1	19
32	Applied Anatomy of the Direct Anterior Approach for Femoral Mobilization. <i>JBJS Essential Surgical Techniques</i> , 2017, 7, e18.	0.8	18
33	All-Polyethylene Tibial Implant in Young, Active Patients. <i>Journal of Arthroplasty</i> , 2012, 27, 10-14.	3.1	17
34	Iliopsoas Impingement After Direct Anterior Approach Total Hip Arthroplasty: Epidemiology, Risk Factors, and Treatment Options. <i>Journal of Arthroplasty</i> , 2021, 36, 1772-1778.	3.1	16
35	Metal allergy response to femoral head-neck corrosion after total hip replacement. <i>Current Orthopaedic Practice</i> , 2010, 21, 530-533.	0.2	15
36	Symptomatic Flexion Instability in Posterior Stabilized Primary Total Knee Arthroplasty. <i>Orthopedics</i> , 2014, 37, e768-74.	1.1	15

#	ARTICLE	IF	CITATIONS
37	Posterior cruciateâ€“sacrificing versus posterior cruciateâ€“substituting total knee arthroplasty. Journal of Arthroplasty, 2001, 16, 409-414.	3.1	14
38	Adverse Local Tissue Reaction due to Mechanically Assisted Crevice Corrosion Presenting as Late Instability Following Metal-on-Polyethylene Total Hip Arthroplasty. Journal of Arthroplasty, 2020, 35, 2666-2670.	3.1	14
39	DOES THE TOTAL CONDYLAR 3 CONSTRAINED KNEE PROSTHESIS PREDISPOSE TO FAILURE OF REVISION TOTAL KNEE REPLACEMENT?. Journal of Bone and Joint Surgery - Series A, 2003, 85, 153-156.	3.0	12
40	Polyethylene Subluxation: A Radiographic Sign of Locking Mechanism Failure After Modular Total Knee Arthroplasty. Journal of Arthroplasty, 2011, 26, 98-102.	3.1	11
41	Fixation and Osteolysis in Plasma-Sprayed Hemispherical Cups With Hybrid Total Hip Arthroplasty. Journal of Arthroplasty, 2007, 22, 531-534.	3.1	10
42	Femoral Revision Arthroplasty for Su Type 3 Supracondylar Periprosthetic Knee Fractures. Journal of Knee Surgery, 2015, 28, 349-354.	1.6	10
43	Femoral revision for periprosthetic fracture in total hip arthroplasty. Journal of Clinical Orthopaedics and Trauma, 2020, 11, 16-21.	1.5	10
44	Early Failure of a Ceramic-on-Metal Total Hip Arthroplasty. JBJS Case Connector, 2012, 2, e25.	0.3	8
45	Randomized Controlled Trial of Incisional Negative Pressure Following High-Risk Direct Anterior Total Hip Arthroplasty. Journal of Arthroplasty, 2022, 37, S931-S936.	3.1	8
46	Management of Vancouver Type-B2 and B3 Periprosthetic Femoral Fractures. JBJS Essential Surgical Techniques, 2017, 7, e27.	0.8	6
47	Direct anterior approach to THR: what it is and what it is not. Current Reviews in Musculoskeletal Medicine, 2013, 6, 276-278.	3.5	5
48	Differential Effect of Total Knee Arthroplasty on Valgus and Varus Knee Biomechanics During Gait. Journal of Arthroplasty, 2016, 31, 248-253.	3.1	5
49	Optimum anatomic socket position and sizing for the direct anterior approach: impingement and instability. Arthroplasty Today, 2019, 5, 154-158.	1.6	5
50	Preoperative Planning and Surgical Technique in the Management of Periprosthetic Femoral Fractures Using a Tapered Modular Fluted Prosthesis With Distal Fixation. Operative Techniques in Orthopaedics, 2009, 19, 137-142.	0.1	4
51	Cemented primary total hip arthroplasty using a direct anterior approach. Seminars in Arthroplasty, 2018, 29, 147-152.	0.7	4
52	Early failure of a modern moderately cross-linked polyethylene acetabular liner. Arthroplasty Today, 2020, 6, 224-226.	1.6	4
53	How Does Contact Length Impact Titanium Tapered Splined Stem Stability: A Biomechanical Matched Pair Cadaveric Study. Journal of Arthroplasty, 2021, 36, 3333-3339.	3.1	4
54	Risk Factors for Periprosthetic Femoral Fracture in Non-cemented Total Hip Arthroplasty Through the Direct Anterior Approach. HSS Journal, 2022, 18, 368-375.	1.7	4

#	ARTICLE	IF	CITATIONS
55	Simultaneous Bilateral Total Hip Arthroplasty With Contemporary Blood Management is Associated With a Low Risk of Allogeneic Blood Transfusion. <i>Journal of Arthroplasty</i> , 2022, 37, 544-548.	3.1	4
56	Bone loss management: A potpourri of options. <i>Seminars in Arthroplasty</i> , 2018, 29, 254-259.	0.7	2
57	Predicting Total Knee Arthroplasty Outpatient Discharge: Surgeons versus Insurance Companies. <i>Journal of Arthroplasty</i> , 2022, 37, S766-S770.	3.1	2
58	Cemented Femoral Fixation in a High-Risk Cohort Diminishes Risk of Early Postoperative Periprosthetic Fracture. <i>Journal of Arthroplasty</i> , 2022, 37, 1827-1831.	3.1	2
59	Modular tapered fluted stems: An accommodating option in the setting of femoral bone deficiency. <i>Seminars in Arthroplasty</i> , 2015, 26, 163-166.	0.7	1
60	The mini-anterior approach: Optimizes total hip arthroplasty outcome—Affirms. <i>Seminars in Arthroplasty</i> , 2015, 26, 136-139.	0.7	1
61	Failure of a Unidirectional Barbed-Suture Device at the Arthrotomy Repair Site Following Total and Unicondylar Knee Arthroplasty. <i>JBJS Case Connector</i> , 2018, 8, e80-e80.	0.3	1
62	Extended Trochanteric Osteotomy Closure Performed Before or After Canal Preparation and Stem Impaction Does Not Affect Axial Stability. <i>Journal of Arthroplasty</i> , 2021, , .	3.1	1
63	Aseptic Tibial Implant Loosening After Total Knee Arthroplasty: Preventable?. <i>Journal of the American Academy of Orthopaedic Surgeons</i> , The, 2021, 29, 326-330.	2.5	1
64	Transfusion Avoidance in Severely Anemic Total Hip and Total Knee Arthroplasty Patients: An Analysis of Risk. <i>Arthroplasty Today</i> , 2022, 14, 128-132.	1.6	1
65	The direct anterior approach: First among equals—Affirms. <i>Seminars in Arthroplasty</i> , 2017, 28, 194-200.	0.7	0
66	Custom Total Knee Replacement. , 2015, , 1-10.		0
67	Custom Total Knee Replacement. , 2016, , 1357-1365.		0
68	Flexion Instability. , 2018, , 207-218.		0
69	Risk of Instability After Revision Total Knee Arthroplasty for Periprosthetic Joint Infection. <i>Orthopedics</i> , 2022, , 1-6.	1.1	0