## Fernando J Diaz-Benjumea

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8620717/publications.pdf Version: 2024-02-01

		623734	713466
21	1,336	14	21
papers	citations	h-index	g-index
22	22	22	1010
ZZ	ZZ	22	1012
all docs	docs citations	times ranked	citing authors

#	Article	IF	CITATIONS
1	In vivo analysis of the evolutionary conserved BTD-box domain of Sp1 and Btd during Drosophila development. Developmental Biology, 2020, 466, 77-89.	2.0	2
2	Temporal groups of lineage-related neurons have different neuropeptidergic fates and related functions in the Drosophila melanogaster CNS. Cell and Tissue Research, 2020, 381, 381-396.	2.9	2
3	Origin and specification of type-II neuroblasts in the Drosophila embryo. Development (Cambridge), 2018, 145, .	2.5	31
4	Variability in the number of abdominal leucokinergic neurons in adult <i>Drosophila melanogaster</i> . Journal of Comparative Neurology, 2017, 525, 639-660.	1.6	5
5	Roles of <i>Hox</i> genes in the patterning of the central nervous system of <i>Drosophila</i> . Fly, 2014, 8, 26-32.	1.7	31
6	Specification of neuronal subtypes by different levels of Hunchback. Development (Cambridge), 2014, 141, 4366-4374.	2.5	21
7	Origin and specification of the brain leucokinergic neurons of <i>Drosophila</i> : Similarities to and differences from abdominal leucokinergic neurons. Developmental Dynamics, 2014, 243, 402-414.	1.8	8
8	Multiple roles of the gene zinc finger homeodomain-2 in the development of the Drosophila wing. Mechanisms of Development, 2013, 130, 467-481.	1.7	17
9	Bithorax-complex genes sculpt the pattern of leucokinergic neurons in the <i>Drosophila</i> central nervous system. Development (Cambridge), 2013, 140, 2139-2148.	2.5	24
10	A genetic cascade involving <i>klumpfuss, nab</i> and <i>castor</i> specifies the abdominal leucokinergic neurons in the <i>Drosophila</i> CNS. Development (Cambridge), 2010, 137, 3327-3336.	2.5	30
11	Lineage-unrelated neurons generated in different temporal windows and expressing different combinatorial codes can converge in the activation of the same terminal differentiation gene. Mechanisms of Development, 2010, 127, 458-471.	1.7	10
12	Neuronal Subtype Specification within a Lineage by Opposing Temporal Feed-Forward Loops. Cell, 2009, 139, 969-982.	28.9	153
13	Temporal and spatial windows delimit activation of the outer ring of wingless in the Drosophila wing. Developmental Biology, 2009, 328, 445-455.	2.0	10
14	The Drosophila gene zfh2 is required to establish proximal-distal domains in the wing disc. Developmental Biology, 2008, 320, 102-112.	2.0	44
15	Nab controls the activity of the zinc-finger transcription factors Squeeze and Rotund in Drosophila development. Development (Cambridge), 2007, 134, 1845-1852.	2.5	42
16	The role of the T-box gene optomotor-blind in patterning the Drosophila wing. Developmental Biology, 2004, 268, 481-492.	2.0	45
17	Different mechanisms initiate and maintain wingless expression in the Drosophila wing hinge. Development (Cambridge), 2002, 129, 3995-4004.	2.5	15
18	Specification of the wing by localized expression of wingless protein. Nature, 1996, 381, 316-318.	27.8	205

#	Article	IF	CITATIONS
19	ORGANIZING SPATIAL PATTERN IN LIMB DEVELOPMENT. Annual Review of Cell and Developmental Biology, 1996, 12, 161-180.	9.4	139
20	Signal transduction by cAMP-dependent protein kinase A in Drosophila limb patterning. Nature, 1995, 373, 711-715.	27.8	169
21	Cell interaction between compartments establishes the proximal-distal axis of Drosophila legs. Nature, 1994, 372, 175-179.	27.8	333