

Yasuhiro Fujisawa

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8622419/publications.pdf>

Version: 2024-02-01

256
papers

3,830
citations

159525

30
h-index

182361

51
g-index

261
all docs

261
docs citations

261
times ranked

4851
citing authors

#	ARTICLE	IF	CITATIONS
1	Deep learning-based, computer-aided classifier developed with a small dataset of clinical images surpasses board-certified dermatologists in skin tumour diagnosis. <i>British Journal of Dermatology</i> , 2019, 180, 373-381.	1.4	214
2	Correlation between vitiligo occurrence and clinical benefit in advanced melanoma patients treated with nivolumab: A multi-institutional retrospective study. <i>Journal of Dermatology</i> , 2017, 44, 117-122.	0.6	170
3	A proposal for a TNM staging system for extramammary Paget disease: Retrospective analysis of 301 patients with invasive primary tumors. <i>Journal of Dermatological Science</i> , 2016, 83, 234-239.	1.0	112
4	Intratumoral expression levels of PD-L1, GZMA, and HLA-A along with oligoclonal T cell expansion associate with response to nivolumab in metastatic melanoma. <i>Oncolmmunology</i> , 2016, 5, e1204507.	2.1	107
5	Serum level of interleukin-6 is increased in nivolumab-associated psoriasiform dermatitis and tumor necrosis factor- α is a biomarker of nivolumab recativity. <i>Journal of Dermatological Science</i> , 2017, 86, 71-73.	1.0	105
6	Tumor-Associated Macrophages: Therapeutic Targets for Skin Cancer. <i>Frontiers in Oncology</i> , 2018, 8, 3.	1.3	104
7	Cytokine biomarkers to predict antitumor responses to nivolumab suggested in a phase 2 study for advanced melanoma. <i>Cancer Science</i> , 2017, 108, 1022-1031.	1.7	100
8	Chemoradiotherapy with taxane is superior to conventional surgery and radiotherapy in the management of cutaneous angiosarcoma: a multicentre, retrospective study. <i>British Journal of Dermatology</i> , 2014, 171, 1493-1500.	1.4	93
9	Clinical characteristics associated with BRAF, NRAS and KIT mutations in Japanese melanoma patients. <i>Journal of Dermatological Science</i> , 2015, 80, 33-37.	1.0	87
10	Indocyanine green fluorescence-navigated sentinel node biopsy showed higher sensitivity than the radioisotope or blue dye method, which may help to reduce false-negative cases in skin cancer. <i>Journal of Surgical Oncology</i> , 2012, 106, 41-45.	0.8	86
11	Serum levels of soluble CD163 and CXCL5 may be predictive markers for immune-related adverse events in patients with advanced melanoma treated with nivolumab: a pilot study. <i>Oncotarget</i> , 2018, 9, 15542-15551.	0.8	80
12	Attenuation of UVB-Induced Sunburn Reaction and Oxidative DNA Damage with no Alterations in UVB-Induced Skin Carcinogenesis in Nrf2 Gene-Deficient Mice. <i>Journal of Investigative Dermatology</i> , 2008, 128, 1773-1779.	0.3	76
13	Correlation between blood cell count and outcome of melanoma patients treated with anti-PD-1 antibodies. <i>Japanese Journal of Clinical Oncology</i> , 2019, 49, 431-437.	0.6	75
14	Clinical and histopathological characteristics and survival analysis of 4594 Japanese patients with melanoma. <i>Cancer Medicine</i> , 2019, 8, 2146-2156.	1.3	74
15	Cutaneous Angiosarcoma: The Possibility of New Treatment Options Especially for Patients with Large Primary Tumor. <i>Frontiers in Oncology</i> , 2018, 8, 46.	1.3	68
16	The role of sentinel lymph node biopsy in the management of invasive extramammary Paget's disease: Multi-center, retrospective study of 151 patients. <i>Journal of Dermatological Science</i> , 2015, 79, 38-42.	1.0	67
17	Fluctuations in routine blood count might signal severe immune-related adverse events in melanoma patients treated with nivolumab. <i>Journal of Dermatological Science</i> , 2017, 88, 225-231.	1.0	67
18	Usefulness of docetaxel as first-line chemotherapy for metastatic extramammary Paget's disease. <i>Journal of Dermatology</i> , 2016, 43, 633-637.	0.6	59

#	ARTICLE	IF	CITATIONS
19	Infiltration of PD-1-positive cells in combination with tumor site PD-L1 expression is a positive prognostic factor in cutaneous angiosarcoma. <i>Oncolmmunology</i> , 2017, 6, e1253657.	2.1	55
20	The Possibility of Deep Learning-Based, Computer-Aided Skin Tumor Classifiers. <i>Frontiers in Medicine</i> , 2019, 6, 191.	1.2	53
21	Severe hepatitis arising from ipilimumab administration, following melanoma treatment with nivolumab. <i>Japanese Journal of Clinical Oncology</i> , 2017, 47, 175-178.	0.6	52
22	Retrospective study of advanced melanoma patients treated with ipilimumab after nivolumab: Analysis of 60 Japanese patients. <i>Journal of Dermatological Science</i> , 2018, 89, 60-66.	1.0	52
23	Evidence-Based Clinical Practice Guidelines for Extramammary Paget Disease. <i>JAMA Oncology</i> , 2022, 8, 618.	3.4	46
24	Nivolumab-induced thyroid dysfunction. <i>Japanese Journal of Clinical Oncology</i> , 2016, 46, 575-579.	0.6	44
25	Diagnosis and Management of Acral Lentiginous Melanoma. <i>Current Treatment Options in Oncology</i> , 2018, 19, 42.	1.3	44
26	Baseline neutrophil to lymphocyte ratio combined with serum lactate dehydrogenase level associated with outcome of nivolumab immunotherapy in a Japanese advanced melanoma population. <i>British Journal of Dermatology</i> , 2018, 179, 213-215.	1.4	42
27	<sc>CD</sc> 8 resident memory T cells with interleukin 17A-producing potential are accumulated in disease-ve nonlesional sites of psoriasis possibly in correlation with disease duration. <i>British Journal of Dermatology</i> , 2019, 181, 410-412.	1.4	42
28	Metastatic extramammary Paget's disease successfully controlled with tumour dormancy therapy using docetaxel. <i>British Journal of Dermatology</i> , 2006, 154, 375-376.	1.4	40
29	Chemoradiation using low-dose cisplatin and 5-fluorouracil in locally advanced squamous cell carcinoma of the skin: A report of two cases. <i>Journal of the American Academy of Dermatology</i> , 2006, 55, S81-S85.	0.6	39
30	Effects of non-amputative wide local excision on the local control and prognosis of <i>in situ</i> and invasive subungual melanoma. <i>Journal of Dermatology</i> , 2015, 42, 861-866.	0.6	37
31	Usefulness of sentinel lymph node biopsy for extramammary Paget disease. <i>British Journal of Dermatology</i> , 2012, 167, 954-956.	1.4	33
32	A Custom-Made, Low-Cost Intraoperative Fluorescence Navigation System with Indocyanine Green for Sentinel Lymph Node Biopsy in Skin Cancer. <i>Dermatology</i> , 2011, 222, 261-268.	0.9	31
33	Long-term follow up of nivolumab in previously untreated Japanese patients with advanced or recurrent malignant melanoma. <i>Cancer Science</i> , 2019, 110, 1995-2003.	1.7	31
34	Activation of CD8 T cells accelerates anti-PD-1 antibody-induced psoriasis-like dermatitis through IL-6. <i>Communications Biology</i> , 2020, 3, 571.	2.0	31
35	<i>NF</i>1 gene silencing induces upregulation of vascular endothelial growth factor expression in both Schwann and non-Schwann cells. <i>Experimental Dermatology</i> , 2013, 22, 262-265.	1.4	29
36	Serum Level of Soluble CD163 May Be a Predictive Marker of the Effectiveness of Nivolumab in Patients With Advanced Cutaneous Melanoma. <i>Frontiers in Oncology</i> , 2018, 8, 530.	1.3	27

#	ARTICLE	IF	CITATIONS
37	Outcome of combination therapy using BRAF and MEK inhibitors among Asian patients with advanced melanoma: An analysis of 112 cases. <i>European Journal of Cancer</i> , 2021, 145, 210-220.	1.3	27
38	Improvement of the sentinel lymph node detection rate of cervical sentinel lymph node biopsy using real-time fluorescence navigation with indocyanine green in head and neck skin cancer. <i>Journal of Dermatology</i> , 2013, 40, 453-457.	0.6	26
39	Tumor-to-bone distance of invasive subungual melanoma: An analysis of 30 cases. <i>Journal of Dermatology</i> , 2014, 41, 872-877.	0.6	26
40	The efficacy of eribulin mesylate for patients with cutaneous angiosarcoma previously treated with taxane: a multicentre prospective observational study. <i>British Journal of Dermatology</i> , 2020, 183, 831-839.	1.4	26
41	Nuclear Factor Erythroid 2-Related Factor 2 (Nrf2) Regulates Epidermal Keratinization under Psoriatic Skin Inflammation. <i>American Journal of Pathology</i> , 2020, 190, 577-585.	1.9	26
42	The benefit of a sentinel lymph node biopsy and adjuvant therapy in thick (>4 mm) melanoma. <i>Melanoma Research</i> , 2012, 22, 362-367.	0.6	24
43	Diffuse erythema with "angel wings" sign in Japanese patients with anti-small ubiquitin-like modifier activating enzyme antibody-associated dermatomyositis. <i>British Journal of Dermatology</i> , 2018, 179, 1414-1415.	1.4	24
44	Unbiased Detection of Driver Mutations in Extramammary Paget Disease. <i>Clinical Cancer Research</i> , 2021, 27, 1756-1765.	3.2	24
45	Significance of BRAF Kinase Inhibitors for Melanoma Treatment: From Bench to Bedside. <i>Cancers</i> , 2019, 11, 1342.	1.7	22
46	Clec10a regulates mite-induced dermatitis. <i>Science Immunology</i> , 2019, 4, .	5.6	22
47	Immune response to dermatomyositis-specific autoantigen, transcriptional intermediary factor 1 β can result in experimental myositis. <i>Annals of the Rheumatic Diseases</i> , 2021, 80, 1201-1208.	0.5	20
48	Induction of graft-versus-autoimmune (GVA) disease effect against refractory psoriasis by complete donor-type chimerism and graft-versus-host disease after allogeneic hematopoietic stem cell transplantation. <i>Bone Marrow Transplantation</i> , 2003, 32, 439-442.	1.3	19
49	Association of Baseline Serum Levels of CXCL5 With the Efficacy of Nivolumab in Advanced Melanoma. <i>Frontiers in Medicine</i> , 2019, 6, 86.	1.2	18
50	Intraoperative mapping with isosulfan blue of lymphatic leakage during inguinal lymph node dissection (ILND) for skin cancer for the prevention of postoperative lymphocele. <i>Journal of Surgical Oncology</i> , 2011, 104, 657-660.	0.8	17
51	Comparison between taxane-based chemotherapy with conventional surgery-based therapy for cutaneous angiosarcoma: a single-center experience. <i>Journal of Dermatological Treatment</i> , 2014, 25, 419-423.	1.1	17
52	<i>Malassezia</i> -derived aryl hydrocarbon receptor ligands enhance the CCL20/Th17/soluble CD163 pathogenic axis in extramammary Paget's disease. <i>Experimental Dermatology</i> , 2019, 28, 933-939.	1.4	17
53	NRF2 Augments Epidermal Antioxidant Defenses and Promotes Atopy. <i>Journal of Immunology</i> , 2020, 205, 907-914.	0.4	17
54	Successful topical treatment with ketoconazole for facial rashes refractory to dupilumab in patients with atopic dermatitis: case reports. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2020, 34, e474-e476.	1.3	17

#	ARTICLE	IF	CITATIONS
55	Poor Lymphocyte Infiltration to Primary Tumors in Acral Lentiginous Melanoma and Mucosal Melanoma Compared to Cutaneous Melanoma. <i>Frontiers in Oncology</i> , 2020, 10, 524700.	1.3	17
56	Overexpression of the Transcription Factor Yin-Yang-1 Suppresses Differentiation of HaCaT Cells in Three-Dimensional Cell Culture. <i>Journal of Investigative Dermatology</i> , 2011, 131, 37-45.	0.3	16
57	Use of immune checkpoint inhibitors prolonged overall survival in a Japanese population of advanced malignant melanoma patients: Retrospective single institutional study. <i>Journal of Dermatology</i> , 2018, 45, 1337-1339.	0.6	16
58	Cutaneous lymphoma in Japan, 2012â€“2017: A nationwide study. <i>Journal of Dermatological Science</i> , 2020, 97, 187-193.	1.0	16
59	Vitiligo expansion and extent correlate with durable response in antiâ€“programmed death 1 antibody treatment for advanced melanoma: A multiâ€“institutional retrospective study. <i>Journal of Dermatology</i> , 2020, 47, 629-635.	0.6	16
60	Pituitary Tumor-Transforming Gene 1 Enhances Proliferation and Suppresses Early Differentiation of Keratinocytes. <i>Journal of Investigative Dermatology</i> , 2012, 132, 1775-1784.	0.3	15
61	Pituitary Tumor Transforming Gene 1 Induces Tumor Necrosis Factor-Î± Production from Keratinocytes: Implication for Involvement in the Pathophysiology of Psoriasis. <i>Journal of Investigative Dermatology</i> , 2013, 133, 2566-2575.	0.3	15
62	Concordance of the HER2 protein and gene status between primary and corresponding lymph node metastatic sites of extramammary Paget disease. <i>Clinical and Experimental Metastasis</i> , 2016, 33, 687-697.	1.7	15
63	The liposome of trehalose dimycolate extracted from M.Âbovis BCG induces antitumor immunity via the activation of dendritic cells and CD8+ T cells. <i>Cancer Immunology, Immunotherapy</i> , 2021, 70, 2529-2543.	2.0	15
64	Indolent Subcutaneous Panniculitisâ€“Like T Cell Lymphoma in a 1â€“Yearâ€“Old Child. <i>Pediatric Dermatology</i> , 2012, 29, 374-377.	0.5	14
65	Programmed cell death 1 blockadeâ€“induced cutaneous sarcoidâ€“like epithelioid granulomas in advanced melanoma: a case report. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2018, 32, e260-e261.	1.3	14
66	Skin T cells maintain their diversity and functionality in the elderly. <i>Communications Biology</i> , 2021, 4, 13.	2.0	14
67	Epidermal cell necrosis with direct epidermal infiltration of Epsteinâ€“Barr virus (EBV)-encoded small nuclear RNA-positive T lymphocytes in a patient with EBV-associated haemophagocytic syndrome. <i>British Journal of Dermatology</i> , 2007, 157, 1053-1056.	1.4	13
68	The induction of tumorâ€“specific CD4+ T cells via major histocompatibility complex class II is required to gain optimal antiâ€“tumor immunity against B16 melanoma cell line in tumor immunotherapy using dendritic cells. <i>Experimental Dermatology</i> , 2009, 18, 396-403.	1.4	13
69	Linear Childhood Discoid Lupus Erythematosus Following the Lines of Blaschko: Successfully Treated with Topical Tacrolimus. <i>Pediatric Dermatology</i> , 2011, 28, 205-207.	0.5	13
70	Pyoderma gangrenosum and underlying diseases in Japanese patients: A regional longâ€“term study. <i>Journal of Dermatology</i> , 2017, 44, 1281-1284.	0.6	13
71	Negativeâ€“pressure closure was superior to tieâ€“over technique for stabilization of splitâ€“thickness skin graft in large or muscleâ€“exposing defects: A retrospective study. <i>Journal of Dermatology</i> , 2018, 45, 1207-1210.	0.6	13
72	Adjuvant therapy with nivolumab versus ipilimumab after complete resection of stage III / IV melanoma: Japanese subgroup analysis from the phase 3 CheckMate 238 study. <i>Journal of Dermatology</i> , 2019, 46, 1197-1201.	0.6	13

#	ARTICLE	IF	CITATIONS
73	Variable indoleamine 2,3-dioxygenase expression in acral/mucosal melanoma and its possible link to immunotherapy. <i>Cancer Science</i> , 2019, 110, 3434-3441.	1.7	13
74	Classification of 3097 patients from the Japanese melanoma study database using the American joint committee on cancer eighth edition cancer staging system. <i>Journal of Dermatological Science</i> , 2019, 94, 284-289.	1.0	13
75	Single-agent taxane is useful in palliative chemotherapy for advanced extramammary Paget disease: a case series. <i>British Journal of Dermatology</i> , 2019, 181, 831-832.	1.4	13
76	Pregnancy triggers the onset of anti-transcriptional intermediary factor 1 β antibody-positive dermatomyositis: a case series. <i>Rheumatology</i> , 2020, 59, 1450-1451.	0.9	13
77	Accumulation of exhausted CD8+ T cells in extramammary Paget's disease. <i>PLoS ONE</i> , 2019, 14, e0211135.	1.1	12
78	Differential Involvement of Programmed Cell Death Ligands in Skin Immune Responses. <i>Journal of Investigative Dermatology</i> , 2022, 142, 145-154.e8.	0.3	12
79	Pituitary tumor-transforming gene 1 as a proliferation marker lacking prognostic value in cutaneous squamous cell carcinoma. <i>Experimental Dermatology</i> , 2013, 22, 318-322.	1.4	11
80	Blockade of Granzyme B Remarkably Improves Mucocutaneous Diseases with Keratinocyte Death in Interface Dermatitis. <i>Journal of Investigative Dermatology</i> , 2018, 138, 2079-2083.	0.3	11
81	Nation-wide survey of advanced non-melanoma skin cancers treated at dermatology departments in Japan. <i>Journal of Dermatological Science</i> , 2018, 92, 230-236.	1.0	11
82	Pruritic poikilodermatous eruption associated with dermatomyositis: successful treatment with dapsone. <i>European Journal of Dermatology</i> , 2012, 22, 289-290.	0.3	10
83	<sc>GATA</sc> β regulates differentiation-specific loricrin gene expression in keratinocytes. <i>Experimental Dermatology</i> , 2012, 21, 859-864.	1.4	10
84	Availability of sentinel lymph node biopsy for cutaneous squamous cell carcinoma. <i>Journal of Dermatology</i> , 2017, 44, 431-437.	0.6	10
85	Antihelix/helix violaceous macules in Japanese patients with anti-melanoma differentiation-associated protein 5 (<sc>MDA</sc> 5) antibody-associated dermatomyositis. <i>British Journal of Dermatology</i> , 2019, 180, 1226-1227.	1.4	10
86	Five-year survival with nivolumab in previously untreated Japanese patients with advanced or recurrent malignant melanoma. <i>Journal of Dermatology</i> , 2021, 48, 592-599.	0.6	10
87	Juvenile case of multiple morphea profunda resulting in joint contracture that was successfully treated with cyclosporin A: A case report and review of the published works. <i>Journal of Dermatology</i> , 2019, 46, 354-357.	0.6	10
88	Cytokeratin Δ 7 staining was useful in a case of pigmented mammary Paget's disease resembling malignant melanoma. <i>International Journal of Dermatology</i> , 2006, 45, 1257-1258.	0.5	9
89	Malignant Blue Nevus Arising in a Giant Congenital Cellular Blue Nevus in an Infant. <i>Pediatric Dermatology</i> , 2012, 29, 651-655.	0.5	9
90	Axillary giant lipoma: A report of two cases and published work review. <i>Journal of Dermatology</i> , 2014, 41, 841-844.	0.6	9

#	ARTICLE	IF	CITATIONS
91	Metastatic cutaneous apocrine carcinoma of the axilla successfully treated using systemic chemotherapy with i.v. epirubicin and cyclophosphamide followed by oral fluorinated pyrimidine. <i>Journal of Dermatology</i> , 2014, 41, 280-282.	0.6	9
92	Cutaneous surgery under local anesthesia in very elderly patients 90 years of age and older is as safe as in elderly patients ranging in age from 75 to 80 years old. <i>International Journal of Dermatology</i> , 2017, 56, 681-685.	0.5	9
93	Surgical damage to the lymphatic system promotes tumor growth via impaired adaptive immune response. <i>Journal of Dermatological Science</i> , 2018, 90, 46-51.	1.0	9
94	Acral lentiginous melanoma and mucosal melanoma expressed less programmed death 1 ligand than cutaneous melanoma: a retrospective study of 73 Japanese melanoma patients. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2019, 33, e424-e426.	1.3	9
95	Immune checkpoint inhibitor-induced vitiligo in advanced melanoma could be related to increased levels of CCL19. <i>British Journal of Dermatology</i> , 2020, 182, 1297-1300.	1.4	9
96	Case series of cutaneous T-cell lymphomas treated with bexarotene-based therapy. <i>Journal of Dermatology</i> , 2020, 47, 636-640.	0.6	9
97	Demographic and clinical characteristics of extramammary Paget's disease patients in Japan from 2000 to 2019. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021, 35, e133-e135.	1.3	9
98	IFN- γ -Stimulated Apoptotic Keratinocytes Promote Sclerodermatous Changes in Chronic Graft-Versus-Host Disease. <i>Journal of Investigative Dermatology</i> , 2021, 141, 1473-1481.e4.	0.3	9
99	Invasive and <i>in situ</i> lesions of squamous cell carcinoma are independent factors for postoperative surgical site infection after outpatient skin tumors surgery: A retrospective study of 512 patients. <i>Journal of Dermatology</i> , 2021, 48, 497-501.	0.6	9
100	Combination Treatment of Topical Imiquimod Plus Anti-PD-1 Antibody Exerts Significantly Potent Antitumor Effect. <i>Cancers</i> , 2021, 13, 3948.	1.7	9
101	Statistics for malignant melanoma in Japan : A nation wide survey from 2005 to 2013. <i>Skin Cancer</i> , 2015, 29, 189-194.	0.1	9
102	Coexistence of pemphigus vulgaris and bullous pemphigoid in the upper aerodigestive tract. <i>Auris Nasus Larynx</i> , 2006, 33, 231-233.	0.5	8
103	Surgical management of umbilical basal cell carcinoma: Published work review and the optimal depth of surgical excision. <i>Journal of Dermatology</i> , 2014, 41, 992-995.	0.6	8
104	The rate of facial nerve dysfunction and time to recovery after intraparotid and extraparotid facial nerve exposure and protection in head and neck cutaneous tumor surgery. <i>International Journal of Clinical Oncology</i> , 2017, 22, 843-848.	1.0	8
105	The Possible Linkage of Granzyme B-Producing Skin T Cells with the Disease Prognosis of Alopecia Areata. <i>Journal of Investigative Dermatology</i> , 2021, 141, 427-429.e10.	0.3	8
106	Superficial epithelioma with sebaceous differentiation: immunohistochemical study of keratinocyte differentiation markers. <i>European Journal of Dermatology</i> , 2011, 21, 1016-1017.	0.3	8
107	Angiosarcoma of the scalp diagnosed by the presence of neck inflammation: a case report. <i>International Journal of Oral Science</i> , 2012, 4, 166-169.	3.6	7
108	Frequency of level II and III axillary nodes metastases in patients with positive sentinel lymph nodes in melanoma: a multi-institutional study in Japan. <i>International Journal of Clinical Oncology</i> , 2016, 21, 796-800.	1.0	7

#	ARTICLE	IF	CITATIONS
109	<p>Honey and Chamomile Activate Keratinocyte Antioxidative Responses via the KEAP1/NRF2 System</p>. Clinical, Cosmetic and Investigational Dermatology, 2020, Volume 13, 657-660.	0.8	7
110	Ulcerative esophagitis associated with combined nivolumab and ipilimumab therapy. Journal of Dermatology, 2020, 47, e299-e300.	0.6	7
111	Case series of <i>BRAF</i>-mutated advanced melanoma treated with encorafenib plus binimetinib combination therapy. Journal of Dermatology, 2021, 48, 397-400.	0.6	7
112	Deep Neural Network for Early Image Diagnosis of Stevens-Johnson Syndrome/Toxic Epidermal Necrolysis. Journal of Allergy and Clinical Immunology: in Practice, 2022, 10, 277-283.	2.0	7
113	Intra-arterial mitoxantrone/paclitaxel in angiosarcoma of the lower limb associated with chronic lymphedema (Stewart-Treves syndrome) in a patient with cervical cancer. European Journal of Dermatology, 2011, 21, 119-120.	0.3	7
114	Rheumatoid papules successfully treated with oral tacrolimus. Journal of the European Academy of Dermatology and Venereology, 2007, 22, 070619172136010-???.	1.3	6
115	Penile Preservation Surgery in a Case of Extramammary Paget's Disease Involving the Glans Penis and Distal Urethra. Dermatologic Surgery, 2008, 34, 823-831.	0.4	6
116	Superimposed segmental dermatitis withÂchronic prurigo. European Journal of Dermatology, 2009, 19, 337-340.	0.3	6
117	B-Myb enhances proliferation and suppresses differentiation of keratinocytes in three-dimensional cell culture. Archives of Dermatological Research, 2014, 306, 375-384.	1.1	6
118	Assessment of the methods used to detect HER2-positive advanced extramammary Pagetâ€™s disease. Medical Oncology, 2018, 35, 92.	1.2	6
119	Dynamics of neutrophil and Câ€™reactive protein reflect the clinical course of pyrexia during combination therapy with dabrafenib and trametinib. Journal of Dermatology, 2019, 46, 716-719.	0.6	6
120	Prediction of the invasive level of basal cell carcinomas in the facial area: Analysis of 718 Japanese cases. Journal of Dermatological Science, 2020, 99, 152-157.	1.0	6
121	Frequent brain metastases during treatment with BRAF/MEK inhibitors: A retrospective single institutional study. Journal of Dermatology, 2020, 47, 1191-1194.	0.6	6
122	Classification of large-scale image database of various skin diseases using deep learning. International Journal of Computer Assisted Radiology and Surgery, 2021, 16, 1875-1887.	1.7	6
123	Increased serum CCL26 level is a potential biomarker for the effectiveness of anti-PD1 antibodies in patients with advanced melanoma. Melanoma Research, 2020, 30, 613-618.	0.6	6
124	Superficial malignant peripheral nerve sheath tumor arising from a solitary cutaneous neurofibroma in a non-NF1 patient. European Journal of Dermatology, 2011, 21, 125-126.	0.3	6
125	Nodulocystic basal cell carcinoma arising directly from a seborrheic keratosis: A rare case report. Indian Journal of Dermatology, 2016, 61, 443.	0.1	6
126	Deep plantaris ulceration secondary to the topical treatment of wart with glutaraldehyde. Journal of Dermatology, 2009, 36, 618-619.	0.6	5

#	ARTICLE	IF	CITATIONS
127	Epidermal pseudocarcinomatous hyperplasia with underlying epidermal growth factor- α producing cutaneous CD30-positive lymphoproliferative disorder. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2009, 23, 181-183.	1.3	5
128	Metastatic squamous cell carcinoma of the buttock treated with chemoradiation using cisplatin and 5-fluorouracil. <i>Journal of the American Academy of Dermatology</i> , 2009, 60, 355-357.	0.6	5
129	Circumscribed palmar hypokeratosis: implication of suppression of early epidermal differentiation. <i>European Journal of Dermatology</i> , 2013, 23, 261-262.	0.3	5
130	Angiosarcoma of the scalp in a patient with systemic sclerosis. <i>Journal of Dermatology</i> , 2015, 42, 102-104.	0.6	5
131	Cutaneous infection due to <i>Mycobacterium szulgai</i> in a patient with myelodysplastic syndrome. <i>Journal of Dermatology</i> , 2017, 44, 471-472.	0.6	5
132	Congenital peristernal dermal sinus: A case report and published work review. <i>Journal of Dermatology</i> , 2018, 45, e242-e243.	0.6	5
133	A case of cutaneous angiosarcoma successfully treated with eribulin. <i>European Journal of Dermatology</i> , 2018, 28, 410-412.	0.3	5
134	Immune microenvironment controls the outcome of PD-1 blockade in cutaneous immune response. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2019, 74, 2257-2261.	2.7	5
135	2-mm surgical margins are adequate for most basal cell carcinomas in Japanese: a retrospective multicentre study on 1000 basal cell carcinomas. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2020, 34, 1991-1998.	1.3	5
136	A prospective, phase II study on the safety and efficacy of negative pressure closure for the stabilization of split-thickness skin graft in large or muscle-exposing defects: The NPSG study. <i>Journal of Dermatology</i> , 2021, 48, 1350-1356.	0.6	5
137	Serum lactate dehydrogenase level as a possible predictor of treatment preference in psoriasis. <i>Journal of Dermatological Science</i> , 2021, 103, 109-115.	1.0	5
138	Retrospective analysis of adjuvant therapy using dabrafenib plus trametinib in Japanese patients with advanced melanoma: analysis of 36 cases. <i>Melanoma Research</i> , 2021, 31, 575-578.	0.6	5
139	Loricrin and NRF2 Coordinate Cornification. <i>JID Innovations</i> , 2021, 2, 100065.	1.2	5
140	Keratinocyte apoptosis was present in clinically intact skin in a patient treated with enfortumab vedotin. <i>European Journal of Cancer</i> , 2022, 167, 172-174.	1.3	5
141	Paraneoplastic dermatomyositis triggered and exacerbated by oral 5-fluorouracil administration. <i>European Journal of Dermatology</i> , 2008, 18, 195-6.	0.3	5
142	Enfortumab vedotin-induced cutaneous adverse events manifesting as miliaria-like eruptions with the presence of keratinocyte apoptosis in clinically intact skin. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2022, 36, .	1.3	5
143	Perforated Ischiogluteal Bursitis Mimicking a Gluteal Decubitus Ulcer in Patients With Spinal Cord Injury: Report of 2 Cases. <i>Archives of Dermatology</i> , 2010, 146, 918.	1.7	4
144	Incidental Gastric Signet-ring Cell Carcinoma Metastasis to the Skin in Basal Cell Carcinoma. <i>Acta Dermato-Venereologica</i> , 2012, 92, 635-636.	0.6	4

#	ARTICLE	IF	CITATIONS
145	A case of sterile transient neonatal pustulosis presenting with large flaccid pustules. <i>Pediatric Dermatology</i> , 2013, 30, e238-9.	0.5	4
146	Case of pigmented epithelioid melanocytoma with lymph node metastases. <i>Journal of Dermatology</i> , 2014, 41, 452-453.	0.6	4
147	Penile preservation surgery in a case of erythroplasia of Queyrat involving the glans penis and distal urethra. <i>International Journal of Dermatology</i> , 2014, 53, e177-80.	0.5	4
148	Polymyositis induced by PD-1 blockade in a patient in hepatitis B remission. <i>Journal of the Neurological Sciences</i> , 2017, 381, 22-24.	0.3	4
149	Bullous pemphigoid accompanied by IgA nephropathy and atypical haemolytic uraemic syndrome. <i>European Journal of Dermatology</i> , 2018, 28, 421-422.	0.3	4
150	Depigmented extramammary Paget's disease without histological dermal invasion identified by multiple inguinal and pelvic lymph node metastases. <i>European Journal of Dermatology</i> , 2018, 28, 387-388.	0.3	4
151	Killer immunoglobulin-like receptor genotype did not correlate with response to anti-PD-1 antibody treatment in a Japanese cohort. <i>Scientific Reports</i> , 2018, 8, 15962.	1.6	4
152	Subungual exostosis with postoperative recurrence followed by spontaneous regression. <i>Journal of Dermatology</i> , 2019, 46, e86-e87.	0.6	4
153	Chemoradiotherapy could improve overall survival of patients with stage <scp>IV</scp> cutaneous squamous cell carcinoma: analysis of 34 cases. <i>British Journal of Dermatology</i> , 2019, 180, 1557-1558.	1.4	4
154	Langerhans Cells Suppress CD8+ T Cells In Situ during Mucocutaneous Acute Graft-Versus-Host Disease. <i>Journal of Investigative Dermatology</i> , 2021, 141, 1177-1187.e3.	0.3	4
155	Case Report: Complete Response of Recurrent and Metastatic Cystadenocarcinoma of the Parotid Gland With a Single Course of Combined Nivolumab and Ipilimumab Therapy. <i>Frontiers in Oncology</i> , 2021, 11, 618201.	1.3	4
156	Third-line pembrolizumab-induced immune-related interstitial pneumonitis after ipilimumab and nivolumab failure. <i>European Journal of Dermatology</i> , 2018, 28, 129-130.	0.3	4
157	Interleukin-8 and CXCR2 expression in spindle cell haemangioendothelioma. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2008, 22, 638-640.	1.3	3
158	Facial nerve morbidity following facial nerve preservation surgery for the treatment of skin cancer of the head and neck. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2012, 26, 1323-1325.	1.3	3
159	Docetaxel was effective in the management of metastatic angiosarcoma associated with disseminated intravascular coagulation syndrome. <i>International Journal of Dermatology</i> , 2014, 53, e138-40.	0.5	3
160	A novel approach for inguinal lymph node dissection without inguinal skin incision for invasive extramammary Paget disease. <i>Dermatologic Therapy</i> , 2015, 28, 351-354.	0.8	3
161	Tufted angioma of the finger: A case of an uncommon location with unique dermoscopic features. <i>Journal of Dermatology</i> , 2018, 45, e236-e237.	0.6	3
162	Subungual melanoma complicated by hydroxyurea-induced melanonychia with non-melanoma Hutchinson's sign. <i>European Journal of Dermatology</i> , 2018, 28, 559-561.	0.3	3

#	ARTICLE	IF	CITATIONS
163	Skin resident memory T cell population is not constructed effectively in systemic sclerosis. <i>British Journal of Dermatology</i> , 2019, 180, 219-220.	1.4	3
164	Lichen myxedematosus associated with monoclonal gammopathy of undetermined significance: A case report and a review of Japanese patients. <i>Journal of Dermatology</i> , 2019, 46, e32-e33.	0.6	3
165	Immune-related pancytopenia caused by nivolumab and ipilimumab combination therapy for unresectable melanoma of unknown primary. <i>Journal of Dermatology</i> , 2020, 47, e237-e239.	0.6	3
166	Increased expression of dermal LL37 may trigger migration of CCR7+ regulatory T cells in extramammary Paget's disease. <i>Journal of Dermatological Science</i> , 2020, 99, 65-68.	1.0	3
167	A multicenter, open-label, uncontrolled phase II study of ONO-4538 for cutaneous angiosarcoma (Angio Check study).. <i>Journal of Clinical Oncology</i> , 2021, 39, TPS11579-TPS11579.	0.8	3
168	Aseptic olecranon bursitis as a novel subcutaneous manifestation of dermatomyositis. <i>European Journal of Dermatology</i> , 2009, 19, 525-526.	0.3	2
169	Multiple Inguinal and Pelvic Lymph Node Metastases of Malignant Melanoma of the Heel Identified by Common Iliac Lymphadenopathy. <i>Lymphatic Research and Biology</i> , 2012, 10, 118-121.	0.5	2
170	The POU domain transcription factors Oct-6 and Oct-11 negatively regulate loricrin gene expression in keratinocytes: association with AP-1 and Sp1/Sp3. <i>Archives of Dermatological Research</i> , 2013, 305, 371-378.	1.1	2
171	Intraneural granular cell tumor of the dorsal ramus of a thoracic nerve. <i>Indian Journal of Dermatology, Venereology and Leprology</i> , 2013, 79, 258.	0.2	2
172	High-grade mucoepidermoid carcinoma of the columella successfully reconstructed using bilateral nasolabial flaps set up in a sandwich shape and an auricular cartilage graft after surgical resection. <i>Journal of Dermatology</i> , 2013, 40, 911-914.	0.6	2
173	Linear lupus erythematosus profundus involving the muscle with an intractable deep ulcer, successfully treated with surgical excision. <i>European Journal of Dermatology</i> , 2013, 23, 535-536.	0.3	2
174	Dermatofibrosarcoma protuberans mimicking cutaneous sarcoidosis in a patient with lung sarcoidosis. <i>European Journal of Dermatology</i> , 2014, 24, 276-277.	0.3	2
175	Neurofibromatosis type 1-associated serious haemorrhagic events successfully treated with steroid pulse therapy. <i>European Journal of Dermatology</i> , 2018, 28, 382-384.	0.3	2
176	Trichostasis spinulosa arising in isolated collagenoma of the scalp. <i>European Journal of Dermatology</i> , 2018, 28, 531-532.	0.3	2
177	Multiple haemangiomas in TAFRO syndrome with atypical features of glomeruloid and epithelioid haemangiomas. <i>European Journal of Dermatology</i> , 2018, 28, 371-372.	0.3	2
178	Continued Chemotherapy After Concurrent Chemoradiotherapy Improves Treatment Outcomes for Unresectable Cutaneous Squamous Cell Carcinoma: An Analysis of 13 Cases. <i>Frontiers in Medicine</i> , 2019, 6, 207.	1.2	2
179	Sweat retention anhidrosis associated with tubular aggregate myopathy. <i>British Journal of Dermatology</i> , 2019, 181, 1104-1106.	1.4	2
180	The effect of the lymphovascular plugging metastasis pattern in extramammary Paget disease on identifying metastatic lesions using imaging tests: an autopsy case series. <i>British Journal of Dermatology</i> , 2020, 182, 493-495.	1.4	2

#	ARTICLE	IF	CITATIONS
181	Angiomatoid Spitz nevus with surrounding pagetoid melanocytic proliferation on the sole of the foot: An unusual case report with immunohistochemical studies for angiogenic factors. <i>Journal of Dermatology</i> , 2020, 47, 538-541.	0.6	2
182	Inverted nipple-like nevus lipomatosus cutaneus superficialis. <i>Japanese Journal of Clinical Oncology</i> , 2020, 50, 722-723.	0.6	2
183	Bone metastases could be predictive factors of central nervous system metastases in extramammary Paget's disease. <i>Journal of Dermatology</i> , 2020, 47, e130-e131.	0.6	2
184	Pigmented circumscribed plantar hypokeratosis mimicking acral lentiginous melanoma: A case report. <i>Journal of Dermatology</i> , 2021, 48, e108-e109.	0.6	2
185	Tumor lysis syndrome and collateral immune activation in dual checkpoint blockade. <i>Journal of Cutaneous Immunology and Allergy</i> , 2021, 4, 39-40.	0.2	2
186	Cutaneous squamous cell carcinoma treated with preoperative intraarterial chemoradiation therapy. <i>JDDG - Journal of the German Society of Dermatology</i> , 2017, 15, 724-726.	0.4	2
187	Confirmatory trial of non-amputative digit preservation surgery in subungual melanoma: JCOG1602 (J-NAIL study).. <i>Journal of Clinical Oncology</i> , 2018, 36, TPS9607-TPS9607.	0.8	2
188	Unusual Bone Lesions with Osteonecrosis Mimicking Bone Metastasis of Squamous Cell Carcinoma in Recessive Dystrophic Epidermolysis Bullosa. <i>Acta Dermato-Venereologica</i> , 2019, 99, 1166-1169.	0.6	2
189	Enforced ROR(γ) expression in haematopoietic stem cells increases regulatory T cell number, which reduces immunoreactivity and attenuates hypersensitivity in vivo. <i>Asian Pacific Journal of Allergy and Immunology</i> , 2011, 29, 86-93.	0.2	2
190	Loricrin Protects against Chemical Carcinogenesis. <i>Journal of Investigative Dermatology</i> , 2021, , .	0.3	2
191	Extension of a malignant tailgut cyst to a subcutaneous space in the buttock. <i>European Journal of Dermatology</i> , 2010, 20, 788-91.	0.3	2
192	Pegylated interferon-β for local control of Langerhans cell sarcoma. <i>European Journal of Dermatology</i> , 2018, 28, 835-836.	0.3	2
193	Pedunculated dermatofibrosarcoma protuberans: an unusual presentation. <i>JDDG - Journal of the German Society of Dermatology</i> , 2014, 12, 1132-1134.	0.4	1
194	Long-term control of pleural metastasis in Stewart-Treves syndrome with single-agent chemotherapies followed by maintenance chemotherapy. <i>JDDG - Journal of the German Society of Dermatology</i> , 2015, 13, 818-820.	0.4	1
195	Langfristige Kontrolle von Pleurametastasen bei Stewart-Treves-Syndrom durch Monochemotherapie gefolgt von einer Erhaltungstherapie. <i>JDDG - Journal of the German Society of Dermatology</i> , 2015, 13, 818-820.	0.4	1
196	Clear cell sarcoma of the scalp: A case report. <i>Journal of Dermatology</i> , 2017, 44, e276-e277.	0.6	1
197	Baseline neutrophil-to-lymphocyte ratio in patients with advanced melanoma treated with immune checkpoint inhibitors: reply from the authors. <i>British Journal of Dermatology</i> , 2018, 179, 224-225.	1.4	1
198	Nail apparatus squamous cell carcinoma mimicking paronychia. <i>Journal of Dermatology</i> , 2019, 46, e460-e461.	0.6	1

#	ARTICLE	IF	CITATIONS
199	CD103 negative memory T cells may play important roles in making regulatory Tâ€cellâ€enriched environments in skin tumours. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2019, 33, e211-e214.	1.3	1
200	A toddler case of keratosis follicularis squamosa (Dohi) successfully treated with salicylic acid ointment. <i>European Journal of Dermatology</i> , 2019, 29, 544-546.	0.3	1
201	Two cases of multiple pilosebaceous cysts with hybrid cysts. <i>European Journal of Dermatology</i> , 2019, 29, 653-654.	0.3	1
202	Reconstruction using a vertical â€sagging cheekâ€advancement flap for defects following full-thickness excision of non-melanoma skin cancer in the elderly: a case series. <i>European Journal of Dermatology</i> , 2019, 29, 654-656.	0.3	1
203	Oral pilocarpine alleviates the symptoms of acquired idiopathic generalised anhidrosis. <i>European Journal of Dermatology</i> , 2019, 29, 422-423.	0.3	1
204	Pencilâ€core granuloma with extensive calcinosis: An unusual case report. <i>Journal of Dermatology</i> , 2019, 46, e193-e195.	0.6	1
205	Remarkable elevation of fibrinolysis markers and procalcitonin associated with dabrafenib plus trametinib combination therapy: Uncommon adverse events. <i>Journal of Dermatology</i> , 2020, 47, e43-e44.	0.6	1
206	Editorial: Recent Developments in Therapies and Diagnostic Tools for Melanoma and Non-melanoma Skin Cancer. <i>Frontiers in Medicine</i> , 2020, 7, 613152.	1.2	1
207	Case of bullous pemphigoid who achieved a longâ€term remission by a single course of highâ€dose i.v. immunoglobulin monotherapy. <i>Journal of Dermatology</i> , 2020, 47, e225-e227.	0.6	1
208	Novel mutation of the ferrochelatase gene in a Japanese family with erythropoietic protoporphyria. <i>Journal of Dermatology</i> , 2020, 47, e114-e116.	0.6	1
209	Multiple, lipidâ€containing, subcutaneous cysts suspected of endâ€stage nodular cystic fat necrosis. <i>Journal of Dermatology</i> , 2020, 47, e85-e87.	0.6	1
210	Successful treatment of acrodermatitis continua of hallopeau with an anti-IL-17A agent. <i>Indian Journal of Dermatology</i> , 2021, 66, 225.	0.1	1
211	Papulonodular lesions in Erdheimâ€Chester disease. <i>Journal of Dermatology</i> , 2021, 48, e445-e446.	0.6	1
212	Intertwined vascular skin manifestations in a patient with SjÃ¶rgren syndrome: A case report. <i>Journal of Cutaneous Immunology and Allergy</i> , 2022, 5, 22-23.	0.2	1
213	Dramatic Recovery from Cardiovascular Collapse: Paclitaxel as an Urgent Treatment for Primary Cardiac Angiosarcoma. <i>Internal Medicine</i> , 2021, 60, 67-71.	0.3	1
214	Two Cases of Adult Lichen Nitidus.. <i>Nishinohon Journal of Dermatology</i> , 2000, 62, 179-181.	0.0	1
215	Ischemic leg ulcer due to vasculopathy associated with neurofibromatosis type 1. <i>European Journal of Dermatology</i> , 2013, 23, 522-523.	0.3	1
216	Subungual arteriovenous hemangioma mimicking subungual malignant tumor. <i>Journal of Dermatology</i> , 2022, 49, .	0.6	1

#	ARTICLE	IF	CITATIONS
217	Response to "Clinical and direct immunofluorescence characteristics of cutaneous toxicity associated with enfortumab vedotin"™. British Journal of Dermatology, 2022, , .	1.4	1
218	Possible involvement of IgE antibody in epidermolysis bullosa acquisita: detection and correlation. European Journal of Dermatology, 2019, 29, 210-212.	0.3	1
219	Concordance in judgment of clinical borders of basal cell carcinomas in Japanese patients: A preliminary study of <scp>JCOG2005</scp> (<scp>Jâ€BASEâ€MARGIN</scp>). Journal of Dermatology, 2022, 49, 837-844.	0.6	1
220	A case of proximalâ€type epithelioid sarcoma which showed positive reactivity to fibroblast growth factor receptor2â€IIb isotype. Journal of the European Academy of Dermatology and Venereology, 2008, 22, 1372-1373.	1.3	0
221	Combined therapy of selective embolization followed by surgery in a case of giant arteriovenous malformation in the buttock. Journal of Plastic, Reconstructive and Aesthetic Surgery, 2009, 62, e127-e128.	0.5	0
222	Extra-abdominal desmoid tumor in the subcutis of the thigh. Journal of Dermatology, 2011, 38, 810-812.	0.6	0
223	Gestieltes Dermatofibrosarcoma protuberans: ein ungewÃhnliches klinisches Erscheinungsbild. JDDG - Journal of the German Society of Dermatology, 2014, 12, 1132-1134.	0.4	0
224	Authors' Reply. American Journal of Pathology, 2015, 185, 3127-3128.	1.9	0
225	Behandlung eines kutanen Plattenepithelkarzinoms mit intraarterieller Radiochemotherapie. JDDG - Journal of the German Society of Dermatology, 2017, 15, 724-726.	0.4	0
226	Unusual association between digital mucous cyst and acquired unguis fibrokeratoma: A case report. Journal of Dermatology, 2018, 45, e234-e235.	0.6	0
227	Reply: Lymph stasis promotes tumor growth. Journal of Dermatological Science, 2018, 90, 367-368.	1.0	0
228	Bilateral metachronous cutaneous apocrine carcinoma with reduced PTEN expression. European Journal of Dermatology, 2018, 28, 372-374.	0.3	0
229	Linearly distributed multiple lipomas: An unusual case report. Journal of Dermatology, 2019, 46, e175-e176.	0.6	0
230	Widespread involvement of purpura related to gastrointestinal involvements in adults with immunoglobulin A vasculitis. Journal of Cutaneous Immunology and Allergy, 2020, 3, 104-108.	0.2	0
231	Verrucous melanoma of the ankle with pseudoepitheliomatous hyperplasia on the skin graft. Journal of Dermatology, 2020, 47, e300-e302.	0.6	0
232	Double primary malignant melanoma on the forearm and the chest with detection of common axillary sentinel lymph nodes. Journal of Dermatology, 2020, 47, e187-e188.	0.6	0
233	Squamous cell carcinoma of the nose presenting with a giant cutaneous horn: A unique clinical presentation. Journal of Dermatology, 2020, 47, e185-e186.	0.6	0
234	Pigmented Bowenâ€™s disease on the proximal nail fold with extensive, parallel pigmented lines in dermoscopy. Journal of Dermatology, 2021, 48, e88-e89.	0.6	0

#	ARTICLE	IF	CITATIONS
235	Mucinous metaplasia with glandular structures of the labia minora. <i>Journal of Dermatology</i> , 2021, 48, e118-e119.	0.6	0
236	Interleukin-23 promotes CD103-negative Th17 in psoriatic non-lesional skin. <i>Journal of Dermatological Science</i> , 2021, 101, 72-74.	1.0	0
237	Recurrent multiple cutaneous aseptic abscesses with spontaneous regression: An unusual case report. <i>Journal of Dermatology</i> , 2021, 48, e116-e117.	0.6	0
238	Case of cryopyrin-associated periodic syndrome who recovered from growth delay by treatment with canakinumab. <i>Journal of Dermatology</i> , 2021, 48, e98-e99.	0.6	0
239	PD-1 Regulates Passive Anaphylaxis: A Possible Role of the Mast Cell Intracellular Inhibitory Signal. <i>Allergy, Asthma and Immunology Research</i> , 2021, 13, 819.	1.1	0
240	Glomus tumour of the back with a unique round-bottom flask-shaped lesion. <i>Japanese Journal of Clinical Oncology</i> , 2021, 51, 1015-1016.	0.6	0
241	A case of anti-PL-7 antibody-positive anti-synthetase syndrome with dermatomyositis-associated erythema induced sclerodermatous changes. <i>Rheumatology</i> , 2021, 60, e362-e364.	0.9	0
242	Cutaneous metastasis of renal pelvic urothelial carcinoma mimicking cutaneous angiosarcoma. <i>Japanese Journal of Clinical Oncology</i> , 2021, 51, 1344-1345.	0.6	0
243	Selective expression of a C-type lectin receptor, Clec12b, on skin mast cells. <i>Biochemical and Biophysical Research Communications</i> , 2021, 561, 101-105.	1.0	0
244	Possible activation of effector B cells during drug-induced hypersensitivity syndrome. <i>Journal of Cutaneous Immunology and Allergy</i> , 2021, 4, 166-169.	0.2	0
245	A Comparative Study of Adult-onset Anaphylactoid Purpura Associated with Malignancy and without Malignancy. <i>Nishinon Journal of Dermatology</i> , 2014, 76, 487-492.	0.0	0
246	Targeted Cancer Therapy. <i>Nishinon Journal of Dermatology</i> , 2016, 78, 221-228.	0.0	0
247	Cutaneous squamous cell carcinoma suspected to be associated with chronic inflamed skin due to petrol contact. <i>Skin Cancer</i> , 2017, 31, 268-271.	0.1	0
248	Trabectedin treatment for imatinib/pazopanib-resistant dermatofibrosarcoma protuberans : A case report. <i>Skin Cancer</i> , 2018, 33, 30-34.	0.1	0
249	Clinicopathological demographics of malignant melanoma of the vulva and vagina in Japan: Japanese Gynecologic Oncology Group (JGOG)/Japanese Skin Cancer Society (JSCS) Intergroup Study.. <i>Journal of Clinical Oncology</i> , 2020, 38, e22106-e22106.	0.8	0
250	F-18 FDG PET Tests in Skin Cancer Including Malignant Melanoma. , 2021, , 119-134.		0
251	A protocol for phase II study investigating the safety and efficacy of TM5614 in combination with nivolumab in the treatment of unresectable malignant melanoma. <i>Medicine, Case Reports and Study Protocols</i> , 2021, 2, e0197.	0.0	0
252	Pelvic reactive lymphadenopathy mimicking lymph node metastasis of heel malignant melanoma. <i>European Journal of Dermatology</i> , 2018, 28, 841-843.	0.3	0

#	ARTICLE	IF	CITATIONS
253	Microcystic adnexal carcinoma with large cysts: unusual clinical presentation and histological findings. <i>European Journal of Dermatology</i> , 2019, 29, 337-339.	0.3	0
254	Unilateral areolar leiomyoma with sebaceous hyperplasia. <i>Indian Journal of Dermatology, Venereology and Leprology</i> , 2022, .	0.2	0
255	Real-world outcomes of Asian patients with advanced BRAF-mutant melanoma treated with first-line BRAF/MEK inhibitors, anti-PD-1 monotherapy, or combination of nivolumab plus ipilimumab: A multicenter retrospective study in Japan (B-CHECK-RWD study).. <i>Journal of Clinical Oncology</i> , 2022, 40, e21553-e21553.	0.8	0
256	Confirmatory trial of narrower side margin excision for head and neck basal cell carcinoma in the Japanese (East Asian) population: JCOG2005 (J-BASE-MARGIN).. <i>Journal of Clinical Oncology</i> , 2022, 40, TPS9604-TPS9604.	0.8	0