

Yasuhiro Fujisawa

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8622419/publications.pdf>

Version: 2024-02-01

256
papers

3,830
citations

159525

30
h-index

182361

51
g-index

261
all docs

261
docs citations

261
times ranked

4851
citing authors

#	ARTICLE	IF	CITATIONS
1	Differential Involvement of Programmed Cell Death Ligands in Skin Immune Responses. <i>Journal of Investigative Dermatology</i> , 2022, 142, 145-154.e8.	0.3	12
2	Intertwined vascular skin manifestations in a patient with Sjögren syndrome: A case report. <i>Journal of Cutaneous Immunology and Allergy</i> , 2022, 5, 22-23.	0.2	1
3	Deep Neural Network for Early Image Diagnosis of Stevens-Johnson Syndrome/Toxic Epidermal Necrolysis. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2022, 10, 277-283.	2.0	7
4	Subungual arteriovenous hemangioma mimicking subungual malignant tumor. <i>Journal of Dermatology</i> , 2022, 49, .	0.6	1
5	Evidence-Based Clinical Practice Guidelines for Extramammary Paget Disease. <i>JAMA Oncology</i> , 2022, 8, 618.	3.4	46
6	Keratinocyte apoptosis was present in clinically intact skin in a patient treated with enfortumab vedotin. <i>European Journal of Cancer</i> , 2022, 167, 172-174.	1.3	5
7	Response to "Clinical and direct immunofluorescence characteristics of cutaneous toxicity associated with enfortumab vedotin"™. <i>British Journal of Dermatology</i> , 2022, , .	1.4	1
8	Unilateral areolar leiomyoma with sebaceous hyperplasia. <i>Indian Journal of Dermatology, Venereology and Leprology</i> , 2022, .	0.2	0
9	Concordance in judgment of clinical borders of basal cell carcinomas in Japanese patients: A preliminary study of JCOG2005 (J-BASE-MARGIN). <i>Journal of Dermatology</i> , 2022, 49, 837-844.	0.6	1
10	Real-world outcomes of Asian patients with advanced BRAF-mutant melanoma treated with first-line BRAF/MEK inhibitors, anti-PD-1 monotherapy, or combination of nivolumab plus ipilimumab: A multicenter retrospective study in Japan (B-CHECK-RWD study).. <i>Journal of Clinical Oncology</i> , 2022, 40, e21553-e21553.	0.8	0
11	Confirmatory trial of narrower side margin excision for head and neck basal cell carcinoma in the Japanese (East Asian) population: JCOG2005 (J-BASE-MARGIN).. <i>Journal of Clinical Oncology</i> , 2022, 40, TPS9604-TPS9604.	0.8	0
12	Enfortumab vedotin-induced cutaneous adverse events manifesting as miliaria-like eruptions with the presence of keratinocyte apoptosis in clinically intact skin. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2022, 36, .	1.3	5
13	The Possible Linkage of Granzyme B-Producing Skin T Cells with the Disease Prognosis of Alopecia Areata. <i>Journal of Investigative Dermatology</i> , 2021, 141, 427-429.e10.	0.3	8
14	Langerhans Cells Suppress CD8+ T Cells In Situ during Mucocutaneous Acute Graft-Versus-Host Disease. <i>Journal of Investigative Dermatology</i> , 2021, 141, 1177-1187.e3.	0.3	4
15	Demographic and clinical characteristics of extramammary Paget's disease patients in Japan from 2000 to 2019. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021, 35, e133-e135.	1.3	9
16	Pigmented Bowen's disease on the proximal nail fold with extensive, parallel pigmented lines in dermoscopy. <i>Journal of Dermatology</i> , 2021, 48, e88-e89.	0.6	0
17	Pigmented circumscribed plantar hypokeratosis mimicking acral lentiginous melanoma: A case report. <i>Journal of Dermatology</i> , 2021, 48, e108-e109.	0.6	2
18	Case series of BRAF-mutated advanced melanoma treated with encorafenib plus binimetinib combination therapy. <i>Journal of Dermatology</i> , 2021, 48, 397-400.	0.6	7

#	ARTICLE	IF	CITATIONS
19	Mucinous metaplasia with glandular structures of the labia minora. <i>Journal of Dermatology</i> , 2021, 48, e118-e119.	0.6	0
20	IFN- γ -Stimulated Apoptotic Keratinocytes Promote Sclerodermatous Changes in Chronic Graft-Versus-Host Disease. <i>Journal of Investigative Dermatology</i> , 2021, 141, 1473-1481.e4.	0.3	9
21	Interleukin-23 promotes CD103-negative Th17 in psoriatic non-lesional skin. <i>Journal of Dermatological Science</i> , 2021, 101, 72-74.	1.0	0
22	Recurrent multiple cutaneous aseptic abscesses with spontaneous regression: An unusual case report. <i>Journal of Dermatology</i> , 2021, 48, e116-e117.	0.6	0
23	Tumor lysis syndrome and collateral immune activation in dual checkpoint blockade. <i>Journal of Cutaneous Immunology and Allergy</i> , 2021, 4, 39-40.	0.2	2
24	Case of cryopyrin-associated periodic syndrome who recovered from growth delay by treatment with canakinumab. <i>Journal of Dermatology</i> , 2021, 48, e98-e99.	0.6	0
25	PD-1 Regulates Passive Anaphylaxis: A Possible Role of the Mast Cell Intracellular Inhibitory Signal. <i>Allergy, Asthma and Immunology Research</i> , 2021, 13, 819.	1.1	0
26	Successful treatment of acrodermatitis continua of hallopeau with an anti-IL-17A agent. <i>Indian Journal of Dermatology</i> , 2021, 66, 225.	0.1	1
27	Glomus tumour of the back with a unique round-bottom flask-shaped lesion. <i>Japanese Journal of Clinical Oncology</i> , 2021, 51, 1015-1016.	0.6	0
28	The liposome of trehalose dimycolate extracted from M.Âbovis BCG induces antitumor immunity via the activation of dendritic cells and CD8+ T cells. <i>Cancer Immunology, Immunotherapy</i> , 2021, 70, 2529-2543.	2.0	15
29	Invasive and <i>in situ</i> lesions of squamous cell carcinoma are independent factors for postoperative surgical-site infection after outpatient skin tumors surgery: A retrospective study of 512 patients. <i>Journal of Dermatology</i> , 2021, 48, 497-501.	0.6	9
30	Case Report: Complete Response of Recurrent and Metastatic Cystadenocarcinoma of the Parotid Gland With a Single Course of Combined Nivolumab and Ipilimumab Therapy. <i>Frontiers in Oncology</i> , 2021, 11, 618201.	1.3	4
31	Outcome of combination therapy using BRAF and MEK inhibitors among Asian patients with advanced melanoma: An analysis of 112 cases. <i>European Journal of Cancer</i> , 2021, 145, 210-220.	1.3	27
32	Five-year survival with nivolumab in previously untreated Japanese patients with advanced or recurrent malignant melanoma. <i>Journal of Dermatology</i> , 2021, 48, 592-599.	0.6	10
33	Immune response to dermatomyositis-specific autoantigen, transcriptional intermediary factor 1 β can result in experimental myositis. <i>Annals of the Rheumatic Diseases</i> , 2021, 80, 1201-1208.	0.5	20
34	A case of anti-PL-7 antibody-positive anti-synthetase syndrome with dermatomyositis-associated erythema induced sclerodermatous changes. <i>Rheumatology</i> , 2021, 60, e362-e364.	0.9	0
35	A prospective, phase II study on the safety and efficacy of negative pressure closure for the stabilization of split-thickness skin graft in large or muscle-exposing defects: The NPSG study. <i>Journal of Dermatology</i> , 2021, 48, 1350-1356.	0.6	5
36	A multicenter, open-label, uncontrolled phase II study of ONO-4538 for cutaneous angiosarcoma (Angio Check study).. <i>Journal of Clinical Oncology</i> , 2021, 39, TPS11579-TPS11579.	0.8	3

#	ARTICLE	IF	CITATIONS
37	Cutaneous metastasis of renal pelvic urothelial carcinoma mimicking cutaneous angiosarcoma. Japanese Journal of Clinical Oncology, 2021, 51, 1344-1345.	0.6	0
38	Papulonodular lesions in Erdheim-Chester disease. Journal of Dermatology, 2021, 48, e445-e446.	0.6	1
39	Selective expression of a C-type lectin receptor, Clec12b, on skin mast cells. Biochemical and Biophysical Research Communications, 2021, 561, 101-105.	1.0	0
40	Possible activation of effector B cells during drug-induced hypersensitivity syndrome. Journal of Cutaneous Immunology and Allergy, 2021, 4, 166-169.	0.2	0
41	Classification of large-scale image database of various skin diseases using deep learning. International Journal of Computer Assisted Radiology and Surgery, 2021, 16, 1875-1887.	1.7	6
42	Serum lactate dehydrogenase level as a possible predictor of treatment preference in psoriasis. Journal of Dermatological Science, 2021, 103, 109-115.	1.0	5
43	Combination Treatment of Topical Imiquimod Plus Anti-PD-1 Antibody Exerts Significantly Potent Antitumor Effect. Cancers, 2021, 13, 3948.	1.7	9
44	Retrospective analysis of adjuvant therapy using dabrafenib plus trametinib in Japanese patients with advanced melanoma: analysis of 36 cases. Melanoma Research, 2021, 31, 575-578.	0.6	5
45	Skin T cells maintain their diversity and functionality in the elderly. Communications Biology, 2021, 4, 13.	2.0	14
46	Dramatic Recovery from Cardiovascular Collapse: Paclitaxel as an Urgent Treatment for Primary Cardiac Angiosarcoma. Internal Medicine, 2021, 60, 67-71.	0.3	1
47	Unbiased Detection of Driver Mutations in Extramammary Paget Disease. Clinical Cancer Research, 2021, 27, 1756-1765.	3.2	24
48	Loricrin and NRF2 Coordinate Cornification. JID Innovations, 2021, 2, 100065.	1.2	5
49	F-18 FDG PET Tests in Skin Cancer Including Malignant Melanoma. , 2021, , 119-134.		0
50	Loricrin Protects against Chemical Carcinogenesis. Journal of Investigative Dermatology, 2021, , .	0.3	2
51	A protocol for phase II study investigating the safety and efficacy of TM5614 in combination with nivolumab in the treatment of unresectable malignant melanoma. Medicine, Case Reports and Study Protocols, 2021, 2, e0197.	0.0	0
52	The effect of the lymphovascular plugging metastasis pattern in extramammary Paget disease on identifying metastatic lesions using imaging tests: an autopsy case series. British Journal of Dermatology, 2020, 182, 493-495.	1.4	2
53	Pregnancy triggers the onset of anti-transcriptional intermediary factor 1 β antibody-positive dermatomyositis: a case series. Rheumatology, 2020, 59, 1450-1451.	0.9	13
54	Remarkable elevation of fibrinolysis markers and procalcitonin associated with dabrafenib plus trametinib combination therapy: Uncommon adverse events. Journal of Dermatology, 2020, 47, e43-e44.	0.6	1

#	ARTICLE	IF	CITATIONS
55	Immune checkpoint inhibitor-induced vitiligo in advanced melanoma could be related to increased levels of CCL19. <i>British Journal of Dermatology</i> , 2020, 182, 1297-1300.	1.4	9
56	<p>Honey and Chamomile Activate Keratinocyte Antioxidative Responses via the KEAP1/NRF2 System</p>. <i>Clinical, Cosmetic and Investigational Dermatology</i> , 2020, Volume 13, 657-660.	0.8	7
57	Activation of CD8 T cells accelerates anti-PD-1 antibody-induced psoriasis-like dermatitis through IL-6. <i>Communications Biology</i> , 2020, 3, 571.	2.0	31
58	Prediction of the invasive level of basal cell carcinomas in the facial area: Analysis of 718 Japanese cases. <i>Journal of Dermatological Science</i> , 2020, 99, 152-157.	1.0	6
59	NRF2 Augments Epidermal Antioxidant Defenses and Promotes Atopy. <i>Journal of Immunology</i> , 2020, 205, 907-914.	0.4	17
60	Editorial: Recent Developments in Therapies and Diagnostic Tools for Melanoma and Non-melanoma Skin Cancer. <i>Frontiers in Medicine</i> , 2020, 7, 613152.	1.2	1
61	Widespread involvement of purpura related to gastrointestinal involvements in adults with immunoglobulin A vasculitis. <i>Journal of Cutaneous Immunology and Allergy</i> , 2020, 3, 104-108.	0.2	0
62	Immune-related pancytopenia caused by nivolumab and ipilimumab combination therapy for unresectable melanoma of unknown primary. <i>Journal of Dermatology</i> , 2020, 47, e237-e239.	0.6	3
63	Verrucous melanoma of the ankle with pseudoepitheliomatous hyperplasia on the skin graft. <i>Journal of Dermatology</i> , 2020, 47, e300-e302.	0.6	0
64	Ulcerative esophagitis associated with combined nivolumab and ipilimumab therapy. <i>Journal of Dermatology</i> , 2020, 47, e299-e300.	0.6	7
65	Angiomatoid Spitz nevus with surrounding pagetoid melanocytic proliferation on the sole of the foot: An unusual case report with immunohistochemical studies for angiogenic factors. <i>Journal of Dermatology</i> , 2020, 47, 538-541.	0.6	2
66	Double primary malignant melanoma on the forearm and the chest with detection of common axillary sentinel lymph nodes. <i>Journal of Dermatology</i> , 2020, 47, e187-e188.	0.6	0
67	The efficacy of eribulin mesylate for patients with cutaneous angiosarcoma previously treated with taxane: a multicentre prospective observational study. <i>British Journal of Dermatology</i> , 2020, 183, 831-839.	1.4	26
68	Case of bullous pemphigoid who achieved a long-term remission by a single course of high-dose i.v. immunoglobulin monotherapy. <i>Journal of Dermatology</i> , 2020, 47, e225-e227.	0.6	1
69	Case series of cutaneous T-cell lymphomas treated with bexarotene-based therapy. <i>Journal of Dermatology</i> , 2020, 47, 636-640.	0.6	9
70	Successful topical treatment with ketoconazole for facial rashes refractory to dupilumab in patients with atopic dermatitis: case reports. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2020, 34, e474-e476.	1.3	17
71	Squamous cell carcinoma of the nose presenting with a giant cutaneous horn: A unique clinical presentation. <i>Journal of Dermatology</i> , 2020, 47, e185-e186.	0.6	0
72	Increased expression of dermal LL37 may trigger migration of CCR7+ regulatory T cells in extramammary Paget's disease. <i>Journal of Dermatological Science</i> , 2020, 99, 65-68.	1.0	3

#	ARTICLE	IF	CITATIONS
73	Frequent brain metastases during treatment with BRAF/MEK inhibitors: A retrospective single institutional study. <i>Journal of Dermatology</i> , 2020, 47, 1191-1194.	0.6	6
74	Cutaneous lymphoma in Japan, 2012–2017: A nationwide study. <i>Journal of Dermatological Science</i> , 2020, 97, 187-193.	1.0	16
75	Inverted nipple-like nevus lipomatosus cutaneous superficialis. <i>Japanese Journal of Clinical Oncology</i> , 2020, 50, 722-723.	0.6	2
76	Novel mutation of the ferrochelatase gene in a Japanese family with erythropoietic protoporphyria. <i>Journal of Dermatology</i> , 2020, 47, e114-e116.	0.6	1
77	Bone metastases could be predictive factors of central nervous system metastases in extramammary Paget's disease. <i>Journal of Dermatology</i> , 2020, 47, e130-e131.	0.6	2
78	Multiple, lipid-containing, subcutaneous cysts suspected of end-stage nodular cystic fat necrosis. <i>Journal of Dermatology</i> , 2020, 47, e85-e87.	0.6	1
79	Nuclear Factor Erythroid 2-Related Factor 2 (Nrf2) Regulates Epidermal Keratinization under Psoriatic Skin Inflammation. <i>American Journal of Pathology</i> , 2020, 190, 577-585.	1.9	26
80	2-mm surgical margins are adequate for most basal cell carcinomas in Japanese: a retrospective multicentre study on 1000 basal cell carcinomas. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2020, 34, 1991-1998.	1.3	5
81	Vitiligo expansion and extent correlate with durable response in anti-programmed death 1 antibody treatment for advanced melanoma: A multi-institutional retrospective study. <i>Journal of Dermatology</i> , 2020, 47, 629-635.	0.6	16
82	Increased serum CCL26 level is a potential biomarker for the effectiveness of anti-PD1 antibodies in patients with advanced melanoma. <i>Melanoma Research</i> , 2020, 30, 613-618.	0.6	6
83	Poor Lymphocyte Infiltration to Primary Tumors in Acral Lentiginous Melanoma and Mucosal Melanoma Compared to Cutaneous Melanoma. <i>Frontiers in Oncology</i> , 2020, 10, 524700.	1.3	17
84	Clinicopathological demographics of malignant melanoma of the vulva and vagina in Japan: Japanese Gynecologic Oncology Group (JGOG)/Japanese Skin Cancer Society (JSCS) Intergroup Study. <i>Journal of Clinical Oncology</i> , 2020, 38, e22106-e22106.	0.8	0
85	Deep learning-based, computer-aided classifier developed with a small dataset of clinical images surpasses board-certified dermatologists in skin tumour diagnosis. <i>British Journal of Dermatology</i> , 2019, 180, 373-381.	1.4	214
86	Subungual exostosis with postoperative recurrence followed by spontaneous regression. <i>Journal of Dermatology</i> , 2019, 46, e86-e87.	0.6	4
87	Skin resident memory T cell population is not constructed effectively in systemic sclerosis. <i>British Journal of Dermatology</i> , 2019, 180, 219-220.	1.4	3
88	Lichen myxedematosus associated with monoclonal gammopathy of undetermined significance: A case report and a review of Japanese patients. <i>Journal of Dermatology</i> , 2019, 46, e32-e33.	0.6	3
89	Adjuvant therapy with nivolumab versus ipilimumab after complete resection of stage III / IV melanoma: Japanese subgroup analysis from the phase 3 CheckMate 238 study. <i>Journal of Dermatology</i> , 2019, 46, 1197-1201.	0.6	13
90	Nail apparatus squamous cell carcinoma mimicking paronychia. <i>Journal of Dermatology</i> , 2019, 46, e460-e461.	0.6	1

#	ARTICLE	IF	CITATIONS
91	Variable indoleamine 2,3-dioxygenase expression in acral/mucosal melanoma and its possible link to immunotherapy. <i>Cancer Science</i> , 2019, 110, 3434-3441.	1.7	13
92	The Possibility of Deep Learning-Based, Computer-Aided Skin Tumor Classifiers. <i>Frontiers in Medicine</i> , 2019, 6, 191.	1.2	53
93	Continued Chemotherapy After Concurrent Chemoradiotherapy Improves Treatment Outcomes for Unresectable Cutaneous Squamous Cell Carcinoma: An Analysis of 13 Cases. <i>Frontiers in Medicine</i> , 2019, 6, 207.	1.2	2
94	Significance of BRAF Kinase Inhibitors for Melanoma Treatment: From Bench to Bedside. <i>Cancers</i> , 2019, 11, 1342.	1.7	22
95	CD103 negative memory T cells may play important roles in making regulatory T cell-enriched environments in skin tumours. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2019, 33, e211-e214.	1.3	1
96	Dynamics of neutrophil and C-reactive protein reflect the clinical course of pyrexia during combination therapy with dabrafenib and trametinib. <i>Journal of Dermatology</i> , 2019, 46, 716-719.	0.6	6
97	Long-term follow up of nivolumab in previously untreated Japanese patients with advanced or recurrent malignant melanoma. <i>Cancer Science</i> , 2019, 110, 1995-2003.	1.7	31
98	Sweat retention anhidrosis associated with tubular aggregate myopathy. <i>British Journal of Dermatology</i> , 2019, 181, 1104-1106.	1.4	2
99	Acral lentiginous melanoma and mucosal melanoma expressed less programmed death 1 ligand than cutaneous melanoma: a retrospective study of 73 Japanese melanoma patients. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2019, 33, e424-e426.	1.3	9
100	Immune microenvironment controls the outcome of PD-1 blockade in cutaneous immune response. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2019, 74, 2257-2261.	2.7	5
101	Association of Baseline Serum Levels of CXCL5 With the Efficacy of Nivolumab in Advanced Melanoma. <i>Frontiers in Medicine</i> , 2019, 6, 86.	1.2	18
102	<i>Malassezia</i> -derived aryl hydrocarbon receptor ligands enhance the CCL20/Th17/soluble CD163 pathogenic axis in extramammary Paget's disease. <i>Experimental Dermatology</i> , 2019, 28, 933-939.	1.4	17
103	Classification of 3097 patients from the Japanese melanoma study database using the American joint committee on cancer eighth edition cancer staging system. <i>Journal of Dermatological Science</i> , 2019, 94, 284-289.	1.0	13
104	Single-agent taxane is useful in palliative chemotherapy for advanced extramammary Paget disease: a case series. <i>British Journal of Dermatology</i> , 2019, 181, 831-832.	1.4	13
105	Clinical and histopathological characteristics and survival analysis of 4594 Japanese patients with melanoma. <i>Cancer Medicine</i> , 2019, 8, 2146-2156.	1.3	74
106	Chemoradiotherapy could improve overall survival of patients with stage IV cutaneous squamous cell carcinoma: analysis of 34 cases. <i>British Journal of Dermatology</i> , 2019, 180, 1557-1558.	1.4	4
107	CD8 ⁺ 8 resident memory T cells with interleukin 17A-producing potential are accumulated in disease-naïve nonlesional sites of psoriasis possibly in correlation with disease duration. <i>British Journal of Dermatology</i> , 2019, 181, 410-412.	1.4	42
108	Accumulation of exhausted CD8 ⁺ T cells in extramammary Paget's disease. <i>PLoS ONE</i> , 2019, 14, e0211135.	1.1	12

#	ARTICLE	IF	CITATIONS
109	Correlation between blood cell count and outcome of melanoma patients treated with anti-PD-1 antibodies. <i>Japanese Journal of Clinical Oncology</i> , 2019, 49, 431-437.	0.6	75
110	A toddler case of keratosis follicularis squamosa (Dohi) successfully treated with salicylic acid ointment. <i>European Journal of Dermatology</i> , 2019, 29, 544-546.	0.3	1
111	Two cases of multiple pilosebaceous cysts with hybrid cysts. <i>European Journal of Dermatology</i> , 2019, 29, 653-654.	0.3	1
112	Reconstruction using a vertical "sagging cheek" advancement flap for defects following full-thickness excision of non-melanoma skin cancer in the elderly: a case series. <i>European Journal of Dermatology</i> , 2019, 29, 654-656.	0.3	1
113	Oral pilocarpine alleviates the symptoms of acquired idiopathic generalised anhidrosis. <i>European Journal of Dermatology</i> , 2019, 29, 422-423.	0.3	1
114	Clec10a regulates mite-induced dermatitis. <i>Science Immunology</i> , 2019, 4, .	5.6	22
115	Pencil-core granuloma with extensive calcinosis: An unusual case report. <i>Journal of Dermatology</i> , 2019, 46, e193-e195.	0.6	1
116	Antihelix/helix violaceous macules in Japanese patients with anti-melanoma differentiation-associated protein 5 (MDA5) antibody-associated dermatomyositis. <i>British Journal of Dermatology</i> , 2019, 180, 1226-1227.	1.4	10
117	Linearly distributed multiple lipomas: An unusual case report. <i>Journal of Dermatology</i> , 2019, 46, e175-e176.	0.6	0
118	Juvenile case of multiple morphea profunda resulting in joint contracture that was successfully treated with cyclosporin A: A case report and review of the published works. <i>Journal of Dermatology</i> , 2019, 46, 354-357.	0.6	10
119	Unusual Bone Lesions with Osteonecrosis Mimicking Bone Metastasis of Squamous Cell Carcinoma in Recessive Dystrophic Epidermolysis Bullosa. <i>Acta Dermato-Venereologica</i> , 2019, 99, 1166-1169.	0.6	2
120	Possible involvement of IgE antibody in epidermolysis bullosa acquisita: detection and correlation. <i>European Journal of Dermatology</i> , 2019, 29, 210-212.	0.3	1
121	Microcystic adnexal carcinoma with large cysts: unusual clinical presentation and histological findings. <i>European Journal of Dermatology</i> , 2019, 29, 337-339.	0.3	0
122	Tufted angioma of the finger: A case of an uncommon location with unique dermoscopic features. <i>Journal of Dermatology</i> , 2018, 45, e236-e237.	0.6	3
123	Blockade of Granzyme B Remarkably Improves Mucocutaneous Diseases with Keratinocyte Death in Interface Dermatitis. <i>Journal of Investigative Dermatology</i> , 2018, 138, 2079-2083.	0.3	11
124	Unusual association between digital mucous cyst and acquired unguis fibrokeratoma: A case report. <i>Journal of Dermatology</i> , 2018, 45, e234-e235.	0.6	0
125	Reply: Lymph stasis promotes tumor growth. <i>Journal of Dermatological Science</i> , 2018, 90, 367-368.	1.0	0
126	Baseline neutrophil to lymphocyte ratio combined with serum lactate dehydrogenase level associated with outcome of nivolumab immunotherapy in a Japanese advanced melanoma population. <i>British Journal of Dermatology</i> , 2018, 179, 213-215.	1.4	42

#	ARTICLE	IF	CITATIONS
127	Surgical damage to the lymphatic system promotes tumor growth via impaired adaptive immune response. <i>Journal of Dermatological Science</i> , 2018, 90, 46-51.	1.0	9
128	Programmed cell death 1 blockade-induced cutaneous sarcoid-like epithelioid granulomas in advanced melanoma: a case report. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2018, 32, e260-e261.	1.3	14
129	Congenital peristernal dermal sinus: A case report and published work review. <i>Journal of Dermatology</i> , 2018, 45, e242-e243.	0.6	5
130	Retrospective study of advanced melanoma patients treated with ipilimumab after nivolumab: Analysis of 60 Japanese patients. <i>Journal of Dermatological Science</i> , 2018, 89, 60-66.	1.0	52
131	Neurofibromatosis type 1-associated serious haemorrhagic events successfully treated with steroid pulse therapy. <i>European Journal of Dermatology</i> , 2018, 28, 382-384.	0.3	2
132	A case of cutaneous angiosarcoma successfully treated with eribulin. <i>European Journal of Dermatology</i> , 2018, 28, 410-412.	0.3	5
133	Bullous pemphigoid accompanied by IgA nephropathy and atypical haemolytic uraemic syndrome. <i>European Journal of Dermatology</i> , 2018, 28, 421-422.	0.3	4
134	Bilateral metachronous cutaneous apocrine carcinoma with reduced PTEN expression. <i>European Journal of Dermatology</i> , 2018, 28, 372-374.	0.3	0
135	Trichostasis spinulosa arising in isolated collagenoma of the scalp. <i>European Journal of Dermatology</i> , 2018, 28, 531-532.	0.3	2
136	Multiple haemangiomas in TAFRO syndrome with atypical features of glomeruloid and epithelioid haemangiomas. <i>European Journal of Dermatology</i> , 2018, 28, 371-372.	0.3	2
137	Serum levels of soluble CD163 and CXCL5 may be predictive markers for immune-related adverse events in patients with advanced melanoma treated with nivolumab: a pilot study. <i>Oncotarget</i> , 2018, 9, 15542-15551.	0.8	80
138	Subungual melanoma complicated by hydroxyurea-induced melanonychia with non-melanoma Hutchinson's sign. <i>European Journal of Dermatology</i> , 2018, 28, 559-561.	0.3	3
139	Depigmented extramammary Paget's disease without histological dermal invasion identified by multiple inguinal and pelvic lymph node metastases. <i>European Journal of Dermatology</i> , 2018, 28, 387-388.	0.3	4
140	Serum Level of Soluble CD163 May Be a Predictive Marker of the Effectiveness of Nivolumab in Patients With Advanced Cutaneous Melanoma. <i>Frontiers in Oncology</i> , 2018, 8, 530.	1.3	27
141	Nation-wide survey of advanced non-melanoma skin cancers treated at dermatology departments in Japan. <i>Journal of Dermatological Science</i> , 2018, 92, 230-236.	1.0	11
142	Killer immunoglobulin-like receptor genotype did not correlate with response to anti-PD-1 antibody treatment in a Japanese cohort. <i>Scientific Reports</i> , 2018, 8, 15962.	1.6	4
143	Use of immune checkpoint inhibitors prolonged overall survival in a Japanese population of advanced malignant melanoma patients: Retrospective single institutional study. <i>Journal of Dermatology</i> , 2018, 45, 1337-1339.	0.6	16
144	Diagnosis and Management of Acral Lentiginous Melanoma. <i>Current Treatment Options in Oncology</i> , 2018, 19, 42.	1.3	44

#	ARTICLE	IF	CITATIONS
145	Tumor-Associated Macrophages: Therapeutic Targets for Skin Cancer. <i>Frontiers in Oncology</i> , 2018, 8, 3.	1.3	104
146	Cutaneous Angiosarcoma: The Possibility of New Treatment Options Especially for Patients with Large Primary Tumor. <i>Frontiers in Oncology</i> , 2018, 8, 46.	1.3	68
147	Negativeâ€pressure closure was superior to tieâ€over technique for stabilization of splitâ€thickness skin graft in large or muscleâ€exposing defects: A retrospective study. <i>Journal of Dermatology</i> , 2018, 45, 1207-1210.	0.6	13
148	Diffuse erythema with â€angel wingsâ€™ sign in Japanese patients with anti-small ubiquitin-like modifier activating enzyme antibody-associated dermatomyositis. <i>British Journal of Dermatology</i> , 2018, 179, 1414-1415.	1.4	24
149	Assessment of the methods used to detect HER2-positive advanced extramammary Pagetâ€™s disease. <i>Medical Oncology</i> , 2018, 35, 92.	1.2	6
150	Baseline neutrophil-to-lymphocyte ratio in patients with advanced melanoma treated with immune checkpoint inhibitors: reply from the authors. <i>British Journal of Dermatology</i> , 2018, 179, 224-225.	1.4	1
151	Confirmatory trial of non-amputative digit preservation surgery in subungual melanoma: JCOG1602 (J-NAIL study).. <i>Journal of Clinical Oncology</i> , 2018, 36, TPS9607-TPS9607.	0.8	2
152	Trabectedin treatment for imatinib/pazopanib-resistant dermatofibrosarcoma protuberans : A case report. <i>Skin Cancer</i> , 2018, 33, 30-34.	0.1	0
153	Third-line pembrolizumab-induced immune-related interstitial pneumonitis after ipilimumab and nivolumab failure. <i>European Journal of Dermatology</i> , 2018, 28, 129-130.	0.3	4
154	Pegylated interferon-Î±2b for local control of Langerhans cell sarcoma. <i>European Journal of Dermatology</i> , 2018, 28, 835-836.	0.3	2
155	Pelvic reactive lymphadenopathy mimicking lymph node metastasis of heel malignant melanoma. <i>European Journal of Dermatology</i> , 2018, 28, 841-843.	0.3	0
156	Cutaneous infection due to <i>Mycobacterium szulgai</i> in a patient with myelodysplastic syndrome. <i>Journal of Dermatology</i> , 2017, 44, 471-472.	0.6	5
157	Serum level of interleukin-6 is increased in nivolumab-associated psoriasiform dermatitis and tumor necrosis factor-Î± is a biomarker of nivolumab recativity. <i>Journal of Dermatological Science</i> , 2017, 86, 71-73.	1.0	105
158	Cutaneous surgery under local anesthesia in very elderly patients 90Âyears of age and older is as safe as in elderly patients ranging in age from 75 to 80Âyears old. <i>International Journal of Dermatology</i> , 2017, 56, 681-685.	0.5	9
159	Pyoderma gangrenosum and underlying diseases in Japanese patients: A regional longâ€term study. <i>Journal of Dermatology</i> , 2017, 44, 1281-1284.	0.6	13
160	Cytokine biomarkers to predict antitumor responses to nivolumab suggested in a phase 2 study for advanced melanoma. <i>Cancer Science</i> , 2017, 108, 1022-1031.	1.7	100
161	The rate of facial nerve dysfunction and time to recovery after intraparotid and extraparotid facial nerve exposure and protection in head and neck cutaneous tumor surgery. <i>International Journal of Clinical Oncology</i> , 2017, 22, 843-848.	1.0	8
162	Infiltration of PD-1-positive cells in combination with tumor site PD-L1 expression is a positive prognostic factor in cutaneous angiosarcoma. <i>Oncolmmunology</i> , 2017, 6, e1253657.	2.1	55

#	ARTICLE	IF	CITATIONS
163	Fluctuations in routine blood count might signal severe immune-related adverse events in melanoma patients treated with nivolumab. <i>Journal of Dermatological Science</i> , 2017, 88, 225-231.	1.0	67
164	Behandlung eines kutanen Plattenepithelkarzinoms mit intraarterieller Radiochemotherapie. <i>JDDG - Journal of the German Society of Dermatology</i> , 2017, 15, 724-726.	0.4	0
165	Polymyositis induced by PD-1 blockade in a patient in hepatitis B remission. <i>Journal of the Neurological Sciences</i> , 2017, 381, 22-24.	0.3	4
166	Clear cell sarcoma of the scalp: A case report. <i>Journal of Dermatology</i> , 2017, 44, e276-e277.	0.6	1
167	Correlation between vitiligo occurrence and clinical benefit in advanced melanoma patients treated with nivolumab: A multi-institutional retrospective study. <i>Journal of Dermatology</i> , 2017, 44, 117-122.	0.6	170
168	Availability of sentinel lymph node biopsy for cutaneous squamous cell carcinoma. <i>Journal of Dermatology</i> , 2017, 44, 431-437.	0.6	10
169	Severe hepatitis arising from ipilimumab administration, following melanoma treatment with nivolumab. <i>Japanese Journal of Clinical Oncology</i> , 2017, 47, 175-178.	0.6	52
170	Cutaneous squamous cell carcinoma treated with preoperative intraarterial chemoradiation therapy. <i>JDDG - Journal of the German Society of Dermatology</i> , 2017, 15, 724-726.	0.4	2
171	Cutaneous squamous cell carcinoma suspected to be associated with chronic inflamed skin due to petrol contact. <i>Skin Cancer</i> , 2017, 31, 268-271.	0.1	0
172	Intratumoral expression levels of PD-L1, GZMA, and HLA-A along with oligoclonal T cell expansion associate with response to nivolumab in metastatic melanoma. <i>Oncolmmunology</i> , 2016, 5, e1204507.	2.1	107
173	A proposal for a TNM staging system for extramammary Paget disease: Retrospective analysis of 301 patients with invasive primary tumors. <i>Journal of Dermatological Science</i> , 2016, 83, 234-239.	1.0	112
174	Nivolumab-induced thyroid dysfunction. <i>Japanese Journal of Clinical Oncology</i> , 2016, 46, 575-579.	0.6	44
175	Frequency of level II and III axillary nodes metastases in patients with positive sentinel lymph nodes in melanoma: a multi-institutional study in Japan. <i>International Journal of Clinical Oncology</i> , 2016, 21, 796-800.	1.0	7
176	Usefulness of docetaxel as first-line chemotherapy for metastatic extramammary Paget's disease. <i>Journal of Dermatology</i> , 2016, 43, 633-637.	0.6	59
177	Concordance of the HER2 protein and gene status between primary and corresponding lymph node metastatic sites of extramammary Paget disease. <i>Clinical and Experimental Metastasis</i> , 2016, 33, 687-697.	1.7	15
178	Nodulocystic basal cell carcinoma arising directly from a seborrheic keratosis: A rare case report. <i>Indian Journal of Dermatology</i> , 2016, 61, 443.	0.1	6
179	Targeted Cancer Therapy. <i>Nishinohon Journal of Dermatology</i> , 2016, 78, 221-228.	0.0	0
180	Authors' Reply. <i>American Journal of Pathology</i> , 2015, 185, 3127-3128.	1.9	0

#	ARTICLE	IF	CITATIONS
181	Long-term control of pleural metastasis in Stewart-Treves syndrome with single-agent chemotherapies followed by maintenance chemotherapy. JDDG - Journal of the German Society of Dermatology, 2015, 13, 818-820.	0.4	1
182	Angiosarcoma of the scalp in a patient with systemic sclerosis. Journal of Dermatology, 2015, 42, 102-104.	0.6	5
183	Langfristige Kontrolle von Pleurametastasen bei Stewart-Treves-Syndrom durch Monochemotherapie gefolgt von einer Erhaltungstherapie. JDDG - Journal of the German Society of Dermatology, 2015, 13, 818-820.	0.4	1
184	A novel approach for inguinal lymph node dissection without inguinal skin incision for invasive extramammary Paget disease. Dermatologic Therapy, 2015, 28, 351-354.	0.8	3
185	Effects of non-amputative wide local excision on the local control and prognosis of <i>in situ</i> and invasive subungual melanoma. Journal of Dermatology, 2015, 42, 861-866.	0.6	37
186	The role of sentinel lymph node biopsy in the management of invasive extramammary Paget's disease: Multi-center, retrospective study of 151 patients. Journal of Dermatological Science, 2015, 79, 38-42.	1.0	67
187	Clinical characteristics associated with BRAF, NRAS and KIT mutations in Japanese melanoma patients. Journal of Dermatological Science, 2015, 80, 33-37.	1.0	87
188	Statistics for malignant melanoma in Japan : A nation wide survey from 2005 to 2013. Skin Cancer, 2015, 29, 189-194.	0.1	9
189	Chemoradiotherapy with taxane is superior to conventional surgery and radiotherapy in the management of cutaneous angiosarcoma: a multicentre, retrospective study. British Journal of Dermatology, 2014, 171, 1493-1500.	1.4	93
190	Docetaxel was effective in the management of metastatic angiosarcoma associated with disseminated intravascular coagulation syndrome. International Journal of Dermatology, 2014, 53, e138-40.	0.5	3
191	Axillary giant lipoma: A report of two cases and published work review. Journal of Dermatology, 2014, 41, 841-844.	0.6	9
192	Pedunculated dermatofibrosarcoma protuberans: an unusual presentation. JDDG - Journal of the German Society of Dermatology, 2014, 12, 1132-1134.	0.4	1
193	Metastatic cutaneous apocrine carcinoma of the axilla successfully treated using systemic chemotherapy with i.v. epirubicin and cyclophosphamide followed by oral fluorinated pyrimidine. Journal of Dermatology, 2014, 41, 280-282.	0.6	9
194	Tumor-to-toe distance of invasive subungual melanoma: An analysis of 30 cases. Journal of Dermatology, 2014, 41, 872-877.	0.6	26
195	Case of pigmented epithelioid melanocytoma with lymph node metastases. Journal of Dermatology, 2014, 41, 452-453.	0.6	4
196	B-Myb enhances proliferation and suppresses differentiation of keratinocytes in three-dimensional cell culture. Archives of Dermatological Research, 2014, 306, 375-384.	1.1	6
197	Surgical management of umbilical basal cell carcinoma: Published work review and the optimal depth of surgical excision. Journal of Dermatology, 2014, 41, 992-995.	0.6	8
198	Penile preservation surgery in a case of erythroplasia of Queyrat involving the glans penis and distal urethra. International Journal of Dermatology, 2014, 53, e177-80.	0.5	4

#	ARTICLE	IF	CITATIONS
199	Dermatofibrosarcoma protuberans mimicking cutaneous sarcoidosis in a patient with lung sarcoidosis. <i>European Journal of Dermatology</i> , 2014, 24, 276-277.	0.3	2
200	Comparison between taxane-based chemotherapy with conventional surgery-based therapy for cutaneous angiosarcoma: a single-center experience. <i>Journal of Dermatological Treatment</i> , 2014, 25, 419-423.	1.1	17
201	Gestieltes Dermatofibrosarcoma protuberans: ein ungewöhnliches klinisches Erscheinungsbild. <i>JDDG - Journal of the German Society of Dermatology</i> , 2014, 12, 1132-1134.	0.4	0
202	A Comparative Study of Adult-onset Anaphylactoid Purpura Associated with Malignancy and without Malignancy. <i>Nishinihon Journal of Dermatology</i> , 2014, 76, 487-492.	0.0	0
203	The POU domain transcription factors Oct-6 and Oct-11 negatively regulate loricrin gene expression in keratinocytes: association with AP-1 and Sp1/Sp3. <i>Archives of Dermatological Research</i> , 2013, 305, 371-378.	1.1	2
204	Pituitary Tumor Transforming Gene 1 Induces Tumor Necrosis Factor- α Production from Keratinocytes: Implication for Involvement in the Pathophysiology of Psoriasis. <i>Journal of Investigative Dermatology</i> , 2013, 133, 2566-2575.	0.3	15
205	Intraneural granular cell tumor of the dorsal ramus of a thoracic nerve. <i>Indian Journal of Dermatology, Venereology and Leprology</i> , 2013, 79, 258.	0.2	2
206	A case of sterile transient neonatal pustulosis presenting with large flaccid pustules. <i>Pediatric Dermatology</i> , 2013, 30, e238-9.	0.5	4
207	Improvement of the sentinel lymph node detection rate of cervical sentinel lymph node biopsy using real-time fluorescence navigation with indocyanine green in head and neck skin cancer. <i>Journal of Dermatology</i> , 2013, 40, 453-457.	0.6	26
208	High-grade mucoepidermoid carcinoma of the columella successfully reconstructed using bilateral nasolabial flaps set up in a sandwich shape and an auricular cartilage graft after surgical resection. <i>Journal of Dermatology</i> , 2013, 40, 911-914.	0.6	2
209	<i>miR-143</i> gene silencing induces upregulation of vascular endothelial growth factor expression in both Schwann and non-Schwann cells. <i>Experimental Dermatology</i> , 2013, 22, 262-265.	1.4	29
210	Pituitary tumor-transforming gene 1 as a proliferation marker lacking prognostic value in cutaneous squamous cell carcinoma. <i>Experimental Dermatology</i> , 2013, 22, 318-322.	1.4	11
211	Linear lupus erythematosus profundus involving the muscle with an intractable deep ulcer, successfully treated with surgical excision. <i>European Journal of Dermatology</i> , 2013, 23, 535-536.	0.3	2
212	Circumscribed palmar hypokeratosis: implication of suppression of early epidermal differentiation. <i>European Journal of Dermatology</i> , 2013, 23, 261-262.	0.3	5
213	Ischemic leg ulcer due to vasculopathy associated with neurofibromatosis type 1. <i>European Journal of Dermatology</i> , 2013, 23, 522-523.	0.3	1
214	Incidental Gastric Signet-ring Cell Carcinoma Metastasis to the Skin in Basal Cell Carcinoma. <i>Acta Dermato-Venereologica</i> , 2012, 92, 635-636.	0.6	4
215	The benefit of a sentinel lymph node biopsy and adjuvant therapy in thick (>4 mm) melanoma. <i>Melanoma Research</i> , 2012, 22, 362-367.	0.6	24
216	Pituitary Tumor-Transforming Gene 1 Enhances Proliferation and Suppresses Early Differentiation of Keratinocytes. <i>Journal of Investigative Dermatology</i> , 2012, 132, 1775-1784.	0.3	15

#	ARTICLE	IF	CITATIONS
217	Angiosarcoma of the scalp diagnosed by the presence of neck inflammation: a case report. <i>International Journal of Oral Science</i> , 2012, 4, 166-169.	3.6	7
218	Pruritic poikilodermatous eruption associated with dermatomyositis: successful treatment with dapsons. <i>European Journal of Dermatology</i> , 2012, 22, 289-290.	0.3	10
219	Malignant Blue Nevus Arising in a Giant Congenital Cellular Blue Nevus in an Infant. <i>Pediatric Dermatology</i> , 2012, 29, 651-655.	0.5	9
220	Multiple Inguinal and Pelvic Lymph Node Metastases of Malignant Melanoma of the Heel Identified by Common Iliac Lymphadenopathy. <i>Lymphatic Research and Biology</i> , 2012, 10, 118-121.	0.5	2
221	Indolent Subcutaneous Panniculitis-Like T Cell Lymphoma in a 1-Year-Old Child. <i>Pediatric Dermatology</i> , 2012, 29, 374-377.	0.5	14
222	<scp>GATA</scp> ³ regulates differentiation-specific loricrin gene expression in keratinocytes. <i>Experimental Dermatology</i> , 2012, 21, 859-864.	1.4	10
223	Indocyanine green fluorescence-navigated sentinel node biopsy showed higher sensitivity than the radioisotope or blue dye method, which may help to reduce false-negative cases in skin cancer. <i>Journal of Surgical Oncology</i> , 2012, 106, 41-45.	0.8	86
224	Facial nerve morbidity following facial nerve preservation surgery for the treatment of skin cancer of the head and neck. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2012, 26, 1323-1325.	1.3	3
225	Usefulness of sentinel lymph node biopsy for extramammary Paget disease. <i>British Journal of Dermatology</i> , 2012, 167, 954-956.	1.4	33
226	Extra-abdominal desmoid tumor in the subcutis of the thigh. <i>Journal of Dermatology</i> , 2011, 38, 810-812.	0.6	0
227	Linear Childhood Discoid Lupus Erythematosus Following the Lines of Blaschko: Successfully Treated with Topical Tacrolimus. <i>Pediatric Dermatology</i> , 2011, 28, 205-207.	0.5	13
228	Overexpression of the Transcription Factor Yin-Yang-1 Suppresses Differentiation of HaCaT Cells in Three-Dimensional Cell Culture. <i>Journal of Investigative Dermatology</i> , 2011, 131, 37-45.	0.3	16
229	Intraoperative mapping with isosulfan blue of lymphatic leakage during inguinal lymph node dissection (ILND) for skin cancer for the prevention of postoperative lymphocele. <i>Journal of Surgical Oncology</i> , 2011, 104, 657-660.	0.8	17
230	A Custom-Made, Low-Cost Intraoperative Fluorescence Navigation System with Indocyanine Green for Sentinel Lymph Node Biopsy in Skin Cancer. <i>Dermatology</i> , 2011, 222, 261-268.	0.9	31
231	Superficial malignant peripheral nerve sheath tumor arising from a solitary cutaneous neurofibroma in a non-NF1 patient. <i>European Journal of Dermatology</i> , 2011, 21, 125-126.	0.3	6
232	Superficial epithelioma with sebaceous differentiation: immunohistochemical study of keratinocyte differentiation markers. <i>European Journal of Dermatology</i> , 2011, 21, 1016-1017.	0.3	8
233	Intra-arterial mitoxantrone/paclitaxel in angiosarcoma of the lower limb associated with chronic lymphedema (Stewart-Treves syndrome) in a patient with cervical cancer. <i>European Journal of Dermatology</i> , 2011, 21, 119-120.	0.3	7
234	Enforced ROR(γ)t expression in haematopoietic stem cells increases regulatory T cell number, which reduces immunoreactivity and attenuates hypersensitivity in vivo. <i>Asian Pacific Journal of Allergy and Immunology</i> , 2011, 29, 86-93.	0.2	2

#	ARTICLE	IF	CITATIONS
235	Perforated Ischiogluteal Bursitis Mimicking a Gluteal Decubitus Ulcer in Patients With Spinal Cord Injury: Report of 2 Cases. <i>Archives of Dermatology</i> , 2010, 146, 918.	1.7	4
236	Extension of a malignant tailgut cyst to a subcutaneous space in the buttock. <i>European Journal of Dermatology</i> , 2010, 20, 788-91.	0.3	2
237	Superimposed segmental dermatitis with chronic prurigo. <i>European Journal of Dermatology</i> , 2009, 19, 337-340.	0.3	6
238	Deep plantaris ulceration secondary to the topical treatment of wart with glutaraldehyde. <i>Journal of Dermatology</i> , 2009, 36, 618-619.	0.6	5
239	The induction of tumor-specific CD4+ T cells via major histocompatibility complex class II is required to gain optimal anti-tumor immunity against B16 melanoma cell line in tumor immunotherapy using dendritic cells. <i>Experimental Dermatology</i> , 2009, 18, 396-403.	1.4	13
240	Epidermal pseudocarcinomatous hyperplasia with underlying epidermal growth factor-producing cutaneous CD30-positive lymphoproliferative disorder. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2009, 23, 181-183.	1.3	5
241	Metastatic squamous cell carcinoma of the buttock treated with chemoradiation using cisplatin and 5-fluorouracil. <i>Journal of the American Academy of Dermatology</i> , 2009, 60, 355-357.	0.6	5
242	Combined therapy of selective embolization followed by surgery in a case of giant arteriovenous malformation in the buttock. <i>Journal of Plastic, Reconstructive and Aesthetic Surgery</i> , 2009, 62, e127-e128.	0.5	0
243	Aseptic olecranon bursitis as a novel subcutaneous manifestation of dermatomyositis. <i>European Journal of Dermatology</i> , 2009, 19, 525-526.	0.3	2
244	Attenuation of UVB-Induced Sunburn Reaction and Oxidative DNA Damage with no Alterations in UVB-Induced Skin Carcinogenesis in Nrf2 Gene-Deficient Mice. <i>Journal of Investigative Dermatology</i> , 2008, 128, 1773-1779.	0.3	76
245	Penile Preservation Surgery in a Case of Extramammary Paget's Disease Involving the Glans Penis and Distal Urethra. <i>Dermatologic Surgery</i> , 2008, 34, 823-831.	0.4	6
246	Interleukin-8 and CXCR2 expression in spindle cell haemangioendothelioma. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2008, 22, 638-640.	1.3	3
247	A case of proximal-type epithelioid sarcoma which showed positive reactivity to fibroblast growth factor receptor-2b isotype. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2008, 22, 1372-1373.	1.3	0
248	Paraneoplastic dermatomyositis triggered and exacerbated by oral 5-fluorouracil administration. <i>European Journal of Dermatology</i> , 2008, 18, 195-6.	0.3	5
249	Epidermal cell necrosis with direct epidermal infiltration of Epstein-Barr virus (EBV)-encoded small nuclear RNA-positive T lymphocytes in a patient with EBV-associated haemophagocytic syndrome. <i>British Journal of Dermatology</i> , 2007, 157, 1053-1056.	1.4	13
250	Rheumatoid papules successfully treated with oral tacrolimus. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2007, 22, 070619172136010-???	1.3	6
251	Coexistence of pemphigus vulgaris and bullous pemphigoid in the upper aerodigestive tract. <i>Auris Nasus Larynx</i> , 2006, 33, 231-233.	0.5	8
252	Chemoradiation using low-dose cisplatin and 5-fluorouracil in locally advanced squamous cell carcinoma of the skin: A report of two cases. <i>Journal of the American Academy of Dermatology</i> , 2006, 55, S81-S85.	0.6	39

#	ARTICLE	IF	CITATIONS
253	Metastatic extramammary Paget's disease successfully controlled with tumour dormancy therapy using docetaxel. <i>British Journal of Dermatology</i> , 2006, 154, 375-376.	1.4	40
254	Cytokeratin 7 staining was useful in a case of pigmented mammary Paget's disease resembling malignant melanoma. <i>International Journal of Dermatology</i> , 2006, 45, 1257-1258.	0.5	9
255	Induction of graft-versus-autoimmune (GVA) disease effect against refractory psoriasis by complete donor-type chimerism and graft-versus-host disease after allogeneic hematopoietic stem cell transplantation. <i>Bone Marrow Transplantation</i> , 2003, 32, 439-442.	1.3	19
256	Two Cases of Adult Lichen Nitidus.. <i>Nishinohon Journal of Dermatology</i> , 2000, 62, 179-181.	0.0	1