

Marco Conti

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8623162/marco-conti-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

8

papers

84

citations

4

h-index

8

g-index

8

ext. papers

109

ext. citations

2.1

avg, IF

2.09

L-index

#	Paper	IF	Citations
8	Advanced Facial Rejuvenation After Bimaxillary Surgery in Three Different Facial Types. <i>Aesthetic Plastic Surgery</i> , 2021 , 1	2	1
7	How to Prevent Mandibular Lower Border Notching After Bilateral Sagittal Split Osteotomies for Major Advancements: Analysis of 168 Osteotomies. <i>Journal of Oral and Maxillofacial Surgery</i> , 2020 , 78, 1620-1626	1.8	2
6	Orthognathic surgery "again" to correct aesthetic failure of primary surgery: Report on outcomes and patient satisfaction in 70 consecutive cases. <i>Journal of Cranio-Maxillo-Facial Surgery</i> , 2018 , 46, 1069-1078	3.6	8
5	A New Hybrid Technique for Performing a Safer Bilateral Sagittal Split Osteotomy: Combining Reciprocating Saw and Piezoelectric Devices. <i>Facial Plastic Surgery</i> , 2018 , 34, 419-422	1.2	4
4	The role of bone marrow aspirate cells in the management of atrophic mandibular fractures by mini-invasive surgical approach: Single-institution experience. <i>Journal of Cranio-Maxillo-Facial Surgery</i> , 2017 , 45, 694-703	3.6	1
3	Three-dimensional airways reconstruction in syndromic pediatric patients following mandibular distraction osteogenesis. <i>Journal of Craniofacial Surgery</i> , 2015 , 26, 650-4	1.2	3
2	Comparison of piezosurgery and traditional saw in bimaxillary orthognathic surgery. <i>Journal of Cranio-Maxillo-Facial Surgery</i> , 2014 , 42, 1211-20	3.6	61
1	Infraorbital nerve block for isolated orbital floor fractures repair: review of 135 consecutive cases. <i>Plastic and Reconstructive Surgery - Global Open</i> , 2014 , 2, e97	1.2	4