

Jan A N Verhaar

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8625306/publications.pdf>

Version: 2024-02-01

283
papers

17,760
citations

11235

73
h-index

21843

118
g-index

291
all docs

291
docs citations

291
times ranked

16389
citing authors

#	ARTICLE	IF	CITATIONS
1	Outcomes of 3-D corrective osteotomies for paediatric malunited both-bone forearm fractures. <i>Journal of Hand Surgery: European Volume</i> , 2022, 47, 164-171.	0.5	6
2	Why, When, and in Which Patients Nonoperative Treatment of Anterior Cruciate Ligament Injury Fails: An Exploratory Analysis of the COMPARE Trial. <i>American Journal of Sports Medicine</i> , 2022, 50, 645-651.	1.9	8
3	Adding false-profile radiographs improves detection of developmental dysplasia of the hip, data from the CHECK cohort. <i>Journal of Hip Preservation Surgery</i> , 2022, 9, 3-9.	0.6	7
4	Modulation of Inflamed Synovium Improves Migration of Mesenchymal Stromal Cells in Vitro Through Anti-Inflammatory Macrophages. <i>Cartilage</i> , 2022, 13, 194760352210851.	1.4	2
5	Educational online prevention programme (the SPRINT study) has no effect on the number of running-related injuries in recreational runners: a randomised-controlled trial. <i>British Journal of Sports Medicine</i> , 2022, 56, 676-682.	3.1	9
6	Intra-articular Administration of Triamcinolone Acetonide in a Murine Cartilage Defect Model Reduces Inflammation but Inhibits Endogenous Cartilage Repair. <i>American Journal of Sports Medicine</i> , 2022, 50, 1668-1678.	1.9	3
7	The association between statistical shape modeling-defined hip morphology and features of early hip osteoarthritis in young adult football players: Data from the femoroacetabular impingement and hip osteoarthritis cohort (FORCe) study. <i>Osteoarthritis and Cartilage Open</i> , 2022, 4, 100275.	0.9	0
8	Macrophage phenotypes and monocyte subsets after destabilization of the medial meniscus in mice. <i>Journal of Orthopaedic Research</i> , 2021, 39, 2270-2280.	1.2	14
9	Which treatment is most effective for patients with Achilles tendinopathy? A living systematic review with network meta-analysis of 29 randomised controlled trials. <i>British Journal of Sports Medicine</i> , 2021, 55, 249-256.	3.1	97
10	Statistical shape modeling of the hip and the association with hip osteoarthritis: a systematic review. <i>Osteoarthritis and Cartilage</i> , 2021, 29, 607-618.	0.6	22
11	Impact of chronic Achilles tendinopathy on health-related quality of life, work performance, healthcare utilisation and costs. <i>BMJ Open Sport and Exercise Medicine</i> , 2021, 7, e001023.	1.4	32
12	The CAST study protocol: a cluster randomized trial assessing the effect of circumferential casting versus plaster splinting on fracture redisplacement in reduced distal radius fractures in adults. <i>BMC Musculoskeletal Disorders</i> , 2021, 22, 370.	0.8	2
13	Effects of eccentric exercises on improving ankle dorsiflexion in soccer players. <i>BMC Musculoskeletal Disorders</i> , 2021, 22, 485.	0.8	4
14	Timing of debridement, antibiotics, and implant retention (DAIR) for early post-surgical hip and knee prosthetic joint infection (PJI) does not affect 1-year re-revision rates: data from the Dutch Arthroplasty Register. <i>Journal of Bone and Joint Infection</i> , 2021, 6, 329-336.	0.6	7
15	Are pain coping strategies and neuropathic pain associated with a worse outcome after conservative treatment for Achilles tendinopathy? A prospective cohort study. <i>Journal of Science and Medicine in Sport</i> , 2021, 24, 871-875.	0.6	2
16	Victorian Institute of Sport Assessment-Achilles (VISA-A) Questionnaire – Minimal Clinically Important Difference for Active People With Midportion Achilles Tendinopathy: A Prospective Cohort Study. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2021, 51, 510-516.	1.7	15
17	Standardized pain mapping for diagnosing Achilles tendinopathy. <i>Journal of Science and Medicine in Sport</i> , 2021, , .	0.6	2
18	Synovial Fluid Fatty Acid Profiles Differ between Osteoarthritis and Healthy Patients. <i>Cartilage</i> , 2020, 11, 473-478.	1.4	30

#	ARTICLE	IF	CITATIONS
19	Incidence of Achilles tendinopathy and associated risk factors in recreational runners: A large prospective cohort study. <i>Journal of Science and Medicine in Sport</i> , 2020, 23, 448-452.	0.6	32
20	Ultrasound Doppler Flow in Patients With Chronic Midportion Achilles Tendinopathy: Is Surface Area Quantification a Reliable Method?. <i>Journal of Ultrasound in Medicine</i> , 2020, 39, 731-739.	0.8	5
21	Persistent candida arthritis successfully treated with micafungin instillation and surgery. A case report. <i>Medical Mycology Case Reports</i> , 2020, 27, 29-31.	0.7	0
22	Congenital Forearm Pseudarthrosis, a Systematic Review for a Treatment Algorithm on a Rare Condition. <i>Journal of Pediatric Orthopaedics</i> , 2020, 40, e367-e374.	0.6	13
23	Normal values for hip muscle strength and range of motion in elite, sub-elite and amateur male field hockey players. <i>Physical Therapy in Sport</i> , 2020, 46, 169-176.	0.8	6
24	Hope for better days: 2 studies aiming to answer the remaining questions around dual mobility cups. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2020, 91, 501-502.	1.2	1
25	Classifying Cam Morphology by the Alpha Angle: A Systematic Review on Threshold Values. <i>Orthopaedic Journal of Sports Medicine</i> , 2020, 8, 232596712093831.	0.8	36
26	Effectiveness of a high volume injection as treatment for chronic Achilles tendinopathy: randomised controlled trial. <i>BMJ</i> , The, 2020, 370, m3027.	3.0	18
27	MSC encapsulation in alginate microcapsules prolongs survival after intra-articular injection, a longitudinal in vivo cell and bead integrity tracking study. <i>Cell Biology and Toxicology</i> , 2020, 36, 553-570.	2.4	25
28	Isometric exercises do not provide immediate pain relief in Achilles tendinopathy: A quasi-randomized clinical trial. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2020, 30, 1712-1721.	1.3	15
29	Patient satisfaction after total knee replacement" still a challenge. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2020, 91, 241-242.	1.2	8
30	The relationship between cam morphology and hip and groin symptoms and signs in young male football players. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2020, 30, 1221-1231.	1.3	17
31	Enhanced injury prevention programme for recreational runners (the SPRINT study): design of a randomised controlled trial. <i>BMJ Open Sport and Exercise Medicine</i> , 2020, 6, e000780.	1.4	6
32	How many runners with new-onset Achilles tendinopathy develop persisting symptoms? A large prospective cohort study. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2020, 30, 1939-1948.	1.3	21
33	High knee loading in male adolescent pre-professional football players: Effects of a targeted training programme. <i>Journal of Science and Medicine in Sport</i> , 2019, 22, 164-168.	0.6	3
34	The presence of CLL-associated stereotypic B cell receptors in the normal BCR repertoire from healthy individuals increases with age. <i>Immunity and Ageing</i> , 2019, 16, 22.	1.8	17
35	The volume-outcome relationship for hip fractures: a systematic review and meta-analysis of 2,023,469 patients. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2019, 90, 26-32.	1.2	15
36	The effectiveness of high molecular weight hyaluronic acid for knee osteoarthritis in patients in the working age: a randomised controlled trial. <i>BMC Musculoskeletal Disorders</i> , 2019, 20, 196.	0.8	42

#	ARTICLE	IF	CITATIONS
37	Online multifactorial prevention programme has no effect on the number of running-related injuries: a randomised controlled trial. <i>British Journal of Sports Medicine</i> , 2019, 53, 1479-1485.	3.1	26
38	Cell-surface markers identify tissue resident multipotential stem/stromal cell subsets in synovial intimal and sub-intimal compartments with distinct chondrogenic properties. <i>Osteoarthritis and Cartilage</i> , 2019, 27, 1831-1840.	0.6	17
39	Cam morphology in young male football players mostly develops before proximal femoral growth plate closure: a prospective study with 5-year follow-up. <i>British Journal of Sports Medicine</i> , 2019, 53, 532-538.	3.1	42
40	Clinical risk factors for Achilles tendinopathy: a systematic review. <i>British Journal of Sports Medicine</i> , 2019, 53, 1352-1361.	3.1	77
41	Possibility of quantitative T2* mapping MRI of cartilage near metal in high tibial osteotomy: A human cadaver study. <i>Journal of Orthopaedic Research</i> , 2018, 36, 1206-1212.	1.2	8
42	Intramuscular glucocorticoid injection versus placebo injection in hip osteoarthritis: a 12-week blinded randomised controlled trial. <i>Annals of the Rheumatic Diseases</i> , 2018, 77, annrheumdis-2017-212628.	0.5	23
43	General Practitioners Referring Adults to MR Imaging for Knee Pain: A Randomized Controlled Trial to Assess Cost-effectiveness. <i>Radiology</i> , 2018, 288, 170-176.	3.6	16
44	Response to the Letter to the Editor: "Is a high tibial osteotomy superior to non-surgical treatment in patients with varus malaligned medial knee osteoarthritis?" <i>Osteoarthritis and Cartilage</i> , 2018, 26, e3-e4.	0.6	1
45	Intra-articular Injections of Platelet-Rich Plasma Release Reduce Pain and Synovial Inflammation in a Mouse Model of Osteoarthritis. <i>American Journal of Sports Medicine</i> , 2018, 46, 977-986.	1.9	68
46	Mesenchymal stem cell secretome reduces pain and prevents cartilage damage in a murine osteoarthritis model. <i>Osteoarthritis and Cartilage</i> , 2018, 36, 218-230.		60
47	Novel In Situ Gelling Hydrogels Loaded with Recombinant Collagen Peptide Microspheres as a Slow Release System Induce Ectopic Bone Formation. <i>Advanced Healthcare Materials</i> , 2018, 7, e1800507.	3.9	15
48	Blood perfusion of patellar bone measured by dynamic contrast-enhanced MRI in patients with patellofemoral pain: A case-control study. <i>Journal of Magnetic Resonance Imaging</i> , 2018, 48, 1344-1350.	1.9	9
49	High fat diet accelerates cartilage repair in DBA/1 mice. <i>Journal of Orthopaedic Research</i> , 2017, 35, 1258-1264.	1.2	4
50	Value of quantitative MRI parameters in predicting and evaluating clinical outcome in conservatively treated patients with chronic midportion Achilles tendinopathy: A prospective study. <i>Journal of Science and Medicine in Sport</i> , 2017, 20, 633-637.	0.6	27
51	Pre-Treatment of Human Mesenchymal Stem Cells With Inflammatory Factors or Hypoxia Does Not Influence Migration to Osteoarthritic Cartilage and Synovium. <i>American Journal of Sports Medicine</i> , 2017, 45, 1151-1161.	1.9	16
52	Incidence, prevalence, natural course and prognosis of patellofemoral osteoarthritis: the Cohort Hip and Cohort Knee study. <i>Osteoarthritis and Cartilage</i> , 2017, 25, 647-653.	0.6	68
53	Is a high tibial osteotomy (HTO) superior to non-surgical treatment in patients with varus malaligned medial knee osteoarthritis (OA)? A propensity matched study using 2 randomized controlled trial (RCT) datasets. <i>Osteoarthritis and Cartilage</i> , 2017, 25, 1988-1993.	0.6	26
54	Influence of delayed gadolinium enhanced MRI of cartilage (dGEMRIC) protocol on T2-mapping: is it possible to comprehensively assess knee cartilage composition in one post-contrast MR examination at 3 Tesla?. <i>Osteoarthritis and Cartilage</i> , 2017, 25, 1484-1487.	0.6	5

#	ARTICLE	IF	CITATIONS
55	Ageing and latent CMV infection impact on maturation, differentiation and exhaustion profiles of T-cell receptor gammadelta T-cells. <i>Scientific Reports</i> , 2017, 7, 5509.	1.6	44
56	Post-traumatic knee MRI findings and associations with patient, trauma, and clinical characteristics: a subgroup analysis in primary care in the Netherlands. <i>British Journal of General Practice</i> , 2017, 67, e851-e858.	0.7	6
57	Encapsulation of allogeneic mesenchymal stem cells in alginate extends local presence and therapeutic function. , 2017, 33, 43-58.		28
58	Knee osteoarthritis in traumatic knee symptoms in general practice: 6-year cohort study. <i>BMJ Open Sport and Exercise Medicine</i> , 2016, 2, e000153.	1.4	1
59	Quantitative inÂvivo CT arthrography of the human osteoarthritic knee to estimate cartilage sulphated glycosaminoglycan content: correlation with ex-vivo reference standards. <i>Osteoarthritis and Cartilage</i> , 2016, 24, 1012-1020.	0.6	20
60	Structural Abnormalities on Magnetic Resonance Imaging in Patients With Patellofemoral Pain. <i>American Journal of Sports Medicine</i> , 2016, 44, 2339-2346.	1.9	51
61	Is T1Ï•Mapping an Alternative to Delayed Gadolinium-enhanced MR Imaging of Cartilage in the Assessment of Sulphated Glycosaminoglycan Content in Human Osteoarthritic Knees? An in Vivo Validation Study. <i>Radiology</i> , 2016, 279, 523-531.	3.6	68
62	Effectiveness of exercise therapy for meniscal lesions in adults: A systematic review and meta-analysis. <i>Journal of Science and Medicine in Sport</i> , 2016, 19, 990-998.	0.6	26
63	Strength Measurements in Acute Hamstring Injuries: Intertester Reliability and Prognostic Value of Handheld Dynamometry. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2016, 46, 689-696.	1.7	21
64	Cartilage inflammation and degeneration is enhanced by pro-inflammatory (M1) macrophages inÂvitro , but not inhibited directly by anti-inflammatory (M2) macrophages. <i>Osteoarthritis and Cartilage</i> , 2016, 24, 2162-2170.	0.6	95
65	How does lower leg alignment differ between soccer players, other athletes, and non-athletic controls?. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2016, 24, 3619-3626.	2.3	32
66	Guiding synovial inflammation by macrophage phenotype modulation: an inÂvitro study towards a therapy for osteoarthritis. <i>Osteoarthritis and Cartilage</i> , 2016, 24, 1629-1638.	0.6	52
67	Comparison of Mini-Midvastus and Conventional Total Knee Arthroplasty with Clinical and Radiographic Evaluation. <i>Journal of Bone and Joint Surgery - Series A</i> , 2016, 98, 1014-1022.	1.4	15
68	Six-year course and prognosis of traumatic knee symptoms in general practice: Cohort study. <i>European Journal of General Practice</i> , 2016, 22, 23-30.	0.9	3
69	Cost-utility of exercise therapy in patients with hip osteoarthritis in primary care. <i>Osteoarthritis and Cartilage</i> , 2016, 24, 581-588.	0.6	25
70	No Difference on Quantitative Magnetic Resonance Imaging in Patellofemoral Cartilage Composition Between Patients With Patellofemoral Pain and Healthy Controls. <i>American Journal of Sports Medicine</i> , 2016, 44, 1172-1178.	1.9	40
71	Degenerative Changes in the Knee 2 Years After Anterior Cruciate Ligament Rupture and Related Risk Factors. <i>American Journal of Sports Medicine</i> , 2016, 44, 1524-1533.	1.9	66
72	Effectiveness of exercise therapy added to general practitioner care in patients with hip osteoarthritis: a pragmatic randomized controlled trial. <i>Osteoarthritis and Cartilage</i> , 2016, 24, 82-90.	0.6	34

#	ARTICLE	IF	CITATIONS
73	Rationale, secondary outcome scores and 1-year follow-up of a randomised trial of platelet-rich plasma injections in acute hamstring muscle injury: the Dutch Hamstring Injection Therapy study. <i>British Journal of Sports Medicine</i> , 2015, 49, 1206-1212.	3.1	85
74	Exercise therapy for patellofemoral pain syndrome. <i>The Cochrane Library</i> , 2015, 1, CD003472.	1.5	3
75	Can We Predict Which Patients With Patellofemoral Pain Are More Likely to Benefit From Exercise Therapy? A Secondary Exploratory Analysis of a Randomized Controlled Trial. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2015, 45, 183-189.	1.7	8
76	Do Laterally Wedged Insoles or Valgus Braces Unload the Medial Compartment of the Knee in Patients With Osteoarthritis?. <i>Clinical Orthopaedics and Related Research</i> , 2015, 473, 265-274.	0.7	37
77	No Association Between Fibrosis on Magnetic Resonance Imaging at Return to Play and Hamstring Reinjury Risk. <i>American Journal of Sports Medicine</i> , 2015, 43, 1228-1234.	1.9	40
78	Finding the Right Hip Implant for Patient and Surgeon: The Dutch Strategy â€œ Empowering Patients. <i>HIP International</i> , 2015, 25, 131-137.	0.9	14
79	Braces and orthoses for treating osteoarthritis of the knee. <i>The Cochrane Library</i> , 2015, 2015, CD004020.	1.5	108
80	Which determinants predict tibiofemoral and patellofemoral osteoarthritis after anterior cruciate ligament injury? A systematic review. <i>British Journal of Sports Medicine</i> , 2015, 49, 975-983.	3.1	99
81	Osteostatin-Coated Porous Titanium Can Improve Early Bone Regeneration of Cortical Bone Defects in Rats. <i>Tissue Engineering - Part A</i> , 2015, 21, 1495-1506.	1.6	32
82	Knee instability in patients with traumatic knee disorders: a cohort study in primary care. <i>Family Practice</i> , 2015, 32, cmv023.	0.8	0
83	The Tendon Structure Returns to Asymptomatic Values in Nonoperatively Treated Achilles Tendinopathy but Is Not Associated With Symptoms. <i>American Journal of Sports Medicine</i> , 2015, 43, 2950-2958.	1.9	66
84	Factors Related to the Need for Surgical Reconstruction After Anterior Cruciate Ligament Rupture: A Systematic Review of the Literature. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2015, 45, 37-44.	1.7	17
85	The infrapatellar fat pad from diseased joints inhibits chondrogenesis of mesenchymal stem cells. , 2015, 30, 303-314.		18
86	Osteotomy for treating knee osteoarthritis. <i>The Cochrane Library</i> , 2014, , CD004019.	1.5	126
87	Computer-assisted surgery for knee ligament reconstruction. , 2014, , CD007601.		6
88	More on Platelet-Rich Plasma Injections in Acute Muscle Injury. <i>New England Journal of Medicine</i> , 2014, 371, 1264-1265.	13.9	17
89	Mesenchymal stem cells reduce pain but not degenerative changes in a mono-iodoacetate rat model of osteoarthritis. <i>Journal of Orthopaedic Research</i> , 2014, 32, 1167-1174.	1.2	80
90	Comparison of Closing-Wedge and Opening-Wedge High Tibial Osteotomy for Medial Compartment Osteoarthritis of the Knee. <i>Journal of Bone and Joint Surgery - Series A</i> , 2014, 96, 1425-1432.	1.4	145

#	ARTICLE	IF	CITATIONS
91	Chondrogenesis of Mesenchymal Stem Cells in an Osteochondral Environment Is Mediated by the Subchondral Bone. <i>Tissue Engineering - Part A</i> , 2014, 20, 23-33.	1.6	55
92	Platelet-Rich Plasma Injections in Acute Muscle Injury. <i>New England Journal of Medicine</i> , 2014, 370, 2546-2547.	13.9	158
93	MRI observations at return to play of clinically recovered hamstring injuries. <i>British Journal of Sports Medicine</i> , 2014, 48, 1370-1376.	3.1	88
94	Angular malalignment as cause of limitation of forearm rotation: An analysis of prospectively collected data of both-bone forearm fractures in children. <i>Injury</i> , 2014, 45, 955-959.	0.7	20
95	Associations between weather conditions and clinical symptoms in patients with hip osteoarthritis: A 2-year cohort study. <i>Pain</i> , 2014, 155, 808-813.	2.0	44
96	Three-dimensional imaging of children with severe limitation of pronation/supination after a both-bone forearm fracture. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2014, 134, 333-341.	1.3	10
97	Which factors affect limitation of pronation/supination after forearm fractures in children? A prospective multicentre study. <i>Injury</i> , 2014, 45, 696-700.	0.7	21
98	A Cam Deformity Is Gradually Acquired During Skeletal Maturation in Adolescent and Young Male Soccer Players. <i>American Journal of Sports Medicine</i> , 2014, 42, 798-806.	1.9	244
99	Statins and fibrates do not affect development of spontaneous cartilage damage in STR/Ort mice. <i>Osteoarthritis and Cartilage</i> , 2014, 22, 293-301.	0.6	20
100	Bone mineral density changes in the knee following anterior cruciate ligament rupture. <i>Osteoarthritis and Cartilage</i> , 2014, 22, 154-161.	0.6	44
101	Inhibited osteoclastic bone resorption through alendronate treatment in rats reduces severe osteoarthritis progression. <i>Bone</i> , 2014, 66, 163-170.	1.4	66
102	Comparison of Postinjection Protocols After Intratendinous Achilles Platelet-Rich Plasma Injections: A Cadaveric Study. <i>Journal of Foot and Ankle Surgery</i> , 2014, 53, 712-715.	0.5	6
103	Are Magnetic Resonance Imaging Recovery and Laxity Improvement Possible After Anterior Cruciate Ligament Rupture in Nonoperative Treatment?. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2014, 30, 1092-1099.	1.3	12
104	Delayed gadolinium-enhanced MRI of the meniscus (dGEMRIM) in patients with knee osteoarthritis: relation with meniscal degeneration on conventional MRI, reproducibility, and correlation with dGEMRIC. <i>European Radiology</i> , 2014, 24, 2261-2270.	2.3	20
105	Myotoxicity of Injections for Acute Muscle Injuries: A Systematic Review. <i>Sports Medicine</i> , 2014, 44, 943-956.	3.1	43
106	Efficacy of MRI in primary care for patients with knee complaints due to trauma: protocol of a randomised controlled non-inferiority trial (TACKLE trial). <i>BMC Musculoskeletal Disorders</i> , 2014, 15, 63.	0.8	11
107	Selective laser melting-produced porous titanium scaffolds regenerate bone in critical size cortical bone defects. <i>Journal of Orthopaedic Research</i> , 2013, 31, 792-799.	1.2	225
108	Early conversion to below-elbow cast for non-reduced diaphyseal both-bone forearm fractures in children is safe: preliminary results of a multicentre randomised controlled trial. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2013, 133, 1407-1414.	1.3	9

#	ARTICLE	IF	CITATIONS
109	Single-bone intramedullary fixation of unstable both-bone diaphyseal forearm fractures in children leads to increased re-displacement: a multicentre randomised controlled trial. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2013, 133, 1079-1087.	1.3	21
110	Total hip replacement but not clinical osteoarthritis can be predicted by the shape of the hip: a prospective cohort study (CHECK). <i>Osteoarthritis and Cartilage</i> , 2013, 21, 559-564.	0.6	55
111	Epidemiology and health-care utilisation of wrist fractures in older adults in The Netherlands, 1997-2009. <i>Injury</i> , 2013, 44, 421-426.	0.7	53
112	Conversion to below-elbow cast after 3 weeks is safe for diaphyseal both-bone forearm fractures in children. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2013, 84, 489-494.	1.2	11
113	Knee Injury and Osteoarthritis Outcome Score or International Knee Documentation Committee Subjective Knee Form: Which Questionnaire Is Most Useful to Monitor Patients With an Anterior Cruciate Ligament Rupture in the Short Term?. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2013, 29, 701-715.	1.3	96
114	Pincer deformity does not lead to osteoarthritis of the hip whereas acetabular dysplasia does: acetabular coverage and development of osteoarthritis in a nationwide prospective cohort study (CHECK). <i>Osteoarthritis and Cartilage</i> , 2013, 21, 1514-1521.	0.6	150
115	Re-displacement of stable distal both-bone forearm fractures in children: A randomised controlled multicentre trial. <i>Injury</i> , 2013, 44, 498-503.	0.7	39
116	Anxiety and depressive symptoms before and after total hip and knee arthroplasty: a prospective multicentre study. <i>Osteoarthritis and Cartilage</i> , 2013, 21, 1834-1840.	0.6	249
117	Real-time assessment of bone metabolism in small animal models for osteoarthritis using multi pinhole-SPECT/CT. <i>Osteoarthritis and Cartilage</i> , 2013, 21, 882-888.	0.6	8
118	Enhanced Bone Regeneration of Cortical Segmental Bone Defects Using Porous Titanium Scaffolds Incorporated with Colloidal Gelatin Gels for Time- and Dose-Controlled Delivery of Dual Growth Factors. <i>Tissue Engineering - Part A</i> , 2013, 19, 2605-2614.	1.6	89
119	Physical functioning four years after total hip and knee arthroplasty. <i>Gait and Posture</i> , 2013, 38, 310-315.	0.6	56
120	Stimulation of Fibrotic Processes by the Infrapatellar Fat Pad in Cultured Synoviocytes From Patients With Osteoarthritis: A Possible Role for Prostaglandin F _{2α} . <i>Arthritis and Rheumatism</i> , 2013, 65, 2070-2080.	6.7	66
121	Fibrates as therapy for osteoarthritis and rheumatoid arthritis? A systematic review. <i>Therapeutic Advances in Musculoskeletal Disease</i> , 2013, 5, 33-44.	1.2	15
122	Monounsaturated and Saturated, but Not n-6 Polyunsaturated Fatty Acids Decrease Cartilage Destruction under Inflammatory Conditions. <i>Cartilage</i> , 2013, 4, 321-328.	1.4	25
123	Unfocused extracorporeal shock waves induce anabolic effects in osteoporotic rats. <i>Journal of Orthopaedic Research</i> , 2013, 31, 768-775.	1.2	19
124	Reliability of the Active and Passive Knee Extension Test in Acute Hamstring Injuries. <i>American Journal of Sports Medicine</i> , 2013, 41, 1757-1761.	1.9	61
125	Cam impingement causes osteoarthritis of the hip: a nationwide prospective cohort study (CHECK). <i>Annals of the Rheumatic Diseases</i> , 2013, 72, 918-923.	0.5	382
126	Delayed Gadolinium-Enhanced MRI of Cartilage (dGEMRIC) Shows No Change in Cartilage Structural Composition after Viscosupplementation in Patients with Early-Stage Knee Osteoarthritis. <i>PLoS ONE</i> , 2013, 8, e79785.	1.1	32

#	ARTICLE	IF	CITATIONS
127	Computer-Assisted Surgery Is Not More Accurate or Precise Than Conventional Arthroscopic ACL Reconstruction. <i>Journal of Bone and Joint Surgery - Series A</i> , 2012, 94, 1538-1545.	1.4	35
128	Infrapatellar fat pad of patients with end-stage osteoarthritis inhibits catabolic mediators in cartilage. <i>Annals of the Rheumatic Diseases</i> , 2012, 71, 288-294.	0.5	86
129	The Development of Cam-Type Deformity in Adolescent and Young Male Soccer Players. <i>American Journal of Sports Medicine</i> , 2012, 40, 1099-1106.	1.9	233
130	Shoulder Arthrodesis: Functional Outcome and Morbidity after Combined Plate/screw Fixation versus Screw Fixation Alone. <i>Shoulder and Elbow</i> , 2012, 4, 106-111.	0.7	0
131	Effect of Arthritic Synovial Fluids on the Expression of Immunomodulatory Factors by Mesenchymal Stem Cells: An Explorative in vitro Study. <i>Frontiers in Immunology</i> , 2012, 3, 231.	2.2	44
132	An Osteochondral Culture Model to Study Mechanisms Involved in Articular Cartilage Repair. <i>Tissue Engineering - Part C: Methods</i> , 2012, 18, 45-53.	1.1	57
133	Predictors of persistent complaints after a knee injury in primary care. <i>British Journal of General Practice</i> , 2012, 62, e561-e566.	0.7	6
134	Failure rates of stemmed metal-on-metal hip replacements. <i>Lancet, The</i> , 2012, 380, 105.	6.3	13
135	Nieuwe richtlijn Acut lateraal enkelbandletsel: Weinig nieuws onder de zon. <i>Tijdschrift Voor Bedrijfs- En Verzekeringsgeneeskunde</i> , 2012, 20, 32-33.	0.1	0
136	Effectiveness of Audio Feedback for Partial Weight-Bearing in and Outside the Hospital: A Randomized Controlled Trial. <i>Archives of Physical Medicine and Rehabilitation</i> , 2012, 93, 565-570.	0.5	30
137	Re-sprains during the first 3 months after initial ankle sprain are related to incomplete recovery: an observational study. <i>Journal of Physiotherapy</i> , 2012, 58, 181-188.	0.7	31
138	Mesenchymal stem cells secrete factors that inhibit inflammatory processes in short-term osteoarthritic synovium and cartilage explant culture. <i>Osteoarthritis and Cartilage</i> , 2012, 20, 1186-1196.	0.6	191
139	TGF β 2 inhibition during expansion phase increases the chondrogenic re-differentiation capacity of human articular chondrocytes. <i>Osteoarthritis and Cartilage</i> , 2012, 20, 1152-1160.	0.6	29
140	Therapeutic interventions for acute hamstring injuries: a systematic review. <i>British Journal of Sports Medicine</i> , 2012, 46, 103-109.	3.1	77
141	Productivity costs and medical costs among working patients with knee osteoarthritis. <i>Arthritis Care and Research</i> , 2012, 64, 853-861.	1.5	90
142	Inhibiting calcineurin activity under physiologic tonicity elevates anabolic but suppresses catabolic chondrocyte markers. <i>Arthritis and Rheumatism</i> , 2012, 64, 1929-1939.	6.7	27
143	Systemic treatment with pulsed electromagnetic fields do not affect bone microarchitecture in osteoporotic rats. <i>International Orthopaedics</i> , 2012, 36, 1501-1506.	0.9	21
144	Below-elbow cast for metaphyseal both-bone fractures of the distal forearm in children: A randomised multicentre study. <i>Injury</i> , 2012, 43, 1107-1111.	0.7	23

#	ARTICLE	IF	CITATIONS
145	Psychological Factors Affecting the Outcome of Total Hip and Knee Arthroplasty: A Systematic Review. <i>Seminars in Arthritis and Rheumatism</i> , 2012, 41, 576-588.	1.6	353
146	CT arthrography of the human knee to measure cartilage quality with low radiation dose. <i>Osteoarthritis and Cartilage</i> , 2012, 20, 678-685.	0.6	33
147	Low-magnitude whole body vibration does not affect bone mass but does affect weight in ovariectomized rats. <i>Journal of Bone and Mineral Metabolism</i> , 2012, 30, 40-46.	1.3	16
148	Complications after hip arthroplasty and the association with hospital procedure volume. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2011, 82, 545-552.	1.2	31
149	Unraveling the Human Bone Microenvironment beyond the Classical Extracellular Matrix Proteins: A Human Bone Protein Library. <i>Journal of Proteome Research</i> , 2011, 10, 4725-4733.	1.8	39
150	Platelet-Rich Plasma Releasate Inhibits Inflammatory Processes in Osteoarthritic Chondrocytes. <i>American Journal of Sports Medicine</i> , 2011, 39, 2362-2370.	1.9	320
151	Peroxisome proliferator activated receptor alpha activation decreases inflammatory and destructive responses in osteoarthritic cartilage. <i>Osteoarthritis and Cartilage</i> , 2011, 19, 895-902.	0.6	46
152	Walking and chair rising performed in the daily life situation before and after total hip arthroplasty. <i>Osteoarthritis and Cartilage</i> , 2011, 19, 1102-1107.	0.6	32
153	Clinically applied CT arthrography to measure the sulphated glycosaminoglycan content of cartilage. <i>Osteoarthritis and Cartilage</i> , 2011, 19, 1183-1189.	0.6	44
154	The Most Accurate Approach for Intra-Articular Needle Placement in the Knee Joint: A Systematic Review. <i>Seminars in Arthritis and Rheumatism</i> , 2011, 41, 106-115.	1.6	51
155	Current evidence for effectiveness of interventions to treat rotator cuff tears. <i>Manual Therapy</i> , 2011, 16, 217-230.	1.6	30
156	Trochanteric osteotomy versus posterolateral approach: function the first year post surgery. A pilot study. <i>BMC Musculoskeletal Disorders</i> , 2011, 12, 138.	0.8	5
157	Cost-effectiveness of exercise therapy versus general practitioner care for osteoarthritis of the hip: design of a randomised clinical trial. <i>BMC Musculoskeletal Disorders</i> , 2011, 12, 232.	0.8	5
158	Effectiveness of intramuscular corticosteroid injection versus placebo injection in patients with hip osteoarthritis: design of a randomized double-blinded controlled trial. <i>BMC Musculoskeletal Disorders</i> , 2011, 12, 280.	0.8	5
159	In-vivo generation of bone via endochondral ossification by in-vitro chondrogenic priming of adult human and rat mesenchymal stem cells. <i>BMC Musculoskeletal Disorders</i> , 2011, 12, 31.	0.8	194
160	Quantifying osteoarthritic cartilage changes accurately using in vivo microCT arthrography in three etiologically distinct rat models. <i>Journal of Orthopaedic Research</i> , 2011, 29, 1788-1794.	1.2	37
161	Six-year course and prognosis of nontraumatic knee symptoms in adults in general practice: A prospective cohort study. <i>Arthritis Care and Research</i> , 2011, 63, 1287-1294.	1.5	19
162	Imaging of activated macrophages in experimental osteoarthritis using folate-targeted animal single-photon-emission computed tomography/computed tomography. <i>Arthritis and Rheumatism</i> , 2011, 63, 1898-1907.	6.7	57

#	ARTICLE	IF	CITATIONS
163	Unfocused Extracorporeal Shock Waves Induce Anabolic Effects in Rat Bone. <i>Journal of Bone and Joint Surgery - Series A</i> , 2011, 93, 38-48.	1.4	35
164	Corticosteroid Injections for Greater Trochanteric Pain Syndrome: A Randomized Controlled Trial in Primary Care. <i>Annals of Family Medicine</i> , 2011, 9, 226-234.	0.9	111
165	One-Year Follow-up of Platelet-Rich Plasma Treatment in Chronic Achilles Tendinopathy. <i>American Journal of Sports Medicine</i> , 2011, 39, 1623-1630.	1.9	338
166	Recovery of Physical Functioning After Total Hip Arthroplasty: Systematic Review and Meta-Analysis of the Literature. <i>Physical Therapy</i> , 2011, 91, 615-629.	1.1	131
167	Visualization of postoperative anterior cruciate ligament reconstruction bone tunnels. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2011, 82, 699-703.	1.2	57
168	Clinically Translatable Cell Tracking and Quantification by MRI in Cartilage Repair Using Superparamagnetic Iron Oxides. <i>PLoS ONE</i> , 2011, 6, e17001.	1.1	72
169	Outcome of knee injuries in general practice: 1-year follow-up. <i>British Journal of General Practice</i> , 2010, 60, e56-e63.	0.7	13
170	Predictors of partial weight-bearing performance after total hip arthroplasty. <i>Journal of Rehabilitation Medicine</i> , 2010, 42, 42-48.	0.8	9
171	Medial Knee Osteoarthritis Treated by Insoles or Braces: A Randomized Trial. <i>Clinical Orthopaedics and Related Research</i> , 2010, 468, 1926-1932.	0.7	93
172	A statistical model of shape and density of the proximal femur in relation to radiological and clinical OA of the hip. <i>Osteoarthritis and Cartilage</i> , 2010, 18, 787-794.	0.6	55
173	The infrapatellar fat pad should be considered as an active osteoarthritic joint tissue: a narrative review. <i>Osteoarthritis and Cartilage</i> , 2010, 18, 876-882.	0.6	322
174	Stimulation of osteogenic differentiation in human osteoprogenitor cells by pulsed electromagnetic fields: an in vitro study. <i>BMC Musculoskeletal Disorders</i> , 2010, 11, 188.	0.8	141
175	Adverse effects of extra-articular corticosteroid injections: a systematic review. <i>BMC Musculoskeletal Disorders</i> , 2010, 11, 206.	0.8	169
176	Pronation and supination after forearm fractures in children: Reliability of visual estimation and conventional goniometry measurement. <i>Injury</i> , 2010, 41, 643-646.	0.7	28
177	Stretch-induced inhibition of Wnt/ β -catenin signaling in mineralizing osteoblasts. <i>Journal of Orthopaedic Research</i> , 2010, 28, 390-396.	1.2	31
178	Elevated Levels of Cartilage Oligomeric Matrix Protein during In Vitro Cartilage Matrix Generation Decrease Collagen Fibril Diameter. <i>Cartilage</i> , 2010, 1, 200-210.	1.4	6
179	Platelet-Rich Plasma Injection for Chronic Achilles Tendinopathy. <i>JAMA - Journal of the American Medical Association</i> , 2010, 303, 144.	3.8	718
180	Calcineurin Inhibitors Promote Chondrogenic Marker Expression of Dedifferentiated Human Adult Chondrocytes via Stimulation of Endogenous TGF β 1 Production. <i>Tissue Engineering - Part A</i> , 2010, 16, 1-10.	1.6	23

#	ARTICLE	IF	CITATIONS
181	Diagnostic Accuracy of History Taking and Physical Examination for Assessing Anterior Cruciate Ligament Lesions of the Knee in Primary Care. <i>Archives of Physical Medicine and Rehabilitation</i> , 2010, 91, 1452-1459.	0.5	47
182	Stiffer Fixation of the Tibial Double-Tunnel Anterior Cruciate Ligament Complex Versus the Single Tunnel: A Biomechanical Study. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2010, 26, S35-S40.	1.3	9
183	Physiological tonicity improves human chondrogenic marker expression through nuclear factor of activated T-cells 5 in vitro. <i>Arthritis Research and Therapy</i> , 2010, 12, R100.	1.6	48
184	No positive effect of autologous platelet gel after total knee arthroplasty. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2009, 80, 557-562.	1.2	40
185	In Vitro Model to Study Chondrogenic Differentiation in Tendinopathy. <i>American Journal of Sports Medicine</i> , 2009, 37, 1214-1222.	1.9	69
186	Management Decisions in Nontraumatic Complaints of Arm, Neck, and Shoulder in General Practice. <i>Annals of Family Medicine</i> , 2009, 7, 446-454.	0.9	20
187	Effect of glucosamine sulphate on joint space narrowing, pain and function in patients with hip osteoarthritis; subgroup analyses of a randomized controlled trial. <i>Osteoarthritis and Cartilage</i> , 2009, 17, 427-432.	0.6	37
188	Conventional knee films hamper accurate knee alignment determination in patients with varus osteoarthritis of the knee. <i>Knee</i> , 2009, 16, 109-111.	0.8	47
189	Total knee arthroplasty after high tibial osteotomy. A systematic review. <i>BMC Musculoskeletal Disorders</i> , 2009, 10, 88.	0.8	59
190	Tendon degeneration is not mediated by regulation of Toll-like receptors 2 and 4 in human tenocytes. <i>Journal of Orthopaedic Research</i> , 2009, 27, 1043-1047.	1.2	19
191	Unfocused extracorporeal shock wave therapy as potential treatment for osteoporosis. <i>Journal of Orthopaedic Research</i> , 2009, 27, 1528-1533.	1.2	51
192	Failure load of patellar tendon grafts at the femoral side: 10- versus 20-mm-bone blocks. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2009, 17, 135-139.	2.3	5
193	Varus inclination of the proximal tibia or the distal femur does not influence high tibial osteotomy outcome. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2009, 17, 390-395.	2.3	33
194	Costs and effectiveness of a brief MRI examination of patients with acute knee injury. <i>European Radiology</i> , 2009, 19, 409-418.	2.3	23
195	Chondrogenic Priming of Human Bone Marrow Stromal Cells: A Better Route to Bone Repair?. <i>Tissue Engineering - Part C: Methods</i> , 2009, 15, 285-295.	1.1	121
196	Inhibition of glycosaminoglycan incorporation influences collagen network formation during cartilage matrix production. <i>Biochemical and Biophysical Research Communications</i> , 2009, 379, 222-226.	1.0	7
197	Vitamin D Status, Bone Mineral Density, and the Development of Radiographic Osteoarthritis of the Knee. <i>Journal of Clinical Rheumatology</i> , 2009, 15, 230-237.	0.5	115
198	Is the Disability of Arm, Shoulder, and Hand Questionnaire (DASH) Also Valid and Responsive in Patients With Neck Complaints. <i>Spine</i> , 2009, 34, E130-E138.	1.0	45

#	ARTICLE	IF	CITATIONS
199	Long-term results after a triple arthrodesis of the hindfoot: function and satisfaction in 36 patients. <i>International Orthopaedics</i> , 2008, 32, 237-241.	0.9	39
200	Small Increase of Actual Physical Activity 6 Months After Total Hip or Knee Arthroplasty. <i>Clinical Orthopaedics and Related Research</i> , 2008, 466, 2201-2208.	0.7	129
201	Management in non-traumatic arm, neck and shoulder complaints: differences between diagnostic groups. <i>European Spine Journal</i> , 2008, 17, 1218-1229.	1.0	28
202	Glucosamine increases hyaluronic acid production in human osteoarthritic synovium explants. <i>BMC Musculoskeletal Disorders</i> , 2008, 9, 120.	0.8	35
203	Cellular origin of neocartilage formed at wound edges of articular cartilage in a tissue culture experiment. <i>Osteoarthritis and Cartilage</i> , 2008, 16, 204-211.	0.6	28
204	Contribution of collagen network features to functional properties of engineered cartilage. <i>Osteoarthritis and Cartilage</i> , 2008, 16, 359-366.	0.6	67
205	In vitro expansion affects the response of chondrocytes to mechanical stimulation. <i>Osteoarthritis and Cartilage</i> , 2008, 16, 385-391.	0.6	61
206	Cartilage damage pattern in relation to subchondral plate thickness in a collagenase-induced model of osteoarthritis. <i>Osteoarthritis and Cartilage</i> , 2008, 16, 506-514.	0.6	106
207	Actual everyday physical activity in patients with end-stage hip or knee osteoarthritis compared with healthy controls. <i>Osteoarthritis and Cartilage</i> , 2008, 16, 436-442.	0.6	96
208	In vivo imaging of cartilage degeneration using ^{13}C -CT-arthrography. <i>Osteoarthritis and Cartilage</i> , 2008, 16, 1011-1017.	0.6	82
209	Incidence of non-traumatic complaints of arm, neck and shoulder in general practice. <i>Manual Therapy</i> , 2008, 13, 426-433.	1.6	77
210	The Dutch version of the knee injury and osteoarthritis outcome score: A validation study. <i>Health and Quality of Life Outcomes</i> , 2008, 6, 16.	1.0	264
211	Interventions for Treating the Radial Tunnel Syndrome: A Systematic Review of Observational Studies. <i>Journal of Hand Surgery</i> , 2008, 33, 72.e1-72.e10.	0.7	49
212	Assessing Medial Collateral Ligament Knee Lesions in General Practice. <i>American Journal of Medicine</i> , 2008, 121, 982-988.e2.	0.6	45
213	Effects of iron oxide incorporation for long term cell tracking on MSC differentiation in vitro and in vivo. <i>Biochemical and Biophysical Research Communications</i> , 2008, 369, 1076-1081.	1.0	129
214	Can Platelet-Rich Plasma Enhance Tendon Repair?. <i>American Journal of Sports Medicine</i> , 2008, 36, 1171-1178.	1.9	390
215	Opposite cortical fracture in high tibial osteotomy: lateral closing compared to the medial opening wedge technique. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2008, 79, 508-514.	1.2	100
216	Imaging of experimental osteoarthritis in small animal models. <i>Biorheology</i> , 2008, 45, 355-364.	1.2	22

#	ARTICLE	IF	CITATIONS
217	Survival of closing-wedge high tibial osteotomy: Good outcome in men with low-grade osteoarthritis after 10-16 years. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2008, 79, 230-234.	1.2	67
218	Anterior cruciate ligament injury in professional dancers. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2008, 79, 515-518.	1.2	32
219	Effect of Glucosamine Sulfate on Hip Osteoarthritis. <i>Annals of Internal Medicine</i> , 2008, 148, 268.	2.0	109
220	Prevalence and Characteristics of Complaints of the Arm, Neck, and/or Shoulder (CANS) in the Open Population. <i>Clinical Journal of Pain</i> , 2008, 24, 253-259.	0.8	84
221	Traumatic Thoracic and Lumbar Spinal Fractures: Operative or Nonoperative Treatment. <i>Spine</i> , 2008, 33, 1006-1017.	1.0	53
222	TGF β 2 Affects Collagen Cross-Linking Independent of Chondrocyte Phenotype but Strongly Depending on Physical Environment. <i>Tissue Engineering - Part A</i> , 2008, 14, 110306231138043.	1.6	7
223	Achilles Tendinosis. <i>American Journal of Sports Medicine</i> , 2007, 35, 1549-1556.	1.9	138
224	The Difference Between Actual and Prescribed Weight Bearing of Total Hip Patients With a Trochanteric Osteotomy: Long-Term Vertical Force Measurements Inside and Outside the Hospital. <i>Archives of Physical Medicine and Rehabilitation</i> , 2007, 88, 200-206.	0.5	59
225	Vacuum-assisted wound closure of deep infections after instrumented spinal fusion in six children with neuromuscular scoliosis. <i>Spine Journal</i> , 2007, 7, 596-600.	0.6	39
226	Prognosis of hip pain in general practice: A prospective followup study. <i>Arthritis and Rheumatism</i> , 2007, 57, 1368-1374.	6.7	26
227	Kinesiophobia in patients with non-traumatic arm, neck and shoulder complaints: a prospective cohort study in general practice. <i>BMC Musculoskeletal Disorders</i> , 2007, 8, 117.	0.8	50
228	Intrinsic differentiation potential of adolescent human tendon tissue: an in-vitro cell differentiation study. <i>BMC Musculoskeletal Disorders</i> , 2007, 8, 16.	0.8	92
229	The effect of high tibial osteotomy on the results of total knee arthroplasty: a matched case control study. <i>BMC Musculoskeletal Disorders</i> , 2007, 8, 74.	0.8	46
230	Effect of corticosteroid injection for trochanter pain syndrome: design of a randomised clinical trial in general practice. <i>BMC Musculoskeletal Disorders</i> , 2007, 8, 95.	0.8	22
231	Validation of the Dutch version of the Hip disability and Osteoarthritis Outcome Score. <i>Osteoarthritis and Cartilage</i> , 2007, 15, 104-109.	0.6	147
232	Glucosamine reduces anabolic as well as catabolic processes in bovine chondrocytes cultured in alginate. <i>Osteoarthritis and Cartilage</i> , 2007, 15, 1267-1274.	0.6	13
233	Prediction of torsional failure in 22 cadaver femora with and without simulated subtrochanteric metastatic defects: A CT scan-based finite element analysis. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2006, 77, 474-481.	1.2	28
234	Accuracy and repeatability of the Pedar Mobile system in long-term vertical force measurements. <i>Gait and Posture</i> , 2006, 23, 118-125.	0.6	78

#	ARTICLE	IF	CITATIONS
235	Interventions for treating the posterior interosseus nerve syndrome: a systematic review of observational studies. <i>Journal of the Peripheral Nervous System</i> , 2006, 11, 101-110.	1.4	32
236	Validity of the Pedar Mobile system for vertical force measurement during a seven-hour period. <i>Journal of Biomechanics</i> , 2006, 39, 110-118.	0.9	84
237	Treatment of Impingement Syndrome: A Systematic Review of the Effects on Functional Limitations and Return to Work. <i>Journal of Occupational Rehabilitation</i> , 2006, 16, 6-24.	1.2	100
238	Glucosamine decreases expression of anabolic and catabolic genes in human osteoarthritic cartilage explants. <i>Osteoarthritis and Cartilage</i> , 2006, 14, 250-257.	0.6	83
239	Brace treatment for osteoarthritis of the knee: a prospective randomized multi-centre trial. <i>Osteoarthritis and Cartilage</i> , 2006, 14, 777-783.	0.6	159
240	Biochemical and functional modulation of the cartilage collagen network by IGF1, TGF β 2 and FGF2. <i>Osteoarthritis and Cartilage</i> , 2006, 14, 1136-1146.	0.6	78
241	The PEX study – Exercise therapy for patellofemoral pain syndrome: design of a randomized clinical trial in general practice and sports medicine [ISRCTN83938749]. <i>BMC Musculoskeletal Disorders</i> , 2006, 7, 31.	0.8	20
242	Incidence and prevalence of upper-extremity musculoskeletal disorders. A systematic appraisal of the literature. <i>BMC Musculoskeletal Disorders</i> , 2006, 7, 7.	0.8	144
243	Qualitative evaluation of a form for standardized information exchange between orthopedic surgeons and occupational physicians. <i>BMC Health Services Research</i> , 2006, 6, 144.	0.9	7
244	Bone loss dynamics result in trabecular alignment in aging and ovariectomized rats. <i>Journal of Orthopaedic Research</i> , 2006, 24, 926-935.	1.2	75
245	Stretch-induced modulation of matrix metalloproteinases in mineralizing osteoblasts via extracellular signal-regulated kinase-1/2. <i>Journal of Orthopaedic Research</i> , 2006, 24, 1480-1488.	1.2	26
246	Osteotomy for treating knee osteoarthritis. , 2005, , CD004019.		23
247	The effect of glucosamine sulphate on osteoarthritis: design of a long-term randomised clinical trial [ISRCTN54513166]. <i>BMC Musculoskeletal Disorders</i> , 2005, 6, 20.	0.8	17
248	Acute Knee Trauma: Value of a Short Dedicated Extremity MR Imaging Examination for Prediction of Subsequent Treatment. <i>Radiology</i> , 2005, 234, 125-133.	3.6	19
249	Acute Ankle Trauma: Value of a Short Dedicated Extremity MR Imaging Examination in Prediction of Need for Treatment. <i>Radiology</i> , 2005, 234, 134-142.	3.6	24
250	Acute Wrist Trauma: Value of a Short Dedicated Extremity MR Imaging Examination in Prediction of Need for Treatment. <i>Radiology</i> , 2005, 234, 116-124.	3.6	40
251	Acute Peripheral Joint Injury: Cost and Effectiveness of Low-Field-Strength MR Imaging – Results of Randomized Controlled Trial. <i>Radiology</i> , 2005, 236, 958-967.	3.6	42
252	High incidence and recurrence of shoulder and neck pain in nursing home employees was demonstrated during a 2-year follow-up. <i>Journal of Clinical Epidemiology</i> , 2005, 58, 407-413.	2.4	90

#	ARTICLE	IF	CITATIONS
253	Bone mineral density and vertebral fracture history are associated with incident and progressive radiographic knee osteoarthritis in elderly men and women: The Rotterdam Study. <i>Bone</i> , 2005, 37, 446-456.	1.4	76
254	Prognosis of trochanteric pain in primary care. <i>British Journal of General Practice</i> , 2005, 55, 199-204.	0.7	110
255	Does This Patient Have an Instability of the Shoulder or a Labrum Lesion?. <i>JAMA - Journal of the American Medical Association</i> , 2004, 292, 1989.	3.8	54
256	Stretch-induced phosphorylation of ERK1/2 depends on differentiation stage of osteoblasts. <i>Journal of Cellular Biochemistry</i> , 2004, 93, 542-551.	1.2	56
257	Altered tissue properties induce changes in cancellous bone architecture in aging and diseases. <i>Journal of Biomechanics</i> , 2004, 37, 367-374.	0.9	28
258	Prevalence and incidence of shoulder pain in the general population; a systematic review. <i>Scandinavian Journal of Rheumatology</i> , 2004, 33, 73-81.	0.6	936
259	Improved cartilage integration and interfacial strength after enzymatic treatment in a cartilage transplantation model. <i>Arthritis Research</i> , 2004, 6, R469.	2.0	107
260	Detecting and tracking local changes in the tibiae of individual rats: a novel method to analyse longitudinal in vivo micro-CT data. <i>Bone</i> , 2004, 34, 163-169.	1.4	227
261	Fibroblast growth factor-2 in serum-free medium is a potent mitogen and reduces dedifferentiation of human ear chondrocytes in monolayer culture. <i>Matrix Biology</i> , 2004, 23, 231-241.	1.5	109
262	Multiplication of Human Chondrocytes with Low Seeding Densities Accelerates Cell Yield without Losing Redifferentiation Capacity. <i>Tissue Engineering</i> , 2004, 10, 109-118.	4.9	88
263	Osteoarthritis of the knee is associated with vertebral and nonvertebral fractures in the elderly: The Rotterdam Study. <i>Arthritis and Rheumatism</i> , 2003, 49, 648-657.	6.7	71
264	Techniques for measuring weight bearing during standing and walking. <i>Clinical Biomechanics</i> , 2003, 18, 576-589.	0.5	79
265	Living cells in 1 of 2 frozen femoral heads. <i>Acta Orthopaedica</i> , 2003, 74, 661-664.	1.4	15
266	The whole leg radiograph Standing versus supine for determining axial alignment. <i>Acta Orthopaedica</i> , 2003, 74, 565-568.	1.4	78
267	Serum-Free Medium Supplemented with High-Concentration FGF2 for Cell Expansion Culture of Human Ear Chondrocytes Promotes Redifferentiation Capacity. <i>Tissue Engineering</i> , 2002, 8, 573-580.	4.9	77
268	Fracture of an Exeter stem 3 years after impaction allografting—a case report. <i>Acta Orthopaedica</i> , 2002, 73, 111-113.	1.4	21
269	Acute renal failure after local gentamicin treatment in an infected total knee arthroplasty. <i>Journal of Arthroplasty</i> , 2002, 17, 948-950.	1.5	118
270	Alginate as a chondrocyte-delivery substance in combination with a non-woven scaffold for cartilage tissue engineering. <i>Biomaterials</i> , 2002, 23, 1511-1517.	5.7	183

#	ARTICLE	IF	CITATIONS
271	Growth factors in cartilage tissue engineering. <i>Biorheology</i> , 2002, 39, 215-20.	1.2	19
272	Joint space narrowing and relationship with symptoms and signs in adults consulting for hip pain in primary care. <i>Journal of Rheumatology</i> , 2002, 29, 1713-8.	1.0	40
273	Quantification of first tarsometatarsal joint stiffness in hallux valgus patients. <i>Clinical Biomechanics</i> , 2001, 16, 714-716.	0.5	7
274	Hip problems in older adults. <i>Journal of Clinical Epidemiology</i> , 2001, 54, 1139-1145.	2.4	13
275	Trabecular bone's mechanical properties are affected by its non-uniform mineral distribution. <i>Journal of Biomechanics</i> , 2001, 34, 1573-1580.	0.9	110
276	Growth factor expression in cartilage wound healing: temporal and spatial immunolocalization in a rabbit auricular cartilage wound model. <i>Osteoarthritis and Cartilage</i> , 2001, 9, 382-389.	0.6	84
277	Magnetic resonance imaging of multiple epiphyseal dysplasia (type 2) of the knee. <i>Radiography</i> , 2001, 7, 61-64.	1.1	3
278	Impaction bone-grafting of severely defective femora in revision total hip surgery: 21 hips followed for 41-85 months. <i>Acta Orthopaedica</i> , 2000, 71, 135-142.	1.4	91
279	Optimization of chondrocyte expansion in culture : Effect of TGF β -2, bFGF and L-ascorbic acid on bovine articular chondrocytes. <i>Acta Orthopaedica</i> , 1999, 70, 55-61.	1.4	66
280	Nonunion of radial neck fracture: An unusual differential diagnosis of tennis elbow, a case report. <i>Acta Orthopaedica</i> , 1995, 66, 176-176.	1.4	21
281	Tennis elbow. <i>International Orthopaedics</i> , 1994, 18, 263-7.	0.9	255
282	Risks of neurovascular injury in elbow arthroscopy: Starting anteromedially or anterolaterally?. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 1991, 7, 287-290.	1.3	86
283	Silicone arthroplasty for hallux rigidus Implant wear and osteolysis. <i>Acta Orthopaedica</i> , 1989, 60, 30-33.	1.4	35