## Mika O Salminen

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8626762/publications.pdf

Version: 2024-02-01

72 papers 6,177 citations

36 h-index 91884 69 g-index

72 all docs 72 docs citations

times ranked

72

6672 citing authors

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | Global and regional epidemiology of HIV-1 recombinants in 1990–2015: a systematic review and global survey. Lancet HIV,the, 2020, 7, e772-e781.   | 4.7 | 51        |
| 2  | Serological and molecular findings during SARS-CoV-2 infection: the first case study in Finland, January to February 2020. Eurosurveillance, 2020, 25, .  | 7.0 | 226       |
| 3  | Understanding coronavirus disease (COVID-19) risk perceptions among the public to enhance risk communication efforts: a practical approach for outbreaks, Finland, February 2020. Eurosurveillance, 2020, 25, . | 7.0 | 107       |
| 4  | Global and regional molecular epidemiology of HIV-1, 1990–2015: a systematic review, global survey, and trend analysis. Lancet Infectious Diseases, The, 2019, 19, 143-155.                                     | 9.1 | 255       |
| 5  | Analysis of results from the Joint External Evaluation: examining its strength and assessing for trends among participating countries. Journal of Global Health, 2018, 8, 020416.                               | 2.7 | 43        |
| 6  | New HIV diagnoses among adults aged 50 years or older in 31 European countries, 2004–15: an analysis of surveillance data. Lancet HIV,the, 2017, 4, e514-e521.  | 4.7 | 87        |
| 7  | Respiratory diphtheria in an asylum seeker from Afghanistan arriving to Finland via Sweden, December 2015. Eurosurveillance, 2016, 21, .  | 7.0 | 20        |
| 8  | Interventions to prevent HIV and Hepatitis C in people who inject drugs: A review of reviews to assess evidence of effectiveness. International Journal of Drug Policy, 2014, 25, 34-52.                        | 3.3 | 238       |
| 9  | Infection with hepatitis B and C virus in Europe: a systematic review of prevalence and cost-effectiveness of screening. BMC Infectious Diseases, 2013, 13, 181.  | 2.9 | 190       |
| 10 | Should Europe have a universal hepatitis B vaccination programme?. BMJ, The, 2013, 347, f4057-f4057.  | 6.0 | 20        |
| 11 | HIV in hiding: methods and data requirements for the estimation of the number of people living with undiagnosed HIV. Aids, 2011, 25, 1017-1023.   | 2.2 | 37        |
| 12 | Determinants of late HIV diagnosis among different transmission groups in Finland from 1985 to 2005. HIV Medicine, 2010, 11, 360-367.   | 2.2 | 18        |
| 13 | Initial surveillance of 2009 influenza A(H1N1) pandemic in the European Union and European Economic<br>Area, April – September 2009. Eurosurveillance, 2010, 15, .  | 7.0 | 13        |
| 14 | Detecting and characterizing individual recombination events., 2009,, 519-548.  |     | 4         |
| 15 | Transmission of Drugâ€Resistant HIVâ€1 Is Stabilizing in Europe. Journal of Infectious Diseases, 2009, 200, 1503-1508.  | 4.0 | 213       |
| 16 | Tracing the HIV-1 subtype B mobility in Europe: a phylogeographic approach. Retrovirology, 2009, 6, 49.   | 2.0 | 114       |
| 17 | A study on HIV and hepatitis C virus among commercial sex workers in Tallinn. Sexually Transmitted Infections, 2008, 84, 189-191.   | 1.9 | 30        |
| 18 | Transmission of drug-resistant HIV-1 in Europe remains limited to single classes. Aids, 2008, 22, 625-635.  | 2.2 | 109       |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | European monitoring of notifications of hepatitis C virus infection in the general population and among injecting drug users (IDUs) $\hat{a} \in \hat{b}$ the need to improve quality and comparability. Eurosurveillance, 2008, 13, . | 7.0 | 17        |
| 20 | HIV Epidemiology in the Northwestern Federal District of Russia: Dominance of HIV Type 1 Subtype A. AIDS Research and Human Retroviruses, 2006, 22, 1074-1080.   | 1.1 | 31        |
| 21 | The Calculated Genetic Barrier for Antiretroviral Drug Resistance Substitutions Is Largely Similar for Different HIV-1 Subtypes. Journal of Acquired Immune Deficiency Syndromes (1999), 2006, 41, 352-360.                            | 2.1 | 90        |
| 22 | Prevalence of Drugâ€Resistant HIVâ€1 Variants in Untreated Individuals in Europe: Implications for Clinical Management. Journal of Infectious Diseases, 2005, 192, 958-966.  | 4.0 | 385       |
| 23 | High plasma HIV load in the CRF01-AE outbreak among injecting drug users in Finland. Scandinavian Journal of Infectious Diseases, 2005, 37, 276-283.   | 1.5 | 15        |
| 24 | An automated genotyping system for analysis of HIV-1 and other microbial sequences. Bioinformatics, 2005, 21, 3797-3800.   | 4.1 | 468       |
| 25 | Tick-borne encephalitis virus infections in Lithuanian domestic animals and ticks. Scandinavian Journal of Infectious Diseases, 2005, 37, 742-746.   | 1.5 | 25        |
| 26 | High plasma HIV load in the CRF01-AE outbreak among injecting drug users in Finland. Scandinavian Journal of Infectious Diseases, 2005, 37, 276-83.  | 1.5 | 9         |
| 27 | Human Immunodeficiency Virus Type 1 Subtypes Have a Distinct Long Terminal Repeat That Determines the Replication Rate in a Host-Cell-Specific Manner. Journal of Virology, 2004, 78, 3675-3683.                                       | 3.4 | 82        |
| 28 | Two Viral Strains and a Possible Novel Recombinant Are Responsible for the Explosive Injecting Drug Use-Associated HIV Type 1 Epidemic in Estonia. AIDS Research and Human Retroviruses, 2004, 20, 1148-1156.                          | 1.1 | 50        |
| 29 | Characterization of novel recombinant HIV-1 genomes using the branching index. Virology, 2003, 316, 116-125.   | 2.4 | 13        |
| 30 | Characterization of novel recombinant HIV-1 genomes using the branching index. Virology, 2003, 316, 116-116.   | 2.4 | 0         |
| 31 | Genotypic and Phenotypic Analysis of HIV Type 1 Primary Isolates from Western Cameroon. AIDS Research and Human Retroviruses, 2002, 18, 39-48.   | 1.1 | 44        |
| 32 | Recombination and Molecular Epidemiology of HIV-1 and Enteroviruses., 2002,, 97-119.   |     | 0         |
| 33 | HIV-1 Subtypes in Denmark. Scandinavian Journal of Infectious Diseases, 2001, 33, 697-701.   | 1.5 | 10        |
| 34 | Near Full-Length Clones and Reference Sequences for Subtype C Isolates of HIV Type 1 from Three Different Continents. AIDS Research and Human Retroviruses, 2001, 17, 161-168.   | 1.1 | 182       |
| 35 | Evidence of Two Distinct Subsubtypes within the HIV-1 Subtype A Radiation. AIDS Research and Human Retroviruses, 2001, 17, 675-688.  | 1.1 | 82        |
| 36 | HIV-1 subtype H near-full length genome reference strains and analysis of subtype-H-containing inter-subtype recombinants. Aids, 2000, 14, 1533-1543.  | 2.2 | 13        |

3

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | Virtually Full-Length Subtype F and F/D Recombinant HIV-1 from Africa and South America. Virology, 2000, 269, 95-104.  | 2.4 | 44        |
| 38 | Construction and Biological Characterization of Infectious Molecular Clones of HIV-1 Subtypes B and E (CRF01_AE) Generated by the Polymerase Chain Reaction. Virology, 2000, 278, 103-110.   | 2.4 | 25        |
| 39 | Near Full-Length Genome Analysis of HIV Type 1 CRF02.AG, Subtype C and CRF02.AG Subtype G<br>Recombinants. AIDS Research and Human Retroviruses, 2000, 16, 1183-1189.  | 1.1 | 18        |
| 40 | Simplified Strategy for Detection of Recombinant Human Immunodeficiency Virus Type 1 Group M Isolates by <i>gag/env</i> Heteroduplex Mobility Assay. Journal of Virology, 2000, 74, 363-370.   | 3.4 | 152       |
| 41 | Analysis of HIV-1 Genetic Subtypes in Finland Reveals Good Correlation Between Molecular and Epidemiological Data. Scandinavian Journal of Infectious Diseases, 2000, 32, 475-480.   | 1.5 | 26        |
| 42 | An AB Recombinant and Its Parental HIV Type 1 Strains in the Area of the Former Soviet Union: Low Requirements for Sequence Identity in Recombination. AIDS Research and Human Retroviruses, 2000, 16, 1047-1053.                      | 1.1 | 63        |
| 43 | An outbreak of the circulating recombinant form AECM240 HIV-1 in the Finnish injection drug user population. Aids, 2000, 14, 2613-2615.  | 2.2 | 31        |
| 44 | Molecular epidemiology of coxsackievirus B4 and disclosure of the correct VP1/2Apro cleavage site: evidence for high genomic diversity and long-term endemicity of distinct genotypes. Journal of General Virology, 2000, 81, 803-812. | 2.9 | 65        |
| 45 | Characterization of subtype A HIV-1 from Africa by full genome sequencing. Aids, 1999, 13, 1819-1826.  | 2.2 | 87        |
| 46 | DNA Sequence of the Long Terminal Repeat of Human Immunodeficiency Virus Type 1 Subtype A through G. AIDS Research and Human Retroviruses, 1999, 15, 485-488.  | 1,1 | 25        |
| 47 | Virtually Full-Length Sequences of HIV Type 1 Subtype J Reference Strains. AIDS Research and Human Retroviruses, 1999, 15, 293-297.  | 1.1 | 31        |
| 48 | Evidence of Recombination among Enteroviruses. Journal of Virology, 1999, 73, 8741-8749.   | 3.4 | 214       |
| 49 | Full Genome Sequences of Human Immunodeficiency Virus Type 1 Subtypes G and A/G Intersubtype Recombinants. Virology, 1998, 247, 22-31.   | 2.4 | 224       |
| 50 | <b>Sequence Note</b> : Full-Length Sequence of Human Immunodeficiency Virus Type 1 Subtype A, Recombined with Subtype C in the <i>env</i> V3 Domain. AIDS Research and Human Retroviruses, 1998, 14, 289-292.                          | 1.1 | 9         |
| 51 | <a>b&gt;Short Communication: Contribution of the CCR5 and MBL Genes to Susceptibility to HIV Type 1 Infection in the Finnish Population. AIDS Research and Human Retroviruses, 1998, 14, 695-698.</a>                                  | 1.1 | 56        |
| 52 | Diversity of the Human Immunodeficiency Virus Type 1 Envelope Glycoprotein in San Francisco Men's Health Study Participants. AIDS Research and Human Retroviruses, 1998, 14, 329-337.  | 1.1 | 23        |
| 53 | HIV-1 genetic subtype A/B recombinant strain causing an explosive epidemic in injecting drug users in Kaliningrad. Aids, 1998, 12, 1907-1919.  | 2.2 | 187       |
| 54 | An Isolate of Human Immunodeficiency Virus Type 1 Originally Classified as Subtype I Represents a Complex Mosaic Comprising Three Different Group M Subtypes (A, G, and I). Journal of Virology, 1998, 72, 10234-10241.                | 3.4 | 90        |

| #  | Article   | IF   | CITATIONS |
|----|---|------|-----------|
| 55 | Infectious Molecular Clones with the Nonhomologous Dimer Initiation Sequences Found in Different Subtypes of Human Immunodeficiency Virus Type 1 Can Recombine and Initiate a Spreading Infection In Vitro. Journal of Virology, 1998, 72, 3991-3998. | 3.4  | 65        |
| 56 | Diversity and Distribution of <i>gag </i> and <i>env </i> Subtypes among 146 HIV Type 1 Isolates in Taiwan. AIDS Research and Human Retroviruses, 1997, 13, 1539-1543.  | 1.1  | 2         |
| 57 | HIV Type 1 <i>env</i> Gene Diversity Detected in Taiwan. AIDS Research and Human Retroviruses, 1997, 13, 201-204.   | 1.1  | 11        |
| 58 | Possible Occurrence of a Genetic Bottleneck in Dengue Serotype 2 Viruses between the 1980 and 1987 Epidemic Seasons in Bangkok, Thailand. American Journal of Tropical Medicine and Hygiene, 1997, 57, 100-108.                                       | 1.4  | 47        |
| 59 | Genetic Characterization of HIV-1 Strains in the Baltic Countries and Russia. Scandinavian Journal of Infectious Diseases, 1996, 28, 537-541.   | 1.5  | 21        |
| 60 | HIV-1 D subtype viruses in Finland. Clinical and Diagnostic Virology, 1996, 5, 205-210.   | 1.7  | 3         |
| 61 | Detection of HIV Type 1 <i>env</i> Subtypes A, B, C, and E in Asia Using Dried Blood Spots: A New Surveillance Tool for Molecular Epidemiology. AIDS Research and Human Retroviruses, 1996, 12, 1435-1441.  | 1.1  | 113       |
| 62 | Full-Length Sequence of an Ethiopian Human Immunodeficiency Virus Type 1 (HIV-1) Isolate of Genetic Subtype C. AIDS Research and Human Retroviruses, 1996, 12, 1329-1339.   | 1.1  | 86        |
| 63 | Sequence Note: Complex Mosaic Structure of the Partial Envelope Sequence from a Gambian HIV Type 1 Isolate. AIDS Research and Human Retroviruses, 1996, 12, 169-171.  | 1.1  | 12        |
| 64 | Recovery of Virtually Full-Length HIV-1 Provirus of Diverse Subtypes from Primary Virus Cultures Using the Polymerase Chain Reaction. Virology, 1995, 213, 80-86.   | 2.4  | 189       |
| 65 | Identification of Breakpoints in Intergenotypic Recombinants of HIV Type 1 by Bootscanning. AIDS Research and Human Retroviruses, 1995, 11, 1423-1425.  | 1.1  | 827       |
| 66 | Morphological differentiation of human SH-SY5Y neuroblastoma cells inhibits human immunodeficiency virus type 1 infection. Journal of General Virology, 1994, 75, 201-206.  | 2.9  | 16        |
| 67 | Molecular Epidemiology of HIV-1 Based on Phylogenetic Analysis of in Vivo gag p7/p9 Direct Sequences.<br>Virology, 1993, 195, 185-194.  | 2.4  | 56        |
| 68 | HIV-infection in Estonia. Clinical and Diagnostic Virology, 1993, 1, 11-16.   | 1.7  | 3         |
| 69 | Activation of integrated human immunodeficiency virus type 1 in human neuroblastoma cells by the cytokines tumour necrosis factor alpha and interleukin-6. Journal of General Virology, 1992, 73, 1753-1760.  | 2.9  | 13        |
| 70 | Rapid and Simple Characterization ofln VivoHIV-1 Sequences Using Solid-Phase Direct Sequencing. AIDS Research and Human Retroviruses, 1992, 8, 1733-1742.   | 1.1  | 15        |
| 71 | HIV-1 in Ethiopia: Phylogenetic divergence from other HIV-1 strains. Virus Genes, 1991, 5, 359-66.  | 1.6  | 20        |
| 72 | New subtype of HIV-1 in Ethiopia. Lancet, The, 1990, 336, 942-942.  | 13.7 | 17        |