

Ryosuke Tateishi

List of Publications by Citations

Source: <https://exaly.com/author-pdf/8627329/ryosuke-tateishi-publications-by-citations.pdf>

Version: 2024-04-17

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

213
papers

11,468
citations

50
h-index

104
g-index

240
ext. papers

13,543
ext. citations

6
avg. IF

5.66
L-index

#	Paper	IF	Citations
213	Asia-Pacific clinical practice guidelines on the management of hepatocellular carcinoma: a 2017 update. <i>Hepatology International</i> , 2017 , 11, 317-370	8.8	955
212	Asian Pacific Association for the Study of the Liver consensus recommendations on hepatocellular carcinoma. <i>Hepatology International</i> , 2010 , 4, 439-74	8.8	825
211	A randomized controlled trial of radiofrequency ablation with ethanol injection for small hepatocellular carcinoma. <i>Gastroenterology</i> , 2005 , 129, 122-30	13.3	708
210	Percutaneous radiofrequency ablation for hepatocellular carcinoma. An analysis of 1000 cases. <i>Cancer</i> , 2005 , 103, 1201-9	6.4	667
209	Radiofrequency ablation for hepatocellular carcinoma: 10-year outcome and prognostic factors. <i>American Journal of Gastroenterology</i> , 2012 , 107, 569-77; quiz 578	0.7	487
208	Sarcopenia, intramuscular fat deposition, and visceral adiposity independently predict the outcomes of hepatocellular carcinoma. <i>Journal of Hepatology</i> , 2015 , 63, 131-40	13.4	360
207	Identification of liver cancer progenitors whose malignant progression depends on autocrine IL-6 signaling. <i>Cell</i> , 2013 , 155, 384-96	56.2	323
206	Prospective risk assessment for hepatocellular carcinoma development in patients with chronic hepatitis C by transient elastography. <i>Hepatology</i> , 2009 , 49, 1954-61	11.2	298
205	Genome-wide association study identifies a susceptibility locus for HCV-induced hepatocellular carcinoma. <i>Nature Genetics</i> , 2011 , 43, 455-8	36.3	296
204	Evidence-based Clinical Practice Guidelines for Hepatocellular Carcinoma: The Japan Society of Hepatology 2013 update (3rd JSH-HCC Guidelines). <i>Hepatology Research</i> , 2015 , 45,	5.1	275
203	Hepatocellular carcinoma with extrahepatic metastasis: clinical features and prognostic factors. <i>Cancer</i> , 2011 , 117, 4475-83	6.4	275
202	Radiofrequency ablation for hepatocellular carcinoma in so-called high-risk locations. <i>Hepatology</i> , 2006 , 43, 1101-8	11.2	242
201	Combination therapy of intraarterial 5-fluorouracil and systemic interferon-alpha for advanced hepatocellular carcinoma with portal venous invasion. <i>Cancer</i> , 2006 , 106, 1990-7	6.4	231
200	Proposal of a new prognostic model for hepatocellular carcinoma: an analysis of 403 patients. <i>Gut</i> , 2005 , 54, 419-25	19.2	195
199	Clinical practice guidelines for hepatocellular carcinoma: The Japan Society of Hepatology 2017 (4th JSH-HCC guidelines) 2019 update. <i>Hepatology Research</i> , 2019 , 49, 1109-1113	5.1	188
198	Treatment of hepatocellular carcinoma by percutaneous tumor ablation methods: Ethanol injection therapy and radiofrequency ablation. <i>Gastroenterology</i> , 2004 , 127, S159-66	13.3	169
197	APASL consensus statements and management algorithms for hepatitis C virus infection. <i>Hepatology International</i> , 2012 , 6, 409-35	8.8	139

196	Serum IL-6 levels and the risk for hepatocarcinogenesis in chronic hepatitis C patients: an analysis based on gender differences. <i>International Journal of Cancer</i> , 2009 , 125, 2264-9	7.5	136
195	Complications of percutaneous radiofrequency ablation for hepato-cellular carcinoma: imaging spectrum and management. <i>Radiographics</i> , 2005 , 25 Suppl 1, S57-68	5.4	131
194	Obesity is an independent risk factor for hepatocellular carcinoma development in chronic hepatitis C patients. <i>Clinical Gastroenterology and Hepatology</i> , 2008 , 6, 459-64	6.9	130
193	Diagnostic accuracy of tumor markers for hepatocellular carcinoma: a systematic review. <i>Hepatology International</i> , 2008 , 2, 17-30	8.8	129
192	Benefit of interferon therapy in hepatocellular carcinoma prevention for individual patients with chronic hepatitis C. <i>Gut</i> , 2004 , 53, 425-30	19.2	125
191	Asian Pacific Association for the Study of the Liver consensus statements on the diagnosis, management and treatment of hepatitis C virus infection. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2007 , 22, 615-33	4	124
190	Prediction of recurrence of hepatocellular carcinoma after curative ablation using three tumor markers. <i>Hepatology</i> , 2006 , 44, 1518-27	11.2	115
189	Clinical characteristics, treatment, and prognosis of non-B, non-C hepatocellular carcinoma: a large retrospective multicenter cohort study. <i>Journal of Gastroenterology</i> , 2015 , 50, 350-60	6.9	113
188	Mortality and complication rates of percutaneous ablative techniques for the treatment of liver tumors: a systematic review. <i>European Radiology</i> , 2011 , 21, 2584-96	8	112
187	Artificial ascites technique for percutaneous radiofrequency ablation of liver cancer adjacent to the gastrointestinal tract. <i>British Journal of Surgery</i> , 2006 , 93, 1277-82	5.3	103
186	Extrahepatic metastasis of hepatocellular carcinoma: incidence and risk factors. <i>Liver International</i> , 2008 , 28, 1256-63	7.9	100
185	A nationwide survey on non-B, non-C hepatocellular carcinoma in Japan: 2011-2015 update. <i>Journal of Gastroenterology</i> , 2019 , 54, 367-376	6.9	98
184	Visceral fat accumulation is an independent risk factor for hepatocellular carcinoma recurrence after curative treatment in patients with suspected NASH. <i>Gut</i> , 2009 , 58, 839-44	19.2	94
183	Mortality and morbidity of hepatectomy, radiofrequency ablation, and embolization for hepatocellular carcinoma: a national survey of 54,145 patients. <i>Journal of Gastroenterology</i> , 2012 , 47, 1125-33	6.9	86
182	Neoplastic seeding after radiofrequency ablation for hepatocellular carcinoma. <i>American Journal of Gastroenterology</i> , 2008 , 103, 3057-62	0.7	83
181	A phase I/II trial of the oral antiangiogenic agent TSU-68 in patients with advanced hepatocellular carcinoma. <i>Cancer Chemotherapy and Pharmacology</i> , 2011 , 67, 315-24	3.5	76
180	Assessing liver tumor stiffness by transient elastography. <i>Hepatology International</i> , 2007 , 1, 394-7	8.8	76
179	JSUM ultrasound elastography practice guidelines: liver. <i>Journal of Medical Ultrasonics (2001)</i> , 2013 , 40, 325-57	1.4	75

178	Autotaxin as a novel serum marker of liver fibrosis. <i>Clinica Chimica Acta</i> , 2011 , 412, 1201-6	6.2	71
177	Report of the 20th Nationwide follow-up survey of primary liver cancer in Japan. <i>Hepatology Research</i> , 2020 , 50, 15-46	5.1	70
176	The impact of direct-acting antivirals on early tumor recurrence after radiofrequency ablation in hepatitis C-related hepatocellular carcinoma. <i>Journal of Hepatology</i> , 2016 , 65, 1272-1273	13.4	67
175	CPT2 downregulation adapts HCC to lipid-rich environment and promotes carcinogenesis via acylcarnitine accumulation in obesity. <i>Gut</i> , 2018 , 67, 1493-1504	19.2	66
174	Soluble MICA and a MICA variation as possible prognostic biomarkers for HBV-induced hepatocellular carcinoma. <i>PLoS ONE</i> , 2012 , 7, e44743	3.7	65
173	Ultrasound surveillance for early detection of hepatocellular carcinoma among patients with chronic hepatitis C. <i>Hepatology International</i> , 2009 , 3, 544-50	8.8	64
172	Risk assessment of hepatocellular carcinoma in chronic hepatitis C patients by transient elastography. <i>Journal of Clinical Gastroenterology</i> , 2008 , 42, 839-43	3	64
171	Nucleotide change of codon 38 in the X gene of hepatitis B virus genotype C is associated with an increased risk of hepatocellular carcinoma. <i>Journal of Hepatology</i> , 2006 , 45, 805-12	13.4	64
170	Utility of contrast-enhanced ultrasonography with Sonazoid in radiofrequency ablation for hepatocellular carcinoma. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2011 , 26, 759-64	4	63
169	REFLECT-a phase 3 trial comparing efficacy and safety of lenvatinib to sorafenib for the treatment of unresectable hepatocellular carcinoma: an analysis of Japanese subset. <i>Journal of Gastroenterology</i> , 2020 , 55, 113-122	6.9	60
168	Percutaneous ethanol injection for hepatocellular carcinoma: 20-year outcome and prognostic factors. <i>Liver International</i> , 2012 , 32, 1434-42	7.9	57
167	Serum level of adiponectin and the risk of liver cancer development in chronic hepatitis C patients. <i>International Journal of Cancer</i> , 2011 , 129, 2226-35	7.5	54
166	A randomized controlled trial of lusutrombopag in Japanese patients with chronic liver disease undergoing radiofrequency ablation. <i>Journal of Gastroenterology</i> , 2019 , 54, 171-181	6.9	50
165	A genome-wide association study of HCV-induced liver cirrhosis in the Japanese population identifies novel susceptibility loci at the MHC region. <i>Journal of Hepatology</i> , 2013 , 58, 875-82	13.4	50
164	Gain of GRHL2 is associated with early recurrence of hepatocellular carcinoma. <i>Journal of Hepatology</i> , 2008 , 49, 746-57	13.4	50
163	Percutaneous Ablation for Hepatocellular Carcinoma: Comparison of Various Ablation Techniques and Surgery. <i>Canadian Journal of Gastroenterology and Hepatology</i> , 2018 , 2018, 4756147	2.8	49
162	Congenital absence of portal vein with multiple hyperplastic nodular lesions in the liver. <i>Journal of Gastroenterology</i> , 2003 , 38, 288-94	6.9	48
161	Limitation of immune tolerance-inducing thymic epithelial cell development by Spi-B-mediated negative feedback regulation. <i>Journal of Experimental Medicine</i> , 2014 , 211, 2425-38	16.6	46

160	Hemorrhagic complications of percutaneous radiofrequency ablation for liver tumors. <i>Journal of Clinical Gastroenterology</i> , 2010 , 44, 374-80	3	46
159	Health-related quality of life of chronic liver disease patients with and without hepatocellular carcinoma. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2007 , 22, 197-203	4	45
158	Evaluation of transcatheter arterial embolization prior to percutaneous tumor ablation in patients with hepatocellular carcinoma: a randomized controlled trial. <i>Liver International</i> , 2004 , 24, 625-9	7.9	45
157	Impact of direct-acting antivirals on early recurrence of HCV-related HCC: Comparison with interferon-based therapy. <i>Journal of Hepatology</i> , 2019 , 70, 78-86	13.4	43
156	Machine-learning Approach for the Development of a Novel Predictive Model for the Diagnosis of Hepatocellular Carcinoma. <i>Scientific Reports</i> , 2019 , 9, 7704	4.9	42
155	Hepatic gene expression profiles associated with fibrosis progression and hepatocarcinogenesis in hepatitis C patients. <i>World Journal of Gastroenterology</i> , 2005 , 11, 1995-9	5.6	41
154	Safety and efficacy of lamivudine after radiofrequency ablation in patients with hepatitis B virus-related hepatocellular carcinoma. <i>Hepatology International</i> , 2008 , 2, 89-94	8.8	40
153	Percutaneous radiofrequency ablation of liver cancer in the hepatic dome using the intrapleural fluid infusion technique. <i>British Journal of Surgery</i> , 2008 , 95, 996-1004	5.3	40
152	Management of Hepatocellular Carcinoma in Japan: JSH Consensus Statements and Recommendations 2021 Update. <i>Liver Cancer</i> , 2021 , 10, 181-223	9.1	38
151	Direct differentiation of hepatic cells from human induced pluripotent stem cells using a limited number of cytokines. <i>Hepatology International</i> , 2011 , 5, 890-8	8.8	34
150	Proteoglycans Are Attractive Biomarkers and Therapeutic Targets in Hepatocellular Carcinoma. <i>International Journal of Molecular Sciences</i> , 2018 , 19,	6.3	32
149	Value of post-vascular phase (Kupffer imaging) by contrast-enhanced ultrasonography using Sonazoid in the detection of hepatocellular carcinoma. <i>Journal of Gastroenterology</i> , 2012 , 47, 477-85	6.9	31
148	Ramucirumab as second-line treatment in patients with advanced hepatocellular carcinoma: Japanese subgroup analysis of the REACH trial. <i>Journal of Gastroenterology</i> , 2017 , 52, 494-503	6.9	30
147	Treatment Optimization for Hepatocellular Carcinoma in Elderly Patients in a Japanese Nationwide Cohort. <i>Annals of Surgery</i> , 2019 , 270, 121-130	7.8	30
146	Circulating AIM as an indicator of liver damage and hepatocellular carcinoma in humans. <i>PLoS ONE</i> , 2014 , 9, e109123	3.7	29
145	Balloon-occluded retrograde transvenous obliteration (BRTO) for a direct shunt between the inferior mesenteric vein and the inferior vena cava in a patient with hepatic encephalopathy. <i>Journal of Vascular and Interventional Radiology</i> , 2007 , 18, 121-5	2.4	28
144	Impact of IL28B genetic variation on HCV-induced liver fibrosis, inflammation, and steatosis: a meta-analysis. <i>PLoS ONE</i> , 2014 , 9, e91822	3.7	28
143	Hepatic Sdf2l1 controls feeding-induced ER stress and regulates metabolism. <i>Nature Communications</i> , 2019 , 10, 947	17.4	28

142	Imaging prediction of nonalcoholic steatohepatitis using computed tomography texture analysis. <i>European Radiology</i> , 2018 , 28, 3050-3058	8	26
141	Increased serum autotaxin levels in hepatocellular carcinoma patients were caused by background liver fibrosis but not by carcinoma. <i>Clinica Chimica Acta</i> , 2014 , 433, 128-34	6.2	26
140	Risk for mortality from causes other than pancreatic cancer in patients with intraductal papillary mucinous neoplasm of the pancreas. <i>Pancreas</i> , 2013 , 42, 687-91	2.6	24
139	Influence of serum HBV DNA load on recurrence of hepatocellular carcinoma after treatment with percutaneous radiofrequency ablation. <i>Hepatology International</i> , 2011 , 5, 767-73	8.8	24
138	Surgery versus radiofrequency ablation for small hepatocellular carcinoma: Start of a randomized controlled trial (SURF trial). <i>Hepatology Research</i> , 2010 , 40, 851-2	5.1	24
137	Altered serum acylcarnitine profile is associated with the status of nonalcoholic fatty liver disease (NAFLD) and NAFLD-related hepatocellular carcinoma. <i>Scientific Reports</i> , 2019 , 9, 10663	4.9	23
136	Identification of embryonic precursor cells that differentiate into thymic epithelial cells expressing autoimmune regulator. <i>Journal of Experimental Medicine</i> , 2016 , 213, 1441-58	16.6	23
135	Frequency, risk factors and survival associated with an intrasubsegmental recurrence after radiofrequency ablation for hepatocellular carcinoma. <i>PLoS ONE</i> , 2013 , 8, e59040	3.7	22
134	Thrombocytopenia is more severe in patients with advanced chronic hepatitis C than B with the same grade of liver stiffness and splenomegaly. <i>Journal of Gastroenterology</i> , 2010 , 45, 876-84	6.9	21
133	Hepatocellular carcinoma recurrence after direct-acting antiviral therapy: an individual patient data meta-analysis. <i>Gut</i> , 2021 ,	19.2	21
132	Development of pancreatic cancer is predictable well in advance using contrast-enhanced CT: a case-cohort study. <i>European Radiology</i> , 2017 , 27, 4941-4950	8	20
131	Intrahepatic bile duct dilatation after percutaneous radiofrequency ablation for hepatocellular carcinoma: impact on patient prognosis. <i>Liver International</i> , 2011 , 31, 197-205	7.9	20
130	Frequency of and predictive factors for vascular invasion after radiofrequency ablation for hepatocellular carcinoma. <i>PLoS ONE</i> , 2014 , 9, e111662	3.7	20
129	Meta-analysis: mortality and serious adverse events of peginterferon plus ribavirin therapy for chronic hepatitis C. <i>Journal of Gastroenterology</i> , 2013 , 48, 254-68	6.9	19
128	High ubiquitous mitochondrial creatine kinase expression in hepatocellular carcinoma denotes a poor prognosis with highly malignant potential. <i>International Journal of Cancer</i> , 2014 , 134, 2189-98	7.5	19
127	Sustained viral response prolonged survival of patients with C-viral hepatocellular carcinoma. <i>Liver International</i> , 2006 , 26, 536-42	7.9	18
126	Extrahepatic biliary obstruction after percutaneous tumour ablation for hepatocellular carcinoma: aetiology and successful treatment with endoscopic papillary balloon dilatation. <i>Gut</i> , 2005 , 54, 698-702	19.2	18
125	Association between overall survival and adverse events with lenvatinib treatment in patients with hepatocellular carcinoma (REFLECT).. <i>Journal of Clinical Oncology</i> , 2019 , 37, 317-317	2.2	18

124	Impact of PNPLA3 polymorphisms on the development of hepatocellular carcinoma in patients with chronic hepatitis C virus infection. <i>Hepatology Research</i> , 2014 , 44, E137-44	5.1	17
123	Postoperative surveillance with monthly serum tumor markers after living-donor liver transplantation for hepatocellular carcinoma. <i>Hepatology Research</i> , 2010 , 40, 278-86	5.1	17
122	Ablation therapy in containing extension of hepatocellular carcinoma: a simulative analysis of dropout from the waiting list for liver transplantation. <i>Liver Transplantation</i> , 2005 , 11, 508-14	4.5	17
121	Hepatic IRS1 and Eatenin expression is associated with histological progression and overt diabetes emergence in NAFLD patients. <i>Journal of Gastroenterology</i> , 2018 , 53, 1261-1275	6.9	16
120	Increased liver elasticity in patients with biliary obstruction. <i>Journal of Gastroenterology</i> , 2011 , 46, 86-916.9		16
119	Treatment strategy for hepatocellular carcinoma: expanding the indications for radiofrequency ablation. <i>Journal of Gastroenterology</i> , 2009 , 44 Suppl 19, 142-6	6.9	16
118	Comparison of liver biopsy and transient elastography based on clinical relevance. <i>Canadian Journal of Gastroenterology & Hepatology</i> , 2008 , 22, 753-7		16
117	Sharnin promotes hepatocellular carcinoma progression via transactivation of Versican expression. <i>Oncogenesis</i> , 2016 , 5, e277	6.6	16
116	Depressive symptoms after treatment in hepatocellular carcinoma survivors: prevalence, determinants, and impact on health-related quality of life. <i>Psycho-Oncology</i> , 2013 , 22, 2347-53	3.9	15
115	Delayed development of hepatocellular carcinoma during long-term follow-up after eradication of hepatitis C virus by interferon therapy. <i>World Journal of Gastroenterology</i> , 2005 , 11, 7218-21	5.6	15
114	Hepatic FATP5 expression is associated with histological progression and loss of hepatic fat in NAFLD patients. <i>Journal of Gastroenterology</i> , 2020 , 55, 227-243	6.9	15
113	Impact of serum levels of interleukin-6 and adiponectin on all-cause, liver-related, and liver-unrelated mortality in chronic hepatitis C patients. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2015 , 30, 379-88	4	14
112	Hepatocellular carcinoma as a leading cause of cancer-related deaths in Japanese type 2 diabetes mellitus patients. <i>Journal of Gastroenterology</i> , 2019 , 54, 64-77	6.9	14
111	Recurrent hepatocellular carcinoma has an increased risk of subsequent recurrence after curative treatment. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2007 , 22, 2155-60	4	14
110	Hepatocellular carcinoma in viral hepatitis: improving standard therapy. <i>Baillieres Best Practice and Research in Clinical Gastroenterology</i> , 2008 , 22, 1137-51	2.5	14
109	Eradication of hepatitis C virus is associated with the attenuation of steatosis as evaluated using a controlled attenuation parameter. <i>Scientific Reports</i> , 2018 , 8, 7845	4.9	14
108	Response Evaluation Criteria in Cancer of the Liver version 5 (RECICL 2019 revised version). <i>Hepatology Research</i> , 2019 , 49, 981-989	5.1	13
107	Comparison of improved prognosis between hepatitis B- and hepatitis C-related hepatocellular carcinoma. <i>Hepatology Research</i> , 2015 , 45, E99-E107	5.1	13

106	Increased activity of serum mitochondrial isoenzyme of creatine kinase in hepatocellular carcinoma patients predominantly with recurrence. <i>Journal of Hepatology</i> , 2012 , 57, 330-6	13.4	13
105	Impact of serum ferritin level on hepatocarcinogenesis in chronic hepatitis C patients. <i>Hepatology Research</i> , 2016 , 46, 259-68	5.1	12
104	IL28B minor allele is associated with a younger age of onset of hepatocellular carcinoma in patients with chronic hepatitis C virus infection. <i>Journal of Gastroenterology</i> , 2014 , 49, 748-54	6.9	12
103	Prediction of hepatocellular carcinoma development by plasma ADAMTS13 in chronic hepatitis B and C. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011 , 20, 2204-11	4	12
102	Changes in hepatic functional reserve after percutaneous tumor ablation for hepatocellular carcinoma: long-term follow up for 227 consecutive patients with a single lesion. <i>Hepatology International</i> , 2007 , 1, 295-301	8.8	12
101	Serum gamma-glutamyltransferase level is associated with serum superoxide dismutase activity and metabolic syndrome in a Japanese population. <i>Journal of Gastroenterology</i> , 2012 , 47, 187-94	6.9	11
100	Serum Alpha-Fetoprotein Has High Specificity for the Early Detection of Hepatocellular Carcinoma After Hepatitis C Virus Eradication in Patients. <i>Medicine (United States)</i> , 2015 , 94, e901	1.8	11
99	Hepatocellular carcinoma in 2011: Genomics in hepatocellular carcinoma--a big step forward. <i>Nature Reviews Gastroenterology and Hepatology</i> , 2012 , 9, 69-70	24.2	11
98	Percutaneous radiofrequency ablation of hepatocellular carcinoma in 14 patients undergoing regular hemodialysis for end-stage renal disease. <i>American Journal of Roentgenology</i> , 2009 , 193, 964-9	5.4	11
97	Assessment of liver stiffness in patients after living donor liver transplantation by transient elastography. <i>Scandinavian Journal of Gastroenterology</i> , 2009 , 44, 1115-20	2.4	11
96	Analysis of factors influencing hepatocellular carcinoma detection: efficient use of computed tomography during arterial portography and during hepatic arteriography. <i>Journal of Gastroenterology</i> , 2005 , 40, 266-73	6.9	11
95	Liver stiffness measurements in chronic hepatitis C: Treatment evaluation and risk assessment. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2019 , 34, 921-928	4	11
94	A systematic literature review on the use of platelet transfusions in patients with thrombocytopenia. <i>Hematology</i> , 2019 , 24, 679-719	2.2	10
93	Slight elevation of high-sensitivity C-reactive protein to predict recurrence and survival in patients with early stage hepatitis C-related hepatocellular carcinoma. <i>Hepatology Research</i> , 2015 , 45, 645-55	5.1	10
92	Positive and Negative Regulatory Mechanisms for Fine-Tuning Cellularity and Functions of Medullary Thymic Epithelial Cells. <i>Frontiers in Immunology</i> , 2015 , 6, 461	8.4	10
91	Changes in risk of immediate adverse reactions to iodinated contrast media by repeated administrations in patients with hepatocellular carcinoma. <i>PLoS ONE</i> , 2013 , 8, e76018	3.7	10
90	Neither hepatitis C virus genotype nor virus load affects survival of patients with hepatocellular carcinoma. <i>European Journal of Gastroenterology and Hepatology</i> , 2004 , 16, 459-66	2.2	10
89	Hepatocellular carcinoma depicted as hypoattenuation on CT hepatic arteriography (CTA) and hyperattenuation on CT during arterial portography (CTAP). <i>Journal of Gastroenterology</i> , 2001 , 36, 346-9	6.9	10

88	Sofosbuvir plus velpatasvir treatment for hepatitis C virus in patients with decompensated cirrhosis: a Japanese real-world multicenter study. <i>Journal of Gastroenterology</i> , 2021 , 56, 67-77	6.9	10
87	Hepatocellular carcinoma development in diabetic patients: a nationwide survey in Japan. <i>Journal of Gastroenterology</i> , 2021 , 56, 261-273	6.9	10
86	The ADOPT-LC score: a novel predictive index of in-hospital mortality of cirrhotic patients following surgical procedures, based on a national survey. <i>Hepatology Research</i> , 2017 , 47, E35-E43	5.1	9
85	Variceal hemorrhage: Analysis of 9987 cases from a Japanese nationwide database. <i>Hepatology Research</i> , 2015 , 45, 288-93	5.1	9
84	Systemic combination therapy of intravenous continuous 5-fluorouracil and subcutaneous pegylated interferon alfa-2a for advanced hepatocellular carcinoma. <i>Journal of Gastroenterology</i> , 2012 , 47, 1152-9	6.9	9
83	Assessment of disease progression in patients with transfusion-associated chronic hepatitis C using transient elastography. <i>World Journal of Gastroenterology</i> , 2012 , 18, 1385-90	5.6	9
82	Report of the 22nd Nationwide Follow-Up Survey of Primary Liver Cancer in Japan (2012-2013). <i>Hepatology Research</i> , 2021 ,	5.1	9
81	Perihepatic lymph node enlargement is a negative predictor of liver cancer development in chronic hepatitis C patients. <i>Journal of Gastroenterology</i> , 2013 , 48, 366-73	6.9	8
80	Spontaneous clearance of serum hepatitis C virus RNA during the clinical course of hepatocellular carcinoma in patients with chronic hepatitis C. <i>Hepatology Research</i> , 2014 , 44, E32-7	5.1	8
79	Computed tomography follow-up for the detection of hepatocellular carcinoma recurrence after initial radiofrequency ablation: a single-center experience. <i>Journal of Vascular and Interventional Radiology</i> , 2012 , 23, 1269-75	2.4	8
78	Influence of anti-HBc seropositivity on the risk of hepatocellular carcinoma in HCV-infected patients after adjusting for confounding factors. <i>Journal of Viral Hepatitis</i> , 2010 , 17, 91-7	3.4	8
77	Response Evaluation Criteria in Cancer of the Liver (RECICL 2019 revised version). <i>Acta Hepatologica Japonica</i> , 2019 , 60, 55-62	0.3	8
76	Expression of c-Met in Primary and Recurrent Hepatocellular Carcinoma. <i>Oncology</i> , 2020 , 98, 186-194	3.6	8
75	Report of the 21st Nationwide Follow-up Survey of Primary Liver Cancer in Japan (2010-2011). <i>Hepatology Research</i> , 2021 , 51, 355-405	5.1	8
74	Orchestration of myeloid-derived suppressor cells in the tumor microenvironment by ubiquitous cellular protein TCTP released by tumor cells. <i>Nature Immunology</i> , 2021 , 22, 947-957	19.1	8
73	Drastically reduced neoplastic seeding related to radiofrequency ablation for hepatocellular carcinoma. <i>American Journal of Gastroenterology</i> , 2014 , 109, 774-6	0.7	7
72	Association between hospital volume and in-hospital mortality following radiofrequency ablation for hepatocellular carcinoma. <i>BJS Open</i> , 2017 , 1, 50-54	3.9	7
71	Cause-specific mortality associated with aging in patients with hepatocellular carcinoma undergoing percutaneous radiofrequency ablation. <i>European Journal of Gastroenterology and Hepatology</i> , 2014 , 26, 1039-46	2.2	7

70	Validation of the Japanese version of the EORTC hepatocellular carcinoma-specific quality of life questionnaire module (QLQ-HCC18). <i>Health and Quality of Life Outcomes</i> , 2012 , 10, 58	3	7
69	IGF-II Producing Hepatocellular Carcinoma Treated with Sorafenib: Metabolic Complications and a Foresight to Molecular Targeting Therapy to the IGF Signal. <i>Case Reports in Gastroenterology</i> , 2012 , 6, 784-9	1	7
68	Obesity did not diminish the efficacy of percutaneous ablation for hepatocellular carcinoma. <i>Liver International</i> , 2007 , 27, 360-7	7.9	7
67	Artificial intelligence in the diagnosis and management of hepatocellular carcinoma. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2021 , 36, 551-560	4	7
66	Identification of liver fibrosis using the hepatic vein waveform in patients with Fontan circulation. <i>Hepatology Research</i> , 2019 , 49, 304-313	5.1	7
65	Mortality and hemorrhagic complications associated with radiofrequency ablation for treatment of hepatocellular carcinoma in patients on hemodialysis for end-stage renal disease: A nationwide survey. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2017 , 32, 1873-1878	4	6
64	Successful treatment of chronic hepatitis C virus infection with crushed glecaprevir/pibrentasvir administered via a percutaneous endoscopic gastrostomy tube: case report and review of the literature. <i>Clinical Journal of Gastroenterology</i> , 2019 , 12, 588-591	1.1	6
63	Early detection of bone metastases of hepatocellular carcinoma reduces bone fracture and paralysis. <i>Japanese Journal of Clinical Oncology</i> , 2019 , 49, 529-536	2.8	6
62	CT with hepatic arteriography as a pretreatment examination for hepatocellular carcinoma patients: a randomized controlled trial. <i>American Journal of Gastroenterology</i> , 2013 , 108, 1305-13	0.7	6
61	Staging systems: is there a surgical staging and a medical one?: hepatologist's perspective. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2010 , 17, 440-2	2.8	6
60	Neoadjuvant Use of Oncolytic Herpes Virus G47 Δ Enhances the Antitumor Efficacy of Radiofrequency Ablation. <i>Molecular Therapy - Oncolytics</i> , 2020 , 18, 535-545	6.4	6
59	Phase I study on the safety, pharmacokinetic profile, and efficacy of the combination of TSU-68, an oral antiangiogenic agent, and S-1 in patients with advanced hepatocellular carcinoma. <i>Investigational New Drugs</i> , 2014 , 32, 928-36	4.3	5
58	Adherence to oral chemotherapy medications among gastroenterological cancer patients visiting an outpatient clinic. <i>Japanese Journal of Clinical Oncology</i> , 2017 , 47, 786-794	2.8	5
57	Hypergravity Provokes a Temporary Reduction in CD4 ⁺ CD8 ⁺ Thymocyte Number and a Persistent Decrease in Medullary Thymic Epithelial Cell Frequency in Mice. <i>PLoS ONE</i> , 2015 , 10, e0141650	3.7	5
56	Increased serum mitochondrial creatine kinase activity as a risk for hepatocarcinogenesis in chronic hepatitis C patients. <i>International Journal of Cancer</i> , 2014 , 135, 871-9	7.5	5
55	Characteristics of hepatocellular carcinoma nodules newly detected by computed tomography during arteriography and arterial portography: preliminary report of a randomized controlled trial. <i>Hepatology International</i> , 2012 , 6, 639-45	8.8	5
54	Age-related comparison of the profiles of patients with hepatocellular carcinoma. <i>Hepato-Gastroenterology</i> , 2006 , 53, 913-8		5
53	Tumor markers are more useful in patients undergoing surveillance for hepatocellular carcinoma with unreliable results by ultrasonography. <i>Hepatology Research</i> , 2015 , 45, 415-22	5.1	4

52	Evaluation of molecular targeted cancer drug by changes in tumor marker doubling times. <i>Journal of Gastroenterology</i> , 2012 , 47, 71-8	6.9	4
51	Uninodular combined hepatocellular and cholangiocarcinoma with multiple non-neoplastic hypervascular lesions appearing in the liver of a patient with HIV and HCV coinfection. <i>Journal of Clinical Virology</i> , 2013 , 57, 173-7	14.5	4
50	Impact of Obesity and Heavy Alcohol Consumption on Hepatocellular Carcinoma Development after HCV Eradication with Antivirals. <i>Liver Cancer</i> , 2021 , 10, 309-319	9.1	4
49	Local ablation therapy for hepatocellular carcinoma. From ethanol injection to radiofrequency ablation. <i>Journal of King Abdulaziz University, Islamic Economics</i> , 2007 , 28, 831-7	1.1	4
48	Successful local treatment for repeated hepatic recurrences of cholangiolocellular carcinoma: a report on a long-term survivor. <i>Surgical Case Reports</i> , 2017 , 3, 120	0.8	3
47	A Novel Non-invasive Method for Predicting Liver Fibrosis by Quantifying the Hepatic Vein Waveform. <i>Ultrasound in Medicine and Biology</i> , 2019 , 45, 2363-2371	3.5	3
46	Perihepatic lymph node enlargement is a negative predictor for sustained responses to pegylated interferon- α and ribavirin therapy for Japanese patients infected with hepatitis C virus genotype 1. <i>Hepatology Research</i> , 2013 , 43, 1005-12	5.1	3
45	Spontaneous dislodgement of a biliary tumor in a patient with hepatocellular carcinoma. <i>Endoscopy</i> , 2011 , 43 Suppl 2 UCTN, E232-3	3.4	3
44	Hepatocellular carcinoma with non-B and non-C hepatitis origin: epidemiology in Japan and surgical outcome. <i>Global Health & Medicine</i> , 2019 , 1, 23-29	2.4	3
43	Utility of hepatic vein waveform and transient elastography in patients with Budd-Chiari syndrome who require angioplasty: Two case reports. <i>Medicine (United States)</i> , 2019 , 98, e17877	1.8	3
42	Ischemic complications after percutaneous radiofrequency ablation of liver tumors: Liver volume loss and recovery. <i>Hepatology Research</i> , 2019 , 49, 453-461	5.1	3
41	A blood-based prognostic liver secretome signature and long-term hepatocellular carcinoma risk in advanced liver fibrosis. <i>Med</i> , 2021 , 2, 836-850.e10	31.7	3
40	Lenvatinib-induced acute acalculous cholecystitis in a patient with hepatocellular carcinoma. <i>Clinical Journal of Gastroenterology</i> , 2020 , 13, 568-571	1.1	2
39	Serum levels of ferritin do not affect the prognosis of patients with hepatocellular carcinoma undergoing radiofrequency ablation. <i>PLoS ONE</i> , 2018 , 13, e0200943	3.7	2
38	Acute liver disease in Japan: a nationwide analysis of the Japanese Diagnosis Procedure Combination database. <i>Journal of Gastroenterology</i> , 2014 , 49, 547-54	6.9	2
37	Periprocedural pain of radiofrequency ablation for hepatocellular carcinoma. <i>Gastroenterology Nursing</i> , 2011 , 34, 129-34	1	2
36	Effects of Lusutrombopag on Post-invasive Procedural Bleeding in Thrombocytopenic Patients with Chronic Liver Disease. <i>Advances in Therapy</i> , 2021 , 39, 379	4.1	2
35	Hepatocellular carcinoma with non-B and non-C hepatitis origin: epidemiology in Japan and surgical outcome. <i>Global Health & Medicine</i> , 2019 , 1, 23-29	2.4	2

34	Post-treatment cell-free DNA as a predictive biomarker in molecular-targeted therapy of hepatocellular carcinoma. <i>Journal of Gastroenterology</i> , 2021 , 56, 456-469	6.9	2
33	Effect of Diameter and Number of Hepatocellular Carcinomas on Survival After Resection, Transarterial Chemoembolization, and Ablation. <i>American Journal of Gastroenterology</i> , 2021 , 116, 1698-1708	0.7	2
32	Limited efficacy of atezolizumab and bevacizumab for hepatocellular carcinoma previously treated with tyrosine kinase inhibitor. <i>Liver International</i> , 2021 , 41, 2233-2234	7.9	2
31	Changing etiology of hepatocellular carcinoma. <i>Journal of Gastroenterology</i> , 2020 , 55, 125-126	6.9	2
30	Improved liver function in patients with cirrhosis due to chronic hepatitis C virus who achieve sustained virologic response is not accompanied by increased liver volume. <i>PLoS ONE</i> , 2020 , 15, e0231836	3.7	2
29	Changing clinical management of NAFLD in Asia. <i>Liver International</i> , 2021 ,	7.9	2
28	Incidence and computed tomography findings of lenvatinib-induced pancreatobiliary inflammation: A single-center, retrospective study. <i>Medicine (United States)</i> , 2021 , 100, e27182	1.8	2
27	Changes in Platelet Counts and Thrombocytopenia Risk in Patients with Chronic Liver Disease with Different Etiologies Using Real-World Japanese Data.. <i>Advances in Therapy</i> , 2021 , 39, 992	4.1	2
26	Chronological change in alpha-fetoprotein levels in hepatocellular carcinoma after eradication of hepatitis C virus. <i>Liver International</i> , 2020 , 40, 2305-2306	7.9	1
25	Endoscopic management of biliocutaneous fistula after percutaneous radiofrequency ablation therapy for hepatocellular carcinoma. <i>Digestive Endoscopy</i> , 2010 , 22, 53-5	3.7	1
24	Pegylated interferon alpha-2a monotherapy in a peritoneal dialysis patient with chronic hepatitis C. <i>CKJ: Clinical Kidney Journal</i> , 2008 , 1, 233-5	4.5	1
23	Preliminary dose finding study of Erythropoietin for Peginterferon/Ribavirin-induced anemia in Japanese patients with hepatitis C. <i>Acta Hepatologica Japonica</i> , 2009 , 50, 427-436	0.3	1
22	Precision Locoregional Therapies for Hepatocellular Carcinoma: Percutaneous Ablation and Radiotherapy. <i>Molecular and Translational Medicine</i> , 2019 , 195-224	0.4	1
21	Current Status of Hepatocellular Carcinoma Treatment in Japan. <i>Clinical Drug Investigation</i> , 2012 , 32, 37-51	3.2	1
20	REPLACEMENT trial in progress: Combination therapy with atezolizumab plus bevacizumab for TACE unsuitable patients with beyond up-to-seven criteria in intermediate stage hepatocellular carcinoma: A phase II study.. <i>Journal of Clinical Oncology</i> , 2021 , 39, TPS4162-TPS4162	2.2	1
19	Radiofrequency Ablation of Liver Tumors in Patients on Antithrombotic Therapy: A Case-Control Analysis of over 10,000 Treatments. <i>Journal of Vascular and Interventional Radiology</i> , 2021 , 32, 869-877	2.4	1
18	Effectiveness of ultrasonography for peripheral catheter insertion and catheter failure prevention in visible and palpable veins. <i>Journal of Vascular Access</i> , 2021 , 11297298211022078	1.8	1
17	In-hospital mortality associated with transcatheter arterial embolization for treatment of hepatocellular carcinoma in patients on hemodialysis for end stage renal disease: a matched-pair cohort study using a nationwide database. <i>BJR/Open</i> , 2019 , 1, 20190004	1.4	1

16	Development and implementation of a cloud-based guideline support system. <i>Acta Hepatologica Japonica</i> , 2021 , 62, 512-515	0.3	1
15	Complete resection of unresectable liver metastases from colorectal cancer without deterioration of liver function after cetuximab and irinotecan: two case reports. <i>Hepato-Gastroenterology</i> , 2010 , 57, 1526-8		1
14	Artificial intelligence (AI) models for the ultrasonographic diagnosis of liver tumors and comparison of diagnostic accuracies between AI and human experts.. <i>Journal of Gastroenterology</i> , 2022 , 57, 309	6.9	1
13	Risk stratification of hepatocellular carcinoma after hepatitis C virus eradication in patients with compensated advanced chronic liver disease in Japan.. <i>Journal of Hepatology</i> , 2022 ,	13.4	1
12	Liver-related events after direct-acting antiviral therapy in patients with hepatitis C virus-associated cirrhosis.. <i>Journal of Gastroenterology</i> , 2022 , 57, 120	6.9	0
11	Machine LearningBased Personalized Prediction of Hepatocellular Carcinoma Recurrence After Radiofrequency Ablation 2022 , 1, 29-37		0
10	Infectious complications related to radiofrequency ablation of liver tumors: The role of antibiotics. <i>PLoS ONE</i> , 2021 , 16, e0259641	3.7	0
9	Enhancement of the efficacy of radiofrequency ablation by neoadjuvant oncolytic virus therapy via antitumor immunity and the booster effect of immune checkpoint inhibitors.. <i>Journal of Clinical Oncology</i> , 2019 , 37, 253-253	2.2	0
8	A multicenter nonrandomized controlled trial to evaluate the efficacy of surgery versus radiofrequency ablation for small hepatocellular carcinoma (SURF cohort trial).. <i>Journal of Clinical Oncology</i> , 2020 , 38, 4581-4581	2.2	0
7	Disappearance of perihepatic lymph node enlargement after hepatitis C viral eradication with direct-acting antivirals. <i>Journal of Viral Hepatitis</i> , 2018 , 25, 329-334	3.4	
6	Response to Giannini et al.. <i>American Journal of Gastroenterology</i> , 2012 , 107, 1590	0.7	
5	Development of pancreatic cancer during observation for hepatocellular carcinoma: A retrospective cohort study. <i>Saudi Journal of Gastroenterology</i> , 2019 , 25, 390-396	3	
4	Interferon and steroid-pulse therapy in the treatment of three cases of severe-type acute hepatitis.. <i>Acta Hepatologica Japonica</i> , 1999 , 40, 141-145	0.3	
3	Revision process for the Japanese Practice Guidelines for Hepatocellular Carcinoma 2013. <i>Acta Hepatologica Japonica</i> , 2014 , 55, 571-588	0.3	
2	A cost-effectiveness analysis of lusutrombopag for thrombocytopenia in patients with chronic liver disease in Japan. <i>JGH Open</i> , 2021 , 5, 879-887	1.8	
1	Response Evaluation Criteria in Cancer of the Liver (RECICL 2021 revised version). <i>Acta Hepatologica Japonica</i> , 2021 , 62, 823-829	0.3	