

# Gert U Van Zyl

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/8627460/gert-u-van-zyl-publications-by-year.pdf>

**Version:** 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

84  
papers

2,499  
citations

26  
h-index

49  
g-index

93  
ext. papers

3,473  
ext. citations

6.9  
avg, IF

4.94  
L-index

#	Paper	IF	Citations
84	Prevalence and patterns of HIV drug resistance in patients with suspected virological failure in North-Western Tanzania.. <i>Journal of Antimicrobial Chemotherapy</i> , <b>2022</b> , 77, 483-491	5.1	1
83	GOUSSARD et al."To the Editor"Fatal SARS-CoV-2 Omicron variant in a young infant: Autopsy findings.. <i>Pediatric Pulmonology</i> , <b>2022</b> ,	3.5	1
82	A year of genomic surveillance reveals how the SARS-CoV-2 pandemic unfolded in Africa. <i>Science</i> , <b>2021</b> , 374, 423-431	33.3	35
81	Drug resistance, rather than low tenofovir levels in blood or urine, is associated with tenofovir, emtricitabine and efavirenz (TEE) failure in resource-limited settings. <i>AIDS Research and Human Retroviruses</i> , <b>2021</b> ,	1.6	2
80	Novel Criteria for Diagnosing Acute and Early Human Immunodeficiency Virus Infection in a Multinational Study of Early Antiretroviral Therapy Initiation. <i>Clinical Infectious Diseases</i> , <b>2021</b> , 73, e643-e651	11.6	1
79	Detection of a SARS-CoV-2 variant of concern in South Africa. <i>Nature</i> , <b>2021</b> , 592, 438-443	50.4	685
78	Viral suppression is associated with HIV-antibody level and HIV-1 DNA detectability in early treated children at 2 years of age. <i>Aids</i> , <b>2021</b> , 35, 1247-1252	3.5	2
77	Early Emergence and Long-Term Persistence of HIV-Infected T-Cell Clones in Children. <i>MBio</i> , <b>2021</b> , 12,	7.8	5
76	Virologic efficacy of tenofovir, lamivudine and dolutegravir as second-line antiretroviral therapy in adults failing a tenofovir-based first-line regimen. <i>Aids</i> , <b>2021</b> , 35, 1423-1432	3.5	6
75	HIVIntact: a python-based tool for HIV-1 genome intactness inference. <i>Retrovirology</i> , <b>2021</b> , 18, 16	3.6	0
74	HIV-1 Persistence in Children during Suppressive ART. <i>Viruses</i> , <b>2021</b> , 13,	6.2	1
73	HIV false positive screening serology due to sample contamination reduced by a dedicated sample and platform in a high prevalence environment. <i>PLoS ONE</i> , <b>2021</b> , 16, e0245189	3.7	1
72	Sixteen novel lineages of SARS-CoV-2 in South Africa. <i>Nature Medicine</i> , <b>2021</b> , 27, 440-446	50.5	206
71	Comparing mutational pathways to lopinavir resistance in HIV-1 subtypes B versus C. <i>PLoS Computational Biology</i> , <b>2021</b> , 17, e1008363	5	1
70	A genomics network established to respond rapidly to public health threats in South Africa. <i>Lancet Microbe</i> , <b>2020</b> , 1, e229-e230	22.2	30
69	High positive HIV serology results can still be false positive. <i>IDCases</i> , <b>2020</b> , 21, e00849	2	2
68	Intact HIV Proviruses Persist in Children Seven to Nine Years after Initiation of Antiretroviral Therapy in the First Year of Life. <i>Journal of Virology</i> , <b>2020</b> , 94,	6.6	8

67	Pooled testing: A tool to increase efficiency of infant HIV diagnosis and virological monitoring. <i>African Journal of Laboratory Medicine</i> , <b>2020</b> , 9, 1035	0.9	4
66	Seroprevalence of infection among pregnant women in Windhoek, Namibia, in 2016. <i>Southern African Journal of Infectious Diseases</i> , <b>2020</b> , 35, 25	0.4	1
65	Intrapartum human immunodeficiency virus transmission rate in a central hospital in the Western Cape province after universal antiretroviral therapy roll-out. <i>Southern African Journal of Infectious Diseases</i> , <b>2020</b> , 35, 192	0.4	
64	HIV-1 DNA decay is faster in children who initiate ART shortly after birth than later. <i>Journal of the International AIDS Society</i> , <b>2019</b> , 22, e25368	5.4	10
63	What Should We Do When HIV-positive Children Fail First-line Combination Antiretroviral Therapy? A Comparison of 4 ART Management Strategies. <i>Pediatric Infectious Disease Journal</i> , <b>2019</b> , 38, 400-405	3.4	3
62	Lessons in diagnostic virology: expected and unexpected sources of error. <i>Reviews in Medical Virology</i> , <b>2019</b> , 29, e2052	11.7	12
61	PhyloPi: An affordable, purpose built phylogenetic pipeline for the HIV drug resistance testing facility. <i>PLoS ONE</i> , <b>2019</b> , 14, e0213241	3.7	1
60	Pooled PCR testing of dried blood spots for infant HIV diagnosis is cost efficient and accurate. <i>BMC Infectious Diseases</i> , <b>2019</b> , 19, 136	4	6
59	The effect of interventions on the transmission and spread of HIV in South Africa: a phylodynamic analysis. <i>Scientific Reports</i> , <b>2019</b> , 9, 2640	4.9	5
58	Neurodevelopment at 11 months after starting antiretroviral therapy within 3 weeks of life. <i>Southern African Journal of HIV Medicine</i> , <b>2019</b> , 20, 1008	1.4	4
57	Rapid emergence of resistance to antiretroviral treatment after undisclosed prior exposure: A case report. <i>Southern African Journal of HIV Medicine</i> , <b>2019</b> , 20, 965	1.4	
56	A Clinical Prediction Rule for Protease Inhibitor Resistance in Patients Failing Second-Line Antiretroviral Therapy. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , <b>2019</b> , 80, 325-329	3.1	7
55	Pharmacogenetics and pharmacokinetics of CNS penetration of efavirenz and its metabolites. <i>Journal of Antimicrobial Chemotherapy</i> , <b>2019</b> , 74, 699-709	5.1	6
54	Assessment of HIV transfusion transmission risk in South Africa: a 10-year analysis following implementation of individual donation nucleic acid amplification technology testing and donor demographics eligibility changes. <i>Transfusion</i> , <b>2019</b> , 59, 267-276	2.9	25
53	Rapid decline of HIV-1 DNA and RNA in infants starting very early antiretroviral therapy may pose a diagnostic challenge. <i>Aids</i> , <b>2018</b> , 32, 629-634	3.5	17
52	HIV evolution and diversity in ART-treated patients. <i>Retrovirology</i> , <b>2018</b> , 15, 14	3.6	36
51	HIV-1 RNA testing of pooled dried blood spots is feasible to diagnose acute HIV infection in resource limited settings. <i>Southern African Journal of Infectious Diseases</i> , <b>2018</b> , 33, 50-53	0.4	1
50	Southern African HIV Clinicians Society Guidance on the use of dolutegravir in first-line antiretroviral therapy. <i>Southern African Journal of HIV Medicine</i> , <b>2018</b> , 19, 917	1.4	5

49	Appropriate clinical use of darunavir 800 mg. <i>Southern African Journal of HIV Medicine</i> , <b>2018</b> , 19, 918	1.4	1
48	Paper-based detection of HIV-1 drug resistance using isothermal amplification and an oligonucleotide ligation assay. <i>Analytical Biochemistry</i> , <b>2018</b> , 544, 64-71	3.1	15
47	Mutational Correlates of Virological Failure in Individuals Receiving a WHO-Recommended Tenofovir-Containing First-Line Regimen: An International Collaboration. <i>EBioMedicine</i> , <b>2017</b> , 18, 225-235	8.8	25
46	Barriers to HIV remission research in low- and middle-income countries. <i>Journal of the International AIDS Society</i> , <b>2017</b> , 20, 21521	5.4	12
45	No evidence of HIV replication in children on antiretroviral therapy. <i>Journal of Clinical Investigation</i> , <b>2017</b> , 127, 3827-3834	15.9	44
44	Moderate levels of pre-therapy drug resistance (PDR) in a generalised epidemic: time for better first-line ART?. <i>Aids</i> , <b>2017</b> , 31, 2387-2391	3.5	5
43	Future technologies for monitoring HIV drug resistance and cure. <i>Current Opinion in HIV and AIDS</i> , <b>2017</b> , 12, 182-189	4.2	31
42	Late-Onset Hiv Encephalopathy In Children With Long-Standing Virologic Suppression Followed By Slow Spontaneous Recovery Despite no Change In Antiretroviral Therapy: 4 Case Reports. <i>Pediatric Infectious Disease Journal</i> , <b>2017</b> , 36, e264-e267	3.4	3
41	HIV-1 antiretroviral drug resistance patterns in patients failing NNRTI-based treatment: results from a national survey in South Africa. <i>Journal of Antimicrobial Chemotherapy</i> , <b>2017</b> , 72, 210-219	5.1	27
40	Collaborative update of a rule-based expert system for HIV-1 genotypic resistance test interpretation. <i>PLoS ONE</i> , <b>2017</b> , 12, e0181357	3.7	22
39	Adult antiretroviral therapy guidelines 2017. <i>Southern African Journal of HIV Medicine</i> , <b>2017</b> , 18, 776	1.4	110
38	Prevalence of Antiretroviral Drug Resistance in Patients Who Are Not Responding to Protease Inhibitor-Based Treatment: Results From the First National Survey in South Africa. <i>Journal of Infectious Diseases</i> , <b>2016</b> , 214, 1826-1830	7	19
37	Mutational Heterogeneity in p6 Gag Late Assembly (L) Domains in HIV-1 Subtype C Viruses from South Africa. <i>AIDS Research and Human Retroviruses</i> , <b>2016</b> , 32, 80-4	1.6	13
36	Moderate Levels of Pre-Treatment HIV-1 Antiretroviral Drug Resistance Detected in the First South African National Survey. <i>PLoS ONE</i> , <b>2016</b> , 11, e0166305	3.7	31
35	CD4 count-based failure criteria combined with viral load monitoring may trigger worse switch decisions than viral load monitoring alone. <i>Tropical Medicine and International Health</i> , <b>2016</b> , 21, 219-23	2.3	8
34	Is HIV-1C a risk factor for protease inhibitor failure?. <i>Lancet HIV,the</i> , <b>2016</b> , 3, e149-51	7.8	
33	Virologic failure among children taking lopinavir/ritonavir-containing first-line antiretroviral therapy in South Africa. <i>Pediatric Infectious Disease Journal</i> , <b>2015</b> , 34, 175-9	3.4	16
32	Early Antiretroviral Therapy in South African Children Reduces HIV-1-Infected Cells and Cell-Associated HIV-1 RNA in Blood Mononuclear Cells. <i>Journal of Infectious Diseases</i> , <b>2015</b> , 212, 39-43	7	40

31	Next generation sequencing improves detection of drug resistance mutations in infants after PMTCT failure. <i>Journal of Clinical Virology</i> , <b>2015</b> , 62, 48-53	14.5	31
30	HIV-1 Drug Resistance Mutations: Potential Applications for Point-of-Care Genotypic Resistance Testing. <i>PLoS ONE</i> , <b>2015</b> , 10, e0145772	3.7	58
29	Irreproducible positive results on the Cobas AmpliPrep/Cobas TaqMan HIV-1 Qual test are different qualitatively from confirmed positive results. <i>Journal of Medical Virology</i> , <b>2014</b> , 86, 82-7	19.7	15
28	A qualitative PCR minipool strategy to screen for virologic failure and antiretroviral drug resistance in South African patients on first-line antiretroviral therapy. <i>Journal of Clinical Virology</i> , <b>2014</b> , 60, 387-91	14.5	8
27	Southern African Treatment Resistance Network (SATuRN) RegaDB HIV drug resistance and clinical management database: supporting patient management, surveillance and research in southern Africa. <i>Database: the Journal of Biological Databases and Curation</i> , <b>2014</b> , 2014, bat082	5	7
26	Emerging antiretroviral drug resistance in sub-Saharan Africa: novel affordable technologies are needed to provide resistance testing for individual and public health benefits. <i>Aids</i> , <b>2014</b> , 28, 2643-8	3.5	5
25	Emergence of HIV drug resistance during first- and second-line antiretroviral therapy in resource-limited settings. <i>Journal of Infectious Diseases</i> , <b>2013</b> , 207 Suppl 2, S49-56	7	95
24	Nucleoside reverse transcriptase inhibitor resistance mutations associated with first-line stavudine-containing antiretroviral therapy: programmatic implications for countries phasing out stavudine. <i>Journal of Infectious Diseases</i> , <b>2013</b> , 207 Suppl 2, S70-7	7	28
23	Trends in Genotypic HIV-1 Antiretroviral Resistance between 2006 and 2012 in South African Patients Receiving First- and Second-Line Antiretroviral Treatment Regimens. <i>PLoS ONE</i> , <b>2013</b> , 8, e67188	3.7	52
22	Establishing diagnostic cut-off criteria for the COBAS AmpliPrep/COBAS TaqMan HIV-1 Qualitative test through validation against the Amplicor DNA test v1.5 for infant diagnosis using dried blood spots. <i>Journal of Clinical Virology</i> , <b>2012</b> , 53, 106-9	14.5	26
21	Deep sequencing reveals minor protease resistance mutations in patients failing a protease inhibitor regimen. <i>Journal of Virology</i> , <b>2012</b> , 86, 6231-7	6.6	51
20	HIV drug resistance (HIVDR) in antiretroviral therapy-naïve patients in Tanzania not eligible for WHO threshold HIVDR survey is dramatically high. <i>PLoS ONE</i> , <b>2011</b> , 6, e23091	3.7	34
19	Low lopinavir plasma or hair concentrations explain second-line protease inhibitor failures in a resource-limited setting. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , <b>2011</b> , 56, 333-9	3.1	91
18	It is time to consider third-line options in antiretroviral-experienced paediatric patients?. <i>Journal of the International AIDS Society</i> , <b>2011</b> , 14, 55	5.4	15
17	Antiretroviral resistance patterns and factors associated with resistance in adult patients failing NNRTI-based regimens in the Western Cape, South Africa. <i>Journal of Medical Virology</i> , <b>2011</b> , 83, 1764-9	19.7	33
16	Acute extrapyramidal dysfunction in two HIV-infected children. <i>Journal of Tropical Pediatrics</i> , <b>2011</b> , 57, 227-31	1.2	3
15	Pooling strategies to reduce the cost of HIV-1 RNA load monitoring in a resource-limited setting. <i>Clinical Infectious Diseases</i> , <b>2011</b> , 52, 264-70	11.6	42
14	HIV treatment adherence, drug resistance, virologic failure: evolving concepts. <i>Infectious Disorders - Drug Targets</i> , <b>2011</b> , 11, 167-74	1.1	149

13	Another milestone in minimizing risks to mothers exposed to single-dose nevirapine for prevention of vertical transmission of HIV-1 to infants: what next?. <i>Clinical Infectious Diseases</i> , <b>2010</b> , 50, 909-11	11.6	1
12	Antiretroviral therapy in children with tuberculosis: progress toward defining the issues. <i>Journal of Infectious Diseases</i> , <b>2010</b> , 201, 1113-4	7	3
11	Significantly diminished long-term specificity of the BED capture enzyme immunoassay among patients with HIV-1 with very low CD4 counts and those on antiretroviral therapy. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , <b>2010</b> , 53, 496-9	3.1	60
10	NucliSens EasyQ HIV-1 V1.2 system: Detection of human plasma-derived background signal. <i>Journal of Virological Methods</i> , <b>2010</b> , 165, 318-9	2.6	5
9	Young age a predictor of weak reactivity in a rapid antibody test in infants infected with HIV. <i>Journal of Medical Virology</i> , <b>2010</b> , 82, 1314-7	19.7	3
8	Surveillance of transmitted resistance to antiretroviral drug classes among young children in the Western Cape Province of South Africa. <i>Pediatric Infectious Disease Journal</i> , <b>2010</b> , 29, 370-1	3.4	9
7	Protease inhibitor resistance in South African children with virologic failure. <i>Pediatric Infectious Disease Journal</i> , <b>2009</b> , 28, 1125-7	3.4	42
6	Extraction buffer contaminated bacterially as a cause of invalid HIV-1 viral load results on the NucliSens EasyQ system. <i>Journal of Virological Methods</i> , <b>2008</b> , 150, 80-1	2.6	5
5	Zidovudine with nevirapine for the prevention of HIV mother-to-child transmission reduces nevirapine resistance in mothers from the Western Cape, South Africa. <i>Journal of Medical Virology</i> , <b>2008</b> , 80, 942-6	19.7	30
4	The Namibian poliomyelitis outbreak and its consequences for South Africa. <i>South African Family Practice: Official Journal of the South African Academy of Family Practice/Primary Care</i> , <b>2006</b> , 48, 3-6	0.6	
3	Pitfalls with rapid HIV antibody testing in HIV-infected children in the Western Cape, South Africa. <i>Journal of Clinical Virology</i> , <b>2006</b> , 37, 68-71	14.5	27
2	Comparing mutational pathways to lopinavir resistance in HIV-1 subtypes B versus C		2
1	Rapid replacement of the Beta variant by the Delta variant in South Africa		17