

Jun Lei

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/862836/jun-lei-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

103
papers

2,118
citations

24
h-index

42
g-index

103
ext. papers

2,647
ext. citations

5
avg, IF

5.16
L-index

#	Paper	IF	Citations
103	Insight into the Excellent Tribological Performance of Highly Oriented Poly(phenylene sulfide). <i>Chinese Journal of Polymer Science (English Edition)</i> , 2022 , 40, 290-298	3.5	0
102	Surfactant-assisted fabrication of room-temperature self-healable dielectric elastomer toward actuation application. <i>Composites Part B: Engineering</i> , 2022 , 234, 109655	10	0
101	Enhanced Dielectric and Ferroelectric Properties of Poly(vinylidene fluoride) through Annealing Oriented Crystallites under High Pressure. <i>Macromolecules</i> , 2022 , 55, 2014-2027	5.5	7
100	Dynamic chemical bonds design strategy for fabricating fast room-temperature healable dielectric elastomer with significantly improved actuation performance. <i>Chemical Engineering Journal</i> , 2022 , 439, 135683	14.7	0
99	Transparent radiative cooling films containing poly(methylmethacrylate), silica, and silver. <i>Optical Materials</i> , 2021 , 122, 111651	3.3	2
98	Coupling effect of pressure and flow fields on the crystallization of Poly(vinylidene fluoride)/Poly(methyl methacrylate) miscible blends. <i>Polymer</i> , 2021 , 220, 123565	3.9	4
97	Multifunctional Membrane for Thermal Management Applications. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 19301-19311	9.5	10
96	Highly Thermally Conductive Graphene-Based Thermal Interface Materials with a Bilayer Structure for Central Processing Unit Cooling. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 25325-25333	9.5	14
95	Flexible Poly(vinylidene fluoride)-MXene/Silver Nanowire Electromagnetic Shielding Films with Joule Heating Performance. <i>Industrial & Engineering Chemistry Research</i> , 2021 , 60, 9824-9832	3.9	8
94	Durably Ductile, Transparent Polystyrene Based on Extensional Stress-Induced Rejuvenation Stabilized by Styrene-Butadiene Block Copolymer Nanofibrils.. <i>ACS Macro Letters</i> , 2021 , 10, 71-77	6.6	5
93	Ultrathin, flexible and sandwich-structured PHBV/silver nanowire films for high-efficiency electromagnetic interference shielding. <i>Journal of Materials Chemistry C</i> , 2021 , 9, 3307-3315	7.1	10
92	Rapid Melt Crystallization of Bisphenol-A Polycarbonate Jointly Induced by Pressure and Flow. <i>Macromolecules</i> , 2021 , 54, 2383-2393	5.5	4
91	Green Production of Covalently Functionalized Boron Nitride Nanosheets via Saccharide-Assisted Mechanochemical Exfoliation. <i>ACS Sustainable Chemistry and Engineering</i> , 2021 , 9, 11155-11162	8.3	5
90	Carbonized cotton textile with hierarchical structure for superhydrophobicity and efficient electromagnetic interference shielding. <i>Composites Part A: Applied Science and Manufacturing</i> , 2021 , 149, 106555	8.4	7
89	A wearable multifunctional fabric with excellent electromagnetic interference shielding and passive radiation heating performance. <i>Composites Part B: Engineering</i> , 2021 , 225, 109299	10	6
88	Superior actuation performance and healability achieved in a transparent, highly stretchable dielectric elastomer film. <i>Journal of Materials Chemistry C</i> , 2021 , 9, 12239-12247	7.1	1
87	Room-temperature repeatedly processable baroplastic/boron nitride thermal management composite. <i>Journal of Materials Chemistry C</i> , 2021 , 9, 10388-10397	7.1	2

86	Significantly improved high-temperature performance of polymer dielectric via building nanosheets and confined space. <i>Composites Part B: Engineering</i> , 2020 , 196, 108108	10	14
85	A Scalable Hybrid Fiber and Its Textile with Pore and Wrinkle Structures for Passive Personal Cooling. <i>Advanced Materials Technologies</i> , 2020 , 5, 2000287	6.8	12
84	Baroplastics with Ultrahigh Strength and Modulus via Hydrogen-Bonding Interactions with Agar. <i>ACS Applied Polymer Materials</i> , 2020 , 2, 5550-5557	4.3	1
83	Highly thermal conductive, anisotropically heat-transferred, mechanically flexible composite film by assembly of boron nitride nanosheets for thermal management. <i>Composites Part B: Engineering</i> , 2020 , 180, 107569	10	69
82	Novel passive cooling composite textile for both outdoor and indoor personal thermal management. <i>Composites Part A: Applied Science and Manufacturing</i> , 2020 , 130, 105738	8.4	31
81	Spectrally selective polyvinylidene fluoride textile for passive human body cooling. <i>Materials Today Energy</i> , 2020 , 18, 100504	7	8
80	An electrically conductive polymer composite with a co-continuous segregated structure for enhanced mechanical performance. <i>Journal of Materials Chemistry C</i> , 2020 , 8, 11546-11554	7.1	16
79	Hybrid Metamaterial Textiles for Passive Personal Cooling Indoors and Outdoors. <i>ACS Applied Polymer Materials</i> , 2020 , 2, 4379-4386	4.3	12
78	Better Choice: Linear Long Chains Rather than Branched Ones to Improve Mechanical Performance of Polyethylene through Generating Shish-Kebabs. <i>Chinese Journal of Polymer Science (English Edition)</i> , 2020 , 38, 715-729	3.5	1
77	Unique Banded Cylindrites of Polyoxymethylene/Poly(butylene succinate) Blends Induced by Interfacial Shear. <i>ACS Applied Polymer Materials</i> , 2019 , 1, 2741-2750	4.3	1
76	Achieving high thermal conductivity and mechanical reinforcement in ultrahigh molecular weight polyethylene bulk material. <i>Polymer</i> , 2019 , 180, 121760	3.9	13
75	Enhanced thermal conductivity of multilayered sheets of polyethylene and boron nitride via promoting molecular diffusion between layers. <i>Journal of Applied Physics</i> , 2019 , 125, 205101	2.5	8
74	Nacre-like composite films with high thermal conductivity, flexibility, and solvent stability for thermal management applications. <i>Journal of Materials Chemistry C</i> , 2019 , 7, 9018-9024	7.1	48
73	Structuring dense three-dimensional sheet-like skeleton networks in biomass-derived carbon aerogels for efficient electromagnetic interference shielding. <i>Carbon</i> , 2019 , 152, 316-324	10.4	46
72	Evolution of Polymorphic Structure in β -Nucleated Isotactic Polypropylene under a Certain Pressure: Effects of Temperature and Flow. <i>Industrial & Engineering Chemistry Research</i> , 2019 , 58, 5677-5685	3.9	2
71	High thermal conductivity of chain-aligned bulk linear ultra-high molecular weight polyethylene. <i>Journal of Applied Physics</i> , 2019 , 125, 245110	2.5	8
70	Role of lamellar thickening in thick lamellae formation in isotactic polypropylene when crystallizing under flow and pressure. <i>Polymer</i> , 2019 , 179, 121641	3.9	4
69	PVDF/PMMA dielectric films with notably decreased dielectric loss and enhanced high-temperature tolerance. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2019 , 57, 1043-1052	2.6	14

68	Highly thermally conductive and mechanically robust composite of linear ultrahigh molecular weight polyethylene and boron nitride via constructing nacre-like structure. <i>Composites Science and Technology</i> , 2019 , 184, 107858	8.6	22
67	Baroplastics with Robust Mechanical Properties and Reserved Processability through Hydrogen-Bonded Interactions. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 12008-12016	9.5	16
66	Role of pressure in flow-induced shish-kabab in binary blend of long- and short-chain Polyethylenes. <i>Polymer Crystallization</i> , 2019 , 2, e10059	0.9	1
65	Robustly Superhydrophobic Conductive Textile for Efficient Electromagnetic Interference Shielding. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 1680-1688	9.5	90
64	A revisit to the flow and pressure jointly induced thick lamellae in isotactic polypropylene: A synchrotron radiation small- and wide-angle X-ray scattering study. <i>Polymer Crystallization</i> , 2019 , 2, e10033	0.9	9
63	Flow-induced crystallization of polylactide stereocomplex under pressure. <i>Journal of Applied Polymer Science</i> , 2018 , 135, 46378	2.9	6
62	Quantification of pressure-induced β crystals in isotactic polypropylene: The influence of shear and carbon nanotubes. <i>Polymer Crystallization</i> , 2018 , 1, e10002	0.9	6
61	Synergetic enhancement of thermal conductivity by constructing hybrid conductive network in the segregated polymer composites. <i>Composites Science and Technology</i> , 2018 , 162, 7-13	8.6	105
60	An unusual promotion of β crystals in metallocene-made isotactic polypropylene from orientational relaxation and favorable temperature window induced by shear. <i>Polymer</i> , 2018 , 134, 196-203	3.9	9
59	Enhanced thermal conductivity of polyethylene/boron nitride multilayer sheets through annealing. <i>Composites Part A: Applied Science and Manufacturing</i> , 2018 , 107, 135-143	8.4	42
58	Can Relaxor Ferroelectric Behavior Be Realized for Poly(vinylidene fluoride-co-chlorotrifluoroethylene) [P(VDF/CTFE)] Random Copolymers by Inclusion of CTFE Units in PVDF Crystals?. <i>Macromolecules</i> , 2018 , 51, 5460-5472	5.5	24
57	Simultaneously improving stiffness, toughness, and heat deflection resistance of polylactide using the strategy of orientation crystallization amplified by interfacial interactions. <i>Polymer Crystallization</i> , 2018 , 1, e10004	0.9	6
56	Repeatable, room-temperature-processed baroplastic-carbon nanotube composites for electromagnetic interference shielding. <i>Journal of Materials Chemistry C</i> , 2018 , 6, 12955-12964	7.1	13
55	Flow-Induced Precursor Formation of Poly(L-lactic acid) under Pressure. <i>ACS Omega</i> , 2018 , 3, 15471-15481	3.9	4
54	Oriented Polar Crystals in Poly(Vinylidene Fluoride) Produced by Simultaneously Applying Pressure and Flow. <i>Macromolecular Chemistry and Physics</i> , 2018 , 219, 1800299	2.6	5
53	Wearable Polyethylene/Polyamide Composite Fabric for Passive Human Body Cooling. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 41637-41644	9.5	45
52	Effect of ion-dipole interaction on the formation of polar extended-chain crystals in high pressure-crystallized poly(vinylidene fluoride). <i>Polymer</i> , 2018 , 158, 204-212	3.9	15
51	Highly Anisotropic, Thermally Conductive, and Mechanically Strong Polymer Composites with Nacre-like Structure for Thermal Management Applications. <i>ACS Applied Nano Materials</i> , 2018 , 1, 3312-3320	5.6	35

50	Enhanced Thermal Conductivity of Segregated Poly(vinylidene fluoride) Composites via Forming Hybrid Conductive Network of Boron Nitride and Carbon Nanotubes. <i>Industrial & Engineering Chemistry Research</i> , 2018 , 57, 10391-10397	3.9	47
49	Tunable electromagnetic interference shielding effectiveness via multilayer assembly of regenerated cellulose as a supporting substrate and carbon nanotubes/polymer as a functional layer. <i>Journal of Materials Chemistry C</i> , 2017 , 5, 3130-3138	7.1	92
48	Thicker Lamellae and Higher Crystallinity of Poly(lactic acid) via Applying Shear Flow and Pressure and Adding Poly(ethylene Glycol). <i>Journal of Physical Chemistry B</i> , 2017 , 121, 5842-5852	3.4	11
47	Window of Pressure and Flow To Produce β Crystals in Isotactic Polypropylene Mixed with β Nucleating Agent. <i>Macromolecules</i> , 2017 , 50, 4807-4816	5.5	32
46	Synergistic enhancement of crystallization and mechanical performance of polypropylene random copolymer by strong shear and β nucleating agent. <i>Polymer International</i> , 2017 , 66, 1141-1150	3.3	1
45	Effect of oscillatory shear field on the morphology and mechanical properties of β nucleated isotactic polypropylene. <i>Polymer Engineering and Science</i> , 2017 , 57, 838-845	2.3	2
44	A nacre-mimetic superstructure of poly(butylene succinate) structured by using an intense shear flow and ramie fiber as a promising strategy for simultaneous reinforcement and toughening. <i>Journal of Materials Chemistry A</i> , 2017 , 5, 22697-22707	13	14
43	A Criterion for Flow-Induced Oriented Crystals in Isotactic Polypropylene under Pressure. <i>Macromolecular Rapid Communications</i> , 2017 , 38, 1700407	4.8	7
42	Effects of Solvents on Stereocomplex Crystallization of High-Molecular-Weight Polylactic Acid Racemic Blends in the Presence of Carbon Nanotubes. <i>Macromolecular Chemistry and Physics</i> , 2017 , 218, 1700292	2.6	1
41	High Power Continuous Wave Yb:YAG Composite Crystal Zigzag Slab Amplifier at Room Temperature. <i>IEEE Photonics Journal</i> , 2017 , 9, 1-9	1.8	3
40	Nonisothermal crystallization of isotactic polypropylene in carbon nanotube networks: The interplay of heterogeneous nucleation and confinement effect. <i>Journal of Thermoplastic Composite Materials</i> , 2016 , 29, 1352-1368	1.9	4
39	Effect of different morphologies on the creep behavior of high-density polyethylene. <i>RSC Advances</i> , 2016 , 6, 3470-3479	3.7	16
38	Dominant β Form of Poly(l-lactic acid) Obtained Directly from Melt under Shear and Pressure Fields. <i>Macromolecules</i> , 2016 , 49, 3826-3837	5.5	47
37	Percolation and resistivity-temperature behaviours of carbon nanotube-carbon black hybrid loaded ultrahigh molecular weight polyethylene composites with segregated structures. <i>RSC Advances</i> , 2015 , 5, 61318-61323	3.7	18
36	Shear-Induced Precursor Relaxation-Dependent Growth Dynamics and Lamellar Orientation of β Crystals in β Nucleated Isotactic Polypropylene. <i>Journal of Physical Chemistry B</i> , 2015 , 119, 5716-27	3.4	39
35	The crystallization behavior of biodegradable poly(butylene succinate) in the presence of organically modified clay with a wide range of loadings. <i>Chinese Journal of Polymer Science (English Edition)</i> , 2015 , 33, 576-586	3.5	14
34	Vibration assisted extrusion of polypropylene. <i>Chinese Journal of Polymer Science (English Edition)</i> , 2015 , 33, 688-696	3.5	6
33	Effect of different morphologies on slow crack growth of high-density polyethylene. <i>RSC Advances</i> , 2015 , 5, 28191-28202	3.7	8

32	Effects of extrusion draw ratio on the morphology, structure and mechanical properties of poly(L-lactic acid) fabricated using solid state ram extrusion. <i>RSC Advances</i> , 2015 , 5, 69016-69023	3.7	8
31	Flow and Pressure Jointly Induced Ultrahigh Melting Temperature Spherulites with Oriented Thick Lamellae in Isotactic Polypropylene. <i>Macromolecules</i> , 2015 , 48, 5834-5844	5.5	31
30	Isotactic polypropylene reinforced atactic polypropylene by formation of shish-kebab superstructure. <i>Polymer</i> , 2015 , 78, 120-133	3.9	17
29	Role of Stably Entangled Chain Network Density in Shish-Kebab Formation in Polyethylene under an Intense Flow Field. <i>Macromolecules</i> , 2015 , 48, 6652-6661	5.5	42
28	Unexpected shear dependence of pressure-induced β crystals in isotactic polypropylene. <i>Polymer Chemistry</i> , 2015 , 6, 4588-4596	4.9	23
27	Temperature dependence of molecular conformation in uniaxially deformed isotactic polypropylene investigated by combination of polarized FTIR spectroscopy and 2D correlation analysis. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2015 , 53, 673-684	2.6	9
26	Toward faster degradation for natural fiber reinforced poly(lactic acid) biocomposites by enhancing the hydrolysis-induced surface erosion. <i>Journal of Polymer Research</i> , 2014 , 21, 1	2.7	22
25	Efficient Utilization of Atactic Polypropylene in Its Isotactic Polypropylene Blends via Structuring Processing. <i>Industrial & Engineering Chemistry Research</i> , 2014 , 53, 10144-10154	3.9	14
24	Preparation and properties of carbon nanotube/binary-polymer composites with a double-segregated structure. <i>Journal of Applied Polymer Science</i> , 2014 , 131, n/a-n/a	2.9	7
23	Tailored Structure and Properties of Injection-Molded Atactic Polypropylene/Isotactic Polypropylene Blend. <i>ACS Sustainable Chemistry and Engineering</i> , 2013 , 1, 937-949	8.3	10
22	Preparation and performance of segregated polymer composites with hybrid fillers of octadecylamine functionalized graphene and carbon nanotubes. <i>Journal of Polymer Research</i> , 2013 , 20, 1	2.7	23
21	Ultraporous poly(lactic acid) scaffolds with improved mechanical performance using high-pressure molding and salt leaching. <i>Journal of Applied Polymer Science</i> , 2013 , 130, 3509-3520	2.9	9
20	Formation of shish-kebabs in injection-molded poly(L-lactic acid) by application of an intense flow field. <i>ACS Applied Materials & Interfaces</i> , 2012 , 4, 6774-84	9.5	110
19	Influence of the Compaction Temperature on the Electrical and Mechanical Properties of the Segregated Conductive Ultrahigh Molecular Weight Polyethylene/Carbon Nanotube Composite. <i>Polymer-Plastics Technology and Engineering</i> , 2012 , 51, 1530-1536		13
18	Tuning the superstructure of ultrahigh-molecular-weight polyethylene/low-molecular-weight polyethylene blend for artificial joint application. <i>ACS Applied Materials & Interfaces</i> , 2012 , 4, 1521-9 ^{9.5}		56
17	Segregated Conductive Ultrahigh-Molecular-Weight Polyethylene Composites Containing High-Density Polyethylene as Carrier Polymer of Graphene Nanosheets. <i>Polymer-Plastics Technology and Engineering</i> , 2012 , 51, 1483-1486		13
16	Suppressing of β crystal formation in metallocene-based isotactic polypropylene during isothermal crystallization under shear flow. <i>Journal of Physical Chemistry B</i> , 2012 , 116, 5056-63	3.4	16
15	Formation of Interlinked Shish-Kebabs in Injection-Molded Polyethylene under the Coexistence of Lightly Cross-Linked Chain Network and Oscillation Shear Flow. <i>Macromolecules</i> , 2012 , 45, 6600-6610	5.5	113

14	Highly crystallized poly (lactic acid) under high pressure. <i>AIP Advances</i> , 2012 , 2, 042159	1.5	27
13	Isothermal and nonisothermal crystallization of isotactic polypropylene/graphene oxide nanosheet nanocomposites. <i>Journal of Polymer Research</i> , 2012 , 19, 1	2.7	39
12	Enhanced mechanical and thermal properties of rigid polyurethane foam composites containing graphene nanosheets and carbon nanotubes. <i>Polymer International</i> , 2012 , 61, 1107-1114	3.3	103
11	In-situ synchrotron x-ray scattering study on isothermal crystallization of ethylene-vinyl acetate copolymers containing a high weight fraction of carbon nanotubes and graphene nanosheets. <i>Journal of Polymer Research</i> , 2012 , 19, 1	2.7	7
10	Morphology and Crystallization Behavior of Compatibilized Isotactic Polypropylene/Poly(butylene terephthalate) Blends under Shear Flow. <i>Polymer-Plastics Technology and Engineering</i> , 2012 , 51, 507-513		8
9	Electrical conductivity and major mechanical and thermal properties of carbon nanotube-filled polyurethane foams. <i>Journal of Applied Polymer Science</i> , 2011 , 120, 3014-3019	2.9	63
8	In Situ Synchrotron X-ray Scattering Study on Isotactic Polypropylene Crystallization under the Coexistence of Shear Flow and Carbon Nanotubes. <i>Macromolecules</i> , 2011 , 44, 8080-8092	5.5	84
7	Study on Rheology of LLDPE under Compound Stress Field of Vibration and Shear in Extrusion Molding. <i>Polymer-Plastics Technology and Engineering</i> , 2009 , 48, 1180-1184		3
6	Correlation of Oscillation Cycles and Crystallization in HDPE Blends with Small Amounts of HMWPE Prepared by Dynamic-Packing Injection Molding. <i>Journal of Macromolecular Science - Physics</i> , 2009 , 48, 430-438	1.4	2
5	Morphologies and mechanical properties of HDPE induced by small amount of high-molecular-weight polyolefin and shear stress produced by dynamic packing injection molding. <i>Journal of Applied Polymer Science</i> , 2008 , 110, 2483-2487	2.9	6
4	Bi-axial self-reinforcement of high-density polyethylene induced by high-molecular weight polyethylene through dynamic packing injection molding. <i>Polymer International</i> , 2006 , 55, 1021-1026	3.3	8
3	Biaxially self-reinforced high-density polyethylene prepared by dynamic packing injection molding. II. Microstructure investigation. <i>Journal of Applied Polymer Science</i> , 2004 , 93, 1591-1596	2.9	10
2	Biaxially self-reinforced high-density polyethylene prepared by dynamic packing injection molding. I. Processing parameters and mechanical properties. <i>Journal of Applied Polymer Science</i> , 2004 , 93, 1584-1590	2.9	21
1	Enhancing thermal conductivity of silicone rubber via constructing hybrid spherical boron nitride thermal network. <i>Journal of Applied Polymer Science</i> , 51943	2.9	2