

Ewa Szymanska

List of Publications by Citations

Source: <https://exaly.com/author-pdf/8629424/ewa-szymanska-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

33
papers

443
citations

13
h-index

20
g-index

37
ext. papers

521
ext. citations

4.1
avg, IF

2.93
L-index

#	Paper	IF	Citations
33	Synthesis of 5-arylidene-2-amino-4-azolones and evaluation of their anticancer activity. <i>Bioorganic and Medicinal Chemistry</i> , 2010 , 18, 5090-102	3.4	72
32	Antimicrobial activity of 5-arylidene aromatic derivatives of hydantoin. Part 2. <i>Il Farmaco</i> , 2002 , 57, 39-44		33
31	Imidazo-thiazine, -diazinone and -diazepinone derivatives. Synthesis, structure and benzodiazepine receptor binding. <i>European Journal of Medicinal Chemistry</i> , 2001 , 36, 407-19	6.8	33
30	Antimycobacterial activity of 5-arylidene aromatic derivatives of hydantoin. <i>Il Farmaco</i> , 2002 , 57, 355-62		32
29	Amine-alkyl derivatives of hydantoin: new tool to combat resistant bacteria. <i>European Journal of Medicinal Chemistry</i> , 2011 , 46, 5807-16	6.8	28
28	Search for new tools to combat Gram-negative resistant bacteria among amine derivatives of 5-arylidenehydantoin. <i>Bioorganic and Medicinal Chemistry</i> , 2013 , 21, 135-45	3.4	26
27	Synthesis and SAR-study for novel arylpiperazine derivatives of 5-arylidenehydantoin with α -adrenoceptor antagonistic properties. <i>Bioorganic and Medicinal Chemistry</i> , 2012 , 20, 4245-57	3.4	21
26	Pharmacophore models based studies on the affinity and selectivity toward 5-HT _{1A} with reference to α -adrenergic receptors among arylpiperazine derivatives of phenytoin. <i>Bioorganic and Medicinal Chemistry</i> , 2011 , 19, 1349-60	3.4	20
25	Imidazolidine-4-one derivatives in the search for novel chemosensitizers of Staphylococcus aureus MRSA: synthesis, biological evaluation and molecular modeling studies. <i>European Journal of Medicinal Chemistry</i> , 2015 , 101, 313-25	6.8	17
24	A new phenylalanine derivative acts as an antagonist at the AMPA receptor GluA2 and introduces partial domain closure: synthesis, resolution, pharmacology, and crystal structure. <i>Journal of Medicinal Chemistry</i> , 2011 , 54, 7289-98	8.3	16
23	Discovery of phenylselenoether-hydantoin hybrids as ABCB1 efflux pump modulating agents with cytotoxic and antiproliferative actions in resistant T-lymphoma. <i>European Journal of Medicinal Chemistry</i> , 2020 , 200, 112435	6.8	13
22	Similarities and differences in affinity and binding modes of tricyclic pyrimido- and pyrazinoxanthines at human and rat adenosine receptors. <i>Bioorganic and Medicinal Chemistry</i> , 2016 , 24, 4347-4362	3.4	13
21	3-Substituted phenylalanines as selective AMPA- and kainate receptor ligands. <i>Bioorganic and Medicinal Chemistry</i> , 2009 , 17, 6390-401	3.4	13
20	Synthesis, biological activity and molecular modelling studies of tricyclic alkylimidazo-, pyrimido- and diazepinopurinediones. <i>Purinergic Signalling</i> , 2013 , 9, 395-414	3.8	12
19	Efflux Pump Blockers in Gram-Negative Bacteria: The New Generation of Hydantoin Based-Modulators to Improve Antibiotic Activity. <i>Frontiers in Microbiology</i> , 2016 , 7, 622	5.7	11
18	Structural and pharmacological characterization of phenylalanine-based AMPA receptor antagonists at kainate receptors. <i>ChemMedChem</i> , 2012 , 7, 1793-8	3.7	10
17	Crystallographic and spectroscopic studies of 5-arylidene-2-amino-imidazol-4-ones. <i>Journal of Molecular Structure</i> , 2009 , 930, 126-134	3.4	10

16	Phenylalanine derivatives with modulating effects on human α -glycine receptors and anticonvulsant activity in strychnine-induced seizure model in male adult rats. <i>Epilepsy Research</i> , 2017 , 138, 124-131	3	9
15	The lipophilicity estimation of 5-arylidene derivatives of (2-thio)hydantoin with antimycobacterial activity. <i>Biomedical Chromatography</i> , 2007 , 21, 291-8	1.7	9
14	Tricyclic xanthine derivatives containing a basic substituent: adenosine receptor affinity and drug-related properties. <i>MedChemComm</i> , 2018 , 9, 951-962	5	8
13	Arylidene imidazothiazoles. Synthesis, structure and benzodiazepine receptor binding. <i>Journal of Heterocyclic Chemistry</i> , 1999 , 36, 257-263	1.9	8
12	Studies on Aryl-Substituted Phenylalanines: Synthesis, Activity, and Different Binding Modes at AMPA Receptors. <i>Journal of Medicinal Chemistry</i> , 2016 , 59, 448-61	8.3	6
11	Search for ABCB1 Modulators Among 2-Amine-5-Arylideneimidazolones as a New Perspective to Overcome Cancer Multidrug Resistance. <i>Molecules</i> , 2020 , 25,	4.8	5
10	Methods for the synthesis of xanthine-derived polycyclic fused systems. <i>Heterocyclic Communications</i> , 2013 , 19,	1.7	5
9	Crystallographic studies of (Z) and (E) isomers of 2-amino-5-(2-chlorobenzylidene)-1-methyl-1H-imidazol-4(5H)-one. <i>Journal of Molecular Structure</i> , 2010 , 966, 14-17	3.4	4
8	Discovery of novel lead in the group of N-substituted piperazine ether derivatives with potential histamine H3 receptor activity. <i>Medicinal Chemistry</i> , 2014 , 10, 588-99	1.8	3
7	An insight into the structure of 5-spiro aromatic derivatives of imidazolidine-2,4-dione, a new group of very potent inhibitors of tumor multidrug resistance in T-lymphoma cells. <i>Bioorganic Chemistry</i> , 2021 , 109, 104735	5.1	3
6	N-Substituted piperazine derivatives as potential multitarget agents acting on histamine H receptor and cancer resistance proteins. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2020 , 30, 127522	2.9	2
5	Characterization of In Vitro and In Vivo Metabolism of Antazoline Using Liquid Chromatography-Tandem Mass Spectrometry. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	1
4	Design, synthesis and structure-activity relationships of novel phenylalanine-based amino acids as kainate receptors ligands. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2016 , 26, 5568-5572	2.9	0
3	Aryl- and heteroaryl-substituted phenylalanines as AMPA receptor ligands. <i>Chemical Biology and Drug Design</i> , 2017 , 90, 1271-1281	2.9	0
2	Pharmacological characterization and binding modes of novel racemic and optically active phenylalanine-based antagonists of AMPA receptors. <i>European Journal of Medicinal Chemistry</i> , 2017 , 138, 874-883	6.8	0
1	Crystallographic studies of piperazine derivatives of 3-methyl-5-spirofluorenehydantoin in search of structural features of P-gp inhibitors. <i>Acta Crystallographica Section C, Structural Chemistry</i> , 2021 , 77, 467-478	0.8	0