

# C Neal Stewart Jr

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8630016/publications.pdf>

Version: 2024-02-01

286  
papers

15,815  
citations

16411

64  
h-index

22102

113  
g-index

301  
all docs

301  
docs citations

301  
times ranked

16880  
citing authors

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | Statistical analysis of real-time PCR data. BMC Bioinformatics, 2006, 7, 85.  | 1.2 | 1,651     |
| 2  | Non-target-site herbicide resistance: a family business. Trends in Plant Science, 2007, 12, 6-13.   | 4.3 | 451       |
| 3  | Advancing Crop Transformation in the Era of Genome Editing. Plant Cell, 2016, 28, tpc.00196.2016.   | 3.1 | 429       |
| 4  | Plants to power: bioenergy to fuel the future. Trends in Plant Science, 2008, 13, 421-429.  | 4.3 | 392       |
| 5  | Transgene introgression from genetically modified crops to their wild relatives. Nature Reviews Genetics, 2003, 4, 806-817.   | 7.7 | 355       |
| 6  | Overexpression of miR156 in switchgrass ( <i>Panicum virgatum</i> L.) results in various morphological alterations and leads to improved biomass production. Plant Biotechnology Journal, 2012, 10, 443-452.                                    | 4.1 | 293       |
| 7  | Functional characterization of the switchgrass ( <i>Panicum virgatum</i> ) R2R3MYB transcription factor PvMYB4 for improvement of lignocellulosic feedstocks. New Phytologist, 2012, 193, 121-136.  | 3.5 | 264       |
| 8  | Hybridization between transgenic Brassica napus L. and its wild relatives: Brassica rapa L., Raphanus raphanistrum L., Sinapis arvensis L., and Erucastrum gallicum (Willd.) O.E. Schulz. Theoretical and Applied Genetics, 2003, 107, 528-539. | 1.8 | 241       |
| 9  | Genetic Transformation, Recovery, and Characterization of Fertile Soybean Transgenic for a Synthetic Bacillus thuringiensis cryIIAc Gene. Plant Physiology, 1996, 112, 121-129.   | 2.3 | 237       |
| 10 | Assessing population genetic structure and variability with RAPD data: Application to Vaccinium macrocarpon (American Cranberry). Journal of Evolutionary Biology, 1996, 9, 153-171.  | 0.8 | 217       |
| 11 | Statistical methods for efficiency adjusted real-time PCR quantification. Biotechnology Journal, 2008, 3, 112-123.  | 1.8 | 204       |
| 12 | Transcriptional responses of Arabidopsis thaliana plants to As (V) stress. BMC Plant Biology, 2008, 8, 87.  | 1.6 | 197       |
| 13 | Smelling global climate change: mitigation of function for plant volatile organic compounds. Trends in Ecology and Evolution, 2009, 24, 323-331.  | 4.2 | 192       |
| 14 | Comparative genome analysis of lignin biosynthesis gene families across the plant kingdom. BMC Bioinformatics, 2009, 10, S3.  | 1.2 | 190       |
| 15 | Advanced genetic tools for plant biotechnology. Nature Reviews Genetics, 2013, 14, 781-793.   | 7.7 | 188       |
| 16 | The utility of green fluorescent protein in transgenic plants. Plant Cell Reports, 2001, 20, 376-382.   | 2.8 | 181       |
| 17 | Evaluating Methods for Isolating Total RNA and Predicting the Success of Sequencing Phylogenetically Diverse Plant Transcriptomes. PLoS ONE, 2012, 7, e50226.   | 1.1 | 172       |
| 18 | Introgression of Crop Alleles into Wild or Weedy Populations. Annual Review of Ecology, Evolution, and Systematics, 2013, 44, 325-345.  | 3.8 | 169       |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | 'GM-gene-deletor': fused loxP-FRT recognition sequences dramatically improve the efficiency of FLP or CRE recombinase on transgene excision from pollen and seed of tobacco plants. <i>Plant Biotechnology Journal</i> , 2007, 5, 263-374.  | 4.1 | 168       |
| 20 | Plant systems biology comes of age. <i>Trends in Plant Science</i> , 2008, 13, 165-171.   | 4.3 | 165       |
| 21 | The evolutionary history of ferns inferred from 25 low-copy nuclear genes. <i>American Journal of Botany</i> , 2015, 102, 1089-1107.  | 0.8 | 157       |
| 22 | Increased <i>Agrobacterium</i> -mediated transformation and rooting efficiencies in canola ( <i>Brassica napus</i> ) Tj ETQq0 0 0 rgBT /Overlock 10 Tf  | 2.8 | 150       |
| 23 | Gateway-compatible vectors for high-throughput gene functional analysis in switchgrass ( <i>Panicum</i> ) Tj ETQq1 1 0.784314 rgBT /C   | 4.1 | 150       |
| 24 | Plant synthetic biology. <i>Trends in Plant Science</i> , 2015, 20, 309-317.  | 4.3 | 144       |
| 25 | Shikimate Accumulates in Both Glyphosate-Sensitive and Glyphosate-Resistant Horseweed ( <i>Conyza</i> ) Tj ETQq1 1 0.784314 rgBT /Over  | 2.4 | 142       |
| 26 | Sugar release and growth of biofuel crops are improved by downregulation of pectin biosynthesis. <i>Nature Biotechnology</i> , 2018, 36, 249-257.   | 9.4 | 136       |
| 27 | High-throughput deep sequencing shows that microRNA's play important roles in switchgrass responses to drought and salinity stress. <i>Plant Biotechnology Journal</i> , 2014, 12, 354-366.   | 4.1 | 131       |
| 28 | Insect Control and Dosage Effects in Transgenic Canola Containing a Synthetic <i>Bacillus thuringiensis</i> cryIIAc Gene. <i>Plant Physiology</i> , 1996, 112, 115-120.   | 2.3 | 130       |
| 29 | Expression of GFP and Bt transgenes in <i>Brassica napus</i> and hybridization with <i>Brassica rapa</i> . <i>Theoretical and Applied Genetics</i> , 2001, 103, 659-667.  | 1.8 | 128       |
| 30 | Larvicidal Cry proteins from <i>Bacillus thuringiensis</i> are released in root exudates of transgenic <i>B. thuringiensis</i> corn, potato, and rice but not of <i>B. thuringiensis</i> canola, cotton, and tobacco. <i>Plant Physiology and Biochemistry</i> , 2004, 42, 383-387. | 2.8 | 124       |
| 31 | Overexpression of an <i>Arabidopsis thaliana</i> ABC transporter confers kanamycin resistance to transgenic plants. <i>Nature Biotechnology</i> , 2005, 23, 1177-1180.  | 9.4 | 123       |
| 32 | Methods to produce marker-free transgenic plants. <i>Biotechnology Journal</i> , 2007, 2, 83-90.  | 1.8 | 122       |
| 33 | Enhanced characteristics of genetically modified switchgrass ( <i>Panicum virgatum</i> L.) for high biofuel production. <i>Biotechnology for Biofuels</i> , 2013, 6, 71.  | 6.2 | 118       |
| 34 | Increased fitness of transgenic insecticidal rapeseed under insect selection pressure. <i>Molecular Ecology</i> , 1997, 6, 773-779.   | 2.0 | 117       |
| 35 | Identification and overexpression of gibberellin 2-oxidase ( <i>GA2ox</i> ) in switchgrass ( <i>Panicum virgatum</i> L.) for improved plant architecture and reduced biomass recalcitrance. <i>Plant Biotechnology Journal</i> , 2015, 13, 636-647.                                 | 4.1 | 117       |
| 36 | Plant synthetic promoters and transcription factors. <i>Current Opinion in Biotechnology</i> , 2016, 37, 36-44.   | 3.3 | 115       |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | Applications of Green Fluorescent Protein in Plants. <i>BioTechniques</i> , 1997, 23, 912-918.   | 0.8 | 112       |
| 38 | Characterization of the horseweed ( <i>Coryza canadensis</i> ) transcriptome using GS-FLX 454 pyrosequencing and its application for expression analysis of candidate non-target herbicide resistance genes. <i>Pest Management Science</i> , 2010, 66, 1053-1062. | 1.7 | 112       |
| 39 | Genome engineering via TALENs and CRISPR/Cas9 systems: challenges and perspectives. <i>Plant Biotechnology Journal</i> , 2014, 12, 1006-1014.  | 4.1 | 110       |
| 40 | A Genomics Approach to Deciphering Lignin Biosynthesis in Switchgrass. <i>Plant Cell</i> , 2013, 25, 4342-4361.  | 3.1 | 109       |
| 41 | Less is more: strategies to remove marker genes from transgenic plants. <i>BMC Biotechnology</i> , 2013, 13, 36.   | 1.7 | 107       |
| 42 | Green fluorescent protein as a marker for expression of a second gene in transgenic plants. <i>Nature Biotechnology</i> , 1999, 17, 1125-1129.   | 9.4 | 106       |
| 43 | Two-year field analysis of reduced recalcitrance transgenic switchgrass. <i>Plant Biotechnology Journal</i> , 2014, 12, 914-924.   | 4.1 | 104       |
| 44 | De Novo Genome Assembly of the Economically Important Weed Horseweed Using Integrated Data from Multiple Sequencing Platforms. <i>Plant Physiology</i> , 2014, 166, 1241-1254.   | 2.3 | 101       |
| 45 | Brassica biotechnology: Progress in cellular and molecular biology. <i>In Vitro Cellular and Developmental Biology - Plant</i> , 2004, 40, 542-551.  | 0.9 | 97        |
| 46 | Go with the glow: fluorescent proteins to light transgenic organisms. <i>Trends in Biotechnology</i> , 2006, 24, 155-162.  | 4.9 | 96        |
| 47 | Effects of elevated carbon dioxide and ozone on volatile terpenoid emissions and multitrophic communication of transgenic insecticidal oilseed rape ( <i>Brassica napus</i> ). <i>New Phytologist</i> , 2009, 181, 174-186.  | 3.5 | 94        |
| 48 | Weed genomics: new tools to understand weed biology. <i>Trends in Plant Science</i> , 2004, 9, 391-398.  | 4.3 | 92        |
| 49 | Transgene introgression in crop relatives: molecular evidence and mitigation strategies. <i>Trends in Biotechnology</i> , 2011, 29, 284-293.   | 4.9 | 92        |
| 50 | Diversity of ABC transporter genes across the plant kingdom and their potential utility in biotechnology. <i>BMC Biotechnology</i> , 2016, 16, 47.   | 1.7 | 91        |
| 51 | Effects of Bt plants on the development and survival of the parasitoid <i>Cotesia plutellae</i> (Hymenoptera: Tj ETQq1 1 0.784314 rgBT /Oyer (Lepidoptera: Plutellidae). <i>Journal of Insect Physiology</i> , 2004, 50, 435-443.                                  | 0.9 | 90        |
| 52 | The Potential of Systems Biology to Discover Antibacterial Mechanisms of Plant Phenolics. <i>Frontiers in Microbiology</i> , 2017, 8, 422.   | 1.5 | 90        |
| 53 | Characterization of <i>de novo</i> transcriptome for waterhemp ( <i>Amaranthus tuberculatus</i> ) using GS-FLX 454 pyrosequencing and its application for studies of herbicide target-site genes. <i>Pest Management Science</i> , 2010, 66, 1042-1052.            | 1.7 | 89        |
| 54 | Standardization of Switchgrass Sample Collection for Cell Wall and Biomass Trait Analysis. <i>Bioenergy Research</i> , 2013, 6, 755-762.   | 2.2 | 87        |



| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 73 | Functional Genomics Analysis of Horseweed ( <i>Conyza canadensis</i> ) with Special Reference to the Evolution of Non-Target-Site Glyphosate Resistance. <i>Weed Science</i> , 2010, 58, 109-117.  | 0.8 | 60        |
| 74 | Effects of altered lignin biosynthesis on phenylpropanoid metabolism and plant stress. <i>Biofuels</i> , 2013, 4, 635-650.   | 1.4 | 59        |
| 75 | Field Evaluation of Transgenic Switchgrass Plants Overexpressing PvMYB4 for Reduced Biomass Recalcitrance. <i>Bioenergy Research</i> , 2015, 8, 910-921.   | 2.2 | 57        |
| 76 | Hybridization and backcrossing between transgenic oilseed rape and two related weed species under field conditions. <i>Environmental Biosafety Research</i> , 2004, 3, 73-81.  | 1.1 | 56        |
| 77 | Keeping the genie in the bottle: transgene biocontainment by excision in pollen. <i>Trends in Biotechnology</i> , 2010, 28, 3-8.   | 4.9 | 55        |
| 78 | Functional Markers for Precision Plant Breeding. <i>International Journal of Molecular Sciences</i> , 2020, 21, 4792.  | 1.8 | 55        |
| 79 | RAPD profiling in biological conservation: An application to estimating clonal variation in rare and endangered liliaceae in Virginia. <i>Biological Conservation</i> , 1995, 74, 135-142.   | 1.9 | 53        |
| 80 | Protoplast isolation and transient gene expression in switchgrass, <i>Panicum virgatum</i> L.. <i>Biotechnology Journal</i> , 2008, 3, 354-359.  | 1.8 | 53        |
| 81 | Evolution and spread of glyphosate resistance in <i>Conyza canadensis</i> in California. <i>Evolutionary Applications</i> , 2013, 6, 761-777.  | 1.5 | 53        |
| 82 | Additive transgene expression and genetic introgression in multiple green-fluorescent protein transgenic crop-weed hybrid generations. <i>Theoretical and Applied Genetics</i> , 2003, 107, 1533-1540.   | 1.8 | 51        |
| 83 | Safety Assessment of Recombinant Green Fluorescent Protein Orally Administered to Weaned Rats. <i>Journal of Nutrition</i> , 2003, 133, 1909-1912.   | 1.3 | 51        |
| 84 | Gene expression analysis in soybean in response to the causal agent of Asian soybean rust ( <i>Phakopsora</i> ) Tj ETQq0 Q0 rgBT /Overlock 10  | 1.4 | 51        |
| 85 | Rapid in vivo analysis of synthetic promoters for plant pathogen phyto-sensing. <i>BMC Biotechnology</i> , 2011, 11, 108.  | 1.7 | 50        |
| 86 | Gene expression profiling of resistant and susceptible soybean lines infected with soybean cyst nematode. <i>Theoretical and Applied Genetics</i> , 2011, 123, 1193-206.   | 1.8 | 49        |
| 87 | Identification and Molecular Characterization of the Switchgrass AP2/ERF Transcription Factor Superfamily, and Overexpression of PvERF001 for Improvement of Biomass Characteristics for Biofuel. <i>Frontiers in Bioengineering and Biotechnology</i> , 2015, 3, 101. | 2.0 | 49        |
| 88 | Instrumentation and Methodology for Quantifying GFP Fluorescence in Intact Plant Organs. <i>BioTechniques</i> , 2003, 34, 638-643.   | 0.8 | 48        |
| 89 | Transgenic perennial biofuel feedstocks and strategies for bioconfinement. <i>Biofuels</i> , 2010, 1, 163-176.   | 1.4 | 47        |
| 90 | Multiple levers for overcoming the recalcitrance of lignocellulosic biomass. <i>Biotechnology for Biofuels</i> , 2019, 12, 15.   | 6.2 | 47        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 91  | ATP-Dependent Binding Cassette Transporter G Family Member 16 Increases Plant Tolerance to Abscisic Acid and Assists in Basal Resistance against <i>Pseudomonas syringae</i> DC3000. <i>Plant Physiology</i> , 2014, 166, 879-888.                                       | 2.3 | 46        |
| 92  | Constitutive and herbivore-inducible glucosinolate concentrations in oilseed rape ( <i>Brassica napus</i> ) leaves are not affected by Bt Cry1Ac insertion but change under elevated atmospheric CO <sub>2</sub> and O <sub>3</sub> . <i>Planta</i> , 2008, 227, 427-37. | 1.6 | 45        |
| 93  | Interactions of elevated carbon dioxide and temperature with aphid feeding on transgenic oilseed rape: Are <i>Bacillus thuringiensis</i> (Bt) plants more susceptible to nontarget herbivores in future climate?. <i>Global Change Biology</i> , 2008, 14, 1437-1454.    | 4.2 | 45        |
| 94  | Pathogen Phytosensing: Plants to Report Plant Pathogens. <i>Sensors</i> , 2008, 8, 2628-2641.  | 2.1 | 45        |
| 95  | Aqueous extracts of <i>Hibiscus sabdariffa</i> calyces as an antimicrobial rinse on hot dogs against <i>Listeria monocytogenes</i> and methicillin-resistant <i>Staphylococcus aureus</i> . <i>Food Control</i> , 2014, 40, 274-277.                                     | 2.8 | 45        |
| 96  | Transgenic switchgrass ( <i>Panicum virgatum</i> L.) biomass is increased by overexpression of switchgrass sucrose synthase ( <i>PvSUS1</i> ). <i>Biotechnology Journal</i> , 2015, 10, 552-563.   | 1.8 | 45        |
| 97  | Stable Transformation of Ferns Using Spores as Targets: <i>Pteris vittata</i> and <i>Ceratopteris thalictroides</i> . <i>Plant Physiology</i> , 2013, 163, 648-658.  | 2.3 | 44        |
| 98  | Biofuels and biocontainment. <i>Nature Biotechnology</i> , 2007, 25, 283-284.  | 9.4 | 43        |
| 99  | Soybean kinome: functional classification and gene expression patterns. <i>Journal of Experimental Botany</i> , 2015, 66, 1919-1934.   | 2.4 | 43        |
| 100 | Progress of targeted genome modification approaches in higher plants. <i>Plant Cell Reports</i> , 2016, 35, 1401-1416.   | 2.8 | 43        |
| 101 | Computational discovery of soybean promoter cis-regulatory elements for the construction of soybean cyst nematode-inducible synthetic promoters. <i>Plant Biotechnology Journal</i> , 2014, 12, 1015-1026.   | 4.1 | 42        |
| 102 | Fluorescent nanoparticles: Sensing pathogens and toxins in foods and crops. <i>Trends in Food Science and Technology</i> , 2012, 28, 143-152.  | 7.8 | 41        |
| 103 | Phenotypic Plasticity and Genetic Variation of <i>Vaccinium macrocarpon</i> , the American Cranberry. I. Reaction Norms of Clones from Central and Marginal Populations in a Common Garden. <i>International Journal of Plant Sciences</i> , 1995, 156, 687-697.         | 0.6 | 40        |
| 104 | Monitoring transgenic plants using in vivo markers. <i>Nature Biotechnology</i> , 1996, 14, 682-682.   | 9.4 | 40        |
| 105 | Genetic load and transgenic mitigating genes in transgenic <i>Brassica rapa</i> (field mustard) × <i>Brassica napus</i> (oilseed rape) hybrid populations. <i>BMC Biotechnology</i> , 2009, 9, 93.   | 1.7 | 40        |
| 106 | Misconduct versus Honest Error and Scientific Disagreement. <i>Accountability in Research</i> , 2012, 19, 56-63.   | 1.6 | 39        |
| 107 | Advances in biotechnology and genomics of switchgrass. <i>Biotechnology for Biofuels</i> , 2013, 6, 77.  | 6.2 | 39        |
| 108 | Identification and Overexpression of a Knotted1-Like Transcription Factor in Switchgrass ( <i>Panicum</i> )  | 1.7 | 39        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 109 | Transgenic Bt-producing <i>Brassica napus</i> : <i>Plutella xylostella</i> selection pressure and fitness of weedy relatives. <i>Environmental Biosafety Research</i> , 2003, 2, 263-276.  | 1.1 | 39        |
| 110 | Manipulating microRNA for improved biomass and biofuels from plant feedstocks. <i>Plant Biotechnology Journal</i> , 2015, 13, 337-354.   | 4.1 | 37        |
| 111 | Spatial and temporal patterns of green fluorescent protein (GFP) fluorescence during leaf canopy development in transgenic oilseed rape, <i>Brassica napus</i> L.. <i>Plant Cell Reports</i> , 2003, 22, 338-343.  | 2.8 | 36        |
| 112 | Evaluation of Fern and Moss Protein-Based Defenses Against Phytophagous Insects. <i>International Journal of Plant Sciences</i> , 2006, 167, 111-117.  | 0.6 | 36        |
| 113 | Antimicrobial Activity of <i>Hibiscus sabdariffa</i> Aqueous Extracts against <i>Escherichia coli</i> O157:H7 and <i>Staphylococcus aureus</i> in a Microbiological Medium and Milk of Various Fat Concentrations. <i>Journal of Food Protection</i> , 2014, 77, 262-268.    | 0.8 | 36        |
| 114 | MoChlo: A Versatile, Modular Cloning Toolbox for Chloroplast Biotechnology. <i>Plant Physiology</i> , 2019, 179, 943-957.  | 2.3 | 36        |
| 115 | Stable <i>Bacillus thuringiensis</i> (Bt) toxin content in interspecific F1 and backcross populations of wild <i>Brassica rapa</i> after Bt gene transfer. <i>Molecular Ecology</i> , 2004, 13, 237-241.   | 2.0 | 35        |
| 116 | Differential expression of genes in soybean in response to the causal agent of Asian soybean rust ( <i>Phakopsora pachyrhizi</i> Sydow) is soybean growth stage-specific. <i>Theoretical and Applied Genetics</i> , 2009, 118, 359-70.                                       | 1.8 | 35        |
| 117 | Fitness and maternal effects in hybrids formed between transgenic oilseed rape ( <i>Brassica napus</i> ) Tj ETQq1 1 0.784314 rgBT/O...<br>2009, 65, 753-760.   | 1.7 | 35        |
| 118 | Agroinfiltration as a technique for rapid assays for evaluating candidate insect resistance transgenes in plants. <i>Plant Cell Reports</i> , 2011, 30, 325-334.   | 2.8 | 34        |
| 119 | Very bright orange fluorescent plants: endoplasmic reticulum targeting of orange fluorescent proteins as visual reporters in transgenic plants. <i>BMC Biotechnology</i> , 2012, 12, 17.   | 1.7 | 34        |
| 120 | Functional Analysis of Cellulose Synthase <i>CesA4</i> and <i>CesA6</i> Genes in Switchgrass ( <i>Panicum virgatum</i> ) by Overexpression and RNAi-Mediated Gene Silencing. <i>Frontiers in Plant Science</i> , 2018, 9, 1114.  | 1.7 | 34        |
| 121 | Transcriptomic Analysis Identifies New Non-Target Site Glyphosate-Resistance Genes in <i>Conyza bonariensis</i> . <i>Plants</i> , 2019, 8, 157.  | 1.6 | 31        |
| 122 | Prey-mediated effects of transgenic canola on a beneficial, non-target, carabid beetle. <i>Transgenic Research</i> , 2006, 15, 501-514.  | 1.3 | 30        |
| 123 | Bacterial pathogen phyto-sensing in transgenic tobacco and <i>A. rabidopsis</i> plants. <i>Plant Biotechnology Journal</i> , 2013, 11, 43-52.  | 4.1 | 30        |
| 124 | Study of traits and recalcitrance reduction of field-grown COMT down-regulated switchgrass. <i>Biotechnology for Biofuels</i> , 2017, 10, 12.  | 6.2 | 30        |
| 125 | Phytopathogen-induced changes to plant methylomes. <i>Plant Cell Reports</i> , 2018, 37, 17-23.  | 2.8 | 30        |
| 126 | Transgenic switchgrass ( <i>Panicum virgatum</i> L.) targeted for reduced recalcitrance to bioconversion: a 2-year comparative analysis of field-grown lines modified for target gene or genetic element expression. <i>Plant Biotechnology Journal</i> , 2017, 15, 688-697. | 4.1 | 29        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 127 | Aqueous Extracts of Yerba Mate ( <i>Ilex paraguariensis</i> ) as a Natural Antimicrobial against <i>Escherichia coli</i> O157:H7 in a Microbiological Medium and pH 6.0 Apple Juice. <i>Journal of Food Protection</i> , 2012, 75, 753-757.                     | 0.8 | 28        |
| 128 | Gene flow matters in switchgrass ( <i>Panicum virgatum</i> L.), a potential widespread biofuel feedstock. <i>Ecological Applications</i> , 2012, 22, 3-7.   | 1.8 | 28        |
| 129 | Climbing plants: attachment adaptations and bioinspired innovations. <i>Plant Cell Reports</i> , 2018, 37, 565-574.   | 2.8 | 28        |
| 130 | Selection of Bioassay Method Influences Detection of Annual Bluegrass Resistance to Mitotic-Inhibiting Herbicides. <i>Crop Science</i> , 2009, 49, 1088-1095.   | 0.8 | 27        |
| 131 | Identification of introduced and stably inherited DNA methylation variants in soybean associated with soybean cyst nematode parasitism. <i>New Phytologist</i> , 2020, 227, 168-184.  | 3.5 | 27        |
| 132 | Rational design and testing of abiotic stress-inducible synthetic promoters from poplar cis-regulatory elements. <i>Plant Biotechnology Journal</i> , 2021, 19, 1354-1369.  | 4.1 | 27        |
| 133 | <i>Drosera rotundifolia</i> growth and nutrition in a natural population with special reference to the significance of insectivory. <i>Canadian Journal of Botany</i> , 1992, 70, 1409-1416.  | 1.2 | 26        |
| 134 | Movement and Survival of Diamondback Moth ( <i>Lepidoptera: Plutellidae</i> ) Larvae in Mixtures of Nontransgenic and Transgenic Canola Containing a <i>cryIIA</i> Gene of <i>Bacillus thuringiensis</i> . <i>Environmental Entomology</i> , 1998, 27, 649-656. | 0.7 | 26        |
| 135 | capability from immature cotyledons. <i>In Vitro Cellular and Developmental Biology - Plant</i> , 2002, 38, 543-548.  | 0.9 | 26        |
| 136 | Characterization of English ivy ( <i>Hedera helix</i> ) adhesion force and imaging using atomic force microscopy. <i>Journal of Nanoparticle Research</i> , 2011, 13, 1029-1037.  | 0.8 | 26        |
| 137 | Development and use of a switchgrass ( <i>Panicum virgatum</i> L.) transformation pipeline by the BioEnergy Science Center to evaluate plants for reduced cell wall recalcitrance. <i>Biotechnology for Biofuels</i> , 2017, 10, 309.                           | 6.2 | 26        |
| 138 | Advanced editing of the nuclear and plastid genomes in plants. <i>Plant Science</i> , 2018, 273, 42-49.   | 1.7 | 26        |
| 139 | Transgenic miR156 switchgrass in the field: growth, recalcitrance and rust susceptibility. <i>Plant Biotechnology Journal</i> , 2018, 16, 39-49.  | 4.1 | 26        |
| 140 | Genomic analysis of the response of <i>Arabidopsis thaliana</i> to trinitrotoluene as revealed by cDNA microarrays. <i>Plant Science</i> , 2005, 168, 1409-1424.  | 1.7 | 25        |
| 141 | Phytoremediation and phytosensing of chemical contaminants, RDX and TNT: identification of the required target genes. <i>Functional and Integrative Genomics</i> , 2009, 9, 537-47.   | 1.4 | 25        |
| 142 | Nanoparticle biofabrication using English ivy ( <i>Hedera helix</i> ). <i>Journal of Nanobiotechnology</i> , 2012, 10, 41.  | 4.2 | 25        |
| 143 | Effects of Produced Water on Soil Characteristics, Plant Biomass, and Secondary Metabolites. <i>Journal of Environmental Quality</i> , 2015, 44, 1938-1947.   | 1.0 | 25        |
| 144 | Switchgrass ( <i>Panicum virgatum</i> L.) cell suspension cultures: Establishment, characterization, and application. <i>Plant Science</i> , 2011, 181, 712-715.  | 1.7 | 24        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 145 | Characterization of physicochemical properties of ivy nanoparticles for cosmetic application. <i>Journal of Nanobiotechnology</i> , 2013, 11, 3.   | 4.2 | 24        |
| 146 | Movement of transgenic plant-expressed Bt Cry1Ac proteins through high trophic levels. <i>Journal of Applied Entomology</i> , 2008, 132, 1-11.   | 0.8 | 23        |
| 147 | Transgenic soybean overexpressing <i>Gm</i> SAMT1 exhibits resistance to multiple HG types of soybean cyst nematode <i>Heterodera glycines</i> . <i>Plant Biotechnology Journal</i> , 2016, 14, 2100-2109.       | 4.1 | 23        |
| 148 | GM crop data-agronomy and ecology in tandem. <i>Nature Biotechnology</i> , 2001, 19, 3-3.  | 9.4 | 22        |
| 149 | Isolation and chemical analysis of nanoparticles from English ivy ( <i>Hedera helix</i> L.). <i>Journal of the Royal Society Interface</i> , 2013, 10, 20130392.   | 1.5 | 22        |
| 150 | The effects of the presence of Bt-transgenic oilseed rape in wild mustard populations on the rhizosphere nematode and microbial communities. <i>Science of the Total Environment</i> , 2015, 530-531, 263-270.   | 3.9 | 22        |
| 151 | Differential gene expression of <i>Chlamydomonas reinhardtii</i> in response to 2,4,6-trinitrotoluene (TNT) using microarray analysis. <i>Plant Science</i> , 2004, 167, 1109-1122.                              | 1.7 | 21        |
| 152 | Physiological and transcriptional responses of <i>Baccharis halimifolia</i> to the explosive decomposition (RDX/TNT) in amended soil. <i>Environmental Science and Pollution Research</i> , 2014, 21, 8261-8270. | 2.7 | 21        |
| 153 | Field-grown transgenic switchgrass ( <i>Panicum virgatum</i> L.) with altered lignin does not affect soil chemistry, microbiology, and carbon storage potential. <i>GCB Bioenergy</i> , 2017, 9, 1100-1109.      | 2.5 | 20        |
| 154 | High-Throughput Switchgrass Phenotyping and Biomass Modeling by UAV. <i>Frontiers in Plant Science</i> , 2020, 11, 574073.   | 1.7 | 20        |
| 155 | Epigenetic Footprints of CRISPR/Cas9-Mediated Genome Editing in Plants. <i>Frontiers in Plant Science</i> , 2019, 10, 1720.  | 1.7 | 20        |
| 156 | Association of Edaphic Factors and Vegetation in Several Isolated Appalachian Peat Bogs. <i>Bulletin of the Torrey Botanical Club</i> , 1993, 120, 128.  | 0.6 | 19        |
| 157 | Characterization of directly transformed weedy <i>Brassica rapa</i> and introgressed <i>B. rapa</i> with Bt cry1Ac and gfp genes. <i>Plant Cell Reports</i> , 2007, 26, 1001-1010.                               | 2.8 | 19        |
| 158 | Sustainable Use of Biotechnology for Bioenergy Feedstocks. <i>Environmental Management</i> , 2010, 46, 531-538.  | 1.2 | 19        |
| 159 | An efficient and rapid transgenic pollen screening and detection method using flow cytometry. <i>Biotechnology Journal</i> , 2011, 6, 118-123.   | 1.8 | 19        |
| 160 | Gene use restriction technologies for transgenic plant bioconfinement. <i>Plant Biotechnology Journal</i> , 2013, 11, 649-658.   | 4.1 | 19        |
| 161 | Next-generation precision genome engineering and plant biotechnology. <i>Plant Cell Reports</i> , 2016, 35, 1397-1399.   | 2.8 | 19        |
| 162 | The Q-System as a Synthetic Transcriptional Regulator in Plants. <i>Frontiers in Plant Science</i> , 2020, 11, 245.  | 1.7 | 19        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 163 | Pathogen inducible reporting in transgenic tobacco using a GFP construct. <i>Plant Science</i> , 2003, 165, 213-219.   | 1.7 | 18        |
| 164 | Effects of pollen-synthesized green fluorescent protein on pollen grain fitness. <i>Sexual Plant Reproduction</i> , 2004, 17, 49-53.   | 2.2 | 18        |
| 165 | Laser-Induced Fluorescence Imaging and Spectroscopy of GFP Transgenic Plants. <i>Journal of Fluorescence</i> , 2005, 15, 697-705.  | 1.3 | 18        |
| 166 | Narrow terahertz attenuation signatures in <i>Bacillus thuringiensis</i> . <i>Journal of Biophotonics</i> , 2014, 7, 818-824.  | 1.1 | 18        |
| 167 | Synthetic TAL effectors for targeted enhancement of transgene expression in plants. <i>Plant Biotechnology Journal</i> , 2014, 12, 436-446.  | 4.1 | 18        |
| 168 | The effect of Bt-transgene introgression on plant growth and reproduction in wild <i>Brassica juncea</i> . <i>Transgenic Research</i> , 2015, 24, 537-547.   | 1.3 | 18        |
| 169 | A Robotic Platform for High-throughput Protoplast Isolation and Transformation. <i>Journal of Visualized Experiments</i> , 2016, , .   | 0.2 | 18        |
| 170 | Greenhouse and field evaluations of transgenic canola against diamondback moth, <i>Plutella xylostella</i> , and corn earworm, <i>Helicoverpa zea</i> . <i>Entomologia Experimentalis Et Applicata</i> , 1998, 88, 17-24.      | 0.7 | 17        |
| 171 | Age-related increase in levels of insecticidal protein in the progenies of transgenic oilseed rape and its efficacy against a susceptible strain of diamondback moth. <i>Annals of Applied Biology</i> , 2005, 147, 227-234.   | 1.3 | 17        |
| 172 | Novel software package for cross-platform transcriptome analysis (CPTRA). <i>BMC Bioinformatics</i> , 2009, 10, S16.   | 1.2 | 17        |
| 173 | Optoelectronic Signatures of DNA-Based Hybrid Nanostructures. <i>IEEE Nanotechnology Magazine</i> , 2011, 10, 35-43.   | 1.1 | 17        |
| 174 | A proteomic analysis of seeds from Bt-transgenic <i>Brassica napus</i> and hybrids with wild <i>B. juncea</i> . <i>Scientific Reports</i> , 2015, 5, 15480.  | 1.6 | 17        |
| 175 | Transgenic Plant-Produced Hydrolytic Enzymes and the Potential of Insect Gut-Derived Hydrolases for Biofuels. <i>Frontiers in Plant Science</i> , 2016, 7, 675.  | 1.7 | 17        |
| 176 | Switchgrass ( <i>Panicum virgatum</i> L.) promoters for green tissue-specific expression of the MYB4 transcription factor for reduced-recalcitrance transgenic switchgrass. <i>Biotechnology for Biofuels</i> , 2018, 11, 122. | 6.2 | 17        |
| 177 | Cell-Type-Specific Proteomics Analysis of a Small Number of Plant Cells by Integrating Laser Capture Microdissection with a Nanodroplet Sample Processing Platform. <i>Current Protocols</i> , 2021, 1, e153.                  | 1.3 | 17        |
| 178 | Letter 1: Chloroplast-transgenic plants are not a gene flow panacea. <i>Nature Biotechnology</i> , 1998, 16, 401-401.  | 9.4 | 16        |
| 179 | Transgene escape and transplastomics. <i>Nature Biotechnology</i> , 1999, 17, 330-331.   | 9.4 | 16        |
| 180 | Laboratory studies of the effects of reduced prey choice caused by Bt plants on a predatory insect. <i>Bulletin of Entomological Research</i> , 2005, 95, 243.   | 0.5 | 16        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 181 | Wind-mediated horseweed ( <i>C. onyza canadensis</i> ) gene flow: pollen emission, dispersion, and deposition. <i>Ecology and Evolution</i> , 2015, 5, 2646-2658.  | 0.8 | 16        |
| 182 | Becoming weeds. <i>Nature Genetics</i> , 2017, 49, 654-655.  | 9.4 | 16        |
| 183 | Imaging of multiple fluorescent proteins in canopies enables synthetic biology in plants. <i>Plant Biotechnology Journal</i> , 2021, 19, 830-843.  | 4.1 | 16        |
| 184 | Time Course Field Analysis of COMT-Downregulated Switchgrass: Lignification, Recalcitrance, and Rust Susceptibility. <i>Bioenergy Research</i> , 2016, 9, 1087-1100.   | 2.2 | 15        |
| 185 | Ecological Functions of Terpenoids in Changing Climates. , 2013, , 2913-2940.  |     | 14        |
| 186 | Stable <i>Bacillus thuringiensis</i> transgene introgression from <i>Brassica napus</i> to wild mustard <i>B. juncea</i> . <i>Plant Science</i> , 2014, 227, 45-50.  | 1.7 | 14        |
| 187 | Engineered selective plant male sterility through pollen-specific expression of the Eco RI restriction endonuclease. <i>Plant Biotechnology Journal</i> , 2016, 14, 1281-1290.   | 4.1 | 14        |
| 188 | Development and validation of a novel and robust cell culture system in soybean ( <i>Glycine max</i> (L.) Tj ETQq0 0 0 rgBT/Overlock 10 Tf 50  | 2.8 | 14        |
| 189 | Embryogenic cell suspensions for high-capacity genetic transformation and regeneration of switchgrass ( <i>Panicum virgatum</i> L.). <i>Biotechnology for Biofuels</i> , 2019, 12, 290.  | 6.2 | 14        |
| 190 | Mini-synplastomes for plastid genetic engineering. <i>Plant Biotechnology Journal</i> , 2022, 20, 360-373.   | 4.1 | 14        |
| 191 | Oxidative stress and differential antioxidant enzyme activity in glyphosate-resistant and -sensitive hairy fleabane in response to glyphosate treatment. <i>Bragantia</i> , 2019, 78, 379-396.   | 1.3 | 14        |
| 192 | The performance of pathogenic bacterial phytosensing transgenic tobacco in the field. <i>Plant Biotechnology Journal</i> , 2014, 12, 755-764.  | 4.1 | 13        |
| 193 | Ethanol and High-Value Terpene Co-Production from Lignocellulosic Biomass of <i>Cymbopogon flexuosus</i> and <i>Cymbopogon martinii</i> . <i>PLoS ONE</i> , 2015, 10, e0139195.  | 1.1 | 13        |
| 194 | Are university researchers at risk for patent infringement?. <i>Nature Biotechnology</i> , 2007, 25, 1225-1228.  | 9.4 | 12        |
| 195 | Pharming in crop commodities. <i>Nature Biotechnology</i> , 2008, 26, 1222-1223.   | 9.4 | 12        |
| 196 | Integrated Metagenomics and Metatranscriptomics Analyses of Root-Associated Soil from Transgenic Switchgrass. <i>Genome Announcements</i> , 2014, 2, .   | 0.8 | 12        |
| 197 | Inheritance of GFP-Bt transgenes from <i>Brassica napus</i> in backcrosses with three wild <i>B. napus</i> accessions. <i>Environmental Biosafety Research</i> , 2004, 3, 45-54.   | 1.1 | 12        |
| 198 | Phenotypic Plasticity and Genetic Variation of <i>Vaccinium macrocarpon</i> , the American Cranberry. II. Reaction Norms and Spatial Clonal Patterns in Two Marginal Populations. <i>International Journal of Plant Sciences</i> , 1995, 156, 698-708. | 0.6 | 12        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 199 | Expression of green fluorescent protein in pollen of oilseed rape ( <i>Brassica napus</i> L.) and its utility for assessing pollen movement in the field. <i>Biotechnology Journal</i> , 2006, 1, 1147-1152.  | 1.8 | 11        |
| 200 | Transformation and segregation of GFP fluorescence and glyphosate resistance in horseweed ( <i>Conyza</i> ) Tj ETQq0 0.0 ggBT /Overlock 10  | 2.8 | 11        |
| 201 | Elevated atmospheric ozone increases concentration of insecticidal <i>Bacillus thuringiensis</i> (Bt) Cry1Ac protein in <i>Brassica napus</i> and reduces feeding of a Bt target herbivore on the non-transgenic parent. <i>Environmental Pollution</i> , 2009, 157, 181-185. | 3.7 | 11        |
| 202 | High-throughput functional marker assay for detection of <i>Xa</i> and <i>fgr</i> genes in rice ( <i>Oryza sativa</i> L.). <i>Electrophoresis</i> , 2011, 32, 2216-2222.  | 1.3 | 11        |
| 203 | Genetic diversity and structure of natural and agronomic switchgrass ( <i>Panicum virgatum</i> L.) populations. <i>Genetic Resources and Crop Evolution</i> , 2013, 60, 1057-1068.  | 0.8 | 11        |
| 204 | Field Studies on Dynamic Pollen Production, Deposition, and Dispersion of Glyphosate-Resistant Horseweed ( <i>Conyza canadensis</i> ). <i>Weed Science</i> , 2016, 64, 101-111.   | 0.8 | 11        |
| 205 | Field-grown miR156 transgenic switchgrass reproduction, yield, global gene expression analysis, and bioconfinement. <i>Biotechnology for Biofuels</i> , 2017, 10, 255.  | 6.2 | 11        |
| 206 | The plastid genome as a chassis for synthetic biology-enabled metabolic engineering: players in gene expression. <i>Plant Cell Reports</i> , 2018, 37, 1419-1429.   | 2.8 | 11        |
| 207 | Crops Come from Wild Plants – How Domestication, Transgenes, and Linkage Together Shape Fertility. , 2005, , 9-30.  |     | 11        |
| 208 | Expression of Bt cry1Ac in transgenic oilseed rape in China and transgenic performance of intraspecific hybrids against <i>Helicoverpa armigera</i> larvae. <i>Annals of Applied Biology</i> , 2007, 150, 141-147.  | 1.3 | 10        |
| 209 | FLP/FRT Recombination from Yeast: Application of a Two Gene Cassette Scheme as an Inducible System in Plants. <i>Sensors</i> , 2010, 10, 8526-8535.   | 2.1 | 10        |
| 210 | Mega-Nano Detection of Foodborne Pathogens and Transgenes Using Molecular Beacon and Semiconductor Quantum Dot Technologies. <i>IEEE Transactions on Nanobioscience</i> , 2013, 12, 233-238.  | 2.2 | 10        |
| 211 | Atmospheric pollen dispersion from herbicide-resistant horseweed ( <i>Conyza canadensis</i> L.). <i>Aerobiologia</i> , 2017, 33, 393-406.   | 0.7 | 10        |
| 212 | A profilin gene promoter from switchgrass ( <i>Panicum virgatum</i> L.) directs strong and specific transgene expression to vascular bundles in rice. <i>Plant Cell Reports</i> , 2018, 37, 587-597.  | 2.8 | 10        |
| 213 | An Automated Protoplast Transformation System. <i>Methods in Molecular Biology</i> , 2019, 1917, 355-363.   | 0.4 | 10        |
| 214 | Generation, analysis, and transformation of macro-chloroplast Potato ( <i>Solanum tuberosum</i> ) lines for chloroplast biotechnology. <i>Scientific Reports</i> , 2020, 10, 21144.   | 1.6 | 10        |
| 215 | Computational Ranking of Yerba Mate Small Molecules Based on Their Predicted Contribution to Antibacterial Activity against Methicillin-Resistant <i>Staphylococcus aureus</i> . <i>PLoS ONE</i> , 2015, 10, e0123925.  | 1.1 | 10        |
| 216 | Correlated Expression of <i>gfp</i> and Bt <i>cry1Ac</i> Gene Facilitates Quantification of Transgenic Hybridization between Brassicas. <i>Plant Biology</i> , 2006, 8, 723-730.  | 1.8 | 9         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 217 | An <i>Arabidopsis thaliana</i> ABC transporter that confers kanamycin resistance in transgenic plants does not endow resistance to <i>Escherichia coli</i> . <i>Microbial Biotechnology</i> , 2008, 1, 191-195.                       | 2.0 | 9         |
| 218 | Biomass feedstock: diversity as a solution. <i>Biofuels</i> , 2011, 2, 491-493.   | 1.4 | 9         |
| 219 | Pollen-mediated gene flow from transgenic to non-transgenic switchgrass ( <i>Panicum virgatum</i> L.) in the field. <i>BMC Biotechnology</i> , 2017, 17, 40.  | 1.7 | 9         |
| 220 | Plant metabolic engineering in the synthetic biology era: plant chassis selection. <i>Plant Cell Reports</i> , 2018, 37, 1357-1358.   | 2.8 | 9         |
| 221 | Plants to Remotely Detect Human Decomposition?. <i>Trends in Plant Science</i> , 2020, 25, 947-949.   | 4.3 | 9         |
| 222 | Kinase-dead mutation: A novel strategy for improving soybean resistance to soybean cyst nematode <i>Heterodera glycines</i> . <i>Molecular Plant Pathology</i> , 2022, 23, 417-430.   | 2.0 | 9         |
| 223 | Responses of <i>Drosera capensis</i> and <i>D. binata</i> var. <i>multifida</i> (Droseraceae) to manipulations of insect availability and soil nutrient levels. <i>New Zealand Journal of Botany</i> , 1993, 31, 385-390.             | 0.8 | 8         |
| 224 | Improved tissue culture conditions for the emerging C4 model <i>Panicum hallii</i> . <i>BMC Biotechnology</i> , 2017, 17, 39.   | 1.7 | 8         |
| 225 | Houseplants as home health monitors. <i>Science</i> , 2018, 361, 229-230.   | 6.0 | 8         |
| 226 | Development and field assessment of transgenic hybrid switchgrass for improved biofuel traits. <i>Euphytica</i> , 2020, 216, 1.   | 0.6 | 8         |
| 227 | Gene Flow in Genetically Engineered Perennial Grasses: Lessons for Modification of Dedicated Bioenergy Crops. <i>Biotechnology in Agriculture and Forestry</i> , 2010, , 285-297.   | 0.2 | 8         |
| 228 | Press before paper when media and science collide. <i>Nature Biotechnology</i> , 2003, 21, 353-354.   | 9.4 | 7         |
| 229 | Monitoring the Environmental Impact of TiO <sub>2</sub> Nanoparticles Using a Plant-Based Sensor Network. <i>IEEE Nanotechnology Magazine</i> , 2013, 12, 182-189.  | 1.1 | 7         |
| 230 | Expanding the Scope of Responsible Conduct of Research Instruction. <i>Accountability in Research</i> , 2014, 21, 321-327.  | 1.6 | 7         |
| 231 | “Fukusensor”: a genetically engineered plant for reporting <i>scp</i> DNA damage in response to gamma radiation. <i>Plant Biotechnology Journal</i> , 2014, 12, 1329-1332.  | 4.1 | 7         |
| 232 | One species to another: sympatric Bt transgene gene flow from <i>Brassica napus</i> alters the reproductive strategy of wild relative <i>Brassica juncea</i> under herbivore treatment. <i>Annals of Botany</i> , 2018, 122, 617-625. | 1.4 | 7         |
| 233 | Lighting the Way: Advances in Engineering Autoluminescent Plants. <i>Trends in Plant Science</i> , 2020, 25, 1176-1179.   | 4.3 | 7         |
| 234 | Fluorescent Proteins in Transgenic Plants. <i>Reviews in Fluorescence</i> , 2010, , 387-403.  | 0.5 | 7         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 235 | The Effects of Seed Size on Hybrids Formed between Oilseed Rape ( <i>Brassica napus</i> ) and Wild Brown Mustard ( <i>B. juncea</i> ). <i>PLoS ONE</i> , 2012, 7, e39705.  | 1.1 | 7         |
| 236 | Sustainability Trait Modeling of Field-Grown Switchgrass ( <i>Panicum virgatum</i> ) Using UAV-Based Imagery. <i>Plants</i> , 2021, 10, 2726.  | 1.6 | 7         |
| 237 | Population genetic variation in rare and endangered <i>Iliamna</i> ( <i>Malvaceae</i> ) in Virginia. <i>Biological Journal of the Linnean Society</i> , 1996, 58, 357-369.   | 0.7 | 6         |
| 238 | Plant functional genomics: beyond the parts list. <i>Trends in Plant Science</i> , 2005, 10, 561-562.  | 4.3 | 6         |
| 239 | China-U.S. workshop on biotechnology of bioenergy plants. <i>Ecotoxicology</i> , 2010, 19, 1-3.  | 1.1 | 6         |
| 240 | Abiotic stress and transgenics: Implications for reproductive success and crop-to-wild gene flow in Brassicas. <i>Basic and Applied Ecology</i> , 2010, 11, 513-521.   | 1.2 | 6         |
| 241 | Bio-Synthesis of Gold Nanoparticles Using English ivy (&lt;l&gt; <i>Hedera helix</i> &lt;/l&gt;). <i>Journal of Nanoscience and Nanotechnology</i> , 2013, 13, 1649-1659.  | 0.9 | 6         |
| 242 | Morphology and ploidy level determination of <i>Pteris vittata</i> callus during induction and regeneration. <i>BMC Biotechnology</i> , 2014, 14, 96.  | 1.7 | 6         |
| 243 | Metabolomic analysis of the mechanism of action of yerba mate aqueous extract on <i>Salmonella enterica</i> serovar Typhimurium. <i>Metabolomics</i> , 2017, 13, 1.  | 1.4 | 6         |
| 244 | Elevating the conversation about GE crops. <i>Nature Biotechnology</i> , 2017, 35, 302-304.  | 9.4 | 6         |
| 245 | The TcEG1 beetle ( <i>Tribolium castaneum</i> ) cellulase produced in transgenic switchgrass is active at alkaline pH and auto-hydrolyzes biomass for increased cellobiose release. <i>Biotechnology for Biofuels</i> , 2017, 10, 230. | 6.2 | 6         |
| 246 | Silencing Folylpolylglutamate Synthetase1 (FPGS1) in Switchgrass ( <i>Panicum virgatum</i> L.) Improves Lignocellulosic Biofuel Production. <i>Frontiers in Plant Science</i> , 2020, 11, 843.   | 1.7 | 6         |
| 247 | Genetic Modification in Dedicated Bioenergy Crops and Strategies for Gene Confinement. <i>Biotechnology in Agriculture and Forestry</i> , 2010, , 299-315.   | 0.2 | 6         |
| 248 | Proteinase inhibitors in legume herbivore defense: from natural to genetically engineered protectants. <i>Plant Cell Reports</i> , 2021, , 1.  | 2.8 | 6         |
| 249 | Specific Bacterial Pathogen Phytosensing Is Enabled by a Synthetic Promoter-Transcription Factor System in Potato. <i>Frontiers in Plant Science</i> , 2022, 13, 873480.   | 1.7 | 5         |
| 250 | Green Fluorescent Protein Quantification in Whole Plants. , 2005, 286, 215-226.  |     | 4         |
| 251 | Genes and Traits of Interest for Transgenic Plants. , 0, , 193-216.  |     | 4         |
| 252 | Assessing the bioconfinement potential of a <i>Nicotiana</i> hybrid platform for use in plant molecular farming applications. <i>BMC Biotechnology</i> , 2013, 13, 63.   | 1.7 | 4         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 253 | Photosynthetic parameters of switchgrass ( <i>Panicum virgatum</i> ) under low radiation: Influence of stable overexpression of <i>MiscanthusA—giganteus</i> PPDK on responses to light and CO <sub>2</sub> under warm and cool growing conditions. <i>New Negatives in Plant Science</i> , 2015, 1-2, 23-32. | 0.9 | 4         |
| 254 | The presence of Bt-transgenic oilseed rape in wild mustard populations affects plant growth. <i>Transgenic Research</i> , 2015, 24, 1043-1053.  | 1.3 | 4         |
| 255 | Methods for suspension culture, protoplast extraction, and transformation of highâ€biomass yielding perennial grass <i>Arundo donax</i> . <i>Biotechnology Journal</i> , 2016, 11, 1657-1666.   | 1.8 | 4         |
| 256 | Interactions in Entomology: Utilization and Management of New Genetic Techniques for Insect Control in Southern Field Crops. <i>Journal of Entomological Science</i> , 1999, 34, 2-7.   | 0.2 | 4         |
| 257 | Effects of field-grown transgenic switchgrass carbon inputs on soil organic carbon cycling. <i>PeerJ</i> , 2019, 7, e7887.  | 0.9 | 4         |
| 258 | Patent reform in the US: what's at stake for pharmaceutical innovation?. <i>Expert Opinion on Therapeutic Patents</i> , 2010, 20, 603-608.  | 2.4 | 3         |
| 259 | Hyperspectral studies of transgenic oilseed rape. <i>International Journal of Remote Sensing</i> , 2011, 32, 1095-1103.   | 1.3 | 3         |
| 260 | Genetic diversity analysis of switchgrass ( <i>Panicum virgatum</i> L.) populations using microsatellites and chloroplast sequences. <i>Agroforestry Systems</i> , 2014, 88, 823-834.   | 0.9 | 3         |
| 261 | Hybridization of downregulated-COMT transgenic switchgrass lines with field-selected switchgrass for improved biomass traits. <i>Euphytica</i> , 2016, 209, 341-355.  | 0.6 | 3         |
| 262 | A Robust Method to Quantify Cell Wall Bound Phenolics in Plant Suspension Culture Cells Using Pyrolysis-Gas Chromatography/Mass Spectrometry. <i>Frontiers in Plant Science</i> , 2020, 11, 574016.   | 1.7 | 3         |
| 263 | <i>Arabidopsis Is Not a Weed, and Mostly Not a Good Model for Weed Genomics; There Is No Good Model for Weed Genomics.</i> , 0, , 25-32.  |     | 3         |
| 264 | USâ€China collaborative biofuel research: towards a global solution for petroleum replacement. <i>Biofuels</i> , 2011, 2, 487-489.  | 1.4 | 2         |
| 265 | An orange fluorescent protein tagging system for real-time pollen tracking. <i>BMC Research Notes</i> , 2013, 6, 383.   | 0.6 | 2         |
| 266 | Images and imagination: the role of figures in plant cell and molecular biology publications. <i>Plant Cell Reports</i> , 2014, 33, 829-830.  | 2.8 | 2         |
| 267 | An exposure pathwayâ€based risk assessment system for <i>GM</i> plants. <i>Plant Biotechnology Journal</i> , 2019, 17, 1859-1861.   | 4.1 | 2         |
| 268 | Green Fluorescent Protein in Transgenic Plants: Brassica Transformation. , 2002, 183, 245-252.  |     | 1         |
| 269 | Transgene Dispersal Through Pollen. , 2005, 286, 365-374.   |     | 1         |
| 270 | Rapeseed Biotechnology. <i>Advances in Botanical Research</i> , 2007, , 435-449.  | 0.5 | 1         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 271 | Intellectual Property Aspects of Plant Transformation. , 2011, , 243-270.   |     | 1         |
| 272 | Bioenergy plants in the United States and China. <i>Plant Science</i> , 2011, 181, 621-622.   | 1.7 | 1         |
| 273 | Aluminium accumulation in <i>Pteris cretica</i> and trace element uptake in vegetation growing on an abandoned aluminium smelter site in Knoxville, TN, USA. <i>International Journal of Environment and Pollution</i> , 2011, 45, 310. | 0.2 | 1         |
| 274 | The Science of Gene Flow in Agriculture and Its Role in Coexistence. , 2016, , 13-37.   |     | 1         |
| 275 | Transgene introgression from genetically modified crops to their wild relatives. <i>Nature Reviews Genetics</i> , 2003, 4, 844-844.   | 7.7 | 1         |
| 276 | Novel Candidate Genes Differentially Expressed in Glyphosate-Treated Horseweed ( <i>Conyza canadensis</i> ). <i>Genes</i> , 2021, 12, 1616.   | 1.0 | 1         |
| 277 | High-Throughput Transfection and Analysis of Soybean ( <i>Glycine max</i> ) Protoplasts. <i>Methods in Molecular Biology</i> , 2022, 2464, 245-259.   | 0.4 | 1         |
| 278 | <title>Genetically modified plants for law enforcement applications</title>. , 2002, , .  |     | 0         |
| 279 | Genetically modified plants for tactical systems applications. , 2002, 4743, 225.   |     | 0         |
| 280 | Correlated Expression of <i>gfp</i> and <i>Bt cry1Ac</i> Gene Facilitates Quantification of Transgenic Hybridization between Brassicas. <i>Plant Biology</i> , 2006, 8, 861-863.  | 1.8 | 0         |
| 281 | Detecting the environmental impact of nanoparticles using plant-based biosensors. , 2011, , .   |     | 0         |
| 282 | Online tool for GR horseweed ( <i>Conyza canadensis</i> ) gene flow. , 2013, , .  |     | 0         |
| 283 | GFP IN PLANT BIOTECHNOLOGY AND AGRICULTURE. , 2001, , .   |     | 0         |
| 284 | Songwriting and science. <i>Science</i> , 2021, , .   | 6.0 | 0         |
| 285 | Dynamic Seed Emission, Dispersion, and Deposition from Horseweed ( <i>Conyza canadensis</i> (L.) Tj ETQq1 1 0.784314 $\mu$ gBT /Overlock 101  |     | 0         |
| 286 | The Genetic Architecture of Nitrogen Use Efficiency in Switchgrass ( <i>Panicum virgatum</i> L.). <i>Frontiers in Plant Science</i> , 2022, 13, 893610.   | 1.7 | 0         |