

Yu Pang

List of Publications by Citations

Source: <https://exaly.com/author-pdf/863052/yu-pang-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

147
papers

2,476
citations

24
h-index

45
g-index

157
ext. papers

3,134
ext. citations

6.1
avg, IF

4.97
L-index

#	Paper	IF	Citations
147	National survey of drug-resistant tuberculosis in China. <i>New England Journal of Medicine</i> , 2012 , 366, 2161-70	39.0	458
146	Saturated very-long-chain fatty acids promote cotton fiber and Arabidopsis cell elongation by activating ethylene biosynthesis. <i>Plant Cell</i> , 2007 , 19, 3692-704	11.6	184
145	Spoligotyping and drug resistance analysis of Mycobacterium tuberculosis strains from national survey in China. <i>PLoS ONE</i> , 2012 , 7, e32976	3.7	102
144	Study of the rifampin mono-resistance mechanism in Mycobacterium tuberculosis. <i>Antimicrobial Agents and Chemotherapy</i> , 2013 , 57, 893-900	5.9	87
143	Epidemiology of Extrapulmonary Tuberculosis among Inpatients, China, 2008-2017. <i>Emerging Infectious Diseases</i> , 2019 , 25, 457-464	10.2	79
142	A Mycobacterium tuberculosis surface protein recruits ubiquitin to trigger host xenophagy. <i>Nature Communications</i> , 2019 , 10, 1973	17.4	65
141	Prevalence and molecular characterization of fluoroquinolone-resistant Mycobacterium tuberculosis isolates in China. <i>Antimicrobial Agents and Chemotherapy</i> , 2014 , 58, 364-9	5.9	60
140	Beijing genotype of Mycobacterium tuberculosis is significantly associated with linezolid resistance in multidrug-resistant and extensively drug-resistant tuberculosis in China. <i>International Journal of Antimicrobial Agents</i> , 2014 , 43, 231-5	14.3	56
139	Activity of Bedaquiline against Nontuberculous Mycobacteria in China. <i>Antimicrobial Agents and Chemotherapy</i> , 2017 , 61,	5.9	55
138	Drug Susceptibility of Bedaquiline, Delamanid, Linezolid, Clofazimine, Moxifloxacin, and Gatifloxacin against Extensively Drug-Resistant Tuberculosis in Beijing, China. <i>Antimicrobial Agents and Chemotherapy</i> , 2017 , 61,	5.9	54
137	China's tuberculosis epidemic stems from historical expansion of four strains of Mycobacterium tuberculosis. <i>Nature Ecology and Evolution</i> , 2018 , 2, 1982-1992	12.3	47
136	Multicenter evaluation of genechip for detection of multidrug-resistant Mycobacterium tuberculosis. <i>Journal of Clinical Microbiology</i> , 2013 , 51, 1707-13	9.7	42
135	Diagnostic accuracy of the PURE-LAMP test for pulmonary tuberculosis at the county-level laboratory in China. <i>PLoS ONE</i> , 2014 , 9, e94544	3.7	40
134	Evaluation of the Xpert MTB/RIF assay in gastric lavage aspirates for diagnosis of smear-negative childhood pulmonary tuberculosis. <i>Pediatric Infectious Disease Journal</i> , 2014 , 33, 1047-51	3.4	37
133	Comparison of Activity and MIC Distributions between the Novel Oxazolidinone Delpazolid and Linezolid against Multidrug-Resistant and Extensively Drug-Resistant Mycobacterium tuberculosis in China. <i>Antimicrobial Agents and Chemotherapy</i> , 2018 , 62,	5.9	37
132	A novel method based on high resolution melting (HRM) analysis for MIRU-VNTR genotyping of Mycobacterium tuberculosis. <i>Journal of Microbiological Methods</i> , 2011 , 86, 291-7	2.8	33
131	Rapid diagnosis of MDR and XDR tuberculosis with the MeltPro TB assay in China. <i>Scientific Reports</i> , 2016 , 6, 25330	4.9	33

130	Clinical outcome of multidrug-resistant tuberculosis patients receiving standardized second-line treatment regimen in China. <i>Journal of Infection</i> , 2018 , 76, 348-353	18.9	29
129	Differences in risk factors and drug susceptibility between Mycobacterium avium and Mycobacterium intracellulare lung diseases in China. <i>International Journal of Antimicrobial Agents</i> , 2015 , 45, 491-5	14.3	28
128	Genotyping and molecular characteristics of multidrug-resistant Mycobacterium tuberculosis isolates from China. <i>Journal of Infection</i> , 2015 , 70, 335-45	18.9	28
127	In Vitro Activity of β Lactams in Combination with β Lactamase Inhibitors against Multidrug-Resistant Mycobacterium tuberculosis Isolates. <i>Antimicrobial Agents and Chemotherapy</i> , 2016 , 60, 393-9	5.9	26
126	Epidemiology of pulmonary disease due to nontuberculous mycobacteria in Southern China, 2013-2016. <i>BMC Pulmonary Medicine</i> , 2018 , 18, 168	3.5	26
125	Diversity of nontuberculous mycobacteria in eastern and southern China: a cross-sectional study. <i>European Respiratory Journal</i> , 2017 , 49,	13.6	25
124	In vitro activity of clarithromycin in combination with other antimicrobial agents against Mycobacterium abscessus and Mycobacterium massiliense. <i>International Journal of Antimicrobial Agents</i> , 2017 , 49, 383-386	14.3	25
123	Ethambutol resistance as determined by broth dilution method correlates better than sequencing results with embB mutations in multidrug-resistant Mycobacterium tuberculosis isolates. <i>Journal of Clinical Microbiology</i> , 2014 , 52, 638-41	9.7	24
122	Relapse Versus Reinfection of Recurrent Tuberculosis Patients in a National Tuberculosis Specialized Hospital in Beijing, China. <i>Frontiers in Microbiology</i> , 2018 , 9, 1858	5.7	24
121	Comparison of different drug susceptibility test methods to detect rifampin heteroresistance in Mycobacterium tuberculosis. <i>Antimicrobial Agents and Chemotherapy</i> , 2014 , 58, 5632-5	5.9	23
120	GeneXpert MTB/RIF assay in the diagnosis of urinary tuberculosis from urine specimens. <i>Scientific Reports</i> , 2017 , 7, 6181	4.9	23
119	Treatment of coronavirus disease 2019 in Shandong, China: a cost and affordability analysis. <i>Infectious Diseases of Poverty</i> , 2020 , 9, 78	10.4	22
118	In vitro synergistic activity of clofazimine and other antituberculous drugs against multidrug-resistant Mycobacterium tuberculosis isolates. <i>International Journal of Antimicrobial Agents</i> , 2015 , 45, 71-5	14.3	21
117	Prevalence and molecular characterization of pyrazinamide resistance among multidrug-resistant Mycobacterium tuberculosis isolates from Southern China. <i>BMC Infectious Diseases</i> , 2017 , 17, 711	4	20
116	In vitro activity between linezolid and other antimicrobial agents against Mycobacterium abscessus complex. <i>Diagnostic Microbiology and Infectious Disease</i> , 2018 , 90, 31-34	2.9	20
115	GeneXpert MTB/RIF Outperforms Mycobacterial Culture in Detecting from Salivary Sputum. <i>BioMed Research International</i> , 2018 , 2018, 1514381	3	20
114	Molecular characteristics of MDR Mycobacterium tuberculosis strains isolated in Fujian, China. <i>Tuberculosis</i> , 2014 , 94, 159-61	2.6	20
113	Comparison of in vitro activity of the nitroimidazoles delamanid and pretomanid against multidrug-resistant and extensively drug-resistant tuberculosis. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2019 , 38, 1293-1296	5.3	19

112	Genotyping and Prevalence of Pyrazinamide- and Moxifloxacin-Resistant Tuberculosis in China, 2000 to 2010. <i>Antimicrobial Agents and Chemotherapy</i> , 2017 , 61,	5.9	17
111	Survey of tuberculosis hospitals in China: current status and challenges. <i>PLoS ONE</i> , 2014 , 9, e111945	3.7	16
110	Determination of in vitro synergy between linezolid and other antimicrobial agents against Mycobacterium tuberculosis isolates. <i>Tuberculosis</i> , 2015 , 95, 839-842	2.6	15
109	A 10-Year Comparative Analysis Shows that Increasing Prevalence of Rifampin-Resistant Mycobacterium tuberculosis in China Is Associated with the Transmission of Strains Harboring Compensatory Mutations. <i>Antimicrobial Agents and Chemotherapy</i> , 2018 , 62,	5.9	15
108	Combining COLD-PCR and high-resolution melt analysis for rapid detection of low-level, rifampin-resistant mutations in Mycobacterium tuberculosis. <i>Journal of Microbiological Methods</i> , 2013 , 93, 32-6	2.8	15
107	Subtype I Is Associated With Clarithromycin Resistance in China. <i>Frontiers in Microbiology</i> , 2016 , 7, 2097	5.7	15
106	Activity of PBTZ169 against Multiple Mycobacterium Species. <i>Antimicrobial Agents and Chemotherapy</i> , 2018 , 62,	5.9	15
105	Current status of new tuberculosis vaccine in children. <i>Human Vaccines and Immunotherapeutics</i> , 2016 , 12, 960-70	4.4	14
104	Molecular Characterization of Prothionamide-Resistant Isolates in Southern China. <i>Frontiers in Microbiology</i> , 2017 , 8, 2358	5.7	14
103	The burden of MDR/XDR tuberculosis in coastal plains population of China. <i>PLoS ONE</i> , 2015 , 10, e0117361	5.7	14
102	Evaluation of the MTBDRplus 2.0 assay for the detection of multidrug resistance among persons with presumptive pulmonary TB in China. <i>Scientific Reports</i> , 2017 , 7, 3364	4.9	13
101	An overview on tuberculosis-specific hospitals in China in 2009: results of a national survey. <i>European Respiratory Journal</i> , 2016 , 47, 1584-7	13.6	13
100	Multicenter Evaluation of the Molecular Line Probe Assay for Multidrug Resistant Mycobacterium Tuberculosis Detection in China. <i>Biomedical and Environmental Sciences</i> , 2015 , 28, 464-7	1.1	13
99	Prevalence and treatment outcome of extensively drug-resistant tuberculosis plus additional drug resistance from the National Clinical Center for Tuberculosis in China: A five-year review. <i>Journal of Infection</i> , 2017 , 75, 433-440	18.9	12
98	Rifabutin Resistance Associated with Double Mutations in Gene in Isolates. <i>Frontiers in Microbiology</i> , 2017 , 8, 1768	5.7	12
97	Reduced Susceptibility of Mycobacterium tuberculosis to Bedaquiline During Antituberculosis Treatment and Its Correlation With Clinical Outcomes in China. <i>Clinical Infectious Diseases</i> , 2021 , 73, e3391-e3397	11.6	12
96	Risk factors for pulmonary cavitation in tuberculosis patients from China. <i>Emerging Microbes and Infections</i> , 2016 , 5, e110	18.9	12
95	Clofazimine for Treatment of Extensively Drug-Resistant Pulmonary Tuberculosis in China. <i>Antimicrobial Agents and Chemotherapy</i> , 2018 , 62,	5.9	11

94	Interpretation of Discordant Rifampicin Susceptibility Test Results Obtained Using GeneXpert vs Phenotypic Drug Susceptibility Testing. <i>Open Forum Infectious Diseases</i> , 2020 , 7, ofaa279	1	11
93	Clinical outcomes for multi- and extensively drug resistant tuberculosis patients with adjunctive resectional lung surgery in Beijing, China. <i>Journal of Thoracic Disease</i> , 2017 , 9, 841-845	2.6	10
92	Comparison of in vitro Susceptibility of Mycobacteria Against PA-824 to Identify Key Residues of Ddn, the Deazoflavin-Dependent Nitroreductase from. <i>Infection and Drug Resistance</i> , 2020 , 13, 815-822	4.2	9
91	Multicenter evaluation of the acid-fast bacillus smear, mycobacterial culture, Xpert MTB/RIF assay, and adenosine deaminase for the diagnosis of tuberculous peritonitis in China. <i>International Journal of Infectious Diseases</i> , 2020 , 90, 119-124	10.5	9
90	The effect of bacille Calmette-Guérin vaccination at birth on immune response in China. <i>Vaccine</i> , 2015 , 33, 209-13	4.1	8
89	Increased prevalence of levofloxacin-resistant Mycobacterium tuberculosis in China is associated with specific mutations within the gyrA gene. <i>International Journal of Infectious Diseases</i> , 2020 , 92, 241-246	10.5	8
88	Efficacy and safety of cycloserine-containing regimens in the treatment of multidrug-resistant tuberculosis: a nationwide retrospective cohort study in China. <i>Infection and Drug Resistance</i> , 2019 , 12, 763-770	4.2	8
87	Misdiagnosis of tuberculosis associated with some species of nontuberculous mycobacteria by GeneXpert MTB/RIF assay. <i>Infection</i> , 2017 , 45, 677-681	5.8	8
86	First Insight into the Molecular Epidemiology of Isolates from the Minority Enclaves of Southwestern China. <i>BioMed Research International</i> , 2017 , 2017, 2505172	3	8
85	Antimicrobial Susceptibility Testing and Molecular Characterization of Mycobacterium fortuitum Isolates in China. <i>Biomedical and Environmental Sciences</i> , 2017 , 30, 376-379	1.1	8
84	Comparing the Genotype and Drug Susceptibilities between Mycobacterium avium and Mycobacterium intracellulare in China. <i>Biomedical and Environmental Sciences</i> , 2017 , 30, 517-525	1.1	8
83	Transregional movement of multidrug-resistant tuberculosis in north China: an underlying threat to tuberculosis control. <i>Scientific Reports</i> , 2016 , 6, 29727	4.9	8
82	Treatment Outcome of a Shorter Regimen Containing Clofazimine for Multidrug-resistant Tuberculosis: A Randomized Control Trial in China. <i>Clinical Infectious Diseases</i> , 2020 , 71, 1047-1054	11.6	8
81	Prevalence and risk factors of pulmonary nontuberculous mycobacterial infections in the Zhejiang Province of China. <i>Epidemiology and Infection</i> , 2019 , 147, e269	4.3	7
80	The incremental value of bronchoalveolar lavage for the diagnosis of pulmonary tuberculosis in a high-burden urban setting. <i>Journal of Infection</i> , 2019 , 79, 24-29	18.9	7
79	Is rifampin resistance a reliable predictive marker of multidrug-resistant tuberculosis in China: A meta-analysis of findings. <i>Journal of Infection</i> , 2019 , 79, 349-356	18.9	7
78	Prevalence of tuberculosis among health care workers in tuberculosis specialized hospitals in China. <i>Journal of Occupational Health</i> , 2017 , 59, 292-295	2.3	7
77	Rapid molecular screening for multidrug-resistant tuberculosis in a resource-limited region of China. <i>Tropical Medicine and International Health</i> , 2014 , 19, 1259-66	2.3	7

76	Metagenomic Next-Generation Sequencing Improves Diagnosis of Osteoarticular Infections From Abscess Specimens: A Multicenter Retrospective Study. <i>Frontiers in Microbiology</i> , 2020 , 11, 2034	5.7	7
75	Lung gene expression signatures suggest pathogenic links and molecular markers for pulmonary tuberculosis, adenocarcinoma and sarcoidosis. <i>Communications Biology</i> , 2020 , 3, 604	6.7	7
74	Diagnostic dilemma of pulmonary tuberculosis among adults with severe mental illness in Beijing, China. <i>BMC Infectious Diseases</i> , 2017 , 17, 83	4	6
73	Specific gyrA Gene Mutations Correlate with High Prevalence of Discordant Levofloxacin Resistance in Mycobacterium tuberculosis Isolates from Beijing, China. <i>Journal of Molecular Diagnostics</i> , 2020 , 22, 1199-1204	5.1	6
72	Development and validation of external quality assessment panels for mycobacterial culture testing to diagnose tuberculosis in China. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2019 , 38, 1961-1968	5.3	6
71	Comparison of Lowenstein-Jensen medium and MGIT culture system for recovery of Mycobacterium tuberculosis from abscess samples. <i>Diagnostic Microbiology and Infectious Disease</i> , 2020 , 96, 114969	2.9	6
70	PknG manipulates host autophagy flux to promote pathogen intracellular survival. <i>Autophagy</i> , 2021 , 1-19	10.2	6
69	Acquisition of clofazimine resistance following bedaquiline treatment for multidrug-resistant tuberculosis. <i>International Journal of Infectious Diseases</i> , 2021 , 102, 392-396	10.5	6
68	Diagnostic Yield of Oral Swab Testing by TB-LAMP for Diagnosis of Pulmonary Tuberculosis. <i>Infection and Drug Resistance</i> , 2021 , 14, 89-95	4.2	6
67	Additional benefits of GeneXpert MTB/RIF assay for the detection of pulmonary tuberculosis patients with prior exposure to fluoroquinolones. <i>Infection and Drug Resistance</i> , 2019 , 12, 87-93	4.2	6
66	The feasibility of sputum transportation system in China: effect of sputum storage on the mycobacterial detection. <i>Biomedical and Environmental Sciences</i> , 2014 , 27, 982-6	1.1	6
65	Para-aminosalicylic acid increases the susceptibility to isoniazid in clinical isolates of. <i>Infection and Drug Resistance</i> , 2019 , 12, 825-829	4.2	5
64	Epidemiology of skeletal tuberculosis in Beijing, China: a 10-year retrospective analysis of data. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2020 , 39, 2019-2025	5.3	5
63	Feasibility of a new model for early detection of patients with multidrug-resistant tuberculosis in a developed setting of eastern China. <i>Tropical Medicine and International Health</i> , 2017 , 22, 1328-1333	2.3	5
62	Mycobacterium tuberculosis protein kinase G acts as an unusual ubiquitinating enzyme to impair host immunity. <i>EMBO Reports</i> , 2021 , 22, e52175	6.5	5
61	A First Insight into the Genetic Diversity and Drug Susceptibility Pattern of Complex in Zhejiang, China. <i>BioMed Research International</i> , 2016 , 2016, 8937539	3	5
60	Comparison of Two Molecular Assays For Detecting Smear Negative Pulmonary Tuberculosis. <i>Biomedical and Environmental Sciences</i> , 2016 , 29, 248-53	1.1	5
59	Generation of mycobacterial lipoarabinomannan-specific monoclonal antibodies and their ability to identify mycobacterium isolates. <i>Journal of Microbiology, Immunology and Infection</i> , 2021 , 54, 437-446	8.5	4

58	Comparison of diagnostic accuracy of the GeneXpert Ultra and cell-free nucleic acid assay for tuberculous meningitis: A multicentre prospective study. <i>International Journal of Infectious Diseases</i> , 2020 , 98, 441-446	10.5	4
57	Survival of patients with multidrug-resistant tuberculosis in Central China: a retrospective cohort study. <i>Epidemiology and Infection</i> , 2020 , 148, e50	4.3	4
56	Molecular characteristics and in vitro susceptibility to bedaquiline of <i>Mycobacterium tuberculosis</i> isolates circulating in Shaanxi, China. <i>International Journal of Infectious Diseases</i> , 2020 , 99, 163-170	10.5	4
55	Low Rate of Acquired Linezolid Resistance in Multidrug-Resistant Tuberculosis Treated With Bedaquiline-Linezolid Combination. <i>Frontiers in Microbiology</i> , 2021 , 12, 655653	5.7	4
54	Nontuberculous mycobacterial pulmonary disease and associated risk factors in China: A prospective surveillance study. <i>Journal of Infection</i> , 2021 , 83, 46-53	18.9	4
53	A novel automatic molecular test for detection of multidrug resistance tuberculosis in sputum specimen: A case control study. <i>Tuberculosis</i> , 2017 , 105, 9-12	2.6	3
52	Change in prevalence and molecular characteristics of isoniazid-resistant tuberculosis over a 10-year period in China. <i>BMC Infectious Diseases</i> , 2019 , 19, 689	4	3
51	An Overview of Tuberculosis-Designated Hospitals in China, 2009-2015: A Longitudinal Analysis of National Survey Data. <i>BioMed Research International</i> , 2019 , 2019, 9310917	3	3
50	A novel method for diagnosis of smear-negative tuberculosis patients by combining a random unbiased Phi29 amplification with a specific real-time PCR. <i>Tuberculosis</i> , 2015 , 95, 411-4	2.6	3
49	Antituberculosis drug prescribing for inpatients in a national tuberculosis hospital in China, 2011-2015. <i>Journal of Global Antimicrobial Resistance</i> , 2018 , 14, 17-22	3.4	3
48	Factors associated with negative T-SPOT.TB results among smear-negative tuberculosis patients in China. <i>Scientific Reports</i> , 2018 , 8, 4236	4.9	3
47	High incidence of drug-resistant <i>Mycobacterium tuberculosis</i> in Hainan Island, China. <i>Tropical Medicine and International Health</i> , 2019 , 24, 1098-1103	2.3	3
46	Prevalence and Risk Factors Associated with Adverse Drug Reactions among Previously Treated Tuberculosis Patients in China. <i>Biomedical and Environmental Sciences</i> , 2017 , 30, 139-142	1.1	3
45	Urinary metabolomic analysis to identify potential markers for the diagnosis of tuberculosis and latent tuberculosis. <i>Archives of Biochemistry and Biophysics</i> , 2021 , 704, 108876	4.1	3
44	An improved algorithm for rapid diagnosis of pleural tuberculosis from pleural effusion by combined testing with GeneXpert MTB/RIF and an anti-LAM antibody-based assay. <i>BMC Infectious Diseases</i> , 2019 , 19, 548	4	2
43	No in vitro synergistic effect of bedaquiline combined with fluoroquinolones, linezolid, and clofazimine against extensively drug-resistant tuberculosis. <i>Diagnostic Microbiology and Infectious Disease</i> , 2019 , 94, 361-364	2.9	2
42	Rapid Detection of Ethambutol-Resistant from Sputum by High-Resolution Melting Analysis in Beijing, China. <i>Infection and Drug Resistance</i> , 2020 , 13, 3707-3713	4.2	2
41	Susceptibility Testing of GSK656 against Species. <i>Antimicrobial Agents and Chemotherapy</i> , 2020 , 64,	5.9	2

40	Assessment of current diagnostic algorithm for detection of mixed infection with Mycobacterium tuberculosis and nontuberculous mycobacteria. <i>Journal of Infection and Public Health</i> , 2020 , 13, 1967-1974	7.4	2
39	Cytokine-induced killer cell therapy as a promising adjunctive immunotherapy for multidrug-resistant pulmonary TB: a case report. <i>Immunotherapy</i> , 2018 , 10, 827-830	3.8	2
38	Outbreak of Beijing Strain in a High School in Yunnan, China. <i>American Journal of Tropical Medicine and Hygiene</i> , 2020 , 102, 728-730	3.2	2
37	Determining the optimal puncture site of CT-guided transthoracic needle aspiration biopsy for the diagnosis of tuberculosis. <i>Journal of Thoracic Disease</i> , 2020 , 12, 3987-3994	2.6	2
36	Performance of Xpert MTB/RIF in diagnosis of lymphatic tuberculosis from fresh and formaldehyde-fixed and paraffin embedded lymph nodes. <i>Tuberculosis</i> , 2020 , 124, 101967	2.6	2
35	Urinary proteomic analysis to identify a potential protein biomarker panel for the diagnosis of tuberculosis. <i>IUBMB Life</i> , 2021 , 73, 1073-1083	4.7	2
34	Epidemiology Of Human Pulmonary Infection With Nontuberculous Mycobacteria In Southeast China: A Prospective Surveillance Study. <i>Infection and Drug Resistance</i> , 2019 , 12, 3515-3521	4.2	2
33	Prevalence of extensively drug-resistant tuberculosis in a Chinese multidrug-resistant TB cohort after redefinition. <i>Antimicrobial Resistance and Infection Control</i> , 2021 , 10, 126	6.2	2
32	Genetic Diversity and Drug Susceptibility Profiles of Multidrug-Resistant Tuberculosis Strains in Southeast China. <i>Infection and Drug Resistance</i> , 2021 , 14, 3979-3989	4.2	2
31	Comparison of in vitro synergistic effect between clarithromycin or azithromycin in combination with amikacin against Mycobacterium intracellulare. <i>Journal of Global Antimicrobial Resistance</i> , 2019 , 18, 183-186	3.4	1
30	Successful management of complex lung disease in an otherwise healthy infant. <i>Infection and Drug Resistance</i> , 2019 , 12, 1277-1283	4.2	1
29	External quality control of phenotypic drug susceptibility testing for Mycobacterium tuberculosis in China. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2020 , 39, 871-875	5.3	1
28	IMB-XMA0038, a new inhibitor targeting aspartate-semialdehyde dehydrogenase of. <i>Emerging Microbes and Infections</i> , 2021 , 10, 2291-2299	18.9	1
27	Prevalence and Risk Factors of Subclinical Tuberculosis in a Low-Incidence Setting in China.. <i>Frontiers in Microbiology</i> , 2021 , 12, 731532	5.7	1
26	Genotypes of Mycobacterium tuberculosis isolates circulating in Shaanxi Province, China. <i>PLoS ONE</i> , 2020 , 15, e0242971	3.7	1
25	Specific gyrA gene mutations correlate with high prevalence of discordant levofloxacin resistance in Mycobacterium tuberculosis isolates from Beijing, China		1
24	Multicenter feasibility study to assess external quality panels for molecular diagnostics for tuberculosis in China. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2020 , 39, 339-343	5.3	1
23	Effect of interval between food intake and drug administration at fasting condition on the plasma concentrations of first-line anti-tuberculosis drugs in Chinese population. <i>Medicine (United States)</i> , 2020 , 99, e22258	1.8	1

22	Emergence of nontuberculous mycobacteria infections during bedaquiline-containing regimens in multidrug-resistant tuberculosis patients. <i>International Journal of Infectious Diseases</i> , 2020 , 100, 196-198	10.5	1
21	Dependence of Xpert MTB/RIF Accuracy for Detecting Rifampin Resistance in Bronchoalveolar Lavage Fluid on Bacterial Load: A Retrospective Study in Beijing, China. <i>Infection and Drug Resistance</i> , 2021 , 14, 2429-2435	4.2	1
20	Rapid Diagnosis Of Multidrug-Resistant Tuberculosis Impacts Expenditures Prior To Appropriate Treatment: A Performance And Diagnostic Cost Analysis. <i>Infection and Drug Resistance</i> , 2019 , 12, 3549-3555	4.2	1
19	Combined IFN- γ and IL-2 release assay for detect active pulmonary tuberculosis: a prospective multicentre diagnostic study in China. <i>Journal of Translational Medicine</i> , 2021 , 19, 289	8.5	1
18	Increased Expression of IL-10 in Peripheral Blood Mononuclear Cells Correlates with Negative Interferon- γ Release Assay Results in Culture-Confirmed Tuberculosis Patients. <i>Infection and Drug Resistance</i> , 2021 , 14, 3135-3143	4.2	1
17	Nosocomial Infection Surveillance in a Tuberculosis Specialized Hospital in China. <i>Biomedical and Environmental Sciences</i> , 2017 , 30, 691-694	1.1	1
16	GeneXpert of stool versus gastric lavage fluid for the diagnosis of pulmonary tuberculosis in severely ill adults. <i>Infection</i> , 2019 , 47, 611-616	5.8	0
15	Highly Discriminative Genotyping of Complex Using a Set of Variable Number Tandem Repeats in China.. <i>Frontiers in Microbiology</i> , 2021 , 12, 802133	5.7	0
14	Effect of Mixed Infections with and Nontuberculous Mycobacteria on Diagnosis of Multidrug-Resistant Tuberculosis: A Retrospective Multicentre Study in China.. <i>Infection and Drug Resistance</i> , 2022 , 15, 157-166	4.2	0
13	Reevaluating Rifampicin Breakpoint Concentrations for Mycobacterium tuberculosis Isolates with Disputed Mutations and Discordant Susceptibility Phenotypes.. <i>Microbiology Spectrum</i> , 2022 , e0208721	8.9	0
12	Distinguishing Relapse From Reinfection With Whole-Genome Sequencing in Recurrent Pulmonary Tuberculosis: A Retrospective Cohort Study in Beijing, China.. <i>Frontiers in Microbiology</i> , 2021 , 12, 754352	5.7	0
11	Elevated Natural Killer Cell-Mediated Cytotoxicity Is Associated with Cavity Formation in Pulmonary Tuberculosis Patients. <i>Journal of Immunology Research</i> , 2021 , 2021, 7925903	4.5	0
10	Household Clusters of Severe Acute Respiratory Syndrome Coronavirus 2 (SARS-CoV-2) Infection in Suzhou, China. <i>BioMed Research International</i> , 2021 , 2021, 5565549	3	0
9	HDAC6 contributes to human resistance against Mycobacterium tuberculosis infection via mediating innate immune responses. <i>FASEB Journal</i> , 2021 , 35, e22009	0.9	0
8	Comparative in vitro susceptibility of a novel fluoroquinolone antibiotic candidate WFQ-228, levofloxacin, and moxifloxacin against Mycobacterium tuberculosis. <i>International Journal of Infectious Diseases</i> , 2021 , 106, 295-299	10.5	0
7	Stepwise selection of mutation conferring fluoroquinolone resistance: multisite MDR-TB cohort study. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2021 , 40, 1767-1771	5.3	0
6	Occurrence of multidrug-resistant tuberculous meningitis associated with injury during spinal surgery: A case report. <i>Journal of Infection and Public Health</i> , 2020 , 13, 1586-1588	7.4	
5	Upregulation of PD-1 expression on circulating CD8+ but not CD4+ T cells is associated with tuberculosis infection in health care workers. <i>BMC Immunology</i> , 2021 , 22, 39	3.7	

4	Factors associated with differential T cell responses to antigens ESAT-6 and CFP-10 in pulmonary tuberculosis patients. <i>Medicine (United States)</i> , 2021 , 100, e24615	1.8
3	Bipolar Distribution of Minimum Inhibitory Concentration of Q203 Across Mycobacterial Species. <i>Microbial Drug Resistance</i> , 2021 , 27, 1013-1017	2.9
2	Rv3737 is required for Mycobacterium tuberculosis growth in vitro and in vivo and correlates with bacterial load and disease severity in human tuberculosis.. <i>BMC Infectious Diseases</i> , 2022 , 22, 256	4
1	Inducible Resistance to Amikacin in Isolated in Beijing, China.. <i>Infection and Drug Resistance</i> , 2022 , 15, 2287-2291	4.2