

Luis GarcÃ-a de Guadiana-Romualdo

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8630695/publications.pdf>

Version: 2024-02-01

26
papers

501
citations

686830

13
h-index

676716

22
g-index

31
all docs

31
docs citations

31
times ranked

723
citing authors

#	ARTICLE	IF	CITATIONS
1	Diagnostic accuracy of presepsin (soluble CD14 subtype) for prediction of bacteremia in patients with systemic inflammatory response syndrome in the Emergency Department. <i>Clinical Biochemistry</i> , 2014, 47, 505-508.	0.8	71
2	Circulating levels of GDF-15 and calprotectin for prediction of in-hospital mortality in COVID-19 patients: A case series. <i>Journal of Infection</i> , 2021, 82, e40-e42.	1.7	52
3	Diagnostic accuracy of presepsin (sCD14-ST) as a biomarker of infection and sepsis in the emergency department. <i>Clinica Chimica Acta</i> , 2017, 464, 6-11.	0.5	38
4	Cardiac troponin and COVID-19 severity: Results from BIOCOVID study. <i>European Journal of Clinical Investigation</i> , 2021, 51, e13532.	1.7	38
5	MR-proADM as marker of endotheliitis predicts COVID-19 severity. <i>European Journal of Clinical Investigation</i> , 2021, 51, e13511.	1.7	34
6	Calprotectin, an Emerging Biomarker of Interest in COVID-19: A Systematic Review and Meta-Analysis. <i>Journal of Clinical Medicine</i> , 2021, 10, 775.	1.0	33
7	Circulating MR-proADM levels, as an indicator of endothelial dysfunction, for early risk stratification of mid-term mortality in COVID-19 patients. <i>International Journal of Infectious Diseases</i> , 2021, 111, 211-218.	1.5	29
8	Pancreatic stone protein and soluble CD25 for infection and sepsis in an emergency department. <i>European Journal of Clinical Investigation</i> , 2017, 47, 297-304.	1.7	23
9	Accuracy of pancreatic stone protein for the diagnosis of infection in hospitalized adults: a systematic review and individual patient level meta-analysis. <i>Critical Care</i> , 2021, 25, 182.	2.5	20
10	Value of lipopolysaccharide binding protein as diagnostic marker of infection in adult cancer patients with febrile neutropenia: comparison with C-reactive protein, procalcitonin, and interleukin 6. <i>Supportive Care in Cancer</i> , 2015, 23, 2175-2182.	1.0	19
11	Harmonized D-dimer levels upon admission for prognosis of COVID-19 severity: Results from a Spanish multicenter registry (BIOCOVID-Spain study). <i>Journal of Thrombosis and Thrombolysis</i> , 2022, 53, 103-112.	1.0	17
12	Circulating levels of calprotectin, a signature of neutrophil activation in prediction of severe respiratory failure in COVID-19 patients: a multicenter, prospective study (CalCov study). <i>Inflammation Research</i> , 2022, 71, 57-67.	1.6	17
13	Characteristics and laboratory findings on admission to the emergency department among 2873 hospitalized patients with COVID-19: the impact of adjusted laboratory tests in multicenter studies. A multicenter study in Spain (BIOCOVID-Spain study). <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2021, 81, 187-193.	0.6	15
14	Prognostic performance of pancreatic stone protein in critically ill patients with sepsis. <i>Biomarkers in Medicine</i> , 2019, 13, 1469-1480.	0.6	13
15	The value of hemoglobin A1c for diagnosis of diabetes mellitus and other changes in carbohydrate metabolism in women with recent gestational diabetes mellitus. <i>Endocrinología Y Nutrición (English)</i> Tj ETQq1 1 0.7843148gBT /Over		
16	Automated cell count in body fluids: a review. <i>Advances in Laboratory Medicine / Avances En Medicina De Laboratorio</i> , 2021, 2, 149-161.	0.1	8
17	Analyzing the capability of PSP, PCT and sCD25 to support the diagnosis of infection in cancer patients with febrile neutropenia. <i>Clinical Chemistry and Laboratory Medicine</i> , 2019, 57, 540-548.	1.4	7
18	Sinus bradycardia is associated with poor outcome in critically ill patients with COVID-19 due to the B.1.1.7 Lineage. <i>Toxicology Reports</i> , 2021, 8, 1394-1398.	1.6	6

#	ARTICLE	IF	CITATIONS
19	<i>In vitro</i> stability of B-type natriuretic peptide (BNP) in plasma stored under different conditions when measured with the Lumipulse [®] assay. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2019, 79, 455-458.	0.6	3
20	Role of Pancreatic Stone Protein as an Early Biomarker for Risk Stratification of Acute Pancreatitis. <i>Digestive Diseases and Sciences</i> , 2021, , 1.	1.1	3
21	Increased concentrations of procalcitonin in patients with paracetamol intoxication. <i>Advances in Laboratory Medicine / Avances En Medicina De Laboratorio</i> , 2021, 2, 287-290.	0.1	2
22	Evaluación del Índice proteína-creatinina en orina aislada para la predicción de proteinuria significativa durante la gestación. <i>Progresos En Obstetricia Y Ginecología</i> , 2011, 54, 225-230.	0.0	1
23	Intervalos de referencia de Ácido Úrico en suero durante la gestación. <i>Revista Del Laboratorio Clínico</i> , 2016, 9, 35-39.	0.1	1
24	Evaluación analítica del inmunoanálisis Lumipulse [®] G BRAHMS PCT para la medida de procalcitonina. <i>Revista Del Laboratorio Clínico</i> , 2018, 11, 180-185.	0.1	0
25	Value of hypocalcemia and thromboinflammatory biomarkers for prediction of COVID-19 severity during the second wave: were all the waves the same?. <i>Clinical Chemistry and Laboratory Medicine</i> , 2021, .	1.4	0
26	Incremento de las concentraciones de procalcitonina en pacientes intoxicados por paracetamol. <i>Advances in Laboratory Medicine / Avances En Medicina De Laboratorio</i> , 2021, 2, 291-295.	0.1	0