## Mariola Brycht

## List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/8632216/mariola-brycht-publications-by-year.pdf

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

| 39                | 547                | 14          | <b>22</b>       |
|-------------------|--------------------|-------------|-----------------|
| papers            | citations          | h-index     | g-index         |
| 39<br>ext. papers | 654 ext. citations | 4.8 avg, IF | 3.94<br>L-index |

| #  | Paper  | IF            | Citations |
|----|--|---------------|-----------|
| 39 | Application of Solid Carbon Electrodes in Voltammetric (Bio)analysis of Selected Cytostatic Drugs <b>2022</b> , 1-22   |               |           |
| 38 | Application of Solid Carbon Electrodes in Voltammetric (Bio)analysis of Selected Cytostatic Drugs <b>2022</b> , 761-782  |               |           |
| 37 | Comparison of electrochemical performance of various boron-doped diamond electrodes: Dopamine sensing in biomimicking media used for cell cultivation. <i>Bioelectrochemistry</i> , <b>2021</b> , 137, 1076.   | 4 <b>ह</b> .6 | 11        |
| 36 | Rapid monitoring of fungicide fenhexamid residues in selected berries and wine grapes by square-wave voltammetry at carbon-based electrodes. <i>Food Chemistry</i> , <b>2021</b> , 338, 127975   | 8.5           | 5         |
| 35 | Enhancing electroanalytical performance of porous boron-doped diamond electrodes by increasing thickness for dopamine detection. <i>Analytica Chimica Acta</i> , <b>2021</b> , 1182, 338949  | 6.6           | 1         |
| 34 | Electrochemical sensing of fluoroquinolone antibiotics. <i>TrAC - Trends in Analytical Chemistry</i> , <b>2020</b> , 128, 115907   | 14.6          | 19        |
| 33 | A Sensitive Sensor Based on Single-walled Carbon Nanotubes: Its Preparation, Characterization and Application in the Electrochemical Determination of Drug Clorsulon in Milk Samples. <i>Electroanalysis</i> , <b>2020</b> , 32, 375-383                         | 3             | 9         |
| 32 | Electroanalysis of the Anthelmintic Drug Bithionol at Edge Plane Pyrolytic Graphite Electrode. <i>Electroanalysis</i> , <b>2019</b> , 31, 2246-2253  | 3             | 1         |
| 31 | The application of carbon nanomaterials as electrode surface modifiers for the voltammetric sensing of nitroxinil [A comparative study. <i>Journal of Electroanalytical Chemistry</i> , <b>2019</b> , 848, 113294  | 4.1           | 4         |
| 30 | An application of a glassy carbon electrode and a glassy carbon electrode modified with multi-walled carbon nanotubes in electroanalytical determination of oxycarboxin. <i>Ionics</i> , <b>2018</b> , 24, 2111  | -2721         | 5         |
| 29 | ECyclodextrins incorporated multi-walled carbon nanotubes modified electrode for the voltammetric determination of the pesticide dichlorophen. <i>Talanta</i> , <b>2018</b> , 176, 625-634   | 6.2           | 44        |
| 28 | ECyclodextrin and multiwalled carbon nanotubes modified boron-doped diamond electrode for voltammetric assay of carbendazim and its corrosion inhibition behavior on stainless steel. <i>Ionics</i> , <b>2018</b> , 24, 923-934                                  | 2.7           | 18        |
| 27 | Synthesis and characterization of the thermally reduced graphene oxide in argon atmosphere, and its application to construct graphene paste electrode as a naptalam electrochemical sensor. <i>Analytica Chimica Acta</i> , <b>2018</b> , 1035, 22-31            | 6.6           | 19        |
| 26 | Development and first application of the edge plane pyrolytic graphite electrode modified with graphene nanoplatelets for highly sensitive voltammetric determination of oxolinic acid. <i>Journal of Electroanalytical Chemistry</i> , <b>2018</b> , 826, 76-83 | 4.1           | 1         |
| 25 | Paste electrode based on the thermally reduced graphene oxide in ambient air lits characterization and analytical application for analysis of 4thloroB,5timethylphenol. <i>Electrochimica Acta</i> , <b>2018</b> , 282, 233-241                                  | 6.7           | 6         |
| 24 | The effect of the supporting electrolyte on the voltammetric determination of the veterinary drug nitroxinil. <i>Journal of Electroanalytical Chemistry</i> , <b>2018</b> , 827, 21-26   | 4.1           | 5         |
| 23 | Improved electroanalytical characteristics for the determination of pesticide metobromuron in the presence of nanomaterials. <i>Analytica Chimica Acta</i> , <b>2018</b> , 1030, 61-69   | 6.6           | 15        |

| 22 | Differential pulse voltammetric determination of an immunosuppressive drug teriflunomide on an edge plane pyrolytic graphite electrode. <i>RSC Advances</i> , <b>2017</b> , 7, 26028-26036   | 3.7             | 15 |
|----|--|-----------------|----|
| 21 | Electrochemical determination of closantel in the commercial formulation by square-wave adsorptive stripping voltammetry. <i>Monatshefte Fil Chemie</i> , <b>2017</b> , 148, 463-472   | 1.4             | 9  |
| 20 | First electrochemical study of the fungicide oxycarboxin. <i>International Journal of Environmental Analytical Chemistry</i> , <b>2017</b> , 97, 1298-1314   | 1.8             | 6  |
| 19 | The effect of homocysteine and homocystine protonation on double-layer parameters at the electrode/chlorates(VII) interface. <i>Adsorption Science and Technology</i> , <b>2017</b> , 35, 396-402  | 3.6             | 2  |
| 18 | Voltammetric analysis of disulfiram in pharmaceuticals with a cyclic renewable silver amalgam film electrode. <i>Turkish Journal of Chemistry</i> , <b>2017</b> , 41, 116-124  | 1               | 1  |
| 17 | Sensitive determination of anticancer drug imatinib in spiked human urine samples by differential pulse voltammetry on anodically pretreated boron-doped diamond electrode. <i>Diamond and Related Materials</i> , <b>2016</b> , 68, 13-22                       | 3.5             | 54 |
| 16 | The effect of carbon material on the electroanalytical determination of 4-chloro-3-methylphenol using the sol-gel derived carbon ceramic electrodes. <i>Sensors and Actuators B: Chemical</i> , <b>2016</b> , 236, 318-3   | 25 <sup>5</sup> | 11 |
| 15 | Voltammetric determination of the herbicide propham on glassy carbon electrode modified with multi-walled carbon nanotubes. <i>Sensors and Actuators B: Chemical</i> , <b>2016</b> , 231, 54-63  | 8.5             | 12 |
| 14 | Voltammetric behavior, quantitative determination, and corrosion investigation of herbicide bromacil. <i>Journal of Electroanalytical Chemistry</i> , <b>2016</b> , 770, 6-13  | 4.1             | 7  |
| 13 | Electrochemical study of 4-chloro-3-methylphenol on anodically pretreated boron-doped diamond electrode in the absence and presence of a cationic surfactant. <i>Journal of Electroanalytical Chemistry</i> , <b>2016</b> , 771, 1-9                             | 4.1             | 47 |
| 12 | New sensitive square-wave adsorptive stripping voltammetric determination of pesticide chlornitrofen, and an evaluation of its corrosivity towards steel agricultural equipment. <i>Journal of Electroanalytical Chemistry</i> , <b>2016</b> , 777, 8-18         | 4.1             | 13 |
| 11 | The Influence of Protonation on the Electroreduction of Bi (III) Ions in Chlorates (VII) Solutions of Different Water Activity. <i>Electrocatalysis</i> , <b>2015</b> , 6, 315-321   | 2.7             | 12 |
| 10 | Voltammetric behavior and determination of antidepressant drug paroxetine at carbon-based electrodes. <i>Ionics</i> , <b>2015</b> , 21, 2345-2354  | 2.7             | 20 |
| 9  | Square-wave voltammetric determination of fungicide fenfuram in real samples on bare boron-doped diamond electrode, and its corrosion properties on stainless steels used to produce agricultural tools. <i>Electrochimica Acta</i> , <b>2015</b> , 169, 117-125 | 6.7             | 20 |
| 8  | Surface characterization, corrosion properties and bioactivity of Ca-doped TiO2 coatings for biomedical applications. <i>Surface and Coatings Technology</i> , <b>2015</b> , 280, 291-300  | 4.4             | 14 |
| 7  | Ultra trace level determination of fenoxanil by highly sensitive square wave adsorptive stripping voltammetry in real samples with a renewable silver amalgam film electrode. <i>Journal of Electroanalytical Chemistry</i> , <b>2015</b> , 738, 69-76           | 4.1             | 26 |
| 6  | Voltammetric and corrosion studies of the fungicide fludioxonil. <i>Electrochimica Acta</i> , <b>2015</b> , 158, 287-297   | <b>7</b> 6.7    | 14 |
| 5  | Voltammetric behaviour and quantitative determination of pesticide iminoctadine. <i>Analytical Methods</i> , <b>2014</b> , 6, 1884   | 3.2             | 13 |

| 4 | Electrochemical study of the fungicide acibenzolar-s-methyl and its voltammetric determination in environmental samples. <i>Journal of Environmental Science and Health - Part B Pesticides, Food Contaminants, and Agricultural Wastes,</i> <b>2014</b> , 49, 550-6     | 2.2 | 12 |
|---|--|-----|----|
| 3 | The new application of renewable silver amalgam film electrode for the electrochemical reduction of nitrile, cyazofamid, and its voltammetric determination in the real samples and in a commercial formulation. <i>Electrochimica Acta</i> , <b>2014</b> , 134, 302-308 | 6.7 | 25 |
| 2 | Conditioning of renewable silver amalgam film electrode for the characterization of clothianidin and its determination in selected samples by adsorptive square-wave voltammetry. <i>Talanta</i> , <b>2013</b> , 117, 242-9  | 6.2 | 33 |
| 1 | Voltammetric Determination of Acibenzolar-S-Methyl Using a Renewable Silver Amalgam Film Electrode. <i>Electroanalysis</i> , <b>2012</b> , 24, 2303-2308   | 3   | 18 |