

Bruno Giraudeau

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8632373/bruno-giraudeau-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

236
papers

9,608
citations

51
h-index

90
g-index

270
ext. papers

11,649
ext. citations

6.6
avg, IF

5.86
L-index

#	Paper	IF	Citations
236	Is randomized trial design adapted to population health intervention research?. <i>Global Health Promotion</i> , 2021 , 28, 86-88	1.4	0
235	Antibiotic Therapy for 6 or 12 Weeks for Prosthetic Joint Infection. <i>New England Journal of Medicine</i> , 2021 , 384, 1991-2001	59.2	23
234	Impact of early low-calorie low-protein versus standard-calorie standard-protein feeding on outcomes of ventilated adults with shock: design and conduct of a randomised, controlled, multicentre, open-label, parallel-group trial (NUTRIEA-3). <i>BMJ Open</i> , 2021 , 11, e045041	3	1
233	Ivermectin as a potential treatment for COVID-19?. <i>PLoS Neglected Tropical Diseases</i> , 2021 , 15, e0009446	4.8	6
232	Cervical ripening in prolonged pregnancies by silicone double balloon catheter versus vaginal dinoprostone slow release system: The MAGPOP randomised controlled trial. <i>PLoS Medicine</i> , 2021 , 18, e1003448	11.6	3
231	Association of intracluster correlation measures with outcome prevalence for binary outcomes in cluster randomised trials. <i>Statistical Methods in Medical Research</i> , 2021 , 30, 1988-2003	2.3	0
230	Completeness of reporting and risks of overstating impact in cluster randomised trials: a systematic review. <i>The Lancet Global Health</i> , 2021 , 9, e1163-e1168	13.6	2
229	Sirolimus (Rapamycin) for Slow-Flow Malformations in Children: The Observational-Phase Randomized Clinical PERFORMUS Trial. <i>JAMA Dermatology</i> , 2021 , 157, 1289-1298	5.1	4
228	The importance of decision intent within descriptions of pragmatic trials. <i>Journal of Clinical Epidemiology</i> , 2020 , 125, 30-37	5.7	6
227	Cluster over individual randomization: are study design choices appropriately justified? Review of a random sample of trials. <i>Clinical Trials</i> , 2020 , 17, 253-263	2.2	14
226	Effectiveness of a multicomponent pharmacist intervention at hospital discharge for drug-related problems: A cluster randomised cross-over trial. <i>British Journal of Clinical Pharmacology</i> , 2020 , 86, 2441-2454	3.8	1
225	Research Techniques Made Simple: Randomized Controlled Trials for Topical Drugs in Dermatology: When and How Should We Use a Within-Person Design?. <i>Journal of Investigative Dermatology</i> , 2020 , 140, 931-938.e1	4.3	1
224	Comparative Analysis of a French Prospective Series of 144 Patients with Heparin-Induced Thrombocytopenia (FRIGTIH) and the Literature. <i>Thrombosis and Haemostasis</i> , 2020 , 120, 1096-1107	7	15
223	Response to Is the coefficient of interest in cluster randomized trials with a binary outcome?. <i>Statistical Methods in Medical Research</i> , 2020 , 29, 1765-1766	2.3	
222	The PRINTEMPS study: protocol of a cluster-randomized controlled trial of the local promotion of a smartphone application and associated website for the prevention of suicidal behaviors in the adult general population in France. <i>Trials</i> , 2020 , 21, 553	2.8	2
221	Is the R coefficient of interest in cluster randomized trials with a binary outcome?. <i>Statistical Methods in Medical Research</i> , 2020 , 29, 2470-2480	2.3	2
220	A lion with only two legs. <i>Journal of Gynecology Obstetrics and Human Reproduction</i> , 2020 , 49, 101686	1.9	2

219	Assessment of the impact of a new sequential approach to antimicrobial use in young febrile children in the emergency department (DIAFEVERCHILD): a French prospective multicentric controlled, open, cluster-randomised, parallel-group study protocol. <i>BMJ Open</i> , 2020 , 10, e034828	3	0
218	G-computation, propensity score-based methods, and targeted maximum likelihood estimator for causal inference with different covariates sets: a comparative simulation study. <i>Scientific Reports</i> , 2020 , 10, 9219	4.9	10
217	Embedding a COVID-19 group sequential clinical trial within an ongoing trial: lessons from an unusual experience. <i>Statistics in Biopharmaceutical Research</i> , 2020 , 12, 478-482	1.2	5
216	Effect of Hydrocortisone on 21-Day Mortality or Respiratory Support Among Critically Ill Patients With COVID-19: A Randomized Clinical Trial. <i>JAMA - Journal of the American Medical Association</i> , 2020 , 324, 1298-1306	27.4	229
215	Association Between Administration of Systemic Corticosteroids and Mortality Among Critically Ill Patients With COVID-19: A Meta-analysis. <i>JAMA - Journal of the American Medical Association</i> , 2020 , 324, 1330-1341	27.4	1083
214	Efficacy and safety of methotrexate versus placebo as add-on therapy to H1 antihistamines for patients with difficult-to-treat chronic spontaneous urticaria: A randomized, controlled trial. <i>Journal of the American Academy of Dermatology</i> , 2020 , 82, 240-243	4.5	9
213	Intraoperative Door Openings and Surgical Site Infection: A Causal Association?. <i>Clinical Infectious Diseases</i> , 2020 , 71, 469-470	11.6	0
212	Twenty percent of secondary publications of randomized controlled trials of drugs did not provide new results relative to the primary publication. <i>Journal of Clinical Epidemiology</i> , 2020 , 117, 20-28	5.7	2
211	Targeted Temperature Management for Cardiac Arrest with Nonshockable Rhythm. <i>New England Journal of Medicine</i> , 2019 , 381, 2327-2337	59.2	225
210	Improvement in staff behavior during surgical procedures to prevent post-operative complications (ARIBO): study protocol for a cluster randomised trial. <i>Trials</i> , 2019 , 20, 275	2.8	5
209	Topical use of mammalian target of rapamycin inhibitors in dermatology: A systematic review with meta-analysis. <i>Journal of the American Academy of Dermatology</i> , 2019 , 80, 735-742	4.5	23
208	Prevention of Early Ventilator-Associated Pneumonia after Cardiac Arrest. <i>New England Journal of Medicine</i> , 2019 , 381, 1831-1842	59.2	45
207	Nephrotoxic drug burden among 1001 critically ill patients: impact on acute kidney injury. <i>Annals of Intensive Care</i> , 2019 , 9, 106	8.9	12
206	Quality of stepped-wedge trial reporting can be reliably assessed using an updated CONSORT: crowd-sourcing systematic review. <i>Journal of Clinical Epidemiology</i> , 2019 , 107, 77-88	5.7	7
205	Topical sirolimus 0.1% for treating cutaneous microcystic lymphatic malformations in children and adults (TOPICAL): protocol for a multicenter phase 2, within-person, randomized, double-blind, vehicle-controlled clinical trial. <i>Trials</i> , 2019 , 20, 739	2.8	7
204	In reply: When and how should we cluster and cross over: methodological and ethical issues (letters 1 and 2). <i>Canadian Journal of Anaesthesia</i> , 2019 , 66, 239-240	3	
203	Salbutamol Nebulization During Noninvasive Ventilation in Exacerbated Chronic Obstructive Pulmonary Disease Patients: A Randomized Controlled Trial. <i>Journal of Aerosol Medicine and Pulmonary Drug Delivery</i> , 2019 , 32, 149-155	3.8	4
202	Intervention effect estimates in cluster randomized versus individually randomized trials: a meta-epidemiological study. <i>International Journal of Epidemiology</i> , 2019 , 48, 609-619	7.8	10

201	Effect of Diet in Chronic Spontaneous Urticaria: A Systematic Review. <i>Acta Dermato-Venereologica</i> , 2019 , 99, 127-132	2.2	15
200	Two-year neurodevelopmental outcomes of extremely preterm infants treated with early hydrocortisone: treatment effect according to gestational age at birth. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 2019 , 104, F30-F35	4.7	24
199	Understanding the long diagnostic delay for hidradenitis suppurativa: a national survey among French general practitioners. <i>European Journal of Dermatology</i> , 2019 , 29, 97-99	0.8	1
198	Chronic spontaneous urticaria in children - a systematic review on interventions and comorbidities. <i>Pediatric Allergy and Immunology</i> , 2018 , 29, 303-310	4.2	22
197	Inverse probability weighting to control confounding in an illness-death model for interval-censored data. <i>Statistics in Medicine</i> , 2018 , 37, 1245-1258	2.3	2
196	Amnioinfusion for women with a singleton breech presentation and a previous failed external cephalic version: a randomized controlled trial. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2018 , 31, 993-999	2	1
195	Standardized and weighted time-dependent receiver operating characteristic curves to evaluate the intrinsic prognostic capacities of a marker by taking into account confounding factors. <i>Statistical Methods in Medical Research</i> , 2018 , 27, 3397-3410	2.3	3
194	Treatment of voluminous and complicated superficial slow-flow vascular malformations with sirolimus (PERFORMUS): protocol for a multicenter phase 2 trial with a randomized observational-phase design. <i>Trials</i> , 2018 , 19, 340	2.8	14
193	Ventilator-Free Day Outcomes Can Be Misleading. <i>Critical Care Medicine</i> , 2018 , 46, 425-429	1.4	23
192	Effects of Discontinuation of Urate-Lowering Therapy: A Systematic Review. <i>Journal of General Internal Medicine</i> , 2018 , 33, 358-366	4	7
191	Enteral versus parenteral early nutrition in ventilated adults with shock: a randomised, controlled, multicentre, open-label, parallel-group study (NUTRIREA-2). <i>Lancet, The</i> , 2018 , 391, 133-143	40	218
190	Impact of oversedation prevention in ventilated critically ill patients: a randomized trial-the AWARE study. <i>Annals of Intensive Care</i> , 2018 , 8, 93	8.9	12
189	Developing a framework for the ethical design and conduct of pragmatic trials in healthcare: a mixed methods research protocol. <i>Trials</i> , 2018 , 19, 525	2.8	14
188	Heterogeneous perception of the ethical legitimacy of unbalanced randomization by institutional review board members: a clinical vignette-based survey. <i>Trials</i> , 2018 , 19, 440	2.8	4
187	Understanding the long diagnostic delay for hidradenitis suppurativa: a national survey among French general practitioners. <i>European Journal of Dermatology</i> , 2018 ,	0.8	1
186	First trimester uterine artery Doppler, sFlt-1 and PlGF to predict preeclampsia in a high-risk population. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2017 , 30, 1514-1519	2	9
185	Inadequacy of ethical conduct and reporting of stepped wedge cluster randomized trials: Results from a systematic review. <i>Clinical Trials</i> , 2017 , 14, 333-341	2.2	24
184	Dry Care Versus Antiseptics for Umbilical Cord Care: A Cluster Randomized Trial. <i>Pediatrics</i> , 2017 , 139,	7.4	8

183	Terminal weaning or immediate extubation for withdrawing mechanical ventilation in critically ill patients (the ARREVE observational study). <i>Intensive Care Medicine</i> , 2017 , 43, 1793-1807	14.5	37
182	Mechanical cervical ripening for women with Prolonged Pregnancies (MAGPOP): protocol for a randomised controlled trial of a silicone double balloon catheter versus the Propess system for the slow release of dinoprostone for cervical ripening of prolonged pregnancies. <i>BMJ Open</i> , 2017 , 7, e016069	3	4
181	Evaluation of Doppler-ultrasonography in the diagnosis of transjugular intrahepatic portosystemic shunt dysfunction: A prospective study. <i>World Journal of Hepatology</i> , 2017 , 9, 1125-1132	3.4	3
180	Timeline cluster: a graphical tool to identify risk of bias in cluster randomised trials. <i>BMJ, The</i> , 2016 , 354, i4291	5.9	34
179	Amber necklaces: reasons for use and awareness of risk associated with bacterial colonisation. <i>European Journal of Dermatology</i> , 2016 , 26, 580-585	0.8	0
178	Performance of principal scores to estimate the marginal compliers causal effect of an intervention. <i>Statistics in Medicine</i> , 2016 , 35, 752-67	2.3	3
177	Risk assessment of drug-induced drug reaction with eosinophilia and systemic symptoms (DRESS) syndrome: a disproportionality analysis using the French Pharmacovigilance Database. <i>British Journal of Dermatology</i> , 2016 , 175, 1067-1069	4	10
176	Propensity score to detect baseline imbalance in cluster randomized trials: the role of the c-statistic. <i>BMC Medical Research Methodology</i> , 2016 , 16, 9	4.7	11
175	Strong heterogeneity of outcome reporting in systematic reviews. <i>Journal of Clinical Epidemiology</i> , 2016 , 75, 93-9	5.7	5
174	A comparison of imputation strategies in cluster randomized trials with missing binary outcomes. <i>Statistical Methods in Medical Research</i> , 2016 , 25, 2650-2669	2.3	8
173	How Many Samples and How Many Culture Media To Diagnose a Prosthetic Joint Infection: a Clinical and Microbiological Prospective Multicenter Study. <i>Journal of Clinical Microbiology</i> , 2016 , 54, 385-91	9.7	60
172	Finding Alternatives to the Dogma of Power Based Sample Size Calculation: Is a Fixed Sample Size Prospective Meta-Experiment a Potential Alternative?. <i>PLoS ONE</i> , 2016 , 11, e0158604	3.7	11
171	Dead space closure with quilting suture versus conventional closure with drainage for the prevention of seroma after mastectomy for breast cancer (QUISERMAS): protocol for a multicentre randomised controlled trial. <i>BMJ Open</i> , 2016 , 6, e009903	3	16
170	Corticosteroid Phobia Among Pharmacists Regarding Atopic Dermatitis in Children: A National French Survey. <i>Acta Dermato-Venereologica</i> , 2016 , 96, 177-80	2.2	22
169	Efficacy and Safety of Mammalian Target of Rapamycin Inhibitors in Vascular Anomalies: A Systematic Review. <i>Acta Dermato-Venereologica</i> , 2016 , 96, 448-52	2.2	51
168	Sample size calculation for meta-epidemiological studies. <i>Statistics in Medicine</i> , 2016 , 35, 239-50	2.3	20
167	Comparisons of the performance of different statistical tests for time-to-event analysis with confounding factors: practical illustrations in kidney transplantation. <i>Statistics in Medicine</i> , 2016 , 35, 1103-16	3.3	23
166	Deficits in information transfer between hospital-based and primary-care physicians, the case of kidney disease: a cross-sectional study. <i>Journal of Nephrology</i> , 2015 , 28, 563-70	4.8	12

165	Unbalanced rather than balanced randomized controlled trials are more often positive in favor of the new treatment: an exposed and nonexposed study. <i>Journal of Clinical Epidemiology</i> , 2015 , 68, 944-9	5.7	6
164	Addressing social issues in a universal HIV test and treat intervention trial (ANRS 12249 TasP) in South Africa: methods for appraisal. <i>BMC Public Health</i> , 2015 , 15, 209	4.1	30
163	Therapeutic hypothermia after nonshockable cardiac arrest: the HYPERION multicenter, randomized, controlled, assessor-blinded, superiority trial. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2015 , 23, 26	3.6	24
162	Quilting Suture of Mastectomy Dead Space Compared with Conventional Closure with Drain. <i>Annals of Surgical Oncology</i> , 2015 , 22, 4233-40	3.1	29
161	First experience of a multicenter external quality assessment of molecular 16S rRNA gene detection in bone and joint infections. <i>Journal of Clinical Microbiology</i> , 2015 , 53, 419-24	9.7	10
160	Impact of an online writing aid tool for writing a randomized trial report: the COBWEB (Consort-based WEB tool) randomized controlled trial. <i>BMC Medicine</i> , 2015 , 13, 221	11.4	53
159	Severe and multiple hypoglycemic episodes are associated with increased risk of death in ICU patients. <i>Critical Care</i> , 2015 , 19, 153	10.8	28
158	Sample Size Calculation: Inaccurate A Priori Assumptions for Nuisance Parameters Can Greatly Affect the Power of a Randomized Controlled Trial. <i>PLoS ONE</i> , 2015 , 10, e0132578	3.7	10
157	Tight computerized versus conventional glucose control in the ICU: a randomized controlled trial. <i>Intensive Care Medicine</i> , 2014 , 40, 171-81	14.5	85
156	Impact of drug reconciliation at discharge and communication between hospital and community pharmacists on drug-related problems: study protocol for a randomized controlled trial. <i>Trials</i> , 2014 , 15, 260	2.8	7
155	Evaluation of 16S rRNA gene PCR sensitivity and specificity for diagnosis of prosthetic joint infection: a prospective multicenter cross-sectional study. <i>Journal of Clinical Microbiology</i> , 2014 , 52, 3583-9	9.7	123
154	Diagnostic and therapeutic value of echocardiography during the acute phase of ischemic stroke. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2014 , 23, 2105-2109	2.8	3
153	Rationale for unequal randomization in clinical trials is rarely reported: a systematic review. <i>Journal of Clinical Epidemiology</i> , 2014 , 67, 1070-5	5.7	12
152	Heterogeneity in the definition of mechanical ventilation duration and ventilator-free days. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2014 , 189, 998-1002	10.2	41
151	Covered vs. uncovered stents for transjugular intrahepatic portosystemic shunt: a randomized controlled trial. <i>Journal of Hepatology</i> , 2014 , 60, 962-8	13.4	126
150	Accuracy of dry vaginal self-sampling for detecting high-risk human papillomavirus infection in cervical cancer screening: a cross-sectional study. <i>Gynecologic Oncology</i> , 2014 , 134, 302-8	4.9	17
149	Designing randomized-controlled trials to improve head-lice treatment: systematic review using a vignette-based method. <i>Journal of Investigative Dermatology</i> , 2014 , 134, 628-634	4.3	5
148	Vaginal self-sampling is a cost-effective way to increase participation in a cervical cancer screening programme: a randomised trial. <i>British Journal of Cancer</i> , 2014 , 111, 2187-96	8.7	54

147	Propensity score methods for estimating relative risks in cluster randomized trials with low-incidence binary outcomes and selection bias. <i>Statistics in Medicine</i> , 2014 , 33, 3556-75	2.3	21
146	Impact of early enteral versus parenteral nutrition on mortality in patients requiring mechanical ventilation and catecholamines: study protocol for a randomized controlled trial (NUTRIREA-2). <i>Trials</i> , 2014 , 15, 507	2.8	14
145	Circulating immature granulocytes with T-cell killing functions predict sepsis deterioration*. <i>Critical Care Medicine</i> , 2014 , 42, 2007-18	1.4	131
144	Sequence and functional analysis of the envelope glycoproteins of hepatitis C virus variants selectively transmitted to a new host. <i>Journal of Virology</i> , 2013 , 87, 13609-18	6.6	18
143	Heterogeneity in meta-analyses of treatment of acute postoperative pain: a review. <i>British Journal of Anaesthesia</i> , 2013 , 111, 897-906	5.4	13
142	Second-trimester uterine artery Doppler, PlGF, sFlt-1, sEndoglin, and lipid-related markers for predicting preeclampsia in a high-risk population. <i>Prenatal Diagnosis</i> , 2013 , 33, 1070-4	3.2	18
141	Effect of not monitoring residual gastric volume on risk of ventilator-associated pneumonia in adults receiving mechanical ventilation and early enteral feeding: a randomized controlled trial. <i>JAMA - Journal of the American Medical Association</i> , 2013 , 309, 249-56	27.4	326
140	Effect of physician dress style on patient confidence. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2013 , 27, e333-7	4.6	18
139	Plasma transfusion in liver transplantation: a randomized, double-blind, multicenter clinical comparison of three virally secured plasmas. <i>Transfusion</i> , 2013 , 53, 1335-45	2.9	19
138	Better reporting and greater homogeneity in outcome measures are seen in randomized trial protocols when guidelines exist. <i>Journal of Clinical Epidemiology</i> , 2013 , 66, 838-46	5.7	9
137	Topical ivermectin lotion for head lice. <i>New England Journal of Medicine</i> , 2013 , 368, 967	59.2	5
136	Propensity scores used for analysis of cluster randomized trials with selection bias: a simulation study. <i>Statistics in Medicine</i> , 2013 , 32, 3357-72	2.3	17
135	Mixing nulliparous and multiparous women in randomised controlled trials of preeclampsia prevention is debatable: evidence from a systematic review. <i>PLoS ONE</i> , 2013 , 8, e66677	3.7	5
134	Study design and quality of reporting of randomized controlled trials of chronic idiopathic or autoimmune urticaria: review. <i>PLoS ONE</i> , 2013 , 8, e70717	3.7	10
133	Monitoring of bone turnover markers does not improve persistence with ibandronate treatment. <i>Joint Bone Spine</i> , 2012 , 79, 389-92	2.9	8
132	Misleading abstract conclusions in randomized controlled trials in rheumatology: comparison of the abstract conclusions and the results section. <i>Joint Bone Spine</i> , 2012 , 79, 262-7	2.9	27
131	Relationships between the characteristics of oncohematology services providing palliative care and the sociodemographic characteristics of caregivers using health indicators: social support, perceived stress, coping strategies, and quality of work life. <i>Supportive Care in Cancer</i> , 2012 , 20, 607-14	3.9	18
130	La surveillance des marqueurs du remodelage osseux n'amliore pas la persistance au traitement par ibandronate. <i>Revue Du Rhumatisme (Edition Francaise)</i> , 2012 , 79, 68-72	0.1	

129	Conclusions erronées des résumés dans les essais cliniques contrôlés en rhumatologie : comparaisons entre les conclusions et la partie résultats des résumés. <i>Revue Du Rhumatisme (Edition Francaise)</i> , 2012 , 79, 118-124	0.1	
128	Renal endpoints in renal and cardiovascular randomized clinical trials: time for a consensus?. <i>Fundamental and Clinical Pharmacology</i> , 2012 , 26, 771-82	3.1	11
127	Viral sequence variation in chronic carriers of hepatitis C virus has a low impact on liver steatosis. <i>PLoS ONE</i> , 2012 , 7, e33749	3.7	6
126	Dichotomizing a continuous outcome in cluster randomized trials: impact on power. <i>Statistics in Medicine</i> , 2012 , 31, 2822-32	2.3	8
125	Sturge-Weber syndrome in patients with facial port-wine stain. <i>Pediatric Dermatology</i> , 2012 , 29, 32-7	1.9	73
124	Tolerance of low-frequency ultrasound sonophoresis: a double-blind randomized study on humans. <i>Skin Research and Technology</i> , 2012 , 18, 151-6	1.9	2
123	Safety of topical corticosteroid use during pregnancy. <i>Archives of Dermatology</i> , 2012 , 148, 525-7		1
122	Safety and Efficacy of Abbreviated Induction with Oral Fludarabine (F) and Cyclophosphamide (C) Combined with Dose-Dense IV Rituximab (R) in Previously Untreated Patients with Chronic Lymphocytic Leukemia (CLL) Aged > 65 years : Results of a Multicenter Trial (LLC 2007 SA) On Behalf of the French Goelans/Fcgdl-wll Inter-group. <i>Blood</i> , 2012 , 120, 434-434	2.2	7
121	Participant informed consent in cluster randomized trials: review. <i>PLoS ONE</i> , 2012 , 7, e40436	3.7	23
120	Amniocentesis, maternal psychopathology and prenatal representations of attachment: a prospective comparative study. <i>PLoS ONE</i> , 2012 , 7, e41777	3.7	5
119	Validation of a risk-assessment scale and a risk-adapted monitoring plan for academic clinical research studies--the Pre-Optimon study. <i>Contemporary Clinical Trials</i> , 2011 , 32, 16-24	2.3	30
118	No association between the ITGA2 807T allele and retinopathy in french patients with type 2 diabetes. <i>Thrombosis Research</i> , 2011 , 128, 293-5	8.2	3
117	Peer review of grant applications: a simple method to identify proposals with discordant reviews. <i>PLoS ONE</i> , 2011 , 6, e27557	3.7	5
116	Reproducibility and validity of the French version of the long international physical activity questionnaire in patients with type 2 diabetes. <i>Journal of Physical Activity and Health</i> , 2011 , 8, 858-65	2.5	36
115	Aerosolized gemcitabine in patients with carcinoma of the lung: feasibility and safety study. <i>Journal of Aerosol Medicine and Pulmonary Drug Delivery</i> , 2011 , 24, 261-70	3.8	51
114	Oral ivermectin versus malathion lotion for difficult-to-treat head lice. <i>New England Journal of Medicine</i> , 2010 , 362, 896-905	59.2	147
113	Imatinib plus peginterferon alfa-2a in chronic myeloid leukemia. <i>New England Journal of Medicine</i> , 2010 , 363, 2511-21	59.2	304
112	Absence of inferior labial and lingual frenula in Ehlers-Danlos syndrome: a minor diagnostic criterion in French patients. <i>American Journal of Clinical Dermatology</i> , 2010 , 11, 269-73	7.1	14

111	Effectiveness of a specific care plan in patients with Alzheimer's disease: cluster randomised trial (PLASA study). <i>BMJ, The</i> , 2010 , 340, c2466	5.9	36
110	Clinical features and risk factors for upper gastrointestinal bleeding in children: a case-crossover study. <i>European Journal of Clinical Pharmacology</i> , 2010 , 66, 831-7	2.8	53
109	Iatrogenic events contributing to ICU admission: a prospective study. <i>Intensive Care Medicine</i> , 2010 , 36, 1033-7	14.5	20
108	Death in emergency departments: a multicenter cross-sectional survey with analysis of withholding and withdrawing life support. <i>Intensive Care Medicine</i> , 2010 , 36, 765-72	14.5	83
107	Unexpected low prevalence of atrial fibrillation in cryptogenic ischemic stroke: a prospective study. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2010 , 28, 101-7	2.4	58
106	Reporting of corticosteroid use in systemic disease trials: evidence from a systematic review of the potential impact on treatment effect. <i>Arthritis Care and Research</i> , 2010 , 62, 1002-8	4.7	5
105	Efficiency of low-frequency ultrasound sonophoresis in skin penetration of histamine: a randomized study in humans. <i>International Journal of Pharmaceutics</i> , 2010 , 385, 37-41	6.5	17
104	Low-frequency ultrasound sonophoresis to increase the efficiency of topical steroids: a pilot randomized study of humans. <i>International Journal of Pharmaceutics</i> , 2010 , 395, 84-90	6.5	13
103	Conversion from nonischemic to ischemic retinal vein occlusion: prediction by venous velocity on color Doppler imaging. <i>European Journal of Ophthalmology</i> , 2009 , 19, 1009-1016	1.9	8
102	Reporting of sample size calculation in randomised controlled trials: review. <i>BMJ, The</i> , 2009 , 338, b1732	5.9	158
101	Center effect on ankle-brachial index measurement when using the reference method (Doppler and manometer): results from a large cohort study. <i>American Journal of Hypertension</i> , 2009 , 22, 718-22	2.3	7
100	Preventing bias in cluster randomised trials. <i>PLoS Medicine</i> , 2009 , 6, e1000065	11.6	96
99	Design effect in multicenter studies: gain or loss of power?. <i>BMC Medical Research Methodology</i> , 2009 , 9, 39	4.7	42
98	Infliximab for treating axial spondylarthropathy in everyday practice. <i>Joint Bone Spine</i> , 2009 , 76, 39-43	2.9	5
97	Influence of source of phospholipids for APTT-based factor IX assays and potential consequences for the diagnosis of mild haemophilia B. <i>Haemophilia</i> , 2009 , 15, 365-8	3.3	30
96	Improving outcome of chemotherapy of metastatic breast cancer by docosahexaenoic acid: a phase II trial. <i>British Journal of Cancer</i> , 2009 , 101, 1978-85	8.7	182
95	Comparison of degree of stenosis and plaque volume for the assessment of carotid atherosclerosis using 2-D ultrasound. <i>Ultrasound in Medicine and Biology</i> , 2009 , 35, 1436-42	3.5	13
94	Preoperative measurement of thickness of cutaneous melanoma using high-resolution 20 MHz ultrasound imaging: A monocenter prospective study and systematic review of the literature. <i>Ultrasound in Medicine and Biology</i> , 2009 , 35, 1411-20	3.5	71

93	A multicentre case-control study of nonsteroidal anti-inflammatory drugs as a risk factor for severe sepsis and septic shock. <i>Critical Care</i> , 2009 , 13, R43	10.8	30
92	The variability in minimal clinically important difference and patient acceptable symptomatic state values did not have an impact on treatment effect estimates. <i>Journal of Clinical Epidemiology</i> , 2009 , 62, 725-8	5.7	20
91	Avoidability of adverse drug reactions spontaneously reported to a French regional drug monitoring centre. <i>Drug Safety</i> , 2009 , 32, 429-40	5.1	21
90	Thalamo-striatal T2-weighted hyperintensities (unidentified bright objects) correlate with cognitive impairments in neurofibromatosis type 1 during childhood. <i>Developmental Neuropsychology</i> , 2009 , 34, 736-48	1.8	28
89	ARTIST (osteoarthritis intervention standardized) study of standardised consultation versus usual care for patients with osteoarthritis of the knee in primary care in France: pragmatic randomised controlled trial. <i>BMJ, The</i> , 2009 , 338, b421	5.9	53
88	Immunostaining with antibodies to desmoglein provides the diagnosis of drug-induced pemphigus and allows prediction of outcome. <i>American Journal of Clinical Pathology</i> , 2008 , 130, 369-74	1.9	23
87	Reducing risk of stroke in patients with acute coronary syndrome: is screening for asymptomatic carotid disease useful?. <i>Heart and Vessels</i> , 2008 , 23, 397-402	2.1	9
86	Sample size calculation for cluster randomized cross-over trials. <i>Statistics in Medicine</i> , 2008 , 27, 5578-85	2.3	67
85	Missing data in randomized controlled trials of rheumatoid arthritis with radiographic outcomes: a simulation study. <i>Arthritis and Rheumatism</i> , 2008 , 59, 25-31		28
84	Antipyretic drug use in children in French office based medical practice. <i>Pharmacoepidemiology and Drug Safety</i> , 2007 , 16, 812-7	2.6	5
83	Enalapril/amlodipine combination in cyclosporine-treated renal transplant recipients: a prospective randomized trial. <i>Clinical Transplantation</i> , 2007 , 21, 277-84	3.8	18
82	Relationship between 5-fluorouracil exposure and outcome in patients receiving continuous venous infusion with or without concomitant radiotherapy. <i>British Journal of Clinical Pharmacology</i> , 2007 , 64, 613-21	3.8	5
81	Lack of association between rifampicin plasma concentration and treatment-related side effects in osteoarticular infections. <i>Fundamental and Clinical Pharmacology</i> , 2007 , 21, 363-9	3.1	11
80	Limited value of morphological assessment at days 1 and 2 to predict blastocyst development potential: a prospective study based on 4042 embryos. <i>Human Reproduction</i> , 2007 , 22, 1973-81	5.7	127
79	Reporting of radiographic methods in randomised controlled trials assessing structural outcomes in rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2007 , 66, 651-7	2.4	11
78	The genotype 3-specific hepatitis C virus core protein residue phenylalanine 164 increases steatosis in an in vitro cellular model. <i>Gut</i> , 2007 , 56, 1302-8	19.2	78
77	Revascularization algorithm in acute STEMI should take into account age. <i>Cardiovascular Revascularization Medicine</i> , 2007 , 8, 90-3	1.6	3
76	Sample size calculation for multicenter randomized trial: taking the center effect into account. <i>Contemporary Clinical Trials</i> , 2007 , 28, 451-8	2.3	41

75	Assessment of cyclic changes of microvessels in ovine ovaries using Sonovue contrast-enhanced ultrasound. <i>Ultrasound in Medicine and Biology</i> , 2006 , 32, 163-9	3.5	12
74	Planning a cluster randomized trial with unequal cluster sizes: practical issues involving continuous outcomes. <i>BMC Medical Research Methodology</i> , 2006 , 6, 17	4.7	44
73	SMN1 gene, but not SMN2, is a risk factor for sporadic ALS. <i>Neurology</i> , 2006 , 67, 1147-50	6.5	71
72	Diet, cancer, and the lipidome. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2006 , 15, 416-21	4	52
71	Quality of reporting of noninferiority and equivalence randomized trials. <i>JAMA - Journal of the American Medical Association</i> , 2006 , 295, 1147-51	27.4	176
70	Reporting of drug tolerance in randomized clinical trials: when data conflict with authors' conclusions. <i>Annals of Internal Medicine</i> , 2006 , 144, 306-7	8	12
69	Model mis-specification and overestimation of the intraclass correlation coefficient in cluster randomized trials. <i>Statistics in Medicine</i> , 2006 , 25, 957-64	2.3	12
68	Factors influencing laparoconversions during the learning curve of laparoscopic myomectomy. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2006 , 85, 324-9	3.8	28
67	Nasal carriage of methicillin-resistant staphylococcus aureus in vascular surgery. <i>Annals of Vascular Surgery</i> , 2006 , 20, 767-72	1.7	32
66	Routine ultrasonography in melanoma follow-up?. <i>Lancet Oncology, The</i> , 2005 , 6, 2; discussion 3	21.7	4
65	A checklist to evaluate a report of a nonpharmacological trial (CLEAR NPT) was developed using consensus. <i>Journal of Clinical Epidemiology</i> , 2005 , 58, 1233-40	5.7	246
64	Reporting of harm in randomized, controlled trials of nonpharmacologic treatment for rheumatic disease. <i>Annals of Internal Medicine</i> , 2005 , 143, 20-5	8	33
63	The efficiency of transfusing high doses of platelets in hematologic patients with thrombocytopenia: results of a prospective, randomized, open, blinded end point (PROBE) study. <i>Blood</i> , 2005 , 105, 862-4	2.2	67
62	Power Doppler vascularity index for predicting malignancy of adnexal masses. <i>Ultrasound in Obstetrics and Gynecology</i> , 2005 , 25, 508-13	5.8	32
61	Predictive factors for fibroids recurrence after uterine artery embolisation. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2005 , 112, 461-5	3.7	48
60	Is ultrasound lymph node examination superior to clinical examination in melanoma follow-up? A monocentre cohort study of 373 patients. <i>British Journal of Dermatology</i> , 2005 , 152, 66-70	4	47
59	Power calculation for the likelihood ratio-test when comparing two dependent intraclass correlation coefficients. <i>Computer Methods and Programs in Biomedicine</i> , 2005 , 77, 165-73	6.9	7
58	Disposal of injection material used for the treatment of hepatitis C: comparison with insulin-dependent diabetes and thromboembolism. <i>Gastroenterologie Clinique Et Biologique</i> , 2005 , 29, 64-69		1

57	Treatment of chronic hepatitis C in patients unresponsive to interferon. Interest of re-treatment combining interferon induction therapy and ribavirin (a multicenter pilot study). <i>Gastroenterologie Clinique Et Biologique</i> , 2005 , 29, 117-21		1
56	A priori postulated and real power in cluster randomized trials: mind the gap. <i>BMC Medical Research Methodology</i> , 2005 , 5, 25	4.7	19
55	Violation of the intent-to-treat principle and rate of missing data in superiority trials assessing structural outcomes in rheumatic diseases. <i>Arthritis and Rheumatism</i> , 2005 , 52, 1858-65		38
54	Anisotropy changes in post-menopausal osteoporosis: characterization by a new index applied to trabecular bone radiographic images. <i>Osteoporosis International</i> , 2005 , 16, 1193-202	5.3	60
53	ERCC1 codon 118 polymorphism is a predictive factor for the tumor response to oxaliplatin/5-fluorouracil combination chemotherapy in patients with advanced colorectal cancer. <i>Clinical Cancer Research</i> , 2005 , 11, 6212-7	12.9	209
52	Inappropriateness of randomised trials for complex phenomena: single trial is never enough evidence to base decisions on. <i>BMJ, The</i> , 2005 , 330, 94; author reply 95	5.9	1
51	Managing osteoarthritis of the knee: conclusions about use of NSAIDs are misleading. <i>BMJ, The</i> , 2005 , 330, 672; author reply 672-3	5.9	2
50	Does data rounding-off influence reproducibility index estimates?. <i>Journal of Applied Measurement</i> , 2005 , 6, 100-8	0.3	
49	Assessment of the clinically relevant change in pain for patients with sciatica. <i>Annals of the Rheumatic Diseases</i> , 2004 , 63, 1180-1	2.4	34
48	Association of donor TNFRSF6 (FAS) gene polymorphism with acute rejection in renal transplant patients: a case-control study. <i>Nephrology Dialysis Transplantation</i> , 2004 , 19, 439-43	4.3	4
47	Living with a functioning kidney transplant at 74 yr or older: a national epidemiological study. <i>Clinical Transplantation</i> , 2004 , 18, 681-5	3.8	6
46	Management of osteoarthritis (OA) with an unsupervised home based exercise programme and/or patient administered assessment tools. A cluster randomised controlled trial with a 2x2 factorial design. <i>Annals of the Rheumatic Diseases</i> , 2004 , 63, 703-8	2.4	75
45	A retrospective multicentre study comparing myomectomy by laparoscopy and laparotomy in current surgical practice. What are the best patient selection criteria?. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2004 , 117, 82-6	2.4	36
44	The methods for handling missing data in clinical trials influence sample size requirements. <i>Journal of Clinical Epidemiology</i> , 2004 , 57, 447-53	5.7	16
43	Blinding was judged more difficult to achieve and maintain in nonpharmacologic than pharmacologic trials. <i>Journal of Clinical Epidemiology</i> , 2004 , 57, 543-50	5.7	187
42	Contrast-enhanced sonography helps in discrimination of benign from malignant adnexal masses. <i>Journal of Ultrasound in Medicine</i> , 2004 , 23, 1629-39; quiz 1641-42	2.9	74
41	Methodological differences in clinical trials evaluating nonpharmacological and pharmacological treatments of hip and knee osteoarthritis. <i>JAMA - Journal of the American Medical Association</i> , 2003 , 290, 1062-70	27.4	113
40	Renal arterial resistance index. <i>New England Journal of Medicine</i> , 2003 , 349, 1573-4; author reply 1573-4	59.2	14

39	Epidural corticosteroid injections for sciatica: a randomised, double blind, controlled clinical trial. <i>Annals of the Rheumatic Diseases</i> , 2003 , 62, 639-43	2.4	113
38	Assessing the reproducibility of quantitative ultrasound parameters with standardized coefficient of variation or intraclass correlation coefficient: a unique approach. <i>Osteoporosis International</i> , 2003 , 14, 614-5	5.3	16
37	Conjugated linoleic acid content in breast adipose tissue of breast cancer patients and the risk of metastasis. <i>Nutrition and Cancer</i> , 2003 , 45, 17-23	2.8	46
36	Color Doppler energy prediction of malignancy in adnexal masses using logistic regression models. <i>Ultrasound in Obstetrics and Gynecology</i> , 2002 , 20, 597-604	5.8	33
35	Simultaneous estimation of cyclosporin and mycophenolic acid areas under the curve in stable renal transplant patients using a limited sampling strategy. <i>European Journal of Clinical Pharmacology</i> , 2002 , 57, 805-11	2.8	64
34	Frequency of adverse drug reactions in children: a prospective study. <i>British Journal of Clinical Pharmacology</i> , 2002 , 53, 207-10	3.8	34
33	In vivo performance of a matrix-based quantitative ultrasound imaging device dedicated to calcaneus investigation. <i>Ultrasound in Medicine and Biology</i> , 2002 , 28, 1285-93	3.5	20
32	Follow up by colour Doppler imaging of 102 patients with retinal vein occlusion over 1 year. <i>British Journal of Ophthalmology</i> , 2002 , 86, 1243-7	5.5	32
31	Rapid diagnosis of inflammatory synovial fluid with reagent strips. <i>British Journal of Rheumatology</i> , 2002 , 41, 815-8		19
30	Amoxicillin/clavulanic acid is ineffective at preventing otitis media in children with presumed viral upper respiratory infection: a randomized, double-blind equivalence, placebo-controlled trial. <i>British Journal of Clinical Pharmacology</i> , 2002 , 54, 652-6	3.8	17
29	The risk of hypertension in men: direct and indirect effects of chronic smoking. <i>Journal of Hypertension</i> , 2002 , 20, 187-93	1.9	69
28	Comparative evaluation of five different methods for the measurement of plasma factor II levels in carriers of the 20210A prothrombin variant. <i>Blood Coagulation and Fibrinolysis</i> , 2002 , 13, 465-70	1	4
27	Microalbuminuria in hypertensive nonproteinuric renal transplant recipients: influence of previous acute rejection episodes and sodium intake. <i>Transplantation Proceedings</i> , 2002 , 34, 801-2	1.1	4
26	Planning a reproducibility study: how many subjects and how many replicates per subject for an expected width of the 95 per cent confidence interval of the intraclass correlation coefficient. <i>Statistics in Medicine</i> , 2001 , 20, 3205-14	2.3	179
25	Histologic multifocality is predictive of skin recurrences after conserving treatment of stage I and II breast cancers. <i>Breast Cancer Research and Treatment</i> , 2001 , 68, 1-8	4.4	8
24	Quality of life in ALS is maintained as physical function declines. <i>Neurology</i> , 2001 , 57, 1939	6.5	10
23	Accuracy of color-Doppler in the quantification of proximal vertebral artery stenoses. <i>Cerebrovascular Diseases</i> , 2001 , 11, 335-40	3.2	41
22	Quantitative analysis of striatal dopamine D2 receptors with 123 I-iodolisuride SPECT in degenerative extrapyramidal diseases. <i>Nuclear Medicine Communications</i> , 2001 , 22, 1207-14	1.6	21

21	Initial color Doppler findings in retinal vein occlusion. <i>Journal of Clinical Ultrasound</i> , 2000 , 28, 28-33	1	21
20	Effects of current smoking and smoking discontinuation on renal function and proteinuria in the general population. <i>Kidney International</i> , 2000 , 58, 1285-92	9.9	105
19	Evaluation of left ventricular systolic function by 3D echocardiography: a comparative study with X-ray angiography and radionuclide angiography. <i>European Journal of Ultrasound: Official Journal of the European Federation of Societies for Ultrasound in Medicine and Biology</i> , 2000 , 11, 105-15		1
18	Radiographic assessment of hip osteoarthritis progression: impact of reading procedures for longitudinal studies. <i>Annals of the Rheumatic Diseases</i> , 2000 , 59, 422-7	2.4	34
17	Effects of spinal cord X-irradiation on the recovery of paraplegic rats. <i>Experimental Neurology</i> , 2000 , 161, 1-14	5.7	31
16	Beta-blockers and ventricular arrhythmias in dilated cardiomyopathy. <i>Journal of the American College of Cardiology</i> , 2000 , 35, 1993-4	15.1	2
15	Despite financial penalties, French physicians' knowledge of regulatory practice guidelines is poor. <i>Archives of Family Medicine</i> , 2000 , 9, 414-8		9
14	Blood lipid concentrations of docosahexaenoic and arachidonic acids at birth determine their relative postnatal changes in term infants fed breast milk or formula. <i>American Journal of Clinical Nutrition</i> , 1999 , 70, 292-8	7	61
13	Two Discordancy Tests for Location Slippage and Dispersion Slippage Outlier Detection in Agreement Studies 1999 , 48, 517-527		1
12	Individual smallest detectable difference in bone mineral density measurements. <i>Journal of Bone and Mineral Research</i> , 1999 , 14, 1449-56	6.3	84
11	Effects of joint lavage and steroid injection in patients with osteoarthritis of the knee: results of a multicenter, randomized, controlled trial. <i>Arthritis and Rheumatism</i> , 1999 , 42, 475-82		168
10	Methodologic issues for the assessment of reproducibility: comment on the article by Genant et al. <i>Arthritis and Rheumatism</i> , 1999 , 42, 1556-7		2
9	Assessing smallest detectable change over time in continuous structural outcome measures: application to radiological change in knee osteoarthritis. <i>Journal of Clinical Epidemiology</i> , 1999 , 52, 1225-30	5.7	52
8	Is anti-topoisomerase I a serum marker of pulmonary involvement in systemic sclerosis?. <i>Chest</i> , 1999 , 116, 715-20	5.3	41
7	Decrease in DLCO in systemic sclerosis correlates with acceleration of DTPA clearance. <i>European Respiratory Journal</i> , 1999 , 14, 728-9	13.6	3
6	Importance of Reproducibility in Responsiveness Issues. <i>Biometrical Journal</i> , 1998 , 40, 685-701	1.5	5
5	Angiotensin I-converting enzyme genotype influences arterial response to injury in normotensive rats. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1998 , 18, 235-43	9.4	37
4	Variability in knee radiographing: implication for definition of radiological progression in medial knee osteoarthritis. <i>Annals of the Rheumatic Diseases</i> , 1998 , 57, 624-9	2.4	61

3	Implementation of the Ottawa ankle rules in France. A multicenter randomized controlled trial. <i>JAMA - Journal of the American Medical Association</i> , 1997 , 277, 1935-1939	27.4	58
2	Case Influence on the Intraclass Correlation Coefficient Estimate. <i>Biometrics</i> , 1996 , 52, 1492	1.8	6
1	Negative values of the intraclass correlation coefficient are not theoretically possible. <i>Journal of Clinical Epidemiology</i> , 1996 , 49, 1205-6	5.7	54