

Maria Olszowska

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8634891/maria-olszowska-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

58
papers

532
citations

13
h-index

20
g-index

72
ext. papers

619
ext. citations

2.4
avg, IF

3.14
L-index

#	Paper	IF	Citations
58	Increased Levels of Platelets and Endothelial-Derived Microparticles in Patients With Non-Valvular Atrial Fibrillation During Rivaroxaban Therapy. <i>Clinical and Applied Thrombosis/Hemostasis</i> , 2021 , 27, 10760296211019465	3.3	2
57	Clinical application of stress echocardiography in valvular heart disease: an expert consensus of the Working Group on Valvular Heart Disease of the Polish Cardiac Society. <i>Kardiologia Polska</i> , 2020 , 78, 632-641	0.9	0
56	Flow Cytometric Assessment of Endothelial and Platelet Microparticles in Patients With Atrial Fibrillation Treated With Dabigatran. <i>Clinical and Applied Thrombosis/Hemostasis</i> , 2020 , 26, 10760296209724673	0.7	2
55	Transcatheter closure of atrial septal communication: Impact on quality of life in mid-term follow-up. <i>Advances in Clinical and Experimental Medicine</i> , 2019 , 28, 1079-1085	1.8	2
54	Assessment of Left Atrial Function in Patients with Paroxysmal, Persistent, and Permanent Atrial Fibrillation using Two-Dimensional Strain. <i>Journal of Atrial Fibrillation</i> , 2019 , 12, 2148	0.8	5
53	Noninvasive assessment of liver status in adult patients after the Fontan procedure. <i>Polish Archives of Internal Medicine</i> , 2019 , 129, 181-188	1.9	4
52	Interventional closure of patent foramen ovale in prevention of thromboembolic events. Consensus document of the Association of Cardiovascular Interventions and the Section of Grown-up Congenital Heart Disease of the Polish Cardiac Society. <i>Kardiologia Polska</i> , 2019 , 77, 1094-1105	0.9	2
51	Effect of ventricular function and volumes on exercise capacity in adults with repaired Tetralogy of Fallot. <i>Indian Heart Journal</i> , 2018 , 70, 87-92	1.6	5
50	Quality of life in adults with repaired tetralogy of Fallot. <i>Kardiochirurgia I Torakochirurgia Polska</i> , 2018 , 15, 107-113	0.3	2
49	What determines the quality of life of adult patients after Fontan procedure?. <i>Cardiology Journal</i> , 2018 , 25, 72-80	1.4	9
48	Transcatheter closure of atrial septal communication: impact on P-wave dispersion, duration, and arrhythmia in mid-term follow-up. <i>Kardiologia Polska</i> , 2018 , 76, 1465-1473	0.9	2
47	Long-Term Effects of Percutaneous Fenestration Following the Fontan Procedure in Adult Patients with Congenital Univentricular Heart. <i>Medical Science Monitor</i> , 2018 , 24, 3506-3513	3.2	4
46	Long-term follow-up in adults after tetralogy of Fallot repair. <i>Cardiovascular Ultrasound</i> , 2018 , 16, 28	2.4	7
45	Noninvasive techniques for the diagnosis of anomalous origin of the left coronary artery from the pulmonary artery in adult patients. <i>Acta Cardiologica</i> , 2017 , 72, 41-46	0.9	4
44	P4027 Safety and high-grade myocardial uptake of Whartons Jelly Pluripotent Stem Cells transcatheter transfer in acute myocardial infarction in man. <i>European Heart Journal</i> , 2017 , 38,	9.5	2
43	Aspirin resistance in adult patients after Fontan surgery. <i>International Journal of Cardiology</i> , 2015 , 181, 19-26	3.2	13
42	Arterial stiffness in adult patients after Fontan procedure. <i>Cardiovascular Ultrasound</i> , 2014 , 12, 15	2.4	22

41	Transcranial Doppler ultrasonography should it be the first choice for persistent foramen ovale screening?. <i>Cardiovascular Ultrasound</i> , 2014 , 12, 16	2.4	35
40	Iron deficiency and hematological changes in adult patients after Fontan operation. <i>Journal of Cardiology</i> , 2014 , 64, 384-9	3	18
39	Conduction Abnormality and Arrhythmia After Transcatheter Closure of Atrial Septal Defect. <i>Circulation Journal</i> , 2014 , 78, 2415-2421	2.9	16
38	The benefit of atrial septal defect closure in elderly patients. <i>Clinical Interventions in Aging</i> , 2014 , 9, 1101-7	1.7	27
37	Is it worth closing the atrial septal defect in patients with insignificant shunt?. <i>Postępy W Kardiologii Interwencyjnej</i> , 2014 , 10, 78-83	0.4	5
36	Secondary prevention in patients after hospitalisation due to coronary artery disease: what has changed since 2006?. <i>Kardiologia Polska</i> , 2014 , 72, 355-62	0.9	4
35	Assessment of left ventricle function in aortic stenosis: mitral annular plane systolic excursion is not inferior to speckle tracking echocardiography derived global longitudinal peak strain. <i>Cardiovascular Ultrasound</i> , 2013 , 11, 45	2.4	11
34	Cardiac surgery Long-term follow-up in adult patients after Fontan operations. <i>Kardiochirurgia I Torakochirurgia Polska</i> , 2013 , 4, 357-363	0.3	6
33	The benefit of atrial septal defect closure in patients with borderline shunt. <i>European Heart Journal</i> , 2013 , 34, P2078-P2078	9.5	
32	Infarct size determines myocardial uptake of CD34+ cells in the peri-infarct zone: results from a study of (99m)Tc-extametzime-labeled cell visualization integrated with cardiac magnetic resonance infarct imaging. <i>Circulation: Cardiovascular Imaging</i> , 2013 , 6, 320-8	3.9	22
31	SAT0243 Endothelial dysfunction reflected by high S-ICAM-1 and VWF levels accelerates coronary atherosclerosis in systemic lupus erythematosus patients. <i>Annals of the Rheumatic Diseases</i> , 2013 , 71, 554.1-554	2.4	
30	Nonstenotic bicuspid aortic valve is associated with elevated plasma asymmetric dimethylarginine. <i>Journal of Cardiovascular Medicine</i> , 2013 , 14, 446-52	1.9	17
29	Relationship between mitral leaflets angles, left ventricular geometry and mitral deformation indices in patients with ischemic mitral regurgitation: imaging by echocardiography and cardiac magnetic resonance. <i>International Journal of Cardiovascular Imaging</i> , 2012 , 28, 59-67	2.5	9
28	Assessment of left ventricle function in patients with symptomatic and asymptomatic aortic stenosis by 2-dimensional speckle-tracking imaging. <i>Medical Science Monitor</i> , 2012 , 18, MT91-6	3.2	8
27	Progressive bradycardia with increasing doses of dobutamine leading to stress echo interruption. <i>Cardiology Journal</i> , 2012 , 19, 79-80	1.4	2
26	Activated factor XI and tissue factor in aortic stenosis: links with thrombin generation. <i>Blood Coagulation and Fibrinolysis</i> , 2011 , 22, 473-9	1	15
25	Randomized transcatheter delivery of CD34(+) cells with perfusion versus stop-flow method in patients with recent myocardial infarction: Early cardiac retention of (111m)Tc-labeled cells activity. <i>Journal of Nuclear Cardiology</i> , 2011 , 18, 104-16	2.1	43
24	Pathogenesis and pathophysiology of aortic valve stenosis in adults. <i>Polish Archives of Internal Medicine</i> , 2011 , 121, 409-413	1.9	3

23	Pathogenesis and pathophysiology of aortic valve stenosis in adults 2011 , 121, 409-13		6
22	Myocardial viability detected by myocardial contrast echocardiography--prognostic value in patients after myocardial infarction. <i>Echocardiography</i> , 2010 , 27, 430-4	1.5	4
21	The dynamic assessment of right-ventricular function and its relation to exercise capacity in heart failure. <i>European Journal of Heart Failure</i> , 2010 , 12, 260-7	12.3	17
20	Usefulness of the evaluation of isovolumic and ejection phase myocardial signals during stress echocardiography in predicting exercise capacity in heart failure patients. <i>Echocardiography</i> , 2009 , 26, 1050-9	1.5	6
19	Chronic mitral regurgitation--significance of the echocardiographic determinants in predicting severity. <i>Acta Cardiologica</i> , 2009 , 64, 187-93	0.9	1
18	Assessment of resting perfusion defect in patients with acute myocardial infarction: comparison of myocardial contrast echocardiography with contrast-enhanced magnetic resonance imaging. <i>Kardiologia Polska</i> , 2009 , 67, 1013-8	0.9	1
17	Giant pericardial cyst compressing the right ventricle. <i>Annals of Thoracic Surgery</i> , 2008 , 85, 1811	2.7	3
16	Predictive factors of myocardial reperfusion in patients with anterior wall acute myocardial infarction. <i>Cardiology Journal</i> , 2008 , 15, 57-62	1.4	3
15	The prognostic value of contrast echocardiography in the prediction of the recovery of left ventricular function in patients with acute anterior myocardial infarction. <i>Kardiologia Polska</i> , 2006 , 64, 455-61; discussion 462-3	0.9	1
14	Transcoronary stem cell delivery using physiological endothelium-targeting perfusion technique: the rationale and a pilot study involving a comparison with conventional over-the-wire balloon coronary occlusions in patients after recent myocardial infarction. <i>Kardiologia Polska</i> , 2006 , 64, 489-98; discussion 499	0.9	8
13	Comparison of dual-chamber pacing with nonsurgical septal reduction effect in patients with hypertrophic obstructive cardiomyopathy. <i>International Journal of Cardiology</i> , 2004 , 94, 31-4	3.2	9
12	The value of myocardial contrast echocardiography compared with SPECT in detecting myocardial perfusion abnormalities in patients with anterior acute myocardial infarction. <i>Kardiologia Polska</i> , 2004 , 60, 27-38	0.9	5
11	The relationship between the Doppler indices of diastolic function and exercise capacity in patients with congestive heart failure. <i>Acta Cardiologica</i> , 2004 , 59, 218-9	0.9	
10	Vena contracta width as a simple method of assessing mitral valve regurgitation. Comparison with Doppler quantitative methods. <i>Journal of Heart Valve Disease</i> , 2004 , 13, 608-14		15
9	Myocardial ischemia assessed by Tc99m MIBI SPECT and left ventricle regional systolic and diastolic function evaluated by tissue Doppler echocardiography. <i>International Journal of Cardiovascular Imaging</i> , 2003 , 19, 315-21		5
8	Prognostic value of nitrate enhanced Tc99m MIBI SPECT study in detecting viable myocardium in patients with coronary artery disease. <i>International Journal of Cardiovascular Imaging</i> , 2003 , 19, 129-35		8
7	Assessment of myocardial perfusion in patients with coronary artery disease. Comparison of myocardial contrast echocardiography and 99mTc MIBI single photon emission computed tomography. <i>International Journal of Cardiology</i> , 2003 , 90, 49-55	3.2	24
6	Quantitative assessment of mitral regurgitation: comparison of echocardiographic and angiographic methods. <i>Acta Cardiologica</i> , 2002 , 57, 55-6	0.9	1

5	Long-term outcome in patients with unstable angina treated by coronary balloon angioplasty. <i>International Journal of Cardiology</i> , 2001 , 77, 13-24	3.2	3
4	Long-term outcome of coronary balloon angioplasty in diabetic patients. <i>International Journal of Cardiology</i> , 2000 , 76, 7-16	3.2	11
3	Left ventricular geometry and function in patients with aortic stenosis: gender differences. <i>International Journal of Cardiology</i> , 1999 , 71, 57-61	3.2	57
2	Hemangioma of the heart. <i>Clinical Cardiology</i> , 1998 , 21, 292	3.3	2
1	Clinical and echocardiographical study of the aortic homograft implantations in patients with Marfan syndrome. <i>International Journal of Cardiology</i> , 1997 , 60, 41-7	3.2	0