Malcolm D Riley

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8636698/publications.pdf

Version: 2024-02-01

62 papers 2,109 citations

218677 26 h-index 233421 45 g-index

70 all docs

70 docs citations

times ranked

70

2860 citing authors

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Beverage Intake and Associated Nutrient Contribution for Aboriginal and Torres Strait Islander Australians: Secondary Analysis of a National Dietary Survey 2012–2013. Nutrients, 2022, 14, 507. | 4.1 | 2 |
| 2 | Growth of Ready Meals in Australian Supermarkets: Nutrient Composition, Price and Serving Size. Foods, 2021, 10, 1667. | 4.3 | 9 |
| 3 | Adults with and without type 1 diabetes have similar energy and macronutrient intakes: an analysis from the Australian Health Survey 2011-2013. Nutrition Research, 2020, 84, 25-32. | 2.9 | 2 |
| 4 | Drink Choice is Important: Beverages Make a Substantial Contribution to Energy, Sugar, Calcium and Vitamin C Intake among Australians. Nutrients, 2019, 11, 1389. | 4.1 | 13 |
| 5 | High Chili Intake and Cognitive Function among 4582 Adults: An Open Cohort Study over 15 Years. Nutrients, 2019, 11, 1183. | 4.1 | 27 |
| 6 | Reply to "Comments on the Editor Re: Shi, Zumin, et al. High Chili Intake and Cognitive Function among 4582 Adults: An Open Cohort Study over 15 Years. Nutrients 11.5 (2019): 1183.― Nutrients, 2019, 11, 2882. | 4.1 | 0 |
| 7 | Burden and trend of diet-related non-communicable diseases in Australia and comparison with 34 OECD countries, 1990–2015: findings from the Global Burden of Disease Study 2015. European Journal of Nutrition, 2019, 58, 1299-1313. | 3.9 | 49 |
| 8 | The burden and nature of malnutrition among patients in regional hospital settings: A cross-sectional survey. Clinical Nutrition ESPEN, 2018, 23, 1-9. | 1.2 | 10 |
| 9 | Individualized Fracture Risk Feedback and Long-term Benefits After 10 Years. American Journal of Preventive Medicine, 2018, 54, 266-274. | 3.0 | 6 |
| 10 | Chilli intake is inversely associated with hypertension among adults. Clinical Nutrition ESPEN, 2018, 23, 67-72. | 1.2 | 21 |
| 11 | Association between dietary patterns, cadmium intake and chronic kidney disease among adults. Clinical Nutrition, 2018, 37, 276-284. | 5.0 | 82 |
| 12 | Association between dietary zinc intake and mortality among Chinese adults: findings from 10-year follow-up in the Jiangsu Nutrition Study. European Journal of Nutrition, 2018, 57, 2839-2846. | 3.9 | 23 |
| 13 | Income growth and climate change effects on global nutrition security to mid-century. Nature Sustainability, 2018, 1, 773-781. | 23.7 | 108 |
| 14 | Differential Impact of Malnutrition on Health Outcomes Among Indigenous and Non-Indigenous Adults Admitted to Hospital in Regional Australia—A Prospective Cohort Study. Nutrients, 2018, 10, 644. | 4.1 | 5 |
| 15 | Cadmium intake and chronic kidney disease: Response to Kawada T. Clinical Nutrition, 2018, 37, 1774. | 5.0 | 3 |
| 16 | A comparison of two malnutrition screening tools in acute medical inpatients and validation of a screening tool among adult Indigenous Australian patients. Asia Pacific Journal of Clinical Nutrition, 2018, 27, 1198-1206. | 0.4 | 0 |
| 17 | Australia's nutritional food balance: situation, outlook and policy implications. Food Security, 2017, 9, 211-226. | 5.3 | 13 |
| 18 | Chilli consumption and the incidence of overweight and obesity in a Chinese adult population. International Journal of Obesity, 2017, 41, 1074-1079. | 3.4 | 34 |

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 19 | Meal-specific food patterns and the incidence of hyperglycemia in a Chinese adult population. British Journal of Nutrition, 2017, 118, 53-59. | 2.3 | 15 |
| 20 | Changes in Food Intake in Australia: Comparing the 1995 and 2011 National Nutrition Survey Results Disaggregated into Basic Foods. Foods, 2016, 5, 40. | 4.3 | 34 |
| 21 | Dairy Intake Enhances Body Weight and Composition Changes during Energy Restriction in 18–50-Year-Old Adults—A Meta-Analysis of Randomized Controlled Trials. Nutrients, 2016, 8, 394. | 4.1 | 46 |
| 22 | The Indigenous Australian Malnutrition Project: the burden and impact of malnutrition in Aboriginal Australian and Torres Strait Islander hospital inpatients, and validation of a malnutrition screening tool for use in hospitals—study rationale and protocol. SpringerPlus, 2016, 5, 1296. | 1.2 | 4 |
| 23 | Alcoholic beverage intake throughout the week and contribution to dietary energy intake in Australian adults. Public Health Nutrition, 2016, 19, 2592-2602. | 2.2 | 11 |
| 24 | MON-P197: Nutritional Impact of Discrete Strategies to Reformulate or Reduce Discretionary Foods in the Australian Population. Clinical Nutrition, 2016, 35, S225-S226. | 5.0 | 0 |
| 25 | Role of food processing in food and nutrition security. Trends in Food Science and Technology, 2016, 56, 115-125. | 15.1 | 180 |
| 26 | A survey of consumer attitude towards nutrition and health statements on food labels in South Australia. Functional Foods in Health and Disease, 2016, 6, 809. | 0.6 | 6 |
| 27 | Dairy Food at the First Occasion of Eating Is Important for Total Dairy Food Intake for Australian Children. Nutrients, 2014, 6, 3878-3894. | 4.1 | 8 |
| 28 | Short communication: A food-systems approach to assessing dairy product waste. Journal of Dairy Science, 2014, 97, 6107-6110. | 3.4 | 7 |
| 29 | Sources and Correlates of Sodium Consumption inÂtheÂFirst 2 Years of Life. Journal of the Academy of Nutrition and Dietetics, 2014, 114, 1525-1532.e2. | 0.8 | 22 |
| 30 | Dairy food intake of Australian children and adolescents 2–16 years of age: 2007 Australian National Children's Nutrition and Physical Activity Survey – Corrigendum. Public Health Nutrition, 2013, 16, 187-187. | 2.2 | 0 |
| 31 | Optimisation Modelling to Assess Cost of Dietary Improvement in Remote Aboriginal Australia. PLoS ONE, 2013, 8, e83587. | 2.5 | 14 |
| 32 | Performance of Short Food Questions to Assess Aspects of the Dietary Intake of Australian Children. Nutrients, 2013, 5, 4822-4835. | 4.1 | 8 |
| 33 | Dairy food intake of Australian children and adolescents 2–16 years of age: 2007 Australian National Children's Nutrition and Physical Activity Survey. Public Health Nutrition, 2012, 15, 2060-2073. | 2.2 | 39 |
| 34 | An Extended Theory of Planned Behavior Intervention for Older Adults With Type 2 Diabetes and Cardiovascular Disease. Journal of Aging and Physical Activity, 2012, 20, 281-299. | 1.0 | 47 |
| 35 | Determinants of Childhood Adiposity: Evidence from the Australian LOOK Study. PLoS ONE, 2012, 7, e50014. | 2,5 | 21 |
| 36 | Estimating the impact of mandatory folic acid fortification on the folic acid intake of Australian women of childbearing age. Australian and New Zealand Journal of Public Health, 2011, 35, 442-450. | 1.8 | 7 |

3

| # | Article | IF | Citations |
|----|--|-----|-----------|
| 37 | The association between maternal diet during pregnancy and bone mass of the children at age 16. European Journal of Clinical Nutrition, 2010, 64, 131-137. | 2.9 | 63 |
| 38 | Dietitians Association of Australia 25th National Conference: Lecture in Honour of Johanna Coy. Nutrition and Dietetics, 2008, 65, 229-231. | 1.8 | 0 |
| 39 | Higher maternal dietary protein intake in late pregnancy is associated with a lower infant ponderal index at birth. European Journal of Clinical Nutrition, 2007, 61, 498-508. | 2.9 | 59 |
| 40 | FROM THE SUPPLEMENT EDITOR. Nutrition and Dietetics, 2007, 64, viii-viii. | 1.8 | 1 |
| 41 | The effect on behavior and bone mineral density of individualized bone mineral density feedback and educational interventions in premenopausal women: a randomized controlled trial [NCT00273260]. BMC Public Health, 2006, 6, 12. | 2.9 | 70 |
| 42 | Sociodemographic factors associated with calcium intake in premenopausal women: a cross-sectional study. European Journal of Clinical Nutrition, 2005, 59, 463-466. | 2.9 | 20 |
| 43 | lodine status in pregnant women living in Melbourne differs by ethnic group. Asia Pacific Journal of Clinical Nutrition, 2005, 14, 27-31. | 0.4 | 26 |
| 44 | Effect of Flavor and Awareness of Kilojoule Content of Drinks on Preference and Fluid Balance in Team Sports. International Journal of Sport Nutrition and Exercise Metabolism, 2002, 12, 81-92. | 2.1 | 37 |
| 45 | Body mass changes and voluntary fluid intakes of elite level water polo players and swimmers. Journal of Science and Medicine in Sport, 2002, 5, 183-193. | 1.3 | 52 |
| 46 | Food availability, cost disparity and improvement in relation to accessibility and remoteness in Queensland. Australian and New Zealand Journal of Public Health, 2002, 26, 266-272. | 1.8 | 42 |
| 47 | Association between urinary potassium, urinary sodium, current diet, and bone density in prepubertal children. American Journal of Clinical Nutrition, 2001, 73, 839-844. | 4.7 | 101 |
| 48 | Maternal diet during pregnancy is associated with bone mineral density in children: a longitudinal study. European Journal of Clinical Nutrition, 2000, 54, 749-756. | 2.9 | 65 |
| 49 | Nutritional health of indigenous peoples: whose responsibility?. Asia Pacific Journal of Clinical Nutrition, 2000, 9, 155-156. | 0.4 | 2 |
| 50 | Breastfeeding in Early Life and Bone Mass in Prepubertal Children: A Longitudinal Study. Osteoporosis International, 2000, 11, 146-152. | 3.1 | 78 |
| 51 | Water fluoridation, bone mass and fracture: a quantitative overview of the literature. Australian and New Zealand Journal of Public Health, 1999, 23, 34-40. | 1.8 | 17 |
| 52 | Vitamin D levels in prepubertal children in Southern Tasmania: prevalence and determinants. European Journal of Clinical Nutrition, 1999, 53, 824-829. | 2.9 | 62 |
| 53 | Maternal Smoking During Pregnancy, Growth, and Bone Mass in Prepubertal Children. Journal of Bone and Mineral Research, 1999, 14, 146-151. | 2.8 | 112 |
| 54 | Microalbuminuria is positively associated with usual dietary saturated fat intake and negatively associated with usual dietary protein intake in people with insulin-dependent diabetes mellitus. American Journal of Clinical Nutrition, 1998, 67, 50-57. | 4.7 | 57 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Parental History of Diabetes in an Insulinâ€treated Diabetes Registry. Diabetic Medicine, 1997, 14, 35-41. | 2.3 | 1 |
| 56 | Differences in HDL Cholesterol Concentrations in Japanese, American, and Australian Children. Circulation, 1997, 96, 2830-2836. | 1.6 | 43 |
| 57 | Body Weight Changes and Voluntary Fluid Intakes during Training and Competition Sessions in Team Sports. International Journal of Sport Nutrition, 1996, 6, 307-320. | 1.7 | 120 |
| 58 | Drowning fatalities of children in Tasmania: differences from national data. Australian and New Zealand Journal of Public Health, 1996, 20, 547-549. | 1.8 | 6 |
| 59 | Comparative Validity of a Food Frequency Questionnaire for Adults with IDDM. Diabetes Care, 1995, 18, 1249-1254. | 8.6 | 30 |
| 60 | The 1984 Tasmanian insulin treated diabetes mellitus prevalence cohort: An eight and a half year mortality follow-up investigation. Diabetes Research and Clinical Practice, 1995, 29, 27-35. | 2.8 | 14 |
| 61 | Effects of the heavy usage of kava on physical health: summary of a pilot survey in an Aboriginal community. Medical Journal of Australia, 1988, 148, 548-555. | 1.7 | 152 |
| 62 | The effects of heavy usage of kava on physical health. Medical Journal of Australia, 1988, 149, 342-342. | 1.7 | 3 |