

Christine Geffers

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8639944/publications.pdf>

Version: 2024-02-01

60
papers

2,503
citations

185998

28
h-index

197535

49
g-index

67
all docs

67
docs citations

67
times ranked

2395
citing authors

#	ARTICLE	IF	CITATIONS
1	Effect of antiseptic bathing with chlorhexidine or octenidine on central-line associated bloodstream infections in intensive care patients: a cluster-randomised controlled trial. <i>Clinical Microbiology and Infection</i> , 2022, , .	2.8	10
2	Corticosteroids as risk factor for COVID-19-associated pulmonary aspergillosis in intensive care patients. <i>Critical Care</i> , 2022, 26, 30.	2.5	38
3	Risk factors for nosocomial SARS-CoV-2 infections in patients: results from a retrospective matched caseâ€“control study in a tertiary care university center. <i>Antimicrobial Resistance and Infection Control</i> , 2022, 11, 9.	1.5	9
4	Successful control of <i>Candida auris</i> transmission in a German COVIDâ€“19 intensive care unit. <i>Mycoses</i> , 2022, 65, 643-649.	1.8	17
5	No increase of device associated infections in German intensive care units during the start of the COVID-19 pandemic in 2020. <i>Antimicrobial Resistance and Infection Control</i> , 2022, 11, 67.	1.5	13
6	Reduction of antibacterial use in patients with very low birth weight on German NICUs after implementation of a mandatory surveillance system. A longitudinal study with national data from 2013 to 2019. <i>Journal of Infection</i> , 2022, 85, 8-16.	1.7	2
7	Mortality attributable to hospital acquired infections with multidrug-resistant bacteria in a large group of German hospitals. <i>Journal of Infection and Public Health</i> , 2020, 13, 204-210.	1.9	17
8	Surveillance of external ventricular drainage-associated meningitis and ventriculitis in German intensive care units. <i>Infection Control and Hospital Epidemiology</i> , 2020, 41, 452-457.	1.0	8
9	Time and personnel requirements for antimicrobial stewardship in small hospitals in a rural area in Germany. <i>Journal of Infection and Public Health</i> , 2020, 13, 1946-1950.	1.9	1
10	Multidrug-resistant bacteria in a paediatric palliative care inpatient unit: results of a one year surveillance. <i>GMS Hygiene and Infection Control</i> , 2020, 15, Doc03.	0.2	4
11	Nudge to better care - blood cultures and catheter-related bloodstream infections in Germany at two points in time (2006, 2015). <i>Antimicrobial Resistance and Infection Control</i> , 2018, 7, 141.	1.5	9
12	Continuous increase of vancomycin resistance in enterococci causing nosocomial infections in Germany â”â€“10Âyears of surveillance. <i>Antimicrobial Resistance and Infection Control</i> , 2018, 7, 54.	1.5	108
13	ICU mortality following ICU-acquired primary bloodstream infections according to the type of pathogen: A prospective cohort study in 937 Germany ICUs (2006-2015). <i>PLoS ONE</i> , 2018, 13, e0194210.	1.1	42
14	Preventive bundles to reduce catheter-associated bloodstream infections in neonatal intensive care. <i>GMS Hygiene and Infection Control</i> , 2018, 13, Doc10.	0.2	6
15	Dual-strain probiotics reduce NEC, mortality and neonatal bloodstream infections among extremely low birthweight infants. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 2017, 102, F559-F560.	1.4	4
16	Pathogen-specific mortality in very low birth weight infants with primary bloodstream infection. <i>PLoS ONE</i> , 2017, 12, e0180134.	1.1	38
17	The Implementation of an Evidence-Based Bundle for Bloodstream Infections in Neonatal Intensive Care Units in Germany: A Controlled Intervention Study to Improve Patient Safety. <i>Infection Control and Hospital Epidemiology</i> , 2016, 37, 798-804.	1.0	13
18	An observational study of the universal use of octenidine to decrease nosocomial bloodstream infections and MDR organisms. <i>Journal of Antimicrobial Chemotherapy</i> , 2016, 71, 2569-2576.	1.3	52

#	ARTICLE	IF	CITATIONS
19	Pathogen-Specific Clustering of Nosocomial Blood Stream Infections in Very Preterm Infants. <i>Pediatrics</i> , 2016, 137, .	1.0	20
20	Protective Effect of Dual-Strain Probiotics in Preterm Infants: A Multi-Center Time Series Analysis. <i>PLoS ONE</i> , 2016, 11, e0158136.	1.1	47
21	Surveillance of bloodstream infections in pediatric cancer centers - what have we learned and how do we move on?. <i>GMS Hygiene and Infection Control</i> , 2016, 11, Doc11.	0.2	10
22	Proposing an Empirically Justified Reference Threshold for Blood Culture Sampling Rates in Intensive Care Units. <i>Journal of Clinical Microbiology</i> , 2015, 53, 648-652.	1.8	33
23	An outbreak of carbapenem-resistant OXA-48 " producing <i>Klebsiella pneumonia</i> associated to duodenoscopy. <i>Antimicrobial Resistance and Infection Control</i> , 2015, 4, 8.	1.5	121
24	Mortality Due to Bloodstream Infections and Necrotizing Enterocolitis in Very Low Birth Weight Infants. <i>Pediatric Infectious Disease Journal</i> , 2015, 34, 235-240.	1.1	17
25	Gender-Specific Differences in Surgical Site Infections: An Analysis of 438,050 Surgical Procedures from the German National Nosocomial Infections Surveillance System. <i>Viszeralmedizin</i> , 2014, 30, 114-117.	0.0	37
26	Dramatic increase in vancomycin-resistant enterococci in Germany. <i>Journal of Antimicrobial Chemotherapy</i> , 2014, 69, 1660-1664.	1.3	124
27	The mother as most important risk factor for colonization of very low birth weight (VLBW) infants with extended-spectrum β -lactamase-producing Enterobacteriaceae (ESBL-E). <i>Journal of Antimicrobial Chemotherapy</i> , 2014, 69, 2230-2237.	1.3	86
28	The Reduction of Nosocomial MRSA Infection in Germany. <i>Deutsches A&#x0308;rzteblatt International</i> , 2014, 111, 331-6.	0.6	43
29	Attributable costs of ventilator-associated lower respiratory tract infection (LRTI) acquired on intensive care units: a retrospectively matched cohort study. <i>Antimicrobial Resistance and Infection Control</i> , 2013, 2, 13.	1.5	22
30	The impact of staffing on central venous catheter-associated bloodstream infections in preterm neonates " results of nation-wide cohort study in Germany. <i>Antimicrobial Resistance and Infection Control</i> , 2013, 2, 11.	1.5	32
31	Establishment of a National Surveillance System for Alcohol-Based Hand Rub Consumption and Change in Consumption over 4 Years. <i>Infection Control and Hospital Epidemiology</i> , 2012, 33, 618-620.	1.0	26
32	The step from a voluntary to a mandatory national nosocomial infection surveillance system: the influence on infection rates and surveillance effect. <i>Antimicrobial Resistance and Infection Control</i> , 2012, 1, 24.	1.5	16
33	Concordance between European and US case definitions of healthcare-associated infections. <i>Antimicrobial Resistance and Infection Control</i> , 2012, 1, 28.	1.5	33
34	Decreasing healthcare-associated infections (HAI) is an efficient method to decrease healthcare-associated Methicillin-resistant <i>S.aureus</i> (MRSA) infections Antimicrobial resistance data from the German national nosocomial surveillance system KISS. <i>Antimicrobial Resistance and Infection Control</i> , 2012, 1, 3.	1.5	12
35	Individual units rather than entire hospital as the basis for improvement: the example of two Methicillin resistant <i>Staphylococcus aureus</i> cohort studies. <i>Antimicrobial Resistance and Infection Control</i> , 2012, 1, 8.	1.5	3
36	Laminar Airflow Ceiling Size: No Impact on Infection Rates Following Hip and Knee Prosthesis. <i>Infection Control and Hospital Epidemiology</i> , 2011, 32, 1097-1102.	1.0	75

#	ARTICLE	IF	CITATIONS
37	Screening and control of methicillin-resistant <i>Staphylococcus aureus</i> in 186 intensive care units: different situations and individual solutions. <i>Critical Care</i> , 2011, 15, R285.	2.5	8
38	Nosocomial Infections and Multidrug-resistant Organisms in Germany. <i>Deutsches Arzteblatt International</i> , 2011, 108, 87-93.	0.6	155
39	In Reply. <i>Deutsches Arzteblatt International</i> , 2011, 108, 320.	0.6	1
40	Pneumonia associated with invasive and noninvasive ventilation: an analysis of the German nosocomial infection surveillance system database. <i>Intensive Care Medicine</i> , 2010, 36, 971-978.	3.9	79
41	Häufigkeit und Vermeidbarkeit nosokomialer Infektionen – Eine Hochrechnung für Deutschland. <i>Krankenhaushygiene Und Infektionsverhütung</i> , 2010, 32, 140-143.	0.0	1
42	Use of Central Venous Catheter and Peripheral Venous Catheter as Risk Factors for Nosocomial Bloodstream Infection in Very-Low-Birth-Weight Infants. <i>Infection Control and Hospital Epidemiology</i> , 2010, 31, 395-401.	1.0	50
43	Representativeness of the Surveillance Data in the Intensive Care Unit Component of the German Nosocomial Infections Surveillance System. <i>Infection Control and Hospital Epidemiology</i> , 2010, 31, 934-938.	1.0	24
44	Early- and Late-Onset Pneumonia: Is This Still a Useful Classification?. <i>Antimicrobial Agents and Chemotherapy</i> , 2009, 53, 2714-2718.	1.4	84
45	Ten years of KISS: The most important requirements for success. <i>Journal of Hospital Infection</i> , 2008, 70, 11-16.	1.4	124
46	Transmission-associated nosocomial infections: Prolongation of intensive care unit stay and risk factor analysis using multistate models. <i>American Journal of Infection Control</i> , 2008, 36, 98-103.	1.1	23
47	Mortality Attributable to Hospital-Acquired Infections Among Surgical Patients. <i>Infection Control and Hospital Epidemiology</i> , 2008, 29, 1167-1170.	1.0	26
48	Risk factors for the development of nosocomial pneumonia and mortality on intensive care units: application of competing risks models. <i>Critical Care</i> , 2008, 12, R44.	2.5	114
49	Krankenhaushygienische Maßnahmen. , 2008, , 187-200.		0
50	Nosocomial infection in small for gestational age newborns with birth weight < 1500 g: a multicentre analysis. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 2007, 92, F449-F453.	1.4	48
51	Let MRSA-positive patients live a normal life. <i>Nephrology Dialysis Transplantation</i> , 2006, 21, 835-836.	0.4	2
52	How many infections are caused by patient-to-patient transmission in intensive care units?*. <i>Critical Care Medicine</i> , 2005, 33, 946-951.	0.4	164
53	Risk of Transmission of Nosocomial Methicillin-Resistant <i>Staphylococcus aureus</i> (MRSA) From Patients Colonized With MRSA. <i>Infection Control and Hospital Epidemiology</i> , 2005, 26, 114-115.	1.0	18
54	Positive Predictive Value of a Percutaneously Drawn Blood Culture Growing Skin Flora Varies Markedly by Organism. <i>Infection Control and Hospital Epidemiology</i> , 2005, 26, 507-509.	1.0	1

#	ARTICLE	IF	CITATIONS
55	To Isolate or Not to Isolate? Analysis of Data From the German Nosocomial Infection Surveillance System Regarding the Placement of Patients With Methicillin-Resistant Staphylococcus aureus in Private Rooms in Intensive Care Units. Infection Control and Hospital Epidemiology, 2004, 25, 109-113.	1.0	74
56	The relationship between methodological trial quality and the effects of impregnated central venous catheters. Intensive Care Medicine, 2003, 29, 403-409.	3.9	29
57	Reducing Central Venous Catheter-Associated Primary Bloodstream Infections in Intensive Care Units Is Possible: Data From The German Nosocomial Infection Surveillance System. Infection Control and Hospital Epidemiology, 2003, 24, 501-505.	1.0	78
58	Five years working with the German nosocomial infection surveillance system (Krankenhaus) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 622 T	1.1	104
59	Converting Incidence and Prevalence Data of Nosocomial Infections Results From Eight Hospitals. Infection Control and Hospital Epidemiology, 2001, 22, 31-34.	1.0	58
60	Surveillance of Nosocomial Infections in Icus: Is Postdischarge Surveillance Indispensable?. Infection Control and Hospital Epidemiology, 2001, 22, 157-159.	1.0	11