

Djillali Annane

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/863997/publications.pdf>

Version: 2024-02-01

171
papers

49,252
citations

22132

59
h-index

5677

162
g-index

192
all docs

192
docs citations

192
times ranked

37843
citing authors

#	ARTICLE	IF	CITATIONS
1	The Third International Consensus Definitions for Sepsis and Septic Shock (Sepsis-3). JAMA - Journal of the American Medical Association, 2016, 315, 801.	3.8	16,554
2	Surviving Sepsis Campaign: International Guidelines for Management of Sepsis and Septic Shock: 2016. Intensive Care Medicine, 2017, 43, 304-377.	3.9	4,590
3	Surviving Sepsis Campaign: International Guidelines for Management of Severe Sepsis and Septic Shock, 2012. Intensive Care Medicine, 2013, 39, 165-228.	3.9	3,906
4	Hydrocortisone Therapy for Patients with Septic Shock. New England Journal of Medicine, 2008, 358, 111-124.	13.9	2,900
5	Effect of Treatment With Low Doses of Hydrocortisone and Fludrocortisone on Mortality in Patients With Septic Shock. JAMA - Journal of the American Medical Association, 2002, 288, 862.	3.8	2,698
6	Association Between Administration of Systemic Corticosteroids and Mortality Among Critically Ill Patients With COVID-19. JAMA - Journal of the American Medical Association, 2020, 324, 1330.	3.8	1,855
7	Recommendations for the diagnosis and management of corticosteroid insufficiency in critically ill adult patients: Consensus statements from an international task force by the American College of Critical Care Medicine. Critical Care Medicine, 2008, 36, 1937-1949.	0.4	1,405
8	Septic shock. Lancet, The, 2005, 365, 63-78.	6.3	1,282
9	A 3-Level Prognostic Classification in Septic Shock Based on Cortisol Levels and Cortisol Response to Corticotropin. JAMA - Journal of the American Medical Association, 2000, 283, 1038.	3.8	886
10	Therapeutic Anticoagulation with Heparin in Noncritically Ill Patients with Covid-19. New England Journal of Medicine, 2021, 385, 790-802.	13.9	778
11	Therapeutic Anticoagulation with Heparin in Critically Ill Patients with Covid-19. New England Journal of Medicine, 2021, 385, 777-789.	13.9	712
12	Current Epidemiology of Septic Shock. American Journal of Respiratory and Critical Care Medicine, 2003, 168, 165-172.	2.5	615
13	Hydrocortisone plus Fludrocortisone for Adults with Septic Shock. New England Journal of Medicine, 2018, 378, 809-818.	13.9	606
14	Effects of Fluid Resuscitation With Colloids vs Crystalloids on Mortality in Critically Ill Patients Presenting With Hypovolemic Shock. JAMA - Journal of the American Medical Association, 2013, 310, 1809.	3.8	594
15	Norepinephrine plus dobutamine versus epinephrine alone for management of septic shock: a randomised trial. Lancet, The, 2007, 370, 676-684.	6.3	508
16	Timing of Renal-Replacement Therapy in Patients with Acute Kidney Injury and Sepsis. New England Journal of Medicine, 2018, 379, 1431-1442.	13.9	417
17	Effect of Hydrocortisone on 21-Day Mortality or Respiratory Support Among Critically Ill Patients With COVID-19. JAMA - Journal of the American Medical Association, 2020, 324, 1298.	3.8	388
18	Circulating vasopressin levels in septic shock. Critical Care Medicine, 2003, 31, 1752-1758.	0.4	379

#	ARTICLE	IF	CITATIONS
19	Enteral versus parenteral early nutrition in ventilated adults with shock: a randomised, controlled, multicentre, open-label, parallel-group study (NUTRIREA-2). <i>Lancet, The</i> , 2018, 391, 133-143.	6.3	371
20	Diagnosis of Adrenal Insufficiency in Severe Sepsis and Septic Shock. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2006, 174, 1319-1326.	2.5	350
21	Apoptosis of neurons in cardiovascular autonomic centres triggered by inducible nitric oxide synthase after death from septic shock. <i>Lancet, The</i> , 2003, 362, 1799-1805.	6.3	313
22	Effect of low doses of corticosteroids in septic shock patients with or without early acute respiratory distress syndrome*. <i>Critical Care Medicine</i> , 2006, 34, 22-30.	0.4	303
23	Inappropriate Sympathetic Activation at Onset of Septic Shock. <i>American Journal of Respiratory and Critical Care Medicine</i> , 1999, 160, 458-465.	2.5	294
24	The Neuropathology of Septic Shock. <i>Brain Pathology</i> , 2004, 14, 21-33.	2.1	275
25	Corticosteroid Treatment and Intensive Insulin Therapy for Septic Shock in Adults. <i>JAMA - Journal of the American Medical Association</i> , 2010, 303, 341.	3.8	247
26	Guidelines for the Diagnosis and Management of Critical Illness-Related Corticosteroid Insufficiency (CIRCI) in Critically Ill Patients (Part I): Society of Critical Care Medicine (SCCM) and European Society of Intensive Care Medicine (ESICM) 2017. <i>Critical Care Medicine</i> , 2017, 45, 2078-2088.	0.4	234
27	Activation and Regulation of Systemic Inflammation in ARDS. <i>Chest</i> , 2009, 136, 1631-1643.	0.4	233
28	Cognitive decline after sepsis. <i>Lancet Respiratory Medicine</i> , the, 2015, 3, 61-69.	5.2	222
29	Guidelines for the diagnosis and management of critical illness-related corticosteroid insufficiency (CIRCI) in critically ill patients (Part I): Society of Critical Care Medicine (SCCM) and European Society of Intensive Care Medicine (ESICM) 2017. <i>Intensive Care Medicine</i> , 2017, 43, 1751-1763.	3.9	220
30	Corticosteroids in Sepsis: An Updated Systematic Review and Meta-Analysis. <i>Critical Care Medicine</i> , 2018, 46, 1411-1420.	0.4	193
31	Incidence and Prognosis of Sustained Arrhythmias in Critically Ill Patients. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2008, 178, 20-25.	2.5	174
32	Effect of Convalescent Plasma on Organ Support and Free Days in Critically Ill Patients With COVID-19. <i>JAMA - Journal of the American Medical Association</i> , 2021, 326, 1690.	3.8	169
33	Effect of procalcitonin-guided antibiotic treatment on clinical outcomes in intensive care unit patients with infection and sepsis patients: a patient-level meta-analysis of randomized trials. <i>Critical Care</i> , 2018, 22, 191.	2.5	163
34	Corticosteroids in COVID-19 and non-COVID-19 ARDS: a systematic review and meta-analysis. <i>Intensive Care Medicine</i> , 2021, 47, 521-537.	3.9	148
35	Intravenous Vitamin C in Adults with Sepsis in the Intensive Care Unit. <i>New England Journal of Medicine</i> , 2022, 386, 2387-2398.	13.9	146
36	Metabolomics of exhaled breath in critically ill COVID-19 patients: A pilot study. <i>EBioMedicine</i> , 2021, 63, 103154.	2.7	143

#	ARTICLE	IF	CITATIONS
37	Intravenous fluid therapy in the perioperative and critical care setting: Executive summary of the International Fluid Academy (IFA). <i>Annals of Intensive Care</i> , 2020, 10, 64.	2.2	134
38	Critical illness-related corticosteroid insufficiency (CIRCI): a narrative review from a Multispecialty Task Force of the Society of Critical Care Medicine (SCCM) and the European Society of Intensive Care Medicine (ESICM). <i>Intensive Care Medicine</i> , 2017, 43, 1781-1792.	3.9	132
39	Eculizumab as an emergency treatment for adult patients with severe COVID-19 in the intensive care unit: A proof-of-concept study. <i>EclinicalMedicine</i> , 2020, 28, 100590.	3.2	129
40	Bench-to-bedside review: β_2 -Adrenergic modulation in sepsis. <i>Critical Care</i> , 2009, 13, 230.	2.5	115
41	Corticosteroids for treating sepsis. <i>The Cochrane Library</i> , 2015, , CD002243.	1.5	111
42	Current use of vasopressors in septic shock. <i>Annals of Intensive Care</i> , 2019, 9, 20.	2.2	109
43	Corticosteroids in septic shock: a systematic review and network meta-analysis. <i>Critical Care</i> , 2017, 21, 78.	2.5	97
44	Corticosteroid treatment in severe COVID-19 patients with acute respiratory distress syndrome. <i>Journal of Clinical Investigation</i> , 2020, 130, 6417-6428.	3.9	96
45	Clinical review: corticotherapy in sepsis. <i>Critical Care</i> , 2003, 8, 122.	2.5	95
46	Vasopressin for treatment of vasodilatory shock: an ESICM systematic review and meta-analysis. <i>Intensive Care Medicine</i> , 2012, 38, 9-19.	3.9	88
47	Multicenter comparison of cortisol as measured by different methods in samples of patients with septic shock. <i>Intensive Care Medicine</i> , 2009, 35, 2151-2156.	3.9	85
48	Multifocal necrotizing leukoencephalopathy in septic shock. <i>Critical Care Medicine</i> , 2002, 30, 2371-2375.	0.4	83
49	Pharmacological principles guiding prolonged glucocorticoid treatment in ARDS. <i>Intensive Care Medicine</i> , 2020, 46, 2284-2296.	3.9	79
50	Immune Effects of Corticosteroids in Sepsis. <i>Frontiers in Immunology</i> , 2018, 9, 1736.	2.2	77
51	Corticosteroid therapy for sepsis: a clinical practice guideline. <i>BMJ: British Medical Journal</i> , 2018, 362, k3284.	2.4	76
52	Value and mechanisms of EEG reactivity in the prognosis of patients with impaired consciousness: a systematic review. <i>Critical Care</i> , 2018, 22, 184.	2.5	73
53	Recombinant Human Activated Protein C for Adults with Septic Shock. A Randomized Controlled Trial. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2013, 187, 1091-1097.	2.5	69
54	A global perspective on vasoactive agents in shock. <i>Intensive Care Medicine</i> , 2018, 44, 833-846.	3.9	69

#	ARTICLE	IF	CITATIONS
55	Brainstem responses can predict death and delirium in sedated patients in intensive care unit*. Critical Care Medicine, 2011, 39, 1960-1967.	0.4	68
56	Prevention of Adrenal Crisis: Cortisol Responses to Major Stress Compared to Stress Dose Hydrocortisone Delivery. Journal of Clinical Endocrinology and Metabolism, 2020, 105, 2262-2274.	1.8	68
57	Corticosteroids for treating sepsis in children and adults. The Cochrane Library, 2019, 2019, CD002243.	1.5	67
58	Effects of esmolol on systemic and pulmonary hemodynamics and on oxygenation in pigs with hypodynamic endotoxin shock. Intensive Care Medicine, 2011, 37, 1344-1351.	3.9	64
59	Corticosteroids for severe sepsis: an evidence-based guide for physicians. Annals of Intensive Care, 2011, 1, 7.	2.2	64
60	Treatment of COVID-19-associated ARDS with mesenchymal stromal cells: a multicenter randomized double-blind trial. Critical Care, 2022, 26, 48.	2.5	62
61	Circulating biomarkers may be unable to detect infection at the early phase of sepsis in ICU patients: the CAPTAIN prospective multicenter cohort study. Intensive Care Medicine, 2018, 44, 1061-1070.	3.9	60
62	The Role of ACTH and Corticosteroids for Sepsis and Septic Shock: An Update. Frontiers in Endocrinology, 2016, 7, 70.	1.5	57
63	Diaphragm: Pathophysiology and Ultrasound Imaging in Neuromuscular Disorders. Journal of Neuromuscular Diseases, 2018, 5, 1-10.	1.1	57
64	Metabolic support in the critically ill: a consensus of 19. Critical Care, 2019, 23, 318.	2.5	55
65	Current practice and evolving concepts in septic shock resuscitation. Intensive Care Medicine, 2022, 48, 148-163.	3.9	55
66	Critical Illness-Related Corticosteroid Insufficiency (CIRCI): A Narrative Review from a Multispecialty Task Force of the Society of Critical Care Medicine (SCCM) and the European Society of Intensive Care Medicine (ESICM). Critical Care Medicine, 2017, 45, 2089-2098.	0.4	53
67	Guidelines for the diagnosis and management of critical illness-related corticosteroid insufficiency (CIRCI) in critically ill patients (Part II): Society of Critical Care Medicine (SCCM) and European Society of Intensive Care Medicine (ESICM) 2017. Intensive Care Medicine, 2018, 44, 474-477.	3.9	48
68	Improving clinical trials in the critically ill: Unique challenge€”Sepsis. Critical Care Medicine, 2009, 37, S117-S128.	0.4	44
69	Changes in CRH and ACTH Synthesis during Experimental and Human Septic Shock. PLoS ONE, 2011, 6, e25905.	1.1	42
70	Guidelines for the Diagnosis and Management of Critical Illness-Related Corticosteroid Insufficiency (CIRCI) in Critically Ill Patients (Part II): Society of Critical Care Medicine (SCCM) and European Society of Intensive Care Medicine (ESICM) 2017. Critical Care Medicine, 2018, 46, 146-148.	0.4	40
71	Corticosteroids for COVID-19. Journal of Intensive Medicine, 2021, 1, 14-25.	0.8	40
72	Impact of Coronavirus Disease 2019 in a French Cohort of Myasthenia Gravis. Neurology, 2021, 96, e2109-e2120.	1.5	38

#	ARTICLE	IF	CITATIONS
73	Equilibrating SSC guidelines with individualized care. <i>Critical Care</i> , 2021, 25, 397.	2.5	38
74	Human and experimental septic shock are characterized by depletion of lipid droplets in the adrenals. <i>Intensive Care Medicine</i> , 2010, 36, 1852-1858.	3.9	37
75	The Absence of Adrenal Gland Enlargement during Septic Shock Predicts Mortality. <i>Anesthesiology</i> , 2011, 115, 334-343.	1.3	37
76	Quantification of plasma remdesivir and its metabolite GS-441524 using liquid chromatography coupled to tandem mass spectrometry. Application to a Covid-19 treated patient. <i>Clinical Chemistry and Laboratory Medicine</i> , 2020, 58, 1461-1468.	1.4	36
77	Current use of inotropes in circulatory shock. <i>Annals of Intensive Care</i> , 2021, 11, 21.	2.2	35
78	COVID-19 Lung Pathogenesis in SARS-CoV-2 Autopsy Cases. <i>Frontiers in Immunology</i> , 2021, 12, 735922.	2.2	35
79	Osmoregulation of vasopressin secretion is altered in the postacute phase of septic shock*. <i>Critical Care Medicine</i> , 2010, 38, 1962-1969.	0.4	34
80	EMA recommendation to suspend HES is hazardous. <i>Lancet, The</i> , 2018, 391, 736-738.	6.3	33
81	Assessment of Machine Learning to Estimate the Individual Treatment Effect of Corticosteroids in Septic Shock. <i>JAMA Network Open</i> , 2020, 3, e2029050.	2.8	31
82	Brainstem response patterns in deeply-sedated critically-ill patients predict 28-day mortality. <i>PLoS ONE</i> , 2017, 12, e0176012.	1.1	30
83	Corticosteroid therapy for critically ill patients with COVID-19: A structured summary of a study protocol for a prospective meta-analysis of randomized trials. <i>Trials</i> , 2020, 21, 734.	0.7	30
84	Myorelaxants in ARDS patients. <i>Intensive Care Medicine</i> , 2020, 46, 2357-2372.	3.9	30
85	COVID-19 associated EBV reactivation and effects of ganciclovir treatment. <i>Immunity, Inflammation and Disease</i> , 2022, 10, e597.	1.3	30
86	Pannexin-1 channel opening is critical for COVID-19 pathogenesis. <i>IScience</i> , 2021, 24, 103478.	1.9	28
87	Etomidate and intensive care physicians. <i>Intensive Care Medicine</i> , 2005, 31, 1454-1454.	3.9	27
88	Vagus Nerve Stimulation: A Potential Adjunct Therapy for COVID-19. <i>Frontiers in Medicine</i> , 2021, 8, 625836.	1.2	27
89	Designing and conducting a randomized trial for pandemic critical illness: the 2009 H1N1 influenza pandemic. <i>Intensive Care Medicine</i> , 2012, 38, 29-39.	3.9	26
90	Pharmacokinetics of oral fludrocortisone in septic shock. <i>British Journal of Clinical Pharmacology</i> , 2016, 82, 1509-1516.	1.1	26

#	ARTICLE	IF	CITATIONS
91	Association between prophylactic angiotensin-converting enzyme inhibitors and overall survival in Duchenne muscular dystrophy—analysis of registry data. <i>European Heart Journal</i> , 2021, 42, 1976-1984.	1.0	25
92	Vasopressin Synthesis by the Magnocellular Neurons is Different in the Supraoptic Nucleus and in the Paraventricular Nucleus in Human and Experimental Septic Shock. <i>Brain Pathology</i> , 2010, 20, 613-622.	2.1	24
93	Emerging drugs for the treatment of sepsis. <i>Expert Opinion on Emerging Drugs</i> , 2016, 21, 27-37.	1.0	24
94	Physiological predictors of respiratory and cough assistance needs after extubation. <i>Annals of Intensive Care</i> , 2018, 8, 18.	2.2	23
95	Prospective Cohort Study Evaluating the Prognostic Value of Simple EEG Parameters in Postanoxic Coma. <i>Clinical EEG and Neuroscience</i> , 2016, 47, 75-82.	0.9	22
96	Judging quality of current septic shock definitions and criteria. <i>Critical Care</i> , 2015, 19, 445.	2.5	20
97	Lessening Organ dysfunction with VITamin C (LOVIT): protocol for a randomized controlled trial. <i>Trials</i> , 2020, 21, 42.	0.7	19
98	Overexpression of GILZ in macrophages limits systemic inflammation while increasing bacterial clearance in sepsis in mice. <i>European Journal of Immunology</i> , 2020, 50, 589-602.	1.6	19
99	Managing toxic shock syndrome with antibiotics. <i>Expert Opinion on Pharmacotherapy</i> , 2004, 5, 1701-1710.	0.9	18
100	Neurophysiological assessment of brain dysfunction in critically ill patients: an update. <i>Neurological Sciences</i> , 2017, 38, 715-726.	0.9	17
101	Targeting skeletal muscle tissue oxygenation (StO ₂) in adults with severe sepsis and septic shock: a randomised controlled trial (OTO-StS Study). <i>BMJ Open</i> , 2018, 8, e017581.	0.8	17
102	Cross-sectional study on COVID-19 vaccine hesitancy and determinants in healthcare students: interdisciplinary trainings on vaccination are needed. <i>BMC Medical Education</i> , 2022, 22, 299.	1.0	17
103	Cortisol replacement for severe sepsis and septic shock: what should I do?. <i>Critical Care</i> , 2002, 6, 190.	2.5	16
104	Early impairment of intracranial conduction time predicts mortality in deeply sedated critically ill patients: a prospective observational pilot study. <i>Annals of Intensive Care</i> , 2017, 7, 63.	2.2	16
105	Why My Steroid Trials in Septic Shock Were “Positive”, <i>Critical Care Medicine</i> , 2019, 47, 1789-1793.	0.4	16
106	Intravenous immunoglobulin treatment for patients with severe COVID-19: a retrospective multicentre study. <i>Clinical Microbiology and Infection</i> , 2021, 27, 1488-1493.	2.8	16
107	Complement Inhibition and COVID-19: The Story so Far. <i>ImmunoTargets and Therapy</i> , 2021, Volume 10, 273-284.	2.7	16
108	Endocrine effects of vasopressin in critically ill patients. <i>Bailliere's Best Practice and Research in Clinical Anaesthesiology</i> , 2008, 22, 265-273.	1.7	15

#	ARTICLE	IF	CITATIONS
109	Population pharmacokinetics of lopinavir/ritonavir in Covid-19 patients. <i>European Journal of Clinical Pharmacology</i> , 2021, 77, 389-397.	0.8	15
110	Thirst Perception and Osmoregulation of Vasopressin Secretion Are Altered During Recovery From Septic Shock. <i>PLoS ONE</i> , 2013, 8, e80190.	1.1	15
111	Are systematic reviews and meta-analyses still useful research? Yes. <i>Intensive Care Medicine</i> , 2018, 44, 512-514.	3.9	14
112	Risk factors for secondary hemophagocytic lymphohistiocytosis in severe coronavirus disease 2019 adult patients. <i>BMC Infectious Diseases</i> , 2021, 21, 398.	1.3	14
113	Successful cardiac resynchronisation therapy in Duchenne muscular dystrophy: A 5-year follow-up. <i>Presse Medicale</i> , 2014, 43, 330-331.	0.8	13
114	Design and conduct of the activated protein C and corticosteroids for human septic shock (APROCCHSS) trial. <i>Annals of Intensive Care</i> , 2016, 6, 43.	2.2	13
115	Association of kidney function with effectiveness of procalcitonin-guided antibiotic treatment: a patient-level meta-analysis from randomized controlled trials. <i>Clinical Chemistry and Laboratory Medicine</i> , 2021, 59, 441-453.	1.4	13
116	Steroids are part of rescue therapy in ARDS patients with refractory hypoxemia: yes. <i>Intensive Care Medicine</i> , 2016, 42, 918-920.	3.9	12
117	Association Between Anxiety and New Organ Failure, Independently of Critical Illness Severity and Respiratory Status: A Prospective Multicentric Cohort Study. <i>Critical Care Medicine</i> , 2020, 48, 1471-1479.	0.4	12
118	Sepsis in the critically ill patient: current and emerging management strategies. <i>Expert Review of Anti-Infective Therapy</i> , 2021, 19, 635-647.	2.0	12
119	Cardiac implantable electronic devices in tracheotomized muscular dystrophy patients: Safety and risks. <i>International Journal of Cardiology</i> , 2016, 222, 975-977.	0.8	11
120	Sepsis-associated delirium: the pro and con of C5a blockade. <i>Critical Care</i> , 2009, 13, 135.	2.5	10
121	Randomized Controlled Study Evaluating Efficiency of Low Intensity Transcranial Direct Current Stimulation (tDCS) for Dyspnea Relief in Mechanically Ventilated COVID-19 Patients in ICU: The tDCS-DYSP-COVID Protocol. <i>Frontiers in Medicine</i> , 2020, 7, 372.	1.2	10
122	Corticosteroids and pneumonia: time to change practice. <i>Lancet, The</i> , 2015, 385, 1484-1485.	6.3	9
123	Corticosteroids in sepsis: an updated systematic review and meta-analysis (protocol). <i>BMJ Open</i> , 2017, 7, e016847.	0.8	9
124	Body temperature in sepsis: a hot topic. <i>Lancet Respiratory Medicine, the</i> , 2018, 6, 162-163.	5.2	9
125	Intensive care units, the Achilles heel of France in the COVID-19 battle. <i>Lancet Regional Health - Europe, The</i> , 2021, 2, 100046.	3.0	9
126	Efficacy of Thymosin Alpha 1 in the Treatment of COVID-19: A Multicenter Cohort Study. <i>Frontiers in Immunology</i> , 2021, 12, 673693.	2.2	9

#	ARTICLE	IF	CITATIONS
127	Light therapy and chronobiology in critical illness. <i>Lancet Respiratory Medicine</i> , 2016, 4, 167-168.	5.2	7
128	Complement inhibition in severe COVID-19 – Blocking C5a seems to be key: Author's reply. <i>EClinicalMedicine</i> , 2021, 35, 100866.	3.2	7
129	Nutritional status, swallowing disorders, and respiratory prognosis in adult Duchenne muscular dystrophy patients. <i>Pediatric Pulmonology</i> , 2021, 56, 2146-2154.	1.0	7
130	Adjunct Therapy for Sepsis: How Early?. <i>Current Infectious Disease Reports</i> , 2010, 12, 361-367.	1.3	6
131	Diastolic function in Steinert's disease. <i>Neurology International</i> , 2014, 6, 5140.	1.3	6
132	Beta-blockers in septic shock to optimize hemodynamics? We are not sure. <i>Intensive Care Medicine</i> , 2016, 42, 1613-1614.	3.9	6
133	What patient data should be collected in this randomized controlled trial in sepsis?. <i>Intensive Care Medicine</i> , 2016, 42, 2011-2013.	3.9	6
134	Is the literature inconclusive about the harm from HES? Yes. <i>Intensive Care Medicine</i> , 2017, 43, 1520-1522.	3.9	6
135	Do I have a conflict of interest? Yes. <i>Intensive Care Medicine</i> , 2018, 44, 1741-1743.	3.9	6
136	Left bundle branch block in Duchenne muscular dystrophy: Prevalence, genetic relationship and prognosis. <i>PLoS ONE</i> , 2018, 13, e0190518.	1.1	6
137	Academic conflict of interest. <i>Intensive Care Medicine</i> , 2019, 45, 13-20.	3.9	6
138	SARS-CoV-2 reinfections among hospital staff in the greater Paris area. <i>Journal of Travel Medicine</i> , 2021, 28, .	1.4	6
139	Duration of antibiotic treatment using procalcitonin-guided treatment algorithms in older patients: a patient-level meta-analysis from randomized controlled trials. <i>Age and Ageing</i> , 2021, 50, 1546-1556.	0.7	6
140	Impact of early low-calorie low-protein versus standard-calorie standard-protein feeding on outcomes of ventilated adults with shock: design and conduct of a randomised, controlled, multicentre, open-label, parallel-group trial (NUTRIREA-3). <i>BMJ Open</i> , 2021, 11, e045041.	0.8	6
141	Adjunctive treatment in septic shock: What's next?. <i>Presse Medicale</i> , 2016, 45, e105-e109.	0.8	5
142	Time for a new definition of death?. <i>Resuscitation</i> , 2018, 127, e14-e15.	1.3	5
143	Monocyte distribution width as a biomarker of resistance to corticosteroids in patients with sepsis: the MOCORSEP observational study. <i>Intensive Care Medicine</i> , 2021, 47, 1161-1164.	3.9	5
144	Prolonged corticosteroid treatment in acute respiratory distress syndrome: impact on mortality and ventilator-free days. <i>Critical Care</i> , 2018, 22, 135.	2.5	4

#	ARTICLE	IF	CITATIONS
145	Impact of Angiotensin-Converting Enzyme Inhibitors and Angiotensin II Receptor Blockers in Hypertensive Patients with COVID-19 (COVIDECA Study). <i>American Journal of Cardiology</i> , 2021, 147, 58-60.	0.7	4
146	Diaphragm Ultrasound in Cardiac Surgery: State of the Art. <i>Medicines (Basel, Switzerland)</i> , 2022, 9, 5.	0.7	4
147	Effects of low-dose hydrocortisone and hydrocortisone plus fludrocortisone in adults with septic shock: a protocol for a systematic review and meta-analysis of individual participant data. <i>BMJ Open</i> , 2020, 10, e040931.	0.8	3
148	The cuff leak test in critically ill patients: An international survey of intensivists. <i>Acta Anaesthesiologica Scandinavica</i> , 2021, 65, 1087-1094.	0.7	3
149	Population Pharmacokinetics of Hydroxychloroquine and 3 Metabolites in COVID-19 Patients and Pharmacokinetic/Pharmacodynamic Application. <i>Pharmaceuticals</i> , 2022, 15, 256.	1.7	3
150	Lessening Organ Dysfunction With Vitamin C (LOVIT) Trial: Statistical Analysis Plan. <i>JMIR Research Protocols</i> , 2022, 11, e36261.	0.5	3
151	Hyperbaric oxygen therapy for acute domestic carbon monoxide poisoning: two randomized controlled trials: reply to comment by Birmingham and Hoffman. <i>Intensive Care Medicine</i> , 2011, 37, 1219-1219.	3.9	2
152	The authors reply. <i>Critical Care Medicine</i> , 2013, 41, e483.	0.4	2
153	Mortality in Patients With Hypovolemic Shock Treated With Colloids or Crystalloidsâ€”Reply. <i>JAMA - Journal of the American Medical Association</i> , 2014, 311, 1069.	3.8	2
154	Precision medicine for corticotherapy in COVID-19. <i>Intensive Care Medicine</i> , 2022, 48, 926-929.	3.9	2
155	Steroids in Patients With Septic Shock. <i>Chest</i> , 2009, 136, 323-324.	0.4	1
156	Paving a New Road for Generating Evidence-Based Care in Sepsis*. <i>Critical Care Medicine</i> , 2014, 42, 1743-1744.	0.4	1
157	The Endocrine System in Sepsis. , 2018, , 61-79.		1
158	Discrepancies in guidelines for acute respiratory distress syndrome. <i>Lancet, The</i> , 2018, 392, 2550-2551.	6.3	1
159	Response to Letter to the Editor: â€œPrevention of Adrenal Crisis: Cortisol Response to Major Stress Compared to Stress Dose Hydrocortisone Deliveryâ€” <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021, 106, e404-e406.	1.8	1
160	Glucocorticoid-Glucocorticoid Receptor Response to Severe Acute Respiratory Syndrome Coronavirus 2. <i>Critical Care Medicine</i> , 2021, Publish Ahead of Print, 2157-2160.	0.4	1
161	Early abolition of cough reflex predicts mortality in deeply sedated brain-injured patients. <i>PeerJ</i> , 2020, 8, e10326.	0.9	1
162	Outcomes of Hospitalised Muscular Dystrophy Patients. <i>Journal of Neuromuscular Diseases</i> , 2017, 4, 165-168.	1.1	1

#	ARTICLE	IF	CITATIONS
163	SARS-CoV-2 in coronary blood from thrombus aspiration in a patient with myocardial infarction. <i>Coronary Artery Disease</i> , 2021, Publish Ahead of Print, .	0.3	1
164	High parasternal intercostal muscle thickening prior to intubation in COVID-19 infection. <i>Radiology Case Reports</i> , 2022, 17, 843-846.	0.2	1
165	Colloids in Septic Patients. <i>Transfusion Alternatives in Transfusion Medicine</i> , 2006, 8, 21-21.	0.2	0
166	Does intensive insulin therapy affect the cortisol response of critically ill patients?. <i>Nature Clinical Practice Endocrinology and Metabolism</i> , 2007, 3, 336-337.	2.9	0
167	Evidence to Practice Gap. <i>Critical Care Medicine</i> , 2015, 43, 2259-2260.	0.4	0
168	Aspirin for the primary prevention of sepsis. <i>Lancet Respiratory Medicine</i> , the, 2021, 9, 121-122.	5.2	0
169	The pandemic in French intensive care unitsâ€” Author's response. <i>Lancet Regional Health - Europe</i> , The, 2021, 5, 100134.	3.0	0
170	Response to Letter to the Editor from Chee et al: â€œPrevention of Adrenal Crisis: Cortisol Response to Major Stress Compared to Stress Dose Hydrocortisone Deliveryâ€• <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021, 106, e407-e408.	1.8	0
171	Corticosteroids for treating sepsis in children and adults. <i>Emergencias</i> , 2021, 33, 137-138.	0.6	0