

Djillali Annane

List of Publications by Citations

Source: <https://exaly.com/author-pdf/863997/djillali-annane-publications-by-citations.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

156
papers

33,028
citations

49
h-index

181
g-index

192
ext. papers

41,949
ext. citations

11.8
avg, IF

6.79
L-index

#	Paper	IF	Citations
156	The Third International Consensus Definitions for Sepsis and Septic Shock (Sepsis-3). <i>JAMA - Journal of the American Medical Association</i> , 2016 , 315, 801-10	27.4	10067
155	Surviving Sepsis Campaign: International Guidelines for Management of Sepsis and Septic Shock: 2016. <i>Intensive Care Medicine</i> , 2017 , 43, 304-377	14.5	3178
154	Surviving Sepsis Campaign: international guidelines for management of severe sepsis and septic shock, 2012. <i>Intensive Care Medicine</i> , 2013 , 39, 165-228	14.5	2975
153	Hydrocortisone therapy for patients with septic shock. <i>New England Journal of Medicine</i> , 2008 , 358, 111-34.2	39.2	2485
152	Effect of treatment with low doses of hydrocortisone and fludrocortisone on mortality in patients with septic shock. <i>JAMA - Journal of the American Medical Association</i> , 2002 , 288, 862-71	27.4	2112
151	Recommendations for the diagnosis and management of corticosteroid insufficiency in critically ill adult patients: consensus statements from an international task force by the American College of Critical Care Medicine. <i>Critical Care Medicine</i> , 2008 , 36, 1937-49	1.4	1238
150	Septic shock. <i>Lancet, The</i> , 2005 , 365, 63-78	40	1110
149	Association Between Administration of Systemic Corticosteroids and Mortality Among Critically Ill Patients With COVID-19: A Meta-analysis. <i>JAMA - Journal of the American Medical Association</i> , 2020 , 324, 1330-1341	27.4	1083
148	A 3-level prognostic classification in septic shock based on cortisol levels and cortisol response to corticotropin. <i>JAMA - Journal of the American Medical Association</i> , 2000 , 283, 1038-45	27.4	701
147	Current epidemiology of septic shock: the CUB-RB Network. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2003 , 168, 165-72	10.2	518
146	Effects of fluid resuscitation with colloids vs crystalloids on mortality in critically ill patients presenting with hypovolemic shock: the CRISTAL randomized trial. <i>JAMA - Journal of the American Medical Association</i> , 2013 , 310, 1809-17	27.4	425
145	Norepinephrine plus dobutamine versus epinephrine alone for management of septic shock: a randomised trial. <i>Lancet, The</i> , 2007 , 370, 676-84	40	397
144	Hydrocortisone plus Fludrocortisone for Adults with Septic Shock. <i>New England Journal of Medicine</i> , 2018 , 378, 809-818	59.2	381
143	Circulating vasopressin levels in septic shock. <i>Critical Care Medicine</i> , 2003 , 31, 1752-8	1.4	332
142	Diagnosis of adrenal insufficiency in severe sepsis and septic shock. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2006 , 174, 1319-26	10.2	282
141	Apoptosis of neurons in cardiovascular autonomic centres triggered by inducible nitric oxide synthase after death from septic shock. <i>Lancet, The</i> , 2003 , 362, 1799-805	40	255
140	Inappropriate sympathetic activation at onset of septic shock: a spectral analysis approach. <i>American Journal of Respiratory and Critical Care Medicine</i> , 1999 , 160, 458-65	10.2	245

139	Effect of low doses of corticosteroids in septic shock patients with or without early acute respiratory distress syndrome. <i>Critical Care Medicine</i> , 2006 , 34, 22-30	1.4	243
138	Timing of Renal-Replacement Therapy in Patients with Acute Kidney Injury and Sepsis. <i>New England Journal of Medicine</i> , 2018 , 379, 1431-1442	59.2	234
137	Effect of Hydrocortisone on 21-Day Mortality or Respiratory Support Among Critically Ill Patients With COVID-19: A Randomized Clinical Trial. <i>JAMA - Journal of the American Medical Association</i> , 2020 , 324, 1298-1306	27.4	229
136	Therapeutic Anticoagulation with Heparin in Critically Ill Patients with Covid-19. <i>New England Journal of Medicine</i> , 2021 , 385, 777-789	59.2	227
135	The neuropathology of septic shock. <i>Brain Pathology</i> , 2004 , 14, 21-33	6	225
134	Enteral versus parenteral early nutrition in ventilated adults with shock: a randomised, controlled, multicentre, open-label, parallel-group study (NUTRIREA-2). <i>Lancet, The</i> , 2018 , 391, 133-143	40	218
133	Therapeutic Anticoagulation with Heparin in Noncritically Ill Patients with Covid-19. <i>New England Journal of Medicine</i> , 2021 , 385, 790-802	59.2	203
132	Corticosteroid treatment and intensive insulin therapy for septic shock in adults: a randomized controlled trial. <i>JAMA - Journal of the American Medical Association</i> , 2010 , 303, 341-8	27.4	190
131	Activation and regulation of systemic inflammation in ARDS: rationale for prolonged glucocorticoid therapy. <i>Chest</i> , 2009 , 136, 1631-1643	5.3	180
130	Cognitive decline after sepsis. <i>Lancet Respiratory Medicine, the</i> , 2015 , 3, 61-9	35.1	151
129	Guidelines for the Diagnosis and Management of Critical Illness-Related Corticosteroid Insufficiency (CIRCI) in Critically Ill Patients (Part I): Society of Critical Care Medicine (SCCM) and European Society of Intensive Care Medicine (ESICM) 2017. <i>Critical Care Medicine</i> , 2017 , 45, 2078-2088	1.4	140
128	Corticosteroids in Sepsis: An Updated Systematic Review and Meta-Analysis. <i>Critical Care Medicine</i> , 2018 , 46, 1411-1420	1.4	136
127	Incidence and prognosis of sustained arrhythmias in critically ill patients. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2008 , 178, 20-5	10.2	130
126	Guidelines for the diagnosis and management of critical illness-related corticosteroid insufficiency (CIRCI) in critically ill patients (Part I): Society of Critical Care Medicine (SCCM) and European Society of Intensive Care Medicine (ESICM) 2017. <i>Intensive Care Medicine</i> , 2017 , 43, 1751-1763	14.5	123
125	Bench-to-bedside review: Beta-adrenergic modulation in sepsis. <i>Critical Care</i> , 2009 , 13, 230	10.8	95
124	Effect of procalcitonin-guided antibiotic treatment on clinical outcomes in intensive care unit patients with infection and sepsis patients: a patient-level meta-analysis of randomized trials. <i>Critical Care</i> , 2018 , 22, 191	10.8	93
123	Clinical review: corticotherapy in sepsis. <i>Critical Care</i> , 2004 , 8, 122-9	10.8	81
122	Corticosteroids for treating sepsis. <i>The Cochrane Library</i> , 2015 , CD002243	5.2	79

121	Eculizumab as an emergency treatment for adult patients with severe COVID-19 in the intensive care unit: A proof-of-concept study. <i>EClinicalMedicine</i> , 2020 , 28, 100590	11.3	78
120	Critical illness-related corticosteroid insufficiency (CIRCI): a narrative review from a Multispecialty Task Force of the Society of Critical Care Medicine (SCCM) and the European Society of Intensive Care Medicine (ESICM). <i>Intensive Care Medicine</i> , 2017 , 43, 1781-1792	14.5	77
119	Multifocal necrotizing leukoencephalopathy in septic shock. <i>Critical Care Medicine</i> , 2002 , 30, 2371-5	1.4	73
118	Corticosteroids in septic shock: a systematic review and network meta-analysis. <i>Critical Care</i> , 2017 , 21, 78	10.8	67
117	Vasopressin for treatment of vasodilatory shock: an ESICM systematic review and meta-analysis. <i>Intensive Care Medicine</i> , 2012 , 38, 9-19	14.5	65
116	Multicenter comparison of cortisol as measured by different methods in samples of patients with septic shock. <i>Intensive Care Medicine</i> , 2009 , 35, 2151-6	14.5	64
115	Recombinant human activated protein C for adults with septic shock: a randomized controlled trial. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2013 , 187, 1091-7	10.2	61
114	Current use of vasopressors in septic shock. <i>Annals of Intensive Care</i> , 2019 , 9, 20	8.9	58
113	Corticosteroid therapy for sepsis: a clinical practice guideline. <i>BMJ, The</i> , 2018 , 362, k3284	5.9	56
112	Effects of esmolol on systemic and pulmonary hemodynamics and on oxygenation in pigs with hypodynamic endotoxin shock. <i>Intensive Care Medicine</i> , 2011 , 37, 1344-51	14.5	54
111	Metabolomics of exhaled breath in critically ill COVID-19 patients: A pilot study. <i>EBioMedicine</i> , 2021 , 63, 103154	8.8	53
110	Corticosteroids for severe sepsis: an evidence-based guide for physicians. <i>Annals of Intensive Care</i> , 2011 , 1, 7	8.9	52
109	Brainstem responses can predict death and delirium in sedated patients in intensive care unit. <i>Critical Care Medicine</i> , 2011 , 39, 1960-7	1.4	51
108	Corticosteroid treatment in severe COVID-19 patients with acute respiratory distress syndrome. <i>Journal of Clinical Investigation</i> , 2020 , 130, 6417-6428	15.9	51
107	Immune Effects of Corticosteroids in Sepsis. <i>Frontiers in Immunology</i> , 2018 , 9, 1736	8.4	45
106	Value and mechanisms of EEG reactivity in the prognosis of patients with impaired consciousness: a systematic review. <i>Critical Care</i> , 2018 , 22, 184	10.8	41
105	Corticosteroids in COVID-19 and non-COVID-19 ARDS: a systematic review and meta-analysis. <i>Intensive Care Medicine</i> , 2021 , 47, 521-537	14.5	41
104	A global perspective on vasoactive agents in shock. <i>Intensive Care Medicine</i> , 2018 , 44, 833-846	14.5	40

103	Intravenous fluid therapy in the perioperative and critical care setting: Executive summary of the International Fluid Academy (IFA). <i>Annals of Intensive Care</i> , 2020 , 10, 64	8.9	40
102	Pharmacological principles guiding prolonged glucocorticoid treatment in ARDS. <i>Intensive Care Medicine</i> , 2020 , 46, 2284-2296	14.5	39
101	The Role of ACTH and Corticosteroids for Sepsis and Septic Shock: An Update. <i>Frontiers in Endocrinology</i> , 2016 , 7, 70	5.7	38
100	Metabolic support in the critically ill: a consensus of 19. <i>Critical Care</i> , 2019 , 23, 318	10.8	37
99	Effect of Convalescent Plasma on Organ Support-Free Days in Critically Ill Patients With COVID-19: A Randomized Clinical Trial. <i>JAMA - Journal of the American Medical Association</i> , 2021 , 326, 1690-1702	27.4	37
98	Improving clinical trials in the critically ill: unique challenge--sepsis. <i>Critical Care Medicine</i> , 2009 , 37, S117-128	11.28	36
97	Prevention of Adrenal Crisis: Cortisol Responses to Major Stress Compared to Stress Dose Hydrocortisone Delivery. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020 , 105,	5.6	35
96	Changes in CRH and ACTH synthesis during experimental and human septic shock. <i>PLoS ONE</i> , 2011 , 6, e25905	3.7	34
95	Circulating biomarkers may be unable to detect infection at the early phase of sepsis in ICU patients: the CAPTAIN prospective multicenter cohort study. <i>Intensive Care Medicine</i> , 2018 , 44, 1061-1070	11.5	32
94	Corticosteroids for treating sepsis in children and adults. <i>The Cochrane Library</i> , 2019 , 12, CD002243	5.2	32
93	Critical Illness-Related Corticosteroid Insufficiency (CIRCI): A Narrative Review from a Multispecialty Task Force of the Society of Critical Care Medicine (SCCM) and the European Society of Intensive Care Medicine (ESICM). <i>Critical Care Medicine</i> , 2017 , 45, 2089-2098	1.4	31
92	Human and experimental septic shock are characterized by depletion of lipid droplets in the adrenals. <i>Intensive Care Medicine</i> , 2010 , 36, 1852-8	14.5	31
91	Diaphragm: Pathophysiology and Ultrasound Imaging in Neuromuscular Disorders. <i>Journal of Neuromuscular Diseases</i> , 2018 , 5, 1-10	5	30
90	Guidelines for the diagnosis and management of critical illness-related corticosteroid insufficiency (CIRCI) in critically ill patients (Part II): Society of Critical Care Medicine (SCCM) and European Society of Intensive Care Medicine (ESICM) 2017. <i>Intensive Care Medicine</i> , 2018 , 44, 474-477	14.5	30
89	Guidelines for the Diagnosis and Management of Critical Illness-Related Corticosteroid Insufficiency (CIRCI) in Critically Ill Patients (Part II): Society of Critical Care Medicine (SCCM) and European Society of Intensive Care Medicine (ESICM) 2017. <i>Critical Care Medicine</i> , 2018 , 46, 146-148	1.4	29
88	Osmoregulation of vasopressin secretion is altered in the postacute phase of septic shock. <i>Critical Care Medicine</i> , 2010 , 38, 1962-9	1.4	29
87	The absence of adrenal gland enlargement during septic shock predicts mortality: a computed tomography study of 239 patients. <i>Anesthesiology</i> , 2011 , 115, 334-43	4.3	27
86	Designing and conducting a randomized trial for pandemic critical illness: the 2009 H1N1 influenza pandemic. <i>Intensive Care Medicine</i> , 2012 , 38, 29-39	14.5	23

85	Brainstem response patterns in deeply-sedated critically-ill patients predict 28-day mortality. <i>PLoS ONE</i> , 2017 , 12, e0176012	3.7	22
84	Pharmacokinetics of oral fludrocortisone in septic shock. <i>British Journal of Clinical Pharmacology</i> , 2016 , 82, 1509-1516	3.8	22
83	Etomidate and intensive care physicians. <i>Intensive Care Medicine</i> , 2005 , 31, 1454-1454	14.5	22
82	Quantification of plasma remdesivir and its metabolite GS-441524 using liquid chromatography coupled to tandem mass spectrometry. Application to a Covid-19 treated patient. <i>Clinical Chemistry and Laboratory Medicine</i> , 2020 , 58, 1461-1468	5.9	21
81	Vasopressin synthesis by the magnocellular neurons is different in the supraoptic nucleus and in the paraventricular nucleus in human and experimental septic shock. <i>Brain Pathology</i> , 2010 , 20, 613-22	6	19
80	EMA recommendation to suspend HES is hazardous. <i>Lancet, The</i> , 2018 , 391, 736-738	40	18
79	Emerging drugs for the treatment of sepsis. <i>Expert Opinion on Emerging Drugs</i> , 2016 , 21, 27-37	3.7	16
78	Prospective Cohort Study Evaluating the Prognostic Value of Simple EEG Parameters in Postanoxic Coma. <i>Clinical EEG and Neuroscience</i> , 2016 , 47, 75-82	2.3	16
77	Judging quality of current septic shock definitions and criteria. <i>Critical Care</i> , 2015 , 19, 445	10.8	15
76	Managing toxic shock syndrome with antibiotics. <i>Expert Opinion on Pharmacotherapy</i> , 2004 , 5, 1701-10	4	15
75	Cortisol replacement for severe sepsis and septic shock: what should I do?. <i>Critical Care</i> , 2002 , 6, 190-1	10.8	15
74	Thirst perception and osmoregulation of vasopressin secretion are altered during recovery from septic shock. <i>PLoS ONE</i> , 2013 , 8, e80190	3.7	15
73	Corticosteroid therapy for critically ill patients with COVID-19: A structured summary of a study protocol for a prospective meta-analysis of randomized trials. <i>Trials</i> , 2020 , 21, 734	2.8	15
72	Endocrine effects of vasopressin in critically ill patients. <i>Baillieres Best Practice and Research in Clinical Anaesthesiology</i> , 2008 , 22, 265-73	4	14
71	Impact of Coronavirus Disease 2019 in a French Cohort of Myasthenia Gravis. <i>Neurology</i> , 2021 , 96, e21096-21094	6.2	14
70	Neurophysiological assessment of brain dysfunction in critically ill patients: an update. <i>Neurological Sciences</i> , 2017 , 38, 715-726	3.5	13
69	Successful cardiac resynchronisation therapy in Duchenne muscular dystrophy: a 5-year follow-up. <i>Presse Medicale</i> , 2014 , 43, 330-1	2.2	12
68	Corticosteroids for COVID-19. <i>Journal of Intensive Medicine</i> , 2021 , 1, 14-25		12

67	Targeting skeletal muscle tissue oxygenation (StO) in adults with severe sepsis and septic shock: a randomised controlled trial (OTO-StS Study). <i>BMJ Open</i> , 2018 , 8, e017581	3	11
66	Why My Steroid Trials in Septic Shock Were "Positive". <i>Critical Care Medicine</i> , 2019 , 47, 1789-1793	1.4	11
65	Current use of inotropes in circulatory shock. <i>Annals of Intensive Care</i> , 2021 , 11, 21	8.9	11
64	Assessment of Machine Learning to Estimate the Individual Treatment Effect of Corticosteroids in Septic Shock. <i>JAMA Network Open</i> , 2020 , 3, e2029050	10.4	11
63	Myorelaxants in ARDS patients. <i>Intensive Care Medicine</i> , 2020 , 46, 2357-2372	14.5	10
62	Physiological predictors of respiratory and cough assistance needs after extubation. <i>Annals of Intensive Care</i> , 2018 , 8, 18	8.9	10
61	Early impairment of intracranial conduction time predicts mortality in deeply sedated critically ill patients: a prospective observational pilot study. <i>Annals of Intensive Care</i> , 2017 , 7, 63	8.9	9
60	Cardiac implantable electronic devices in tracheotomized muscular dystrophy patients: Safety and risks. <i>International Journal of Cardiology</i> , 2016 , 222, 975-977	3.2	9
59	Design and conduct of the activated protein C and corticosteroids for human septic shock (APROCCHSS) trial. <i>Annals of Intensive Care</i> , 2016 , 6, 43	8.9	9
58	Lessening Organ dysfunction with VITamin C (LOVIT): protocol for a randomized controlled trial. <i>Trials</i> , 2020 , 21, 42	2.8	9
57	Corticosteroids and pneumonia: time to change practice. <i>Lancet, The</i> , 2015 , 385, 1484-5	40	8
56	COVID-19 Lung Pathogenesis in SARS-CoV-2 Autopsy Cases. <i>Frontiers in Immunology</i> , 2021 , 12, 735922	8.4	8
55	Association between prophylactic angiotensin-converting enzyme inhibitors and overall survival in Duchenne muscular dystrophy-analysis of registry data. <i>European Heart Journal</i> , 2021 , 42, 1976-1984	9.5	8
54	Risk factors for secondary hemophagocytic lymphohistiocytosis in severe coronavirus disease 2019 adult patients. <i>BMC Infectious Diseases</i> , 2021 , 21, 398	4	8
53	Vagus Nerve Stimulation: A Potential Adjunct Therapy for COVID-19. <i>Frontiers in Medicine</i> , 2021 , 8, 625836	16	8
52	Population pharmacokinetics of lopinavir/ritonavir in Covid-19 patients. <i>European Journal of Clinical Pharmacology</i> , 2021 , 77, 389-397	2.8	8
51	Sepsis-associated delirium: the pro and con of C5a blockade. <i>Critical Care</i> , 2009 , 13, 135	10.8	7
50	Overexpression of GILZ in macrophages limits systemic inflammation while increasing bacterial clearance in sepsis in mice. <i>European Journal of Immunology</i> , 2020 , 50, 589-602	6.1	7

49	Light therapy and chronobiology in critical illness. <i>Lancet Respiratory Medicine</i> , 2016 , 4, 167-8	35.1	6
48	Corticosteroids in sepsis: an updated systematic review and meta-analysis (protocol). <i>BMJ Open</i> , 2017 , 7, e016847	3	6
47	Adjunct therapy for sepsis: how early?. <i>Current Infectious Disease Reports</i> , 2010 , 12, 361-7	3.9	6
46	Association of kidney function with effectiveness of procalcitonin-guided antibiotic treatment: a patient-level meta-analysis from randomized controlled trials. <i>Clinical Chemistry and Laboratory Medicine</i> , 2020 , 59, 441-453	5.9	6
45	Intensive care units, the Achilles heel of France in the COVID-19 battle. <i>Lancet Regional Health - Europe</i> , 2021 , 2, 100046		6
44	Intravenous immunoglobulin treatment for patients with severe COVID-19: a retrospective multicentre study. <i>Clinical Microbiology and Infection</i> , 2021 , 27, 1488-1493	9.5	6
43	Left bundle branch block in Duchenne muscular dystrophy: Prevalence, genetic relationship and prognosis. <i>PLoS ONE</i> , 2018 , 13, e0190518	3.7	5
42	Randomized Controlled Study Evaluating Efficiency of Low Intensity Transcranial Direct Current Stimulation (tDCS) for Dyspnea Relief in Mechanically Ventilated COVID-19 Patients in ICU: The tDCS-DYSP-COVID Protocol. <i>Frontiers in Medicine</i> , 2020 , 7, 372	4.9	5
41	Association Between Anxiety and New Organ Failure, Independently of Critical Illness Severity and Respiratory Status: A Prospective Multicentric Cohort Study. <i>Critical Care Medicine</i> , 2020 , 48, 1471-1479	1.4	5
40	Complement Inhibition and COVID-19: The Story so Far. <i>ImmunoTargets and Therapy</i> , 2021 , 10, 273-284	9	5
39	COVID-19 associated EBV reactivation and effects of ganciclovir treatment.. <i>Immunity, Inflammation and Disease</i> , 2022 , 10, e597	2.4	5
38	Current practice and evolving concepts in septic shock resuscitation.. <i>Intensive Care Medicine</i> , 2021 , 48, 148	14.5	5
37	Time for a new definition of death?. <i>Resuscitation</i> , 2018 , 127, e14-e15	4	4
36	Body temperature in sepsis: a hot topic. <i>Lancet Respiratory Medicine</i> , 2018 , 6, 162-163	35.1	4
35	Prolonged corticosteroid treatment in acute respiratory distress syndrome: impact on mortality and ventilator-free days. <i>Critical Care</i> , 2018 , 22, 135	10.8	4
34	Diastolic Function in Steinert's Disease. <i>Neurology International</i> , 2014 , 6, 5140	1.2	4
33	Adjunctive treatment in septic shock: What's next?. <i>Presse Medicale</i> , 2016 , 45, e105-9	2.2	4
32	Academic conflict of interest. <i>Intensive Care Medicine</i> , 2019 , 45, 13-20	14.5	4

31	Sepsis in the critically ill patient: current and emerging management strategies. <i>Expert Review of Anti-Infective Therapy</i> , 2021 , 19, 635-647	5.5	4
30	Treatment of COVID-19-associated ARDS with mesenchymal stromal cells: a multicenter randomized double-blind trial.. <i>Critical Care</i> , 2022 , 26, 48	10.8	4
29	Complement inhibition in severe COVID-19 - Blocking C5a seems to be key: Author's reply. <i>EClinicalMedicine</i> , 2021 , 35, 100866	11.3	3
28	Mortality in patients with hypovolemic shock treated with colloids or crystalloids--reply. <i>JAMA - Journal of the American Medical Association</i> , 2014 , 311, 1069-70	27.4	2
27	The authors reply. <i>Critical Care Medicine</i> , 2013 , 41, e483	1.4	2
26	Hyperbaric oxygen therapy for acute domestic carbon monoxide poisoning: two randomized controlled trials: reply to comment by Birmingham and Hoffman. <i>Intensive Care Medicine</i> , 2011 , 37, 1219-1219	14.5	2
25	Pannexin-1 channel opening is critical for COVID-19 pathogenesis. <i>IScience</i> , 2021 , 24, 103478	6.1	2
24	SARS-CoV-2 reinfections among hospital staff in the greater Paris area. <i>Journal of Travel Medicine</i> , 2021 , 28,	12.9	2
23	Impact of Angiotensin-Converting Enzyme Inhibitors and Angiotensin II Receptor Blockers in Hypertensive Patients with COVID-19 (COVIDECA Study). <i>American Journal of Cardiology</i> , 2021 , 147, 58-60	3	2
22	The cuff leak test in critically ill patients: An international survey of intensivists. <i>Acta Anaesthesiologica Scandinavica</i> , 2021 , 65, 1087-1094	1.9	2
21	Efficacy of Thymosin Alpha 1 in the Treatment of COVID-19: A Multicenter Cohort Study. <i>Frontiers in Immunology</i> , 2021 , 12, 673693	8.4	2
20	Cross-sectional study on COVID-19 vaccine hesitancy and determinants in healthcare students: interdisciplinary trainings on vaccination are needed.. <i>BMC Medical Education</i> , 2022 , 22, 299	3.3	2
19	Steroids in patients with septic shock. <i>Chest</i> , 2009 , 136, 323-324	5.3	1
18	Early abolition of cough reflex predicts mortality in deeply sedated brain-injured patients. <i>PeerJ</i> , 2020 , 8, e10326	3.1	1
17	Nutritional status, swallowing disorders, and respiratory prognosis in adult Duchenne muscular dystrophy patients. <i>Pediatric Pulmonology</i> , 2021 , 56, 2146-2154	3.5	1
16	Duration of antibiotic treatment using procalcitonin-guided treatment algorithms in older patients: a patient-level meta-analysis from randomized controlled trials. <i>Age and Ageing</i> , 2021 , 50, 1546-1556	3	1
15	Impact of early low-calorie low-protein versus standard-calorie standard-protein feeding on outcomes of ventilated adults with shock: design and conduct of a randomised, controlled, multicentre, open-label, parallel-group trial (NUTRIREA-3). <i>BMJ Open</i> , 2021 , 11, e045041	3	1
14	Monocyte distribution width as a biomarker of resistance to corticosteroids in patients with sepsis: the MOCORSEP observational study. <i>Intensive Care Medicine</i> , 2021 , 47, 1161-1164	14.5	1

13	Discrepancies in guidelines for acute respiratory distress syndrome. <i>Lancet, The</i> , 2018 , 392, 2550-2551	40	1
12	Effects of low-dose hydrocortisone and hydrocortisone plus fludrocortisone in adults with septic shock: a protocol for a systematic review and meta-analysis of individual participant data. <i>BMJ Open</i> , 2020 , 10, e040931	3	0
11	The Endocrine System in Sepsis 2018 , 61-79		
10	Does intensive insulin therapy affect the cortisol response of critically ill patients?. <i>Nature Clinical Practice Endocrinology and Metabolism</i> , 2007 , 3, 336-7		
9	Colloids in Septic Patients. <i>Transfusion Alternatives in Transfusion Medicine</i> , 2006 , 8, 21-21		
8	Response to Letter to the Editor from Chee et al: "Prevention of Adrenal Crisis: Cortisol Response to Major Stress Compared to Stress Dose Hydrocortisone Delivery". <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021 , 106, e407-e408	5.6	
7	High parasternal intercostal muscle thickening prior to intubation in COVID-19 infection.. <i>Radiology Case Reports</i> , 2022 , 17, 843-846		1
6	Outcomes of Hospitalised Muscular Dystrophy Patients. <i>Journal of Neuromuscular Diseases</i> , 2017 , 4, 165-168		
5	The pandemic in French intensive care units-Author's response. <i>Lancet Regional Health - Europe, The</i> , 2021 , 5, 100134		
4	Glucocorticoid-Glucocorticoid Receptor Response to Severe Acute Respiratory Syndrome Coronavirus 2. <i>Critical Care Medicine</i> , 2021 , 49, 2157-2160	1.4	
3	Response to Letter to the Editor: "Prevention of Adrenal Crisis: Cortisol Response to Major Stress Compared to Stress Dose Hydrocortisone Delivery". <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021 , 106, e404-e406	5.6	
2	Aspirin for the primary prevention of sepsis. <i>Lancet Respiratory Medicine, the</i> , 2021 , 9, 121-122	35.1	
1	Corticosteroids for treating sepsis in children and adults. <i>Emergencias</i> , 2021 , 33, 137-138		0.9