

# Ana Avilã<sup>3</sup>

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8639995/publications.pdf>

Version: 2024-02-01

123  
papers

2,331  
citations

201674

27  
h-index

289244

40  
g-index

135  
all docs

135  
docs citations

135  
times ranked

2662  
citing authors

#	ARTICLE	IF	CITATIONS
1	Oligonucleotides Carrying Nucleoside Antimetabolites as Potential Prodrugs. <i>Current Medicinal Chemistry</i> , 2023, 30, 1304-1319.	2.4	3
2	A multivalent Ara-C-prodrug nanoconjugate achieves selective ablation of leukemic cells in an acute myeloid leukemia mouse model. <i>Biomaterials</i> , 2022, 280, 121258.	11.4	12
3	Chemical Modifications in Nucleic Acids for Therapeutic and Diagnostic Applications. <i>Chemical Record</i> , 2022, 22, e202100270.	5.8	5
4	Study of alkaloid berberine and its interaction with the human telomeric i-motif DNA structure. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2021, 248, 119185.	3.9	16
5	Design and engineering of tumor-targeted, dual-acting cytotoxic nanoparticles. <i>Acta Biomaterialia</i> , 2021, 119, 312-322.	8.3	14
6	Studies on the interactions of Ag(i) with DNA and their implication on the DNA-templated synthesis of silver nanoclusters and on the interaction with complementary DNA and RNA sequences. <i>RSC Advances</i> , 2021, 11, 9029-9042.	3.6	2
7	7 Advances in therapeutic oligonucleotide chemistry. , 2021, , 273-330.		1
8	G-quadruplex binding properties of a potent PARP-1 inhibitor derived from 7-azaindole-1-carboxamide. <i>Scientific Reports</i> , 2021, 11, 3869.	3.3	16
9	Structural Effects of Incorporation of 2'-Deoxy-2'-difluorodeoxycytidine (Gemcitabine) in A- and B-Form Duplexes. <i>Chemistry - A European Journal</i> , 2021, 27, 7351-7355.	3.3	5
10	Evaluation of Floxuridine Oligonucleotide Conjugates Carrying Potential Enhancers of Cellular Uptake. <i>International Journal of Molecular Sciences</i> , 2021, 22, 5678.	4.1	5
11	Frontispiece: Structural Effects of Incorporation of 2'-Deoxy-2'-difluorodeoxycytidine (Gemcitabine) in A- and B-Form Duplexes. <i>Chemistry - A European Journal</i> , 2021, 27, .	3.3	0
12	Exploring the Interaction of Curaxin CBL0137 with G-Quadruplex DNA Oligomers. <i>International Journal of Molecular Sciences</i> , 2021, 22, 6476.	4.1	9
13	Rational engineering of a human GFP-like protein scaffold for humanized targeted nanomedicines. <i>Acta Biomaterialia</i> , 2021, 130, 211-222.	8.3	8
14	Dynamics-Function Analysis in Catalytic RNA Using NMR Spin Relaxation and Conformationally Restricted Nucleotides. <i>Methods in Molecular Biology</i> , 2021, 2167, 183-202.	0.9	0
15	Fast and Accurate Pneumocystis Pneumonia Diagnosis in Human Samples Using a Label-Free Plasmonic Biosensor. <i>Nanomaterials</i> , 2020, 10, 1246.	4.1	14
16	Triplex Hybridization-Based Nanosystem for the Rapid Screening of Pneumocystis Pneumonia in Clinical Samples. <i>Journal of Fungi (Basel, Switzerland)</i> , 2020, 6, 292.	3.5	6
17	Developing Protein- Antitumoral Drug Nanoconjugates as Bifunctional Antimicrobial Agents. <i>ACS Applied Materials &amp; Interfaces</i> , 2020, 12, 57746-57756.	8.0	6
18	Aptamer-peptide conjugates as a new strategy to modulate human $\alpha$ -thrombin binding affinity. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2019, 1863, 1619-1630.	2.4	15

#	ARTICLE	IF	CITATIONS
19	Stabilization of c-KIT G-Quadruplex DNA Structures by the RNA Polymerase I Inhibitors BMH-21 and BA-41. <i>International Journal of Molecular Sciences</i> , 2019, 20, 4927.	4.1	18
20	Study of conformational transitions of i-motif DNA using time-resolved fluorescence and multivariate analysis methods. <i>Nucleic Acids Research</i> , 2019, 47, 6590-6605.	14.5	18
21	Parallel Clamps and Polypurine Hairpins (PPRH) for Gene Silencing and Triplex Affinity Capture: Design, Synthesis, and Use. <i>Current Protocols in Nucleic Acid Chemistry</i> , 2019, 77, e78.	0.5	10
22	The Origins and the Biological Consequences of the Pur/Pyr DNA-RNA Asymmetry. <i>CheM</i> , 2019, 5, 1619-1631.	11.7	13
23	Efficient bioactive oligonucleotide-protein conjugation for cell-targeted cancer therapy. <i>ChemistryOpen</i> , 2019, 8, 382-387.	1.9	7
24	A pH-dependent bolt involving cytosine bases located in the lateral loops of antiparallel G-quadruplex structures within the SMARCA4 gene promoter. <i>Scientific Reports</i> , 2019, 9, 15807.	3.3	12
25	Glucose-nucleobase pairs within DNA: impact of hydrophobicity, alternative linking unit and DNA polymerase nucleotide insertion studies. <i>Chemical Science</i> , 2018, 9, 3544-3554.	7.4	2
26	Evaluation of the effect of polymorphism on G-quadruplex-ligand interaction by means of spectroscopic and chromatographic techniques. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2018, 196, 185-195.	3.9	10
27	siRNA Modified with 2-Deoxy-2-methylpyrimidine Nucleosides. <i>ChemBioChem</i> , 2018, 19, 1409-1413.	4.4	4
28	DNA-based nanoscaffolds as vehicles for 5-fluoro-2-deoxyuridine oligomers in colorectal cancer therapy. <i>Nanoscale</i> , 2018, 10, 7238-7249.	5.6	41
29	Exploring PAZ/3'-overhang interaction to improve siRNA specificity. A combined experimental and modeling study. <i>Chemical Science</i> , 2018, 9, 2074-2086.	7.4	22
30	Selective depletion of metastatic stem cells as therapy for human colorectal cancer. <i>EMBO Molecular Medicine</i> , 2018, 10, .	6.9	64
31	Design of oligonucleotide-capped mesoporous silica nanoparticles for the detection of miRNA-145 by duplex and triplex formation. <i>Sensors and Actuators B: Chemical</i> , 2018, 277, 598-603.	7.8	15
32	Multiple Multicomponent Reactions: Unexplored Substrates, Selective Processes, and Versatile Chemotypes in Biomedicine. <i>Chemistry - A European Journal</i> , 2018, 24, 14513-14521.	3.3	31
33	Study of light-induced formation of photodimers in the i-motif nucleic acid structure by rapid-scan FTIR difference spectroscopy and hybrid hard- and soft-modelling. <i>Physical Chemistry Chemical Physics</i> , 2018, 20, 19635-19646.	2.8	3
34	Label-free DNA-methylation detection by direct ds-DNA fragment screening using poly-purine hairpins. <i>Biosensors and Bioelectronics</i> , 2018, 120, 47-54.	10.1	34
35	Naturally occurring quaternary benzo[ <i>c</i> ]phenanthridine alkaloids selectively stabilize G-quadruplexes. <i>Physical Chemistry Chemical Physics</i> , 2018, 20, 21772-21782.	2.8	14
36	The impact of an extended nucleobase-2-deoxyribose linker in the biophysical and biological properties of oligonucleotides. <i>RSC Advances</i> , 2017, 7, 9579-9586.	3.6	4

#	ARTICLE	IF	CITATIONS
37	Stabilization of Telomeric i-Motif Structures by (2 <i>S</i> )-2-Deoxy-2-C-Methylcytidine Residues. <i>ChemBioChem</i> , 2017, 18, 1123-1128.	2.6	12
38	i-motif structures in long cytosine-rich sequences found upstream of the promoter region of the SMARCA4 gene. <i>Biochimie</i> , 2017, 140, 20-33.	2.6	14
39	The effect of l-thymidine, acyclic thymine and 8-bromoguanine on the stability of model G-quadruplex structures. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2017, 1861, 1205-1212.	2.4	10
40	The Effect of Small Cosolutes that Mimic Molecular Crowding Conditions on the Stability of Triplexes Involving Duplex DNA. <i>International Journal of Molecular Sciences</i> , 2016, 17, 211.	4.1	3
41	Glucose-Nucleobase Pseudo Base Pairs: Biomolecular Interactions within DNA. <i>Angewandte Chemie</i> , 2016, 128, 8785-8789.	2.0	2
42	Glucose-Nucleobase Pseudo Base Pairs: Biomolecular Interactions within DNA. <i>Angewandte Chemie - International Edition</i> , 2016, 55, 8643-8647.	13.8	6
43	Controlling the Reversible Assembly of Liposomes through a Multistimuli Responsive Anchored DNA. <i>Nano Letters</i> , 2016, 16, 4462-4466.	9.1	39
44	Sensitive and label-free detection of miRNA-145 by triplex formation. <i>Analytical and Bioanalytical Chemistry</i> , 2016, 408, 885-893.	3.7	30
45	Gold-Coated Superparamagnetic Nanoparticles for Single Methyl Discrimination in DNA Aptamers. <i>International Journal of Molecular Sciences</i> , 2015, 16, 27625-27639.	4.1	13
46	Specific loop modifications of the thrombin-binding aptamer trigger the formation of parallel structures. <i>FEBS Journal</i> , 2014, 281, 1085-1099.	4.7	25
47	Fundamental aspects of the nucleic acid i-motif structures. <i>RSC Advances</i> , 2014, 4, 26956-26980.	3.6	151
48	Oligonucleotide delivery: a patent review (2010-2013). <i>Expert Opinion on Therapeutic Patents</i> , 2014, 24, 801-819.	5.0	30
49	Solution equilibria of cytosine- and guanine-rich sequences near the promoter region of the n-myc gene that contain stable hairpins within lateral loops. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2014, 1840, 41-52.	2.4	39
50	Effects of Sugar Functional Groups, Hydrophobicity, and Fluorination on Carbohydrate-DNA Stacking Interactions in Water. <i>Journal of Organic Chemistry</i> , 2014, 79, 2419-2429.	3.2	16
51	Challenges and Opportunities for Oligonucleotide-Based Therapeutics by Antisense and RNA Interference Mechanisms. , 2014, , 227-242.		0
52	Carbohydrate-DNA Interactions at G-Quadruplexes: Folding and Stability Changes by Attaching Sugars at the 5'-End. <i>Chemistry - A European Journal</i> , 2013, 19, 1920-1927.	3.3	21
53	An aptamer-gated silica mesoporous material for thrombin detection. <i>Chemical Communications</i> , 2013, 49, 5480.	4.1	89
54	Thrombin Binding Aptamer, More than a Simple Aptamer: Chemically Modified Derivatives and Biomedical Applications. <i>Current Pharmaceutical Design</i> , 2012, 18, 2036-2047.	1.9	118

#	ARTICLE	IF	CITATIONS
55	Functionally Enhanced siRNA Targeting TNF $\alpha$ Attenuates DSS-induced Colitis and TLR-mediated Immunostimulation in Mice. <i>Molecular Therapy</i> , 2012, 20, 382-390.	8.2	25
56	Sensitive and label-free biosensing of RNA with predicted secondary structures by a triplex affinity capture method. <i>Nucleic Acids Research</i> , 2012, 40, e56-e56.	14.5	33
57	Synthesis of Steroid $\alpha$ -Oligonucleotide Conjugates for a DNA Site-Encoded SPR Immunosensor. <i>Bioconjugate Chemistry</i> , 2012, 23, 2183-2191.	3.6	16
58	Apolar carbohydrates as DNA capping agents. <i>Chemical Communications</i> , 2012, 48, 2991.	4.1	11
59	The effect on quadruplex stability of North-nucleoside derivatives in the loops of the thrombin-binding aptamer. <i>Bioorganic and Medicinal Chemistry</i> , 2012, 20, 4186-4193.	3.0	15
60	Porphyrim binding mechanism is altered by protonation at the loops in G-quadruplex DNA formed near the transcriptional activation site of the human c-kit gene. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2012, 1820, 1987-1996.	2.4	19
61	Synthesis, DNA-Binding and Antiproliferative Properties of Acridine and 5-Methylacridine Derivatives. <i>Molecules</i> , 2012, 17, 7067-7082.	3.8	24
62	Oligonucleotide-Peptide Conjugates: Solid-Phase Synthesis under Acidic Conditions and Use in ELISA Assays. <i>Molecules</i> , 2012, 17, 13825-13843.	3.8	7
63	Synthesis and Structural Characterization of Stable Branched DNA G $\alpha$ Quadruplexes Using the Trebler Phosphoramidite. <i>ChemistryOpen</i> , 2012, 1, 106-114.	1.9	13
64	Synthesis and <i>in vitro</i> Inhibition Properties of siRNA Conjugates Carrying Acridine and Quindoline Moieties. <i>Chemistry and Biodiversity</i> , 2012, 9, 557-566.	2.1	9
65	A Direct, Efficient Method for the Preparation of siRNAs Containing Ribo-like <i>North</i> Bicyclo[3.1.0]hexane Pseudosugars. <i>Organic Letters</i> , 2011, 13, 2888-2891.	4.6	12
66	Highly Polar Carbohydrates Stack onto DNA Duplexes via CH $\pi$ Interactions. <i>Journal of the American Chemical Society</i> , 2011, 133, 1909-1916.	13.7	49
67	Influence of pH, temperature and the cationic porphyrin TMPyP4 on the stability of the i-motif formed by the 5 $\alpha$ -(C3TA2)4-3 $\alpha$ sequence of the human telomere. <i>International Journal of Biological Macromolecules</i> , 2011, 49, 729-736.	7.5	49
68	Branched RNA: A New Architecture for RNA Interference. <i>Journal of Nucleic Acids</i> , 2011, 2011, 1-7.	1.2	11
69	Synthesis and <i>in vitro</i> inhibition properties of siRNA conjugates carrying glucose and galactose with different presentations. <i>Molecular Diversity</i> , 2011, 15, 751-757.	3.9	28
70	Synthesis of Oligonucleotide $\alpha$ -Peptide Conjugates for Biomedical and Technological Applications. <i>Methods in Molecular Biology</i> , 2011, 751, 223-238.	0.9	9
71	Stepwise synthesis of oligonucleotide $\alpha$ -peptide conjugates containing guanidinium and lipophilic groups in their 3 $\alpha$ -termini. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2010, 20, 2144-2147.	2.2	14
72	Synthesis and structural properties of oligonucleotides covalently linked to acridine and quindoline derivatives through a threoninol linker. <i>Bioorganic and Medicinal Chemistry</i> , 2010, 18, 7348-7356.	3.0	16

#	ARTICLE	IF	CITATIONS
73	Development of a Novel Fluorescence Assay Based on the Use of the Thrombin-Binding Aptamer for the Detection of O <sup>6</sup> -Alkylguanine-DNA Alkyltransferase Activity. <i>Journal of Nucleic Acids</i> , 2010, 2010, 1-9.	1.2	20
74	Synthesis and G-Quadruplex-Binding Properties of Defined Acridine Oligomers. <i>Journal of Nucleic Acids</i> , 2010, 2010, 1-10.	1.2	7
75	Structural Properties of G,T-Parallel Duplexes. <i>Journal of Nucleic Acids</i> , 2010, 2010, 1-11.	1.2	4
76	Synthesis, Cell-Surface Binding, and Cellular Uptake of Fluorescently Labeled Glucose <sup>6</sup> -DNA Conjugates with Different Carbohydrate Presentation. <i>Bioconjugate Chemistry</i> , 2010, 21, 1280-1287.	3.6	26
77	Conformationally rigid nucleoside probes help understand the role of sugar pucker and nucleobase orientation in the thrombin-binding aptamer. <i>Nucleic Acids Research</i> , 2009, 37, 5589-5601.	14.5	35
78	The use of conformationally rigid nucleoside probes to study the role of sugar pucker and nucleobase orientation in the thrombin binding aptamer. <i>Nucleic Acids Symposium Series</i> , 2009, 53, 109-110.	0.3	2
79	pH-Modulated Watson-Crick Duplex-Quadruplex Equilibria of Guanine-Rich and Cytosine-Rich DNA Sequences 140 Base Pairs Upstream of the <i>in vivo</i> Transcription Initiation Site. <i>Chemistry - A European Journal</i> , 2009, 15, 12663-12671.	3.3	42
80	Photocleavage of Peptides and Oligodeoxynucleotides Carrying 2-Nitrobenzyl Groups. <i>Helvetica Chimica Acta</i> , 2009, 92, 613-622.	1.6	7
81	Synthesis and Hybridization Properties of Modified Oligodeoxynucleotides Carrying Non-Natural Bases. <i>Chemistry and Biodiversity</i> , 2009, 6, 117-126.	2.1	5
82	Stepwise synthesis of RNA conjugates carrying peptide sequences for RNA interference studies. <i>Molecular Diversity</i> , 2009, 13, 287-293.	3.9	13
83	Targeting the G-quadruplex-forming region near the P1 promoter in the human BCL-2 gene with the cationic porphyrin TMPyP4 and with the complementary C-rich strand. <i>Biochimie</i> , 2009, 91, 894-902.	2.6	42
84	Unique Tautomeric and Recognition Properties of Thioketothymines?. <i>Journal of the American Chemical Society</i> , 2009, 131, 12845-12853.	13.7	4
85	Experimental Measurement of Carbohydrate-Aromatic Stacking in Water by Using a Dangling-Ended DNA Model System. <i>Chemistry - A European Journal</i> , 2008, 14, 7828-7835.	3.3	33
86	Synthesis of Oligonucleotide Derivatives Using ChemMatrix Supports. <i>Chemistry and Biodiversity</i> , 2008, 5, 209-218.	2.1	9
87	Design, synthesis and antiproliferative properties of oligomers with chromophore units linked by amide backbones. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2008, 18, 2440-2444.	2.2	14
88	Solid-phase synthesis of oligomers carrying several chromophore units linked by phosphodiester backbones. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2008, 18, 2306-2310.	2.2	11
89	8-Amino guanine accelerates tetramolecular G-quadruplex formation. <i>Chemical Communications</i> , 2008, , 2926.	4.1	32
90	A Flexible Method for the Fabrication of Gold Nanostructures Using Oligonucleotide Derivatives. <i>Nucleosides, Nucleotides and Nucleic Acids</i> , 2007, 26, 1605-1609.	1.1	1

#	ARTICLE	IF	CITATIONS
91	Solution equilibria of the i-motif-forming region upstream of the B-cell lymphoma-2 P1 promoter. <i>Biochimie</i> , 2007, 89, 1562-1572.	2.6	51
92	Triplex Formation Using Oligonucleotide Clamps Carrying 8-Aminopurines. <i>Nucleosides, Nucleotides and Nucleic Acids</i> , 2007, 26, 979-983.	1.1	2
93	Destabilization of Quadruplex DNA by 8-Aminoguanine. <i>ChemBioChem</i> , 2006, 7, 46-48.	2.6	20
94	Efficient Sequence-Specific Purification of <i>Listeria innocua</i> mRNA Species by Triplex Affinity Capture with Parallel Tail-Clamps. <i>ChemBioChem</i> , 2006, 7, 1039-1047.	2.6	14
95	Trimethylguanosine Nucleoside Inhibits Cross-Linking Between Snurportin 1 and m3G-CAPPED U1 snRNA. <i>Nucleosides, Nucleotides and Nucleic Acids</i> , 2006, 25, 909-923.	1.1	2
96	Synthesis and Triplex-Forming Properties of Cyclic Oligonucleotides with (G,A)-Antiparallel Strands. <i>Chemistry and Biodiversity</i> , 2005, 2, 275-285.	2.1	11
97	Synthesis of Oligoribonucleotides Containing 4-Thiouridine Using the Convertible Nucleoside Approach and the (2-Fluorophenyl)-4-Methoxypiperidinyl Group. <i>Nucleosides, Nucleotides and Nucleic Acids</i> , 2004, 23, 1767-1777.		6
98	Synthesis of Oligonucleotide-peptide Conjugates Carrying the c-myc Peptide Epitope as Recognition System. <i>Chemistry and Biodiversity</i> , 2004, 1, 930-938.	2.1	12
99	Synthesis and Triple-Helix-Stabilization Properties of Branched Oligonucleotides Carrying 8-Amino-adenine Moieties. <i>Helvetica Chimica Acta</i> , 2004, 87, 303-316.	1.6	15
100	Synthesis of Branched Oligonucleotides as Templates for the Assembly of Nanomaterials. <i>Helvetica Chimica Acta</i> , 2003, 86, 2814-2826.	1.6	22
101	Suitability of oligonucleotide-mediated cystic fibrosis gene repair in airway epithelial cells. <i>Journal of Gene Medicine</i> , 2003, 5, 625-639.	2.8	5
102	Convenient Synthesis of 8-Amino-2-deoxyadenosine. <i>Nucleosides, Nucleotides and Nucleic Acids</i> , 2003, 22, 193-202.	1.1	14
103	Resolution of Parallel and Antiparallel Oligonucleotide Triple Helices Formation and Melting Processes by Multivariate Curve Resolution. <i>Journal of Biomolecular Structure and Dynamics</i> , 2003, 21, 267-278.	3.5	23
104	Properties of Triple Helices Formed by Oligonucleotides Containing 8-Aminopurines. <i>Nucleosides, Nucleotides and Nucleic Acids</i> , 2003, 22, 645-648.	1.1	3
105	Antiparallel Triple Helices. Structural Characteristics and Stabilization by 8-Amino Derivatives. <i>Journal of the American Chemical Society</i> , 2003, 125, 16127-16138.	13.7	38
106	Properties of triple helices formed by parallel-stranded hairpins containing 8-aminopurines. <i>Nucleic Acids Research</i> , 2002, 30, 2609-2619.	14.5	39
107	Hoogsteen-Based Parallel-Stranded Duplexes of DNA. Effect of 8-Amino-purine Derivatives. <i>Journal of the American Chemical Society</i> , 2002, 124, 3133-3142.	13.7	38
108	Title is missing!. <i>Helvetica Chimica Acta</i> , 2002, 85, 2594-2607.	1.6	14



#	ARTICLE	IF	CITATIONS
109	Non-viral vector-mediated uptake, distribution, and stability of chimeraplasts in human airway epithelial cells. <i>Journal of Gene Medicine</i> , 2002, 4, 308-322.	2.8	15
110	Quantitative assessment of chimeraplast stability in biological fluids by polyacrylamide gel electrophoresis and laser-assisted fluorescence analysis. <i>Pharmaceutical Research</i> , 2002, 19, 914-918.	3.5	1
111	Parallel-stranded hairpins containing 8-aminopurines. novel efficient probes for triple-helix formation. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2001, 11, 1761-1763.	2.2	15
112	Preparation of <i>N</i> <sup>2</sup> , <i>N</i> <sup>2</sup> '7-Trimethylguanosine Affinity Columns. <i>Nucleosides &amp; Nucleotides</i> , 1999, 18, 125-136.	0.5	2
113	Preparation of Oligonucleotides Containing Non-Natural Base Analogs.. <i>Nucleosides &amp; Nucleotides</i> , 1997, 16, 697-702.	0.5	2
114	New carbamate supports for the preparation of 3- <sup>2</sup> -amino-modified oligonucleotides. <i>Bioorganic and Medicinal Chemistry</i> , 1996, 4, 1649-1658.	3.0	21
115	A COMPARATIVE STUDY OF SUPPORTS FOR THE SYNTHESIS OF OLIGONUCLEOTIDES WITHOUT USING AMMONIA. <i>Nucleosides &amp; Nucleotides</i> , 1996, 15, 1871-1889.	0.5	21
116	Preparation and properties of oligodeoxynucleotides containing 4-O-butylthymine, 2-fluorohypoxanthine and 5-azacytosine. <i>Bioorganic and Medicinal Chemistry Letters</i> , 1995, 5, 2331-2336.	2.2	14
117	Note: A Convenient Method for the Preparation of <i>N</i> <sup>2</sup> , <i>N</i> <sup>2</sup> -Dimethylguanosine. <i>Nucleosides &amp; Nucleotides</i> , 1995, 14, 1613-1617.	0.5	10
118	Preparation of Oligonucleotides Containing Non-natural Base Analogues. <i>Nucleosides, Nucleotides and Nucleic Acids</i> , 1995, 14, 821-824.	1.1	3
119	Use of NPE-Protecting Groups for the Preparation of Oligonucleotides Without Using Nucleophiles During the Final Deprotection. <i>Nucleosides &amp; Nucleotides</i> , 1994, 13, 2059-2069.	0.5	18
120	A simple method for N-15 labelling of exocyclic amino groups in synthetic oligodeoxynucleotides. <i>Nucleic Acids Research</i> , 1994, 22, 2982-2989.	14.5	42
121	Stepwise solid-phase synthesis of oligonucleotide-peptide hybrids. <i>Tetrahedron Letters</i> , 1994, 35, 2733-2736.	1.4	50
122	Use of a Base-Labile Protected Derivative of 6-Mercaptohexanol for the Preparation of Oligonucleotides Containing a Thiol Group at the 5'-End. <i>Nucleosides &amp; Nucleotides</i> , 1993, 12, 993-1005.	0.5	7
123	A synthetic procedure for the preparation of oligonucleotides without using ammonia and its application for the synthesis of oligonucleotides containing O-4-alkyl thymidines.. <i>Tetrahedron</i> , 1992, 48, 4171-4182.	1.9	36