Teofilo Vamerali

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/8641714/teofilo-vamerali-publications-by-year.pdf

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

55	1,929	22	43
papers	citations	h-index	g-index
58 ext. papers	2,244 ext. citations	5.4 avg, IF	5.18 L-index

#	Paper	IF	Citations
55	Impact of Olive Trees on the Microclimatic and Edaphic Environment of the Understorey Durum Wheat in an Alley Orchard of the Mediterranean Area. <i>Agronomy</i> , 2022 , 12, 527	3.6	O
54	Comparing Soil vs. Foliar Nitrogen Supply of the Whole Fertilizer Dose in Common Wheat. <i>Agronomy</i> , 2021 , 11, 2138	3.6	2
53	Effects of Light Orientation and Mechanical Damage to Leaves on Isoflavone Accumulation in Soybean Seeds. <i>Agronomy</i> , 2021 , 11, 589	3.6	1
52	Rootfhicrobe Interactions Influencing Water and Nutrient Acquisition Efficiency 2021, 159-192		1
51	Effects of Soil Amendment With Wood Ash on Transpiration, Growth, and Metal Uptake in Two Contrasting Maize (L.) Hybrids to Drought Tolerance. <i>Frontiers in Plant Science</i> , 2021 , 12, 661909	6.2	3
50	Root Characteristics and Metal Uptake of Maize (Zea mays L.) under Extreme Soil Contamination. <i>Agronomy</i> , 2021 , 11, 178	3.6	8
49	Biofortification of Common Wheat Grains with Combined Ca, Mg, and K through Foliar Fertilisation. <i>Agronomy</i> , 2021 , 11, 1718	3.6	1
48	Effects of Seed-Applied Biofertilizers on Rhizosphere Biodiversity and Growth of Common Wheat (L.) in the Field. <i>Frontiers in Plant Science</i> , 2020 , 11, 72	6.2	44
47	Accumulation and effects of perfluoroalkyl substances in three hydroponically grown Salix L. species. <i>Ecotoxicology and Environmental Safety</i> , 2020 , 191, 110150	7	7
46	A Comparative Study of Organic and Conventional Management on the Rhizosphere Microbiome, Growth and Grain Quality Traits of Tritordeum. <i>Agronomy</i> , 2020 , 10, 1717	3.6	8
45	Morphology, Phenology, Yield, and Quality of Durum Wheat Cultivated within Organic Olive Orchards of the Mediterranean Area. <i>Agronomy</i> , 2020 , 10, 1789	3.6	4
44	Morphological and biochemical changes in maize under drought and salinity stresses in a semi-arid environment. <i>Plant Biosystems</i> , 2020 , 154, 396-404	1.6	5
43	Morphological Changes and Expressions of , , and Putative Genes in a Large Set of Commercial Maize Hybrids Under Extreme Waterlogging. <i>Frontiers in Plant Science</i> , 2019 , 10, 62	6.2	9
42	Accumulation of perfluorinated alkyl substances (PFAS) in agricultural plants: A review. <i>Environmental Research</i> , 2019 , 169, 326-341	7.9	190
41	Wood biochar produces different rates of root growth and transpiration in two maize hybrids (Zea mays L.) under drought stress. <i>Archives of Agronomy and Soil Science</i> , 2019 , 65, 846-866	2	14
40	An ecofriendly procedure to extract isoflavones from soybean seeds. <i>Journal of Cleaner Production</i> , 2018 , 170, 1102-1110	10.3	10
39	Variations in yield and gluten proteins in durum wheat varieties under late-season foliar versus soil application of nitrogen fertilizer in a northern Mediterranean environment. <i>Journal of the Science of Food and Agriculture</i> , 2018 , 98, 2360-2369	4.3	25

38	16S rDNA Profiling to Reveal the Influence of Seed-Applied Biostimulants on the Rhizosphere of Young Maize Plants. <i>Molecules</i> , 2018 , 23,	4.8	27
37	Effects of Field Inoculation with VAM and Bacteria Consortia on Root Growth and Nutrients Uptake in Common Wheat. <i>Sustainability</i> , 2018 , 10, 3286	3.6	22
36	Apoplastic gamma-glutamyl transferase activity encoded by GGT1 and GGT2 is important for vegetative and generative development. <i>Plant Physiology and Biochemistry</i> , 2017 , 115, 44-56	5.4	8
35	Increased root growth and nitrogen accumulation in common wheat following PGPR inoculation: Assessment of plant-microbe interactions by ESEM. <i>Agriculture, Ecosystems and Environment</i> , 2017 , 247, 396-408	5.7	46
34	Combined effects of thinning and decline on fine root dynamics in a Quercus robur L. forest adjoining the Italian Pre-Alps. <i>Annals of Botany</i> , 2017 , 119, 1235-1246	4.1	7
33	Biostimulant Effects of Seed-Applied Sedaxane Fungicide: Morphological and Physiological Changes in Maize Seedlings. <i>Frontiers in Plant Science</i> , 2017 , 8, 2072	6.2	14
32	Assessing biochar ecotoxicology for soil amendment by root phytotoxicity bioassays. <i>Environmental Monitoring and Assessment</i> , 2016 , 188, 166	3.1	36
31	Phytoremediation Opportunities with Alimurgic Species in Metal-Contaminated Environments. <i>Sustainability</i> , 2016 , 8, 357	3.6	16
30	Estimation of cotyledon isoflavone abundance by a grey luminance-based model in variously hilum-coloured soybean varieties. <i>Journal of the Science of Food and Agriculture</i> , 2016 , 96, 4126-34	4.3	4
29	Crambe abyssinica a non-food crop with potential for the Mediterranean climate: Insights on productive performances and root growth. <i>Industrial Crops and Products</i> , 2016 , 90, 152-160	5.9	26
28	Metal partitioning in plant-substrate-water compartments under EDDS-assisted phytoextraction of pyrite waste with Brassica carinata A. Braun. <i>Environmental Science and Pollution Research</i> , 2015 , 22, 2434-46	5.1	6
27	Combined endophytic inoculants enhance nickel phytoextraction from serpentine soil in the hyperaccumulator Noccaea caerulescens. <i>Frontiers in Plant Science</i> , 2015 , 6, 638	6.2	38
26	Long-term phytomanagement of metal-contaminated land with field crops: Integrated remediation and biofortification. <i>European Journal of Agronomy</i> , 2014 , 53, 56-66	5	29
25	Increased bioavailability of metals in two contrasting agricultural soils treated with waste wood-derived biochar and ash. <i>Environmental Science and Pollution Research</i> , 2014 , 21, 3230-40	5.1	56
24	Culturable endophytic bacteria enhance Ni translocation in the hyperaccumulator Noccaea caerulescens. <i>Chemosphere</i> , 2014 , 117, 538-44	8.4	61
23	Does biochar application alter heavy metal dynamics in agricultural soil?. <i>Agriculture, Ecosystems and Environment</i> , 2014 , 184, 149-157	5.7	126
22	Biochar addition to an arsenic contaminated soil increases arsenic concentrations in the pore water but reduces uptake to tomato plants (Solanum lycopersicum L.). <i>Science of the Total Environment</i> , 2013 , 454-455, 598-603	10.2	180
21	A Multi-disciplinary Challenge for Phytoremediation of Metal-Polluted Pyrite Waste. <i>Soil Biology</i> , 2013 , 141-158	1	1

20	Soybean isoflavone patterns in main stem and branches as affected by water and nitrogen supply. <i>European Journal of Agronomy</i> , 2012 , 41, 1-10	5	8
19	Advances in agronomic management of phytoremediation: methods and results from a 10-year study of metal-polluted soils. <i>Italian Journal of Agronomy</i> , 2012 , 7, 42	1.4	7
18	In situ phytoremediation of arsenic- and metal-polluted pyrite waste with field crops: effects of soil management. <i>Chemosphere</i> , 2011 , 83, 1241-8	8.4	28
17	Assisted phytoremediation of mixed metal(loid)-polluted pyrite waste: effects of foliar and substrate IBA application on fodder radish. <i>Chemosphere</i> , 2011 , 84, 213-9	8.4	15
16	Phytotoxicity and metal leaching in EDDS-assisted phytoextraction from pyrite wastes with Ethiopian mustard and fodder radish. <i>Plant Biosystems</i> , 2010 , 144, 490-498	1.6	10
15	Field crops for phytoremediation of metal-contaminated land. A review. <i>Environmental Chemistry Letters</i> , 2010 , 8, 1-17	13.3	426
14	Intraspecific variability for soybean cotyledon isoflavones in different cropping and soil conditions. <i>European Journal of Agronomy</i> , 2010 , 33, 63-73	5	10
13	Yield and oil variability in modern varieties of high-erucic winter oilseed rape (Brassica napus L. var. oleifera) and Ethiopian mustard (Brassica carinata A. Braun) under reduced agricultural inputs. <i>Industrial Crops and Products</i> , 2009 , 30, 265-270	5.9	43
12	Effects of water and nitrogen management on fibrous root distribution and turnover in sugar beet. <i>European Journal of Agronomy</i> , 2009 , 31, 69-76	5	23
11	Humic acids affect root characteristics of fodder radish (Raphanus sativus L. var. oleiformis Pers.) in metal-polluted wastes. <i>Desalination</i> , 2009 , 246, 78-91	10.3	21
10	Phytoremediation trials on metal- and arsenic-contaminated pyrite wastes (Torviscosa, Italy). <i>Environmental Pollution</i> , 2009 , 157, 887-94	9.3	92
9	Studying root distribution with geostatistics. <i>Plant Biosystems</i> , 2008 , 142, 428-433	1.6	4
8	Can we Bultivatelerucic acid in southern Europe?. Italian Journal of Agronomy, 2006, 1, 3	1.4	12
7	Effects of a new wide-sweep opener for no-till planter on seed zone properties and root establishment in maize (Zea mays, L.): A comparison with double-disk opener. <i>Soil and Tillage Research</i> , 2006 , 89, 196-209	6.5	20
6	A comparison of root characteristics in relation to nutrient and water stress in two maize hybrids. <i>Plant and Soil</i> , 2003 , 255, 157-167	4.2	48
5	Analysis of root images from auger sampling with a fast procedure: a case of application to sugar beet. <i>Plant and Soil</i> , 2003 , 255, 387-397	4.2	29
4	Fibrous root turnover and growth in sugar beet (Beta vulgaris var. saccharifera) as affected by nitrogen shortage. <i>Plant and Soil</i> , 2003 , 255, 169-177	4.2	23
3	Field release of genetically marked Azospirillum brasilense in association with Sorghum bicolor L <i>Plant and Soil</i> , 2003 , 256, 281-290	4.2	22

Oil crops for biodiesel production in Italy. *Renewable Energy*, **1999**, 16, 1053-1056

The influence of potato cyst nematodes (Globodera pallida) and drought on rooting dynamics of potato (Solanum tuberosum L.). *European Journal of Agronomy*, **1998**, 9, 137-146

5 18

33

8.1