

# Marina M Reeves

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8642136/publications.pdf>

Version: 2024-02-01

97  
papers

4,352  
citations

101384

36  
h-index

118652

62  
g-index

98  
all docs

98  
docs citations

98  
times ranked

6204  
citing authors

#	ARTICLE	IF	CITATIONS
1	Sitâ€“Stand Workstations. <i>American Journal of Preventive Medicine</i> , 2012, 43, 298-303.	1.6	318
2	Telephone-Delivered Interventions for Physical Activity and Dietary Behavior Change. <i>American Journal of Preventive Medicine</i> , 2012, 42, 81-88.	1.6	225
3	Health behaviors of cancer survivors: data from an Australian population-based survey. <i>Cancer Causes and Control</i> , 2007, 18, 881-894.	0.8	164
4	Physical activity and cancer prevention: a systematic review of clinical trials. <i>Cancer Causes and Control</i> , 2011, 22, 811-826.	0.8	146
5	Telephone, print, and Web-based interventions for physical activity, diet, and weight control among cancer survivors: a systematic review. <i>Journal of Cancer Survivorship</i> , 2015, 9, 660-682.	1.5	143
6	Weight loss intervention trials in women with breast cancer: a systematic review. <i>Obesity Reviews</i> , 2014, 15, 749-768.	3.1	131
7	Physical activity and/or dietary interventions in breast cancer survivors: a systematic review of the maintenance of outcomes. <i>Journal of Cancer Survivorship</i> , 2013, 7, 74-82.	1.5	123
8	Telephone Counseling for Physical Activity and Diet in Primary Care Patients. <i>American Journal of Preventive Medicine</i> , 2009, 36, 142-149.	1.6	119
9	Gender differences in prevalence of the metabolic syndrome in Gulf Cooperation Council Countries: a systematic review. <i>Diabetic Medicine</i> , 2010, 27, 593-597.	1.2	115
10	Evidence of physical activity participation among men and women in the countries of the Gulf Cooperation Council: a review. <i>Obesity Reviews</i> , 2010, 11, 457-464.	3.1	104
11	A randomized controlled trial of a wearable technologyâ€“based intervention for increasing moderate to vigorous physical activity and reducing sedentary behavior in breast cancer survivors: The ACTIVATE Trial. <i>Cancer</i> , 2019, 125, 2846-2855.	2.0	104
12	Effect of intensive dietetic interventions on weight and glycaemic control in overweight men with Type II diabetes: a randomised trial. <i>International Journal of Obesity</i> , 2003, 27, 797-802.	1.6	100
13	Accelerometer-Derived Sedentary and Physical Activity Time in Overweight/Obese Adults with Type 2 Diabetes: Cross-Sectional Associations with Cardiometabolic Biomarkers. <i>PLoS ONE</i> , 2015, 10, e0119140.	1.1	94
14	Recruitment and retention of Latinos in a primary care-based physical activity and diet trial: The Resources for Health study. <i>Health Education Research</i> , 2006, 22, 361-371.	1.0	85
15	A qualitative evaluation of breast cancer survivorsâ€™ acceptance of and preferences for consumer wearable technology activity trackers. <i>Supportive Care in Cancer</i> , 2017, 25, 3375-3384.	1.0	84
16	Reducing the time period of steady state does not affect the accuracy of energy expenditure measurements by indirect calorimetry. <i>Journal of Applied Physiology</i> , 2004, 97, 130-134.	1.2	81
17	Health Status of Long-term Cancer Survivors: Results from an Australian Population-Based Sample. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2006, 15, 1969-1976.	1.1	77
18	Predicting Energy Requirements in the Clinical Setting: Are Current Methods Evidence Based?. <i>Nutrition Reviews</i> , 2003, 61, 143-151.	2.6	76

#	ARTICLE	IF	CITATIONS
19	Efficacy of a Text Message-Delivered Extended Contact Intervention on Maintenance of Weight Loss, Physical Activity, and Dietary Behavior Change. <i>JMIR MHealth and UHealth</i> , 2015, 3, e88.	1.8	73
20	Cost-Effectiveness of a Telephone-Delivered Intervention for Physical Activity and Diet. <i>PLoS ONE</i> , 2009, 4, e7135.	1.1	72
21	A randomized trial of sequential and simultaneous multiple behavior change interventions for physical activity and fat intake. <i>Preventive Medicine</i> , 2008, 46, 232-237.	1.6	71
22	Evidence based practice guidelines for the nutritional management of cancer cachexia. <i>Nutrition and Dietetics</i> , 2006, 63, S3-S32.	0.9	68
23	Living Well With Diabetes: 24-Month Outcomes From a Randomized Trial of Telephone-Delivered Weight Loss and Physical Activity Intervention to Improve Glycemic Control. <i>Diabetes Care</i> , 2014, 37, 2177-2185.	4.3	67
24	Adults' Past-Day Recall of Sedentary Time. <i>Medicine and Science in Sports and Exercise</i> , 2013, 45, 1198-1207.	0.2	65
25	Control Group Improvements in Physical Activity Intervention Trials and Possible Explanatory Factors: A Systematic Review. <i>Journal of Physical Activity and Health</i> , 2012, 9, 884-895.	1.0	64
26	Effectiveness of lifestyle-based weight loss interventions for adults with type 2 diabetes: a systematic review and meta-analysis. <i>Diabetes, Obesity and Metabolism</i> , 2015, 17, 371-378.	2.2	64
27	Weight Loss Randomized Intervention Trials in Female Cancer Survivors. <i>Journal of Clinical Oncology</i> , 2016, 34, 4238-4248.	0.8	61
28	Resources for health: A primary-care-based diet and physical activity intervention targeting urban Latinos with multiple chronic conditions. <i>Health Psychology</i> , 2007, 26, 392-400.	1.3	60
29	The Logan Healthy Living Program: A cluster randomized trial of a telephone-delivered physical activity and dietary behavior intervention for primary care patients with type 2 diabetes or hypertension from a socially disadvantaged community "Rationale, design and recruitment. <i>Contemporary Clinical Trials</i> , 2008, 29, 439-454.	0.8	56
30	A randomised control trial comparing lifestyle groups, individual counselling and written information in the management of weight and health outcomes over 12 months. <i>International Journal of Obesity</i> , 2006, 30, 1557-1564.	1.6	53
31	Clinical accuracy of the MedGem indirect calorimeter for measuring resting energy expenditure in cancer patients. <i>European Journal of Clinical Nutrition</i> , 2005, 59, 603-610.	1.3	46
32	Measuring Physical Activity Change in Broad-Reach Intervention Trials. <i>Journal of Physical Activity and Health</i> , 2010, 7, 194-202.	1.0	46
33	Living Well with Diabetes: a randomized controlled trial of a telephone-delivered intervention for maintenance of weight loss, physical activity and glycaemic control in adults with type 2 diabetes. <i>BMC Public Health</i> , 2010, 10, 452.	1.2	46
34	General Practitioner Advice on Physical Activity "Who Gets it?. <i>American Journal of Health Promotion</i> , 2007, 21, 225-228.	0.9	41
35	Active adults recall their physical activity differently to less active adults: test-retest reliability and validity of a physical activity survey. <i>Health Promotion Journal of Australia</i> , 2013, 24, 26-31.	0.6	41
36	Resting energy expenditure in patients with solid tumors undergoing anticancer therapy. <i>Nutrition</i> , 2006, 22, 609-615.	1.1	39

#	ARTICLE	IF	CITATIONS
37	Healthy Living after Cancer: a dissemination and implementation study evaluating a telephone-delivered healthy lifestyle program for cancer survivors. <i>BMC Cancer</i> , 2015, 15, 992.	1.1	39
38	The Living Well after Breast Cancerâ„¢ Pilot Trial: a weight loss intervention for women following treatment for breast cancer. <i>Asia-Pacific Journal of Clinical Oncology</i> , 2017, 13, 125-136.	0.7	39
39	Six-Month Outcomes from Living Well with Diabetes: A Randomized Trial of a Telephone-Delivered Weight Loss and Physical Activity Intervention to Improve Glycemic Control. <i>Annals of Behavioral Medicine</i> , 2013, 46, 193-203.	1.7	37
40	Maintenance of physical activity and dietary change following a telephone-delivered intervention.. <i>Health Psychology</i> , 2010, 29, 566-573.	1.3	34
41	Associations of Physical Activity and Sitting Time With the Metabolic Syndrome Among Omani Adults. <i>Obesity</i> , 2012, 20, 2290-2295.	1.5	32
42	Habitual Active Transport Moderates the Association of TV Viewing Time With Body Mass Index. <i>Journal of Physical Activity and Health</i> , 2010, 7, 11-16.	1.0	30
43	Correlates of Omani adultsâ€™ physical inactivity and sitting time. <i>Public Health Nutrition</i> , 2013, 16, 65-72.	1.1	30
44	Feasibility and acceptability of telehealth coaching to promote healthy eating in chronic kidney disease: a mixed-methods process evaluation. <i>BMJ Open</i> , 2019, 9, e024551.	0.8	29
45	A Coaching Program to Improve Dietary Intake of Patients with CKD. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2020, 15, 330-340.	2.2	28
46	Can weight gain be prevented in women receiving treatment for breast cancer? A systematic review of intervention studies. <i>Obesity Reviews</i> , 2017, 18, 1364-1373.	3.1	27
47	Evidence based practice guidelines for the nutritional management of patients receiving radiation therapy. <i>Nutrition and Dietetics</i> , 2008, 65, 1-20.	0.9	26
48	A Telephone-Delivered Physical Activity and Dietary Intervention for Type 2 Diabetes and Hypertension: Does Intervention Dose Influence Outcomes?. <i>American Journal of Health Promotion</i> , 2011, 25, 257-263.	0.9	26
49	Addressing physical inactivity in Omani adults: perceptions of public health managers. <i>Public Health Nutrition</i> , 2014, 17, 674-681.	1.1	26
50	Maintenance of physical activity and sedentary behavior change, and physical activity and sedentary behavior change after an abridged intervention: Secondary outcomes from the ACTIVATE Trial. <i>Cancer</i> , 2019, 125, 2856-2860.	2.0	26
51	Multi-level support for physical activity and healthy eating. <i>Journal of Advanced Nursing</i> , 2006, 54, 585-593.	1.5	25
52	Effectiveness of extended contact interventions for weight management delivered via text messaging: a systematic review and meta-analysis. <i>Obesity Reviews</i> , 2018, 19, 538-549.	3.1	24
53	Measuring physical activity change in broad-reach intervention trials. <i>Journal of Physical Activity and Health</i> , 2010, 7, 194-202.	1.0	24
54	Variation in the application of methods used for predicting energy requirements in acutely ill adult patients: a survey of practice. <i>European Journal of Clinical Nutrition</i> , 2003, 57, 1530-1535.	1.3	23

#	ARTICLE	IF	CITATIONS
55	Fat and fibre behaviour questionnaire: Reliability, relative validity and responsiveness to change in Australian adults with type 2 diabetes and/or hypertension. <i>Nutrition and Dietetics</i> , 2015, 72, 368-376.	0.9	23
56	Relationship between Intervention Dose and Outcomes in Living Well with Diabetes—A Randomized Trial of a Telephone-Delivered Lifestyle-Based Weight Loss Intervention. <i>American Journal of Health Promotion</i> , 2015, 30, 120-129.	0.9	23
57	Telehealth-delivered, Cardioprotective Diet and Exercise Program for Liver Transplant Recipients: A Randomized Feasibility Study. <i>Transplantation Direct</i> , 2021, 7, e667.	0.8	23
58	Women's Perceptions of Participation in an Extended Contact Text Message-Based Weight Loss Intervention: An Explorative Study. <i>JMIR MHealth and UHealth</i> , 2017, 5, e21.	1.8	22
59	Multiple Health Behavior Changes and Co-variation in a Telephone Counseling Trial. <i>Annals of Behavioral Medicine</i> , 2010, 39, 250-257.	1.7	21
60	Breast cancer survivors' experience of making weight, dietary and physical activity changes during participation in a weight loss intervention. <i>Supportive Care in Cancer</i> , 2017, 25, 1455-1463.	1.0	21
61	Effects of a wearable technology-based physical activity intervention on sleep quality in breast cancer survivors: the ACTIVATE Trial. <i>Journal of Cancer Survivorship</i> , 2021, 15, 273-280.	1.5	21
62	Overall Dietary Intake and Prognosis after Breast Cancer: A Systematic Review. <i>Nutrition and Cancer</i> , 2018, 70, 153-163.	0.9	20
63	Validation of the spanish-language version of the chronic illness resources survey. <i>International Journal of Behavioral Medicine</i> , 2007, 14, 76-85.	0.8	19
64	Living well after breast cancer randomized controlled trial protocol: evaluating a telephone-delivered weight loss intervention versus usual care in women following treatment for breast cancer. <i>BMC Cancer</i> , 2016, 16, 830.	1.1	19
65	Effects of the ACTIVITY And TEchnology (ACTIVATE) intervention on health-related quality of life and fatigue outcomes in breast cancer survivors. <i>Psycho-Oncology</i> , 2020, 29, 204-211.	1.0	19
66	Correlates of pedometer use: Results from a community-based physical activity intervention trial (10,000 Steps Rockhampton). <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2007, 4, 31.	2.0	18
67	Responsiveness to Change of Self-Report and Device-Based Physical Activity Measures in the Living Well With Diabetes Trial. <i>Journal of Physical Activity and Health</i> , 2015, 12, 1082-1087.	1.0	16
68	Get Healthy after Breast Cancer - examining the feasibility, acceptability and outcomes of referring breast cancer survivors to a general population telephone-delivered program targeting physical activity, healthy diet and weight loss. <i>Supportive Care in Cancer</i> , 2017, 25, 1953-1962.	1.0	16
69	Effect of a Remotely Delivered Weight Loss Intervention in Early-Stage Breast Cancer: Randomized Controlled Trial. <i>Nutrients</i> , 2021, 13, 4091.	1.7	16
70	Cost-effectiveness analyses and modelling the lifetime costs and benefits of health-behaviour interventions. <i>Chronic Illness</i> , 2006, 2, 97-107.	0.6	15
71	Translation from Research to Practice: Community Dissemination of a Telephone-Delivered Physical Activity and Dietary Behavior Change Intervention. <i>American Journal of Health Promotion</i> , 2012, 26, 253-259.	0.9	15
72	Exercise and the Prevention of Oesophageal Cancer (EPOC) study protocol: a randomized controlled trial of exercise versus stretching in males with Barrett's oesophagus. <i>BMC Cancer</i> , 2010, 10, 292.	1.1	14

#	ARTICLE	IF	CITATIONS
73	Joint associations of poor diet quality and prolonged television viewing time with abnormal glucose metabolism in Australian men and women. <i>Preventive Medicine</i> , 2013, 57, 471-476.	1.6	14
74	Feasibility, effectiveness and cost-effectiveness of a telephone-based weight loss program delivered via a hospital outpatient setting. <i>Translational Behavioral Medicine</i> , 2016, 6, 386-395.	1.2	14
75	Study design and methods for the ACTIVITY And TEchnology (ACTIVATE) trial. <i>Contemporary Clinical Trials</i> , 2018, 64, 112-117.	0.8	14
76	Results from the dissemination of an evidence-based telephone-delivered intervention for healthy lifestyle and weight loss: the Optimal Health Program. <i>Translational Behavioral Medicine</i> , 2013, 3, 340-350.	1.2	13
77	Moderators of health behavior initiation and maintenance in a randomized telephone counseling trial. <i>Preventive Medicine</i> , 2014, 61, 34-41.	1.6	13
78	Characteristics of control group participants who increased their physical activity in a cluster-randomized lifestyle intervention trial. <i>BMC Public Health</i> , 2011, 11, 27.	1.2	10
79	Is Measurement Error Altered by Participation in a Physical Activity Intervention?. <i>Medicine and Science in Sports and Exercise</i> , 2013, 45, 1004-1011.	0.2	10
80	The Feasibility of an Exercise Intervention in Males at Risk of Oesophageal Adenocarcinoma: A Randomized Controlled Trial. <i>PLoS ONE</i> , 2015, 10, e0117922.	1.1	10
81	Translating research into practice: outcomes from the Healthy Living after Cancer partnership project. <i>BMC Cancer</i> , 2020, 20, 963.	1.1	10
82	Reflexive Intervention Development: Using Qualitative Research to Inform the Development of an Intervention for Women With Metastatic Breast Cancer. <i>Qualitative Health Research</i> , 2020, 30, 666-678.	1.0	9
83	Current practices in the delivery of parenteral nutrition in Australia. <i>European Journal of Clinical Nutrition</i> , 2007, 61, 554-560.	1.3	6
84	The impact of behavioural screening on intervention outcomes in a randomised, controlled multiple behaviour intervention trial. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2011, 8, 24.	2.0	6
85	Evaluating the Impact of Goal Setting on Improving Diet Quality in Chronic Kidney Disease. <i>Frontiers in Nutrition</i> , 2021, 8, 627753.	1.6	6
86	Death, contagion and shame: The potential of cancer survivors' advocacy in Zambia. <i>Health Care for Women International</i> , 2018, 39, 507-521.	0.6	5
87	Weight loss outcomes in premenopausal versus postmenopausal women during behavioral weight loss interventions: a systematic review and meta-analysis. <i>Menopause</i> , 2021, 28, 337-346.	0.8	5
88	Telephone-delivered weight management services in the hospital outpatient setting: Decision-makers' perceptions of their use in routine practice. <i>Nutrition and Dietetics</i> , 2017, 74, 261-267.	0.9	4
89	Evaluation of the Healthy Living after Cancer text message-delivered, extended contact intervention using the RE-AIM framework. <i>BMC Cancer</i> , 2021, 21, 1081.	1.1	3
90	Cost-effectiveness analyses and modelling the lifetime costs and benefits of health-behaviour interventions. <i>Chronic Illness</i> , 2006, 2, 97-107.	0.6	3

#	ARTICLE	IF	CITATIONS
91	Correlates of Omani adultsâ€™ physical inactivity and sitting time â€“ Corrigendum. Public Health Nutrition, 2012, 15, 2164-2164.	1.1	2
92	Relative validity of a brief Fat and Fibre Behaviour Questionnaire in a population of overweight and obese breast cancer survivors: A note of caution. Nutrition and Dietetics, 2017, 74, 18-28.	0.9	2
93	Translating Research into Community Practice: The Healthy Living after Cancer Partnership Project. Obesity, 2017, 25, S31-S31.	1.5	2
94	Health behaviours of Indigenous and non-Indigenous cancer survivors living in regional and remote geographic areas of Australia: a short report. Journal of Psychosocial Oncology Research and Practice, 2020, 2, e039.	0.2	2
95	Depressive symptoms and obesity: Assessing and addressing the black dog in the room. Nutrition and Dietetics, 2012, 69, 234-235.	0.9	1
96	Effects of Delayed Sample Processing on Determination of Total and High Molecular Weight (HMW) Adiponectin in Serum and Plasma: A Pilot Study. International Journal of Chemistry, 2016, 8, 19.	0.3	0
97	Comment on â€œThe effectiveness of home versus community-based weight control programmes initiated soon after breast cancer diagnosis: a randomised controlled trialâ€. British Journal of Cancer, 2020, 122, 927-928.	2.9	0