

Erik Smolders

List of Publications by Citations

Source: <https://exaly.com/author-pdf/8643111/erik-smolders-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

311
papers

11,044
citations

56
h-index

88
g-index

323
ext. papers

12,541
ext. citations

5.7
avg, IF

6.53
L-index

#	Paper	IF	Citations
311	Inputs of trace elements in agricultural soils via phosphate fertilizers in European countries. <i>Science of the Total Environment</i> , 2008 , 390, 53-7	10.2	293
310	Toxicity of trace metals in soil as affected by soil type and aging after contamination: using calibrated bioavailability models to set ecological soil standards. <i>Environmental Toxicology and Chemistry</i> , 2009 , 28, 1633-42	3.8	286
309	Partitioning of metals (Cd, Co, Cu, Ni, Pb, Zn) in soils: concepts, methodologies, prediction and applications [a] review. <i>European Journal of Soil Science</i> , 2009 , 60, 590-612	3.4	258
308	Acute toxicity and prothrombotic effects of quantum dots: impact of surface charge. <i>Environmental Health Perspectives</i> , 2008 , 116, 1607-13	8.4	215
307	Nitrogen availability influences phosphorus removal in microalgae-based wastewater treatment. <i>Water Research</i> , 2015 , 77, 98-106	12.5	203
306	The red mud accident in ajka (hungary): plant toxicity and trace metal bioavailability in red mud contaminated soil. <i>Environmental Science & Technology</i> , 2011 , 45, 1616-22	10.3	186
305	Predicting availability of mineral elements to plants with the DGT technique: a review of experimental data and interpretation by modelling. <i>Environmental Chemistry</i> , 2009 , 6, 198	3.2	185
304	Concentrations of 137Cs and K in Soil Solution Predict the Plant Availability of 137Cs in Soils. <i>Environmental Science & Technology</i> , 1997 , 31, 3432-3438	10.3	161
303	Fate and effect of zinc from tire debris in soil. <i>Environmental Science & Technology</i> , 2002 , 36, 3706-10	10.3	158
302	Biodegradation: Updating the concepts of control for microbial cleanup in contaminated aquifers. <i>Environmental Science & Technology</i> , 2015 , 49, 7073-81	10.3	155
301	High human exposure to cobalt and other metals in Katanga, a mining area of the Democratic Republic of Congo. <i>Environmental Research</i> , 2009 , 109, 745-52	7.9	152
300	Sustainability of artisanal mining of cobalt in DR Congo. <i>Nature Sustainability</i> , 2018 , 1, 495-504	22.1	152
299	Soil properties affecting toxicity of zinc to soil microbial properties in laboratory-spiked and field-contaminated soils. <i>Environmental Toxicology and Chemistry</i> , 2004 , 23, 2633-40	3.8	145
298	Terrestrial biotic ligand model. 2. Application to Ni and Cu toxicities to plants, invertebrates, and microbes in soil. <i>Environmental Science & Technology</i> , 2006 , 40, 7094-100	10.3	144
297	Metal complexation properties of freshwater dissolved organic matter are explained by its aromaticity and by anthropogenic ligands. <i>Environmental Science & Technology</i> , 2011 , 45, 2584-90	10.3	140
296	Labile Cd complexes increase Cd availability to plants. <i>Environmental Science & Technology</i> , 2006 , 40, 830-6	10.3	138
295	Chloride Increases Cadmium Uptake in Swiss Chard in a Resin-buffered Nutrient Solution. <i>Soil Science Society of America Journal</i> , 1996 , 60, 1443-1447	2.5	136

294	Kinetics of Zn release in soils and prediction of Zn concentration in plants using diffusive gradients in thin films. <i>Environmental Science & Technology</i> , 2004 , 38, 3608-13	10.3	126
293	Phosphate-Exchanged Mg/Al Layered Double Hydroxides: A New Slow Release Phosphate Fertilizer. <i>ACS Sustainable Chemistry and Engineering</i> , 2016 , 4, 4280-4287	8.3	121
292	Bacteria, not archaea, restore nitrification in a zinc-contaminated soil. <i>ISME Journal</i> , 2009 , 3, 916-23	11.9	118
291	Effect of Soil Solution Chloride on Cadmium Availability to Swiss Chard. <i>Journal of Environmental Quality</i> , 1998 , 27, 426-431	3.4	118
290	Soil properties affecting the toxicity of CuCl ₂ and NiCl ₂ for soil microbial processes in freshly spiked soils. <i>Environmental Toxicology and Chemistry</i> , 2006 , 25, 836-44	3.8	111
289	Cadmium Fixation in Soils Measured by Isotopic Dilution. <i>Soil Science Society of America Journal</i> , 1999 , 63, 78-85	2.5	110
288	Potential nitrification rate as a tool for screening toxicity in metal-contaminated soils. <i>Environmental Toxicology and Chemistry</i> , 2001 , 20, 2469-2474	3.8	108
287	Solubility and toxicity of antimony trioxide (Sb ₂ O ₃) in soil. <i>Environmental Science & Technology</i> , 2008 , 42, 4378-83	10.3	103
286	Predicting Soil to Plant Transfer of Radiocesium Using Soil Characteristics. <i>Environmental Science & Technology</i> , 1999 , 33, 1218-1223	10.3	102
285	Effect of Cl on Cd uptake by Swiss chard in nutrient solutions. <i>Plant and Soil</i> , 1996 , 179, 57-64	4.2	98
284	Copper toxicity in soils under established vineyards in Europe: a survey. <i>Science of the Total Environment</i> , 2013 , 443, 470-7	10.2	91
283	Leaching and aging decrease nickel toxicity to soil microbial processes in soils freshly spiked with nickel chloride. <i>Environmental Toxicology and Chemistry</i> , 2007 , 26, 1130-8	3.8	89
282	Toxicity of heavy metals in soil assessed with various soil microbial and plant growth assays: a comparative study. <i>Environmental Toxicology and Chemistry</i> , 2005 , 24, 634-40	3.8	89
281	Soil solution concentration of Cd and Zn can be predicted with a CaCl ₂ soil extract. <i>European Journal of Soil Science</i> , 2003 , 54, 149-158	3.4	86
280	Metal complexes increase uptake of Zn and Cu by plants: implications for uptake and deficiency studies in chelator-buffered solutions. <i>Plant and Soil</i> , 2006 , 289, 171-185	4.2	83
279	Tracing the source and fate of dissolved organic matter in soil after incorporation of a ¹³ C labelled residue: A batch incubation study. <i>Soil Biology and Biochemistry</i> , 2011 , 43, 513-519	7.5	82
278	The copper-mobilizing-potential of dissolved organic matter in soils varies 10-fold depending on soil incubation and extraction procedures. <i>Environmental Science & Technology</i> , 2007 , 41, 2277-81	10.3	81
277	Discrepancy of the microbial response to elevated copper between freshly spiked and long-term contaminated soils. <i>Environmental Toxicology and Chemistry</i> , 2006 , 25, 845-53	3.8	81

276	High Plant Uptake of Radiocesium from Organic Soils Due to Cs Mobility and Low Soil K Content. <i>Environmental Science & Technology</i> , 1999 , 33, 2752-2757	10.3	80
275	Vanadium bioavailability and toxicity to soil microorganisms and plants. <i>Environmental Toxicology and Chemistry</i> , 2013 , 32, 2266-73	3.8	73
274	Long-term exposure to elevated zinc concentrations induced structural changes and zinc tolerance of the nitrifying community in soil. <i>Environmental Microbiology</i> , 2006 , 8, 2170-8	5.2	73
273	Pathways of human exposure to cobalt in Katanga, a mining area of the D.R. Congo. <i>Science of the Total Environment</i> , 2014 , 490, 313-21	10.2	70
272	The UV-absorbance of dissolved organic matter predicts the fivefold variation in its affinity for mobilizing Cu in an agricultural soil horizon. <i>European Journal of Soil Science</i> , 2008 , 59, 1087-1095	3.4	70
271	A survey of symbiotic nitrogen fixation by white clover grown on metal contaminated soils. <i>Soil Biology and Biochemistry</i> , 2004 , 36, 633-640	7.5	70
270	¹³⁷ Cs Uptake in spring wheat (<i>Triticum aestivum</i> L. cv Tonic) at varying K supply. <i>Plant and Soil</i> , 1996 , 181, 205-209	4.2	68
269	The performance of DGT versus conventional soil phosphorus tests in tropical soils: maize and rice responses to P application. <i>Plant and Soil</i> , 2013 , 366, 49-66	4.2	67
268	Sprinkler irrigation of rice fields reduces grain arsenic but enhances cadmium. <i>Science of the Total Environment</i> , 2014 , 485-486, 468-473	10.2	66
267	Influence of soil properties on copper toxicity for two soil invertebrates. <i>Environmental Toxicology and Chemistry</i> , 2008 , 27, 1748	3.8	65
266	Zinc toxicity to nitrification in soil and soilless culture can be predicted with the same biotic ligand model. <i>Environmental Science & Technology</i> , 2007 , 41, 2992-7	10.3	64
265	Radio-labile cadmium and zinc in soils as affected by pH and source of contamination. <i>European Journal of Soil Science</i> , 2004 , 55, 113-122	3.4	64
264	Role of soil constituents in fixation of soluble Zn, Cu, Ni and Cd added to soils. <i>European Journal of Soil Science</i> , 2007 , 58, 1514-1524	3.4	63
263	Survival of rhizobia in soil is sensitive to elevated zinc in the absence of the host plant. <i>Soil Biology and Biochemistry</i> , 2005 , 37, 573-579	7.5	61
262	Toxicity of nanoparticles embedded in paints compared with pristine nanoparticles in mice. <i>Toxicological Sciences</i> , 2014 , 141, 132-40	4.4	58
261	Phosphorus losses from agricultural land to natural waters are reduced by immobilization in iron-rich sediments of drainage ditches. <i>Water Research</i> , 2015 , 71, 160-70	12.5	58
260	Comparison of toxicity of zinc for soil microbial processes between laboratory-contaminated and polluted field soils. <i>Environmental Toxicology and Chemistry</i> , 2003 , 22, 2592-8	3.8	58
259	Diffusion limitations in root uptake of cadmium and zinc, but not nickel, and resulting bias in the Michaelis constant. <i>Plant Physiology</i> , 2012 , 160, 1097-109	6.6	57

258	Decomposition of dissolved organic carbon after soil drying and rewetting as an indicator of metal toxicity in soils. <i>Soil Biology and Biochemistry</i> , 2001 , 33, 235-240	7.5	57
257	Biochar affects carbon composition and stability in soil: a combined spectroscopy-microscopy study. <i>Scientific Reports</i> , 2016 , 6, 25127	4.9	56
256	Effects of sulfate on cadmium uptake by Swiss chard: I. Effects of complexation and calcium competition in nutrient solutions. <i>Plant and Soil</i> , 1998 , 202, 211-216	4.2	56
255	Challenges of Reducing Phosphorus Based Water Eutrophication in the Agricultural Landscapes of Northwest Europe. <i>Frontiers in Marine Science</i> , 2018 , 5,	4.5	54
254	Effect of organic P forms and P present in inorganic colloids on the determination of dissolved P in environmental samples by the diffusive gradient in thin films technique, ion chromatography, and colorimetry. <i>Analytical Chemistry</i> , 2011 , 83, 5317-23	7.8	54
253	Mobilization of Cu and Zn by root exudates of dicotyledonous plants in resin-buffered solutions and in soil. <i>Plant and Soil</i> , 2008 , 306, 69-84	4.2	54
252	Long-term effect of biochar on the stabilization of recent carbon: soils with historical inputs of charcoal. <i>GCB Bioenergy</i> , 2016 , 8, 371-381	5.6	54
251	Base catalytic activity of alkaline earth MOFs: a (micro)spectroscopic study of active site formation by the controlled transformation of structural anions. <i>Chemical Science</i> , 2014 , 5, 4517-4524	9.4	53
250	The performance of DGT versus conventional soil phosphorus tests in tropical soils - An isotope dilution study. <i>Plant and Soil</i> , 2012 , 359, 267-279	4.2	53
249	Soil properties affecting solid-liquid distribution of As(V) in soils. <i>European Journal of Soil Science</i> , 2004 , 55, 165-173	3.4	53
248	The long term use of farmyard manure and compost: Effects on P availability, orthophosphate sorption strength and P leaching. <i>Agriculture, Ecosystems and Environment</i> , 2016 , 216, 23-33	5.7	52
247	Ageing of vanadium in soils and consequences for bioavailability. <i>European Journal of Soil Science</i> , 2012 , 63, 839-847	3.4	52
246	Influence of organic matter on flocculation of <i>Chlorella vulgaris</i> by calcium phosphate precipitation. <i>Biomass and Bioenergy</i> , 2013 , 54, 107-114	5.3	52
245	Relating soil solution Zn concentration to diffusive gradients in thin films measurements in contaminated soils. <i>Environmental Science & Technology</i> , 2003 , 37, 3958-65	10.3	52
244	Element distribution and iron speciation in mature wheat grains (<i>Triticum aestivum</i> L.) using synchrotron X-ray fluorescence microscopy mapping and X-ray absorption near-edge structure (XANES) imaging. <i>Plant, Cell and Environment</i> , 2016 , 39, 1835-47	8.4	51
243	Soil properties and agronomic factors affecting cadmium concentrations in cacao beans: A nationwide survey in Ecuador. <i>Science of the Total Environment</i> , 2019 , 649, 120-127	10.2	51
242	Effects of sulfate on cadmium uptake by Swiss chard: II. Effects due to sulfate addition to soil. <i>Plant and Soil</i> , 1998 , 202, 217-222	4.2	50
241	Systematic Evaluation of Chronic Metal-Mixture Toxicity to Three Species and Implications for Risk Assessment. <i>Environmental Science & Technology</i> , 2017 , 51, 4615-4623	10.3	48

240	A comparison of soil tests for available phosphorus in long-term field experiments in Europe. <i>European Journal of Soil Science</i> , 2017 , 68, 873-885	3.4	47
239	Modelling the effects of ageing on Cd, Zn, Ni and Cu solubility in soils using an assemblage model. <i>European Journal of Soil Science</i> , 2008 , 59, 1160-1170	3.4	47
238	Speciation of nickel in surface waters measured with the Donnan membrane technique. <i>Analytica Chimica Acta</i> , 2006 , 578, 195-202	6.6	47
237	Extent of copper tolerance and consequences for functional stability of the ammonia-oxidizing community in long-term copper-contaminated soils. <i>Environmental Toxicology and Chemistry</i> , 2010 , 29, 27-37	3.8	43
236	Cationic interactions in radiocaesium uptake from solution by spinach. <i>Journal of Environmental Radioactivity</i> , 1997 , 34, 161-170	2.4	43
235	Application of fertilisers and ameliorants to reduce soil to plant transfer of radiocaesium and radiostrontium in the medium to long term. A summary. <i>Science of the Total Environment</i> , 1993 , 137, 173-182	10.2	43
234	Phosphate binding by natural iron-rich colloids in streams. <i>Water Research</i> , 2016 , 98, 326-33	12.5	43
233	Internal Loading and Redox Cycling of Sediment Iron Explain Reactive Phosphorus Concentrations in Lowland Rivers. <i>Environmental Science & Technology</i> , 2017 , 51, 2584-2592	10.3	42
232	Ageing of nickel added to soils as predicted by soil pH and time. <i>Chemosphere</i> , 2013 , 92, 962-8	8.4	42
231	Labile lead in polluted soils measured by stable isotope dilution. <i>European Journal of Soil Science</i> , 2007 , 58, 1-7	3.4	42
230	¹³⁷ Cs uptake in spring wheat (<i>Triticum aestivum</i> L.cv. Tonic) at varying K supply. <i>Plant and Soil</i> , 1996 , 181, 211-220	4.2	42
229	Root hairs explain P uptake efficiency of soybean genotypes grown in a P-deficient Ferralsol. <i>Plant and Soil</i> , 2013 , 369, 269-282	4.2	41
228	Zinc speciation in mining and smelter contaminated overbank sediments by EXAFS spectroscopy. <i>Geochimica Et Cosmochimica Acta</i> , 2010 , 74, 3707-3720	5.5	41
227	Stimulated activity of the soil nitrifying community accelerates community adaptation to Zn stress. <i>Soil Biology and Biochemistry</i> , 2010 , 42, 766-772	7.5	41
226	Effect of leaching and aging on the bioavailability of lead to the springtail <i>Folsomia candida</i> . <i>Environmental Toxicology and Chemistry</i> , 2006 , 25, 2006-10	3.8	41
225	Phosphorus resource partitioning shapes phosphorus acquisition and plant species abundance in grasslands. <i>Nature Plants</i> , 2017 , 3, 16224	11.5	40
224	Distribution of Minerals in Wheat Grains (<i>Triticum aestivum</i> L.) and in Roller Milling Fractions Affected by Pearling. <i>Journal of Agricultural and Food Chemistry</i> , 2015 , 63, 1276-1285	5.7	39
223	Phytotoxicity of trace metals in spiked and field-contaminated soils: Linking soil-extractable metals with toxicity. <i>Environmental Toxicology and Chemistry</i> , 2014 , 33, 2479-87	3.8	38

222	Characterization of zinc in contaminated soils: complementary insights from isotopic exchange, batch extractions and XAFS spectroscopy. <i>European Journal of Soil Science</i> , 2011 , 62, 318-330	3.4	38
221	Dissolved organic carbon fluxes under bare soil. <i>Journal of Environmental Quality</i> , 2007 , 36, 597-606	3.4	38
220	Changes in radiocaesium uptake and distribution in wheat during plant development: a solution culture study. <i>Plant and Soil</i> , 1995 , 176, 1-6	4.2	38
219	Growth and shoot:root partitioning of spinach plants as affected by nitrogen supply. <i>Plant, Cell and Environment</i> , 1992 , 15, 795-807	8.4	38
218	Long-term reactions of Ni, Zn and Cd with iron oxyhydroxides depend on crystallinity and structure and on metal concentrations. <i>European Journal of Soil Science</i> , 2008 , 59, 706-715	3.4	37
217	Nanospecific Phytotoxicity of CuO Nanoparticles in Soils Disappeared When Bioavailability Factors Were Considered. <i>Environmental Science & Technology</i> , 2017 , 51, 11976-11985	10.3	36
216	Agronomic Effectiveness of Granulated and Powdered P-Exchanged Mg-Al LDH Relative to Struvite and MAP. <i>Journal of Agricultural and Food Chemistry</i> , 2017 , 65, 6736-6744	5.7	36
215	Mixture toxicity of nickel and zinc to <i>Daphnia magna</i> is noninteractive at low effect sizes but becomes synergistic at high effect sizes. <i>Environmental Toxicology and Chemistry</i> , 2015 , 34, 1091-102	3.8	35
214	Mobility of Cd and Zn in polluted and unpolluted Spodosols. <i>European Journal of Soil Science</i> , 2006 , 57, 122-133	3.4	35
213	A Statistical Approach for Estimating the Radiocesium Interception Potential of Soils. <i>Journal of Environmental Quality</i> , 1999 , 28, 1005-1011	3.4	35
212	Mixture toxicity of copper, cadmium, and zinc to barley seedlings is not explained by antioxidant and oxidative stress biomarkers. <i>Environmental Toxicology and Chemistry</i> , 2017 , 36, 220-230	3.8	34
211	Predicting radiocaesium sorption characteristics with soil chemical properties for Japanese soils. <i>Science of the Total Environment</i> , 2015 , 524-525, 148-56	10.2	34
210	Iron-rich colloids as carriers of phosphorus in streams: A field-flow fractionation study. <i>Water Research</i> , 2016 , 99, 83-90	12.5	34
209	Interactions and Toxicity of Cu-Zn mixtures to <i>Hordeum vulgare</i> in Different Soils Can Be Rationalized with Bioavailability-Based Prediction Models. <i>Environmental Science & Technology</i> , 2016 , 50, 1014-22	10.3	34
208	Isotopic fractionation of Zn in tomato plants suggests the role of root exudates on Zn uptake. <i>Plant and Soil</i> , 2013 , 370, 605-613	4.2	34
207	Critical loads of metals and other trace elements to terrestrial environments. <i>Environmental Science & Technology</i> , 2007 , 41, 6326-31	10.3	34
206	Mixture toxicity of copper and zinc to barley at low level effects can be described by the Biotic Ligand Model. <i>Plant and Soil</i> , 2014 , 381, 131-142	4.2	33
205	Iron colloids reduce the bioavailability of phosphorus to the green alga <i>Raphidocelis subcapitata</i> . <i>Water Research</i> , 2014 , 59, 198-206	12.5	33

204	Effect of long-term equilibration on the toxicity of molybdenum to soil organisms. <i>Environmental Pollution</i> , 2012 , 162, 1-7	9.3	33
203	Toxicity in lead salt spiked soils to plants, invertebrates and microbial processes: Unraveling effects of acidification, salt stress and ageing reactions. <i>Science of the Total Environment</i> , 2015 , 536, 223-231	10.2	32
202	The impact of steeping, germination and hydrothermal processing of wheat (<i>Triticum aestivum</i> L.) grains on phytate hydrolysis and the distribution, speciation and bio-accessibility of iron and zinc elements. <i>Food Chemistry</i> , 2018 , 264, 367-376	8.5	32
201	Vanadium bioavailability in soils amended with blast furnace slag. <i>Journal of Hazardous Materials</i> , 2015 , 296, 158-165	12.8	31
200	Oxidation of iron causes removal of phosphorus and arsenic from streamwater in groundwater-fed lowland catchments. <i>Environmental Science & Technology</i> , 2015 , 49, 2886-94	10.3	31
199	The availability of copper in soils historically amended with sewage sludge, manure, and compost. <i>Journal of Environmental Quality</i> , 2012 , 41, 506-14	3.4	31
198	The transfer of radiocesium from soil to plants: Mechanisms, data, and perspectives for potential countermeasures in Japan. <i>Integrated Environmental Assessment and Management</i> , 2011 , 7, 379-81	2.5	31
197	Does the enhanced P acquisition by maize following legumes in a rotation result from improved soil P availability?. <i>Soil Biology and Biochemistry</i> , 2007 , 39, 2555-2566	7.5	31
196	Background zinc concentrations in soil affect the zinc sensitivity of soil microbial processes: rationale for a metalloregion approach to risk assessments. <i>Environmental Toxicology and Chemistry</i> , 2001 , 20, 2639-2643	3.8	31
195	Uptake of Metals from Soil into Vegetables 2011 , 325-367		31
194	Dynamics of the nitrous oxide reducing community during adaptation to Zn stress in soil. <i>Soil Biology and Biochemistry</i> , 2010 , 42, 1581-1587	7.5	30
193	A framework for ecological risk assessment of metal mixtures in aquatic systems. <i>Environmental Toxicology and Chemistry</i> , 2018 , 37, 623-642	3.8	30
192	First observation of diffusion-limited plant root phosphorus uptake from nutrient solution. <i>Plant, Cell and Environment</i> , 2012 , 35, 1558-66	8.4	29
191	Plant-available P for Maize and Cowpea in P-deficient Soils from the Nigerian Northern Guinea Savanna [Comparison of E- and L-values. <i>Plant and Soil</i> , 2006 , 283, 251-264	4.2	29
190	Long-term presence of charcoal increases maize yield in Belgium due to increased soil water availability. <i>European Journal of Agronomy</i> , 2017 , 91, 10-15	5	28
189	DGT-measured fluxes explain the chloride-enhanced cadmium uptake by plants at low but not at high Cd supply. <i>Plant and Soil</i> , 2009 , 318, 127-135	4.2	28
188	Optimization of phosphate recovery from urine by layered double hydroxides. <i>Science of the Total Environment</i> , 2019 , 682, 437-446	10.2	27
187	Variovorax sp.-mediated biodegradation of the phenyl urea herbicide linuron at micropollutant concentrations and effects of natural dissolved organic matter as supplementary carbon source. <i>Applied Microbiology and Biotechnology</i> , 2013 , 97, 9837-46	5.7	26

186	An anion resin membrane technique to overcome detection limits of isotopically exchanged P in P-sorbing soils. <i>European Journal of Soil Science</i> , 2004 , 55, 63-69	3.4	26
185	Historical soil amendment with charcoal increases sequestration of non-charcoal carbon: a comparison among methods of black carbon quantification. <i>European Journal of Soil Science</i> , 2016 , 67, 324-331	3.4	25
184	Mixture toxicity and interactions of copper, nickel, cadmium, and zinc to barley at low effect levels: Something from nothing?. <i>Environmental Toxicology and Chemistry</i> , 2016 , 35, 2483-2492	3.8	25
183	The bioavailability of colloidal and dissolved organic phosphorus to the alga <i>Pseudokirchneriella subcapitata</i> in relation to analytical phosphorus measurements. <i>Hydrobiologia</i> , 2013 , 709, 41-53	2.4	25
182	Mechanisms of enhanced mobilisation of trace metals by anionic surfactants in soil. <i>Environmental Pollution</i> , 2011 , 159, 809-16	9.3	25
181	Transpiration flow controls Zn transport in <i>Brassica napus</i> and <i>Lolium multiflorum</i> under toxic levels as evidenced from isotopic fractionation. <i>Comptes Rendus - Geoscience</i> , 2015 , 347, 386-396	1.4	24
180	Lead phytotoxicity in soils and nutrient solutions is related to lead induced phosphorus deficiency. <i>Environmental Pollution</i> , 2012 , 164, 242-7	9.3	24
179	Environmental dissolved organic matter governs biofilm formation and subsequent linuron degradation activity of a linuron-degrading bacterial consortium. <i>Applied and Environmental Microbiology</i> , 2013 , 79, 4534-42	4.8	24
178	Manganese Toxicity in Barley is Controlled by Solution Manganese and Soil Manganese Speciation. <i>Soil Science Society of America Journal</i> , 2012 , 76, 399-407	2.5	24
177	Resistance and resilience of zinc tolerant nitrifying communities is unaffected in long-term zinc contaminated soils. <i>Soil Biology and Biochemistry</i> , 2007 , 39, 1828-1831	7.5	24
176	Enhanced sorption and fixation of radiocaesium in soils amended with K-bentonites, submitted to wetting-drying cycles. <i>European Journal of Soil Science</i> , 2004 , 55, 513-522	3.4	24
175	Radiocesium Uptake by One-Year-Old Willows Planted as Short Rotation Coppice. <i>Journal of Environmental Quality</i> , 2000 , 29, 1384-1390	3.4	24
174	Sediment respiration contributes to phosphate release in lowland surface waters. <i>Water Research</i> , 2020 , 168, 115168	12.5	24
173	Testing phosphorus availability for maize with DGT in weathered soils amended with organic materials. <i>Plant and Soil</i> , 2014 , 376, 177-192	4.2	23
172	Characterisation of hydrous ferric oxides derived from iron-rich groundwaters and their contribution to the suspended sediment of streams. <i>Applied Geochemistry</i> , 2013 , 39, 59-68	3.5	23
171	Genotypic effects in phytoavailability of radiocaesium are pronounced at low K intensities in soil. <i>Plant and Soil</i> , 2001 , 235, 11-20	4.2	23
170	Farmyard manure application in weathered upland soils of Madagascar sharply increase phosphate fertilizer use efficiency for upland rice. <i>Field Crops Research</i> , 2018 , 222, 94-100	5.5	22
169	Limited Dissolved Phosphorus Runoff Losses from Layered Double Hydroxide and Struvite Fertilizers in a Rainfall Simulation Study. <i>Journal of Environmental Quality</i> , 2018 , 47, 371-377	3.4	22

168	Modelling the effects of copper on soil organisms and processes using the free ion approach: towards a multi-species toxicity model. <i>Environmental Pollution</i> , 2013 , 178, 244-53	9.3	22
167	Larger bioavailability of soil phosphorus for irrigated rice compared with rainfed rice in Madagascar: results from a soil and plant survey. <i>Soil Use and Management</i> , 2012 , 28, 448-456	3.1	22
166	Partitioning of carbon sources among functional pools to investigate short-term priming effects of biochar in soil: A (13)C study. <i>Science of the Total Environment</i> , 2016 , 547, 30-38	10.2	21
165	Unlocking fixed soil phosphorus upon waterlogging can be promoted by increasing soil cation exchange capacity. <i>European Journal of Soil Science</i> , 2012 , 63, 831-838	3.4	21
164	Soil organic matter affects arsenic and antimony sorption in anaerobic soils. <i>Environmental Pollution</i> , 2020 , 257, 113566	9.3	21
163	The elemental composition of chocolates is related to cacao content and origin: A multi-element fingerprinting analysis of single origin chocolates. <i>Journal of Food Composition and Analysis</i> , 2019 , 83, 103277	4.1	20
162	Efficient removal of arsenate from oxic contaminated water by colloidal humic acid-coated goethite: Batch and column experiments. <i>Journal of Cleaner Production</i> , 2018 , 189, 510-518	10.3	20
161	Deriving site-specific clean-up criteria to protect ecological receptors (plants and soil invertebrates) exposed to metal or metalloid soil contaminants via the direct contact exposure pathway. <i>Integrated Environmental Assessment and Management</i> , 2014 , 10, 346-57	2.5	20
160	Inhibition of microbial trichloroethylene dechlorination [corrected] by Fe (III) reduction depends on Fe mineralogy: a batch study using the bioaugmentation culture KB-1. <i>Water Research</i> , 2013 , 47, 2543-54	12.5	20
159	Adapted DAX-8 fractionation method for dissolved organic matter (DOM) from soils: development, calibration with test components and application to contrasting soil solutions. <i>European Journal of Soil Science</i> , 2009 , 60, 956-965	3.4	20
158	Cadmium and nickel uptake by tomato and spinach seedlings: plant or transport control?. <i>Environmental Chemistry</i> , 2012 , 9, 48	3.2	20
157	The dissociation kinetics of Cu-dissolved organic matter complexes from soil and soil amendments. <i>Analytica Chimica Acta</i> , 2010 , 670, 24-32	6.6	20
156	Potential nitrification rate as a tool for screening toxicity in metal-contaminated soils. <i>Environmental Toxicology and Chemistry</i> , 2001 , 20, 2469-74	3.8	20
155	Inverse modeling of pesticide degradation and pesticide-degrading population size dynamics in a bioremediation system: parameterizing the Monod model. <i>Chemosphere</i> , 2009 , 75, 726-31	8.4	19
154	Elevated Concentrations of Pesticides and PCBs in Soils at the Southern Caspian Sea (Iran) are Related to Land Use. <i>Soil and Sediment Contamination</i> , 2012 , 21, 160-175	3.2	19
153	Elevated cadmium concentrations in potato tubers due to irrigation with river water contaminated by mining in Potosí/Bolivia. <i>Journal of Environmental Quality</i> , 2007 , 36, 1181-6	3.4	19
152	Phosphorus intensity determines short-term P uptake by pigeon pea (<i>Cajanus cajan</i> L.) grown in soils with differing P buffering capacity. <i>Plant and Soil</i> , 2006 , 284, 217-227	4.2	19
151	Crop residue management and oxalate-extractable iron and aluminium explain long-term soil organic carbon sequestration and dynamics. <i>European Journal of Soil Science</i> , 2016 , 67, 332-340	3.4	19

150	Incorporating bioavailability into toxicity assessment of Cu-Ni, Cu-Cd, and Ni-Cd mixtures with the extended biotic ligand model and the WHAM-F(tox) approach. <i>Environmental Science and Pollution Research</i> , 2015 , 22, 19213-23	5.1	18
149	Simulating the mobility of meteoric ¹⁰ Be in the landscape through a coupled soil-hillslope model (Be2D). <i>Earth and Planetary Science Letters</i> , 2016 , 439, 143-157	5.3	18
148	An electrostatic model predicting Cu and Ni toxicity to microbial processes in soils. <i>Soil Biology and Biochemistry</i> , 2013 , 57, 720-730	7.5	18
147	Biofilm formation of a bacterial consortium on linuron at micropollutant concentrations in continuous flow chambers and the impact of dissolved organic matter. <i>FEMS Microbiology Ecology</i> , 2014 , 88, 184-94	4.3	18
146	Activity of the ammonia oxidising bacteria is responsible for zinc tolerance development of the ammonia oxidising community in soil: A stable isotope probing study. <i>Soil Biology and Biochemistry</i> , 2013 , 58, 244-247	7.5	18
145	Toxicity of the molybdate anion in soil is partially explained by effects of the accompanying cation or by soil pH. <i>Environmental Toxicology and Chemistry</i> , 2010 , 29, 1274-8	3.8	18
144	An Agar Gel Technique Demonstrates Diffusion Limitations to Cadmium Uptake by Higher Plants. <i>Environmental Chemistry</i> , 2006 , 3, 419	3.2	18
143	Metal mining and birth defects: a case-control study in Lubumbashi, Democratic Republic of the Congo. <i>Lancet Planetary Health</i> , 2020 , 4, e158-e167	9.8	18
142	Reproductive toxicity of binary and ternary mixture combinations of nickel, zinc, and lead to <i>Ceriodaphnia dubia</i> is best predicted with the independent action model. <i>Environmental Toxicology and Chemistry</i> , 2016 , 35, 1796-805	3.8	18
141	Effects of Soil Properties on the Toxicity and Bioaccumulation of Lead in Soil Invertebrates. <i>Environmental Toxicology and Chemistry</i> , 2019 , 38, 1486-1494	3.8	17
140	The isotopic exchangeability of phosphate in Mg-Al layered double hydroxides. <i>Journal of Colloid and Interface Science</i> , 2018 , 520, 25-32	9.3	17
139	Factors Controlling the Dissolved Organic Matter Concentration in Pore Waters of Agricultural Soils. <i>Vadose Zone Journal</i> , 2014 , 13, vzj2013.09.0167	2.7	17
138	Comparison of chronic mixture toxicity of nickel-zinc-copper and nickel-zinc-copper-cadmium mixtures between <i>Ceriodaphnia dubia</i> and <i>Pseudokirchneriella subcapitata</i> . <i>Environmental Toxicology and Chemistry</i> , 2017 , 36, 1056-1066	3.8	17
137	Inorganic species of arsenic in soil solution determined by microcartridges and ferrihydrite-based diffusive gradient in thin films (DGT). <i>Talanta</i> , 2013 , 104, 83-9	6.2	17
136	Carbon source utilization profiles suggest additional metabolic interactions in a synergistic linuron-degrading bacterial consortium. <i>FEMS Microbiology Ecology</i> , 2013 , 84, 24-34	4.3	17
135	Potassium bentonites reduce radiocaesium availability to plants. <i>European Journal of Soil Science</i> , 2003 , 54, 91-102	3.4	17
134	Some principles behind the selection of crops to minimize radionuclide uptake from soil. <i>Science of the Total Environment</i> , 1993 , 137, 135-146	10.2	17
133	Effects of soil flooding and organic matter addition on plant accessible phosphorus in a tropical paddy soil: an isotope dilution study. <i>Journal of Plant Nutrition and Soil Science</i> , 2016 , 179, 765-774	2.3	17

132	Anaerobic Respiration in the Unsaturated Zone of Agricultural Soil Mobilizes Phosphorus and Manganese. <i>Environmental Science & Technology</i> , 2020 , 54, 4922-4931	10.3	16
131	Trace element concentrations in mineral phosphate fertilizers used in Europe: A balanced survey. <i>Science of the Total Environment</i> , 2020 , 712, 136419	10.2	16
130	Mobilization of Zn upon waterlogging riparian Spodosols is related to reductive dissolution of Fe minerals. <i>European Journal of Soil Science</i> , 2010 , 61, 1014-1024	3.4	16
129	Soil organic matter increases antimonate mobility in soil: An Sb(OH) ₆ sorption and modelling study. <i>Applied Geochemistry</i> , 2019 , 104, 33-41	3.5	15
128	A functional-structural model of upland rice root systems reveals the importance of laterals and growing root tips for phosphate uptake from wet and dry soils. <i>Annals of Botany</i> , 2020 , 126, 789-806	4.1	15
127	Effects of dissolved organic matter (DOM) at environmentally relevant carbon concentrations on atrazine degradation by <i>Chelatobacter heintzii</i> SalB. <i>Applied Microbiology and Biotechnology</i> , 2012 , 95, 1333-41	5.7	15
126	Cooperative dissolved organic carbon assimilation by a linuron-degrading bacterial consortium. <i>FEMS Microbiology Ecology</i> , 2013 , 84, 35-46	4.3	15
125	Ecological threshold concentrations for antimony in water and soil. <i>Environmental Chemistry</i> , 2009 , 6, 116	3.2	15
124	Zinc toxicity on N ₂ O reduction declines with time in laboratory spiked soils and is undetectable in field contaminated soils. <i>Soil Biology and Biochemistry</i> , 2007 , 39, 3167-3176	7.5	15
123	Co-tolerance to zinc and copper of the soil nitrifying community and its relationship with the community structure. <i>Soil Biology and Biochemistry</i> , 2012 , 44, 75-80	7.5	14
122	Bioavailability of organic phosphorus to <i>Pseudokirchneriella subcapitata</i> as affected by phosphorus starvation: an isotope dilution study. <i>Water Research</i> , 2013 , 47, 3047-56	12.5	14
121	Soil organic matter reduces the sorption of arsenate and phosphate: a soil profile study and geochemical modelling. <i>European Journal of Soil Science</i> , 2017 , 68, 678-688	3.4	14
120	Lower residue decomposition in historically charcoal-enriched soils is related to increased adsorption of organic matter. <i>Soil Biology and Biochemistry</i> , 2017 , 104, 1-7	7.5	14
119	Sulphur immobilization and availability in soils assessed using isotope dilution. <i>Soil Biology and Biochemistry</i> , 2005 , 37, 635-644	7.5	14
118	Polyphosphates and Fulvates Enhance Environmental Stability of PO-Bearing Colloidal Iron Oxyhydroxides. <i>Journal of Agricultural and Food Chemistry</i> , 2016 , 64, 8465-8473	5.7	13
117	Body distribution of SiO ₂ FeO ₃ core-shell nanoparticles after intravenous injection and intratracheal instillation. <i>Nanotoxicology</i> , 2016 , 10, 567-74	5.3	13
116	A three-layer diffusion-cell to examine bio-enhanced dissolution of chloroethene dense non-aqueous phase liquid. <i>Chemosphere</i> , 2011 , 83, 991-6	8.4	13
115	Mobilization of Cd upon acidification of agricultural soils: column study and field modelling. <i>European Journal of Soil Science</i> , 2007 , 58, 152-165	3.4	13

114	Modelling the uptake of nitrate by a growing plant with an adjustable root nitrate uptake capacity. <i>Plant and Soil</i> , 1996 , 181, 19-23	4.2	13
113	Reductive Dechlorination of Trichloroethylene (TCE) in Competition with Fe and Mn Oxides Observed Dynamics in H ₂ -dependent Terminal Electron Accepting Processes. <i>Geomicrobiology Journal</i> , 2016 , 33, 357-366	2.5	12
112	Unprecedentedly High Dust Ingestion Estimates for the General Population in a Mining District of DR Congo. <i>Environmental Science & Technology</i> , 2019 , 53, 7851-7858	10.3	12
111	Variability of the soil-to-plant radiocaesium transfer factor for Japanese soils predicted with soil and plant properties. <i>Journal of Environmental Radioactivity</i> , 2016 , 153, 51-60	2.4	12
110	Modelling reactive CAH transport using batch experiment degradation kinetics. <i>Water Research</i> , 2010 , 44, 2981-9	12.5	12
109	Model studies of corrosion-induced copper runoff fate in soil. <i>Environmental Toxicology and Chemistry</i> , 2006 , 25, 683-91	3.8	12
108	A statistical thermodynamical description of the cation distribution and ion exchange in zeolites. <i>The Journal of Physical Chemistry</i> , 1991 , 95, 9908-9911		12
107	Farmyard manure application has little effect on yield or phosphorus supply to irrigated rice growing on highly weathered soils. <i>Field Crops Research</i> , 2016 , 198, 61-69	5.5	12
106	Seed weight affects shoot and root growth among and within soybean genotypes beyond the seedling stage: implications for low P tolerance screening. <i>Plant and Soil</i> , 2016 , 401, 65-78	4.2	11
105	Combining phosphorus placement and water saving technologies enhances rice production in phosphorus-deficient lowlands. <i>Field Crops Research</i> , 2019 , 236, 177-189	5.5	11
104	Distribution of a dechlorinating community in relation to the distance from a trichloroethene dense nonaqueous phase liquid in a model aquifer. <i>FEMS Microbiology Ecology</i> , 2012 , 81, 636-47	4.3	11
103	Colloidal-Bound Polyphosphates and Organic Phosphates Are Bioavailable: A Nutrient Solution Study. <i>Journal of Agricultural and Food Chemistry</i> , 2017 , 65, 6762-6770	5.7	11
102	Derivation of ecological standards for risk assessment of molybdate in soil. <i>Environmental Chemistry</i> , 2016 , 13, 168	3.2	11
101	Assessing the ability of soil tests to estimate labile phosphorus in agricultural soils: Evidence from isotopic exchange. <i>Geoderma</i> , 2019 , 337, 350-358	6.7	11
100	The impact of fermentation on the distribution of cadmium in cacao beans. <i>Food Research International</i> , 2020 , 127, 108743	7	11
99	Occupational Exposure to Metals in Shooting Ranges: A Biomonitoring Study. <i>Safety and Health at Work</i> , 2019 , 10, 87-94	4	10
98	Labile complexes facilitate cadmium uptake by Caco-2 cells. <i>Science of the Total Environment</i> , 2012 , 426, 90-9	10.2	10
97	Acidification due to microbial dechlorination near a trichloroethene DNAPL is overcome with pH buffer or formate as electron donor: experimental demonstration in diffusion-cells. <i>Journal of Contaminant Hydrology</i> , 2013 , 147, 25-33	3.9	10

96	The quantity and quality of dissolved organic matter as supplementary carbon source impacts the pesticide-degrading activity of a triple-species bacterial biofilm. <i>Applied Microbiology and Biotechnology</i> , 2014 , 98, 931-43	5.7	10
95	Identifying the cause of soil cadmium contamination with Monte Carlo mass balance modelling: a case study from Potosi, Bolivia. <i>Environmental Technology (United Kingdom)</i> , 2012 , 33, 555-61	2.6	10
94	Foliar uptake of radiocaesium from irrigation water by paddy rice (<i>Oryza sativa</i>): an overlooked pathway in contaminated environments. <i>New Phytologist</i> , 2017 , 214, 820-829	9.8	9
93	Steeping and germination of wheat (<i>Triticum aestivum</i> L.). I. Unlocking the impact of phytate and cell wall hydrolysis on bio-accessibility of iron and zinc elements. <i>Journal of Cereal Science</i> , 2019 , 90, 1028-1037	3.8	9
92	A systematic evaluation of Flow Field Flow Fractionation and single-particle ICP-MS to obtain the size distribution of organo-mineral iron oxyhydroxide colloids. <i>Journal of Chromatography A</i> , 2019 , 1599, 203-214	4.5	9
91	Modelling heterogeneous phosphate sorption kinetics on iron oxyhydroxides and soil with a continuous distribution approach. <i>European Journal of Soil Science</i> , 2018 , 69, 475-487	3.4	9
90	Effects of organic matter addition on phosphorus availability to flooded and nonflooded rice in a P-deficient tropical soil: a greenhouse study. <i>Soil Use and Management</i> , 2015 , 31, 10-18	3.1	9
89	Investigation on the control of phosphate leaching by sorption and colloidal transport: Column studies and multi-surface complexation modelling. <i>Applied Geochemistry</i> , 2019 , 100, 371-379	3.5	9
88	Field-scale demonstration of in situ immobilization of heavy metals by injecting iron oxide nanoparticle adsorption barriers in groundwater. <i>Journal of Contaminant Hydrology</i> , 2021 , 237, 103741	3.9	9
87	Mitigating the level of cadmium in cacao products: Reviewing the transfer of cadmium from soil to chocolate bar. <i>Science of the Total Environment</i> , 2021 , 781, 146779	10.2	9
86	Natural dissolved organic matter mobilizes Cd but does not affect the Cd uptake by the green algae <i>Pseudokirchneriella subcapitata</i> (Korschikov) in resin buffered solutions. <i>Aquatic Toxicology</i> , 2014 , 154, 80-6	5.1	8
85	Phytotoxic doses of boron in contrasting soils depend on soil water content. <i>Plant and Soil</i> , 2011 , 342, 73-82	4.2	8
84	Plant uptake of radiocaesium from artificially contaminated soil monoliths covering major European soil types. <i>Journal of Environmental Radioactivity</i> , 2009 , 100, 439-44	2.4	8
83	NATURAL OR CHEMICAL GROWTH REGULATION IN PEAR. <i>Acta Horticulturae</i> , 2005 , 503-516	0.3	8
82	Continuous shoot growth monitoring in hydroponics. <i>Physiologia Plantarum</i> , 1991 , 83, 83-92	4.6	8
81	Growth analysis of soil-grown spinach plants at different N-regimes. <i>Plant and Soil</i> , 1993 , 154, 73-80	4.2	8
80	The role of free sugars and amino acids in the regulation of biomass partitioning and plant growth. <i>Plant and Soil</i> , 1993 , 155-156, 191-194	4.2	8
79	Phosphorus recycling from urine using layered double hydroxides: A kinetic study. <i>Applied Clay Science</i> , 2019 , 182, 105255	5.2	7

78	Fate and bioavailability of phosphorus loaded to iron oxyhydroxide nanoparticles added to weathered soils. <i>Plant and Soil</i> , 2019 , 438, 297-311	4.2	7
77	Transformation-dissolution reactions partially explain adverse effects of metallic silver nanoparticles to soil nitrification in different soils. <i>Environmental Toxicology and Chemistry</i> , 2018 , 37, 2123-2131	3.8	7
76	Model-based rationalization of sulphur mineralization in soils using 35S isotope dilution. <i>Soil Biology and Biochemistry</i> , 2018 , 120, 1-11	7.5	7
75	Metals and Metalloid Removal by Colloidal Humic Acid/Goethite: Column Experiments and Geochemical Modeling. <i>Vadose Zone Journal</i> , 2019 , 18, 1-9	2.7	7
74	Residual phosphorus effects and nitrogen phosphorus interactions in soybean/maize rotations on a P-deficient Ferralsol. <i>Nutrient Cycling in Agroecosystems</i> , 2014 , 98, 187-201	3.3	7
73	Inhibition of iron (III) minerals and acidification on the reductive dechlorination of trichloroethylene. <i>Chemosphere</i> , 2014 , 111, 471-7	8.4	7
72	A resin buffered method for controlling metal speciation in nutrient solutions for plant toxicity tests. <i>Plant and Soil</i> , 2013 , 373, 257-267	4.2	7
71	Yield response of crops amended with sewage sludge in the field is more affected by sludge properties than by final soil metal concentration. <i>European Journal of Soil Science</i> , 2006 , 57, 858-867	3.4	7
70	Simultaneous determination of extractable sulphate and malate in plant extracts using ion chromatography. <i>Journal of Chromatography A</i> , 1990 , 514, 371-376	4.5	7
69	The effects of zinc on the structure and functioning of a freshwater community: A microcosm experiment. <i>Environmental Toxicology and Chemistry</i> , 2016 , 35, 2698-2712	3.8	7
68	Solid-state speciation of interlayer anions in layered double hydroxides. <i>Journal of Colloid and Interface Science</i> , 2019 , 537, 151-162	9.3	7
67	Sub-millimeter distribution of labile trace element fluxes in the rhizosphere explains differential effects of soil liming on cadmium and zinc uptake in maize. <i>Science of the Total Environment</i> , 2020 , 738, 140311	10.2	6
66	The combined and interactive effects of zinc, temperature, and phosphorus on the structure and functioning of a freshwater community. <i>Environmental Toxicology and Chemistry</i> , 2018 , 37, 2413-2427	3.8	6
65	Recovery of soil ammonia oxidation after long-term zinc exposure is not related to the richness of the bacterial nitrifying community. <i>Microbial Ecology</i> , 2013 , 66, 312-21	4.4	6
64	Electron donor limitations reduce microbial enhanced trichloroethene DNAPL dissolution: a flux-based analysis using diffusion-cells. <i>Chemosphere</i> , 2013 , 91, 7-13	8.4	6
63	Mineral bio-accessibility and intrinsic saccharides in breakfast flakes manufactured from sprouted wheat. <i>LWT - Food Science and Technology</i> , 2021 , 143, 111079	5.4	6
62	The phosphate desorption rate in soil limits phosphorus bioavailability to crops. <i>European Journal of Soil Science</i> , 2021 , 72, 221-233	3.4	6
61	Additive toxicity of zinc and arsenate on barley (<i>Hordeum vulgare</i>) root elongation. <i>Environmental Toxicology and Chemistry</i> , 2017 , 36, 1556-1562	3.8	5

60	The labile fractions of metals and arsenic in mining-impacted soils are explained by soil properties and metal source characteristics. <i>Journal of Environmental Quality</i> , 2020 , 49, 417-427	3.4	5
59	Can Diffusive Gradients in Thin Films (DGT) Technique and Chemical Extraction Methods Successfully Predict both Zn Bioaccumulation Patterns in Plant and Leaching to Groundwater in Soils Amended with Engineered ZnO Nanoparticles?. <i>Journal of Soil Science and Plant Nutrition</i> , 2020 , 20, 1714-1731	3.2	5
58	Dissolved organic carbon concentrations and fluxes correlate with land use and catchment characteristics in a semi-arid drainage basin of Iran. <i>Catena</i> , 2012 , 95, 177-183	5.8	5
57	Mineralization of sulfur from organic residues assessed by inverse isotope dilution. <i>Soil Biology and Biochemistry</i> , 2006 , 38, 2278-2284	7.5	5
56	Fate of Radiocesium in Soil and Rhizosphere 2000 ,		5
55	Surface soil liming reduces cadmium uptake in cacao seedlings but subsurface uptake is enhanced. <i>Journal of Environmental Quality</i> , 2020 , 49, 1359-1369	3.4	5
54	Pronounced Antagonism of Zinc and Arsenate on Toxicity to Barley Root Elongation in Soil. <i>Environments - MDPI</i> , 2018 , 5, 83	3.2	5
53	Stoichiometric responses to nano ZnO under warming are modified by thermal evolution in <i>Daphnia magna</i> . <i>Aquatic Toxicology</i> , 2018 , 202, 90-96	5.1	4
52	Testing soil phosphorus in a depleting P scenario: an accelerated soil mining experiment. <i>European Journal of Soil Science</i> , 2018 , 69, 804-815	3.4	4
51	Does soil water saturation mobilize metals from riparian soils to adjacent surface water? A field monitoring study in a metal contaminated region. <i>Environmental Sciences: Processes and Impacts</i> , 2013 , 15, 1181-90	4.3	4
50	Modelling ¹³⁷ Cs uptake in plants from undisturbed soil monoliths. <i>Journal of Environmental Radioactivity</i> , 2005 , 81, 187-99	2.4	4
49	In-stream oxygenation to mitigate internal loading of phosphorus in lowland streams. <i>Journal of Hydrology</i> , 2020 , 590, 125536	6	4
48	Bioavailability and Ecotoxicity of Lead in Soil: Implications for Setting Ecological Soil Quality Standards. <i>Environmental Toxicology and Chemistry</i> , 2021 , 40, 1950-1963	3.8	4
47	Derivation of ecological criteria for copper in land-applied biosolids and biosolid-amended agricultural soils. <i>Journal of Environmental Management</i> , 2016 , 183, 945-951	7.9	4
46	Motile <i>Geobacter</i> dechlorinators migrate into a model source zone of trichloroethene dense non-aqueous phase liquid: experimental evaluation and modeling. <i>Journal of Contaminant Hydrology</i> , 2014 , 170, 28-38	3.9	3
45	Soil flooding and rice straw addition can increase isotopic exchangeable phosphorus in P-deficient tropical soils. <i>Soil Use and Management</i> , 2014 , 30, n/a-n/a	3.1	3
44	Inhibition of <i>Geobacter</i> dechlorinators at elevated trichloroethene concentrations is explained by a reduced activity rather than by an enhanced cell decay. <i>Environmental Science & Technology</i> , 2013 , 47, 1510-7	10.3	3
43	Screening willow clones for Radiocesium uptake at varying potassium supply in solution culture. <i>International Journal of Phytoremediation</i> , 2000 , 2, 243-253	3.9	3

42	Analysis of the genotypic variation in radiocaesium uptake from soil. <i>Plant and Soil</i> , 1993 , 155-156, 431-434	4.4	3
41	The concentration and size distribution of iron-rich colloids in pore waters are related to soil organic matter content and pore water calcium concentration. <i>European Journal of Soil Science</i> , 2021 , 72, 2199-2214	3.4	3
40	DGT and Bioavailability	216-262	3
39	Zinc toxicity to <i>Daphnia magna</i> in a two-species microcosm can be predicted from single-species test data: The effects of phosphorus supply and pH. <i>Environmental Toxicology and Chemistry</i> , 2018 , 37, 2153-2164	3.8	3
38	Antimonate sorption in soils increases with ageing. <i>European Journal of Soil Science</i> , 2019 , 71, 55	3.4	2
37	FTIR Analysis of Soil Organic Matter to Link the Turnover of Organic Inputs with Carbon Respiration Rates	2013, 37-42	2
36	Hazard Assessment of Inorganic Metals and Metal Substances in Terrestrial Systems	2007, 113-133	2
35	Millimetre-resolution mapping of citrate exuded from soil-grown roots using a novel, low-invasive sampling technique. <i>Journal of Experimental Botany</i> , 2021 , 72, 3513-3525	7	2
34	Steeping and germination of wheat (<i>Triticum aestivum</i> L.). II. Changes in spatial distribution and speciation of iron and zinc elements using pearling, synchrotron X-ray fluorescence microscopy mapping and X-ray absorption near-edge structure imaging. <i>Journal of Cereal Science</i> , 2019 , 90, 102843	3.8	2
33	Farm yard manure application mitigates aluminium toxicity and phosphorus deficiency for different upland rice genotypes. <i>Journal of Agronomy and Crop Science</i> , 2021 , 207, 148-162	3.9	2
32	Failures in agricultural innovation due to poor understanding of farmers' predispositions. <i>Development in Practice</i> , 2018 , 28, 691-704	1.3	2
31	Contamination of water and food crops by trace elements in the African Copperbelt: A collaborative cross-border study in Zambia and the Democratic Republic of Congo. <i>Environmental Advances</i> , 2021 , 6, 100103	3.5	2
30	Exposure of humic acid-coated goethite colloids to groundwater does not affect their adsorption of metal(loid)s and their impact on Daphnid mobility. <i>Science of the Total Environment</i> , 2021 , 797, 149153	10.2	2
29	Bioenhanced dissolution of dense non-aqueous phase of trichloroethylene as affected by iron reducing conditions: model systems and environmental samples. <i>Chemosphere</i> , 2015 , 119, 1113-1119	8.4	1
28	Environmental Toxicity Assessment of Complex Inorganic Materials	2018, 97-125	1
27	Rejoinder to the comment on: S. Nawara, T. van Dael, R. Merckx, F. Amery, A. Elsen, W. Odeurs, H. Vandendriessche, S. McGrath, C. Roisin, C. Jouany, S. Pellerin, P. Denoroy, B. Eichler-Lbermann, G. Bÿjesson, P. Goos, W. Akkermans & E. Smolders. A comparison of soil tests for available phosphorus in long-term field experiments in Europe. <i>European Journal of Soil Science</i> , 2018 , 69, 749-751	3.4	1
26	Limited effects of the soluble organic phosphorus fraction on the root phosphorus uptake efficiency of upland rice genotypes grown in acid soil. <i>Soil Science and Plant Nutrition</i> , 2021 , 67, 120-129	1.6	1
25	Water and phosphorus uptake by upland rice root systems unraveled under multiple scenarios: linking a 3D soil-root model and data		1

24	Micro-dose placement of phosphorus induces deep rooting of upland rice. <i>Plant and Soil</i> , 2021 , 463, 187-204	4.4	1
23	Characterisation of the highly selective caesium sorption on glauconite rich sands of contrasting geological formations. <i>Applied Geochemistry</i> , 2021 , 128, 104926	3.5	1
22	Correlated Ni, Cu, and Zn Sensitivities of 8 Freshwater Algal Species and Consequences for Low-Level Metal Mixture Effects. <i>Environmental Toxicology and Chemistry</i> , 2021 , 40, 2015-2025	3.8	1
21	Internal loading of phosphate in rivers reduces at higher flow velocity and is reduced by iron rich sand application: an experimental study in flumes. <i>Water Research</i> , 2021 , 198, 117160	12.5	1
20	Impact of Mineral Ions and Their Concentrations on Pasting and Gelation of Potato, Rice, and Maize Starches and Blends Thereof. <i>Starch/Staerke</i> , 2021 , 73, 2000110	2.3	1
19	Dynamics of soil phosphorus measured by ammonium lactate extraction as a function of the soil phosphorus balance and soil properties. <i>Geoderma</i> , 2021 , 385, 114855	6.7	1
18	Radiocaesium bioavailability to flooded paddy rice is related to soil solution radiocaesium and potassium concentrations. <i>Plant and Soil</i> , 2018 , 428, 415-426	4.2	1
17	Suwannee River Natural Organic Matter concentrations affect the size and phosphate uptake of colloids formed by iron oxidation. <i>Geochimica Et Cosmochimica Acta</i> , 2021 , 312, 375-391	5.5	1
16	Gypsum application lowers cadmium uptake in cacao in soils with high cation exchange capacity only: A soil chemical analysis. <i>European Journal of Soil Science</i> , 2022 , 73,	3.4	1
15	Cadmium migration from nib to testa during cacao fermentation is driven by nib acidification. <i>LWT - Food Science and Technology</i> , 2022 , 157, 113077	5.4	0
14	Estimation of the natural background of phosphate in a lowland river using tidal marsh sediment cores. <i>Biogeosciences</i> , 2022 , 19, 763-776	4.6	0
13	Layered Double Hydroxides as Slow-Release Fertilizer Compounds for the Micronutrient Molybdenum. <i>Journal of Agricultural and Food Chemistry</i> , 2021 , 69, 14501-14511	5.7	0
12	Iron rich glauconite sand as an efficient phosphate immobilising agent in river sediments.. <i>Science of the Total Environment</i> , 2021 , 811, 152483	10.2	0
11	Physico-chemical Characteristics and Nitrogen Use Efficiency of Nine Human Urine-Based Fertilizers in Greenhouse Conditions. <i>Journal of Soil Science and Plant Nutrition</i> , 1	3.2	0
10	Interactive Metal Mixture Toxicity to <i>Daphnia magna</i> Populations as an Emergent Property in a Dynamic Energy Budget Individual-Based Model. <i>Environmental Toxicology and Chemistry</i> , 2021 , 40, 3034-3048	3.8	0
9	Population collapse or human resilience in response to the 9.3 and 8.2 ka cooling events: A multi-proxy analysis of Mesolithic occupation in the Scheldt basin (Belgium). <i>Journal of Anthropological Archaeology</i> , 2021 , 64, 101348	1.9	0
8	Validating the Use of a Toxicity Database for Prediction of Plant Cover and Biodiversity in Multi-Metal Mining-Impacted Soils. <i>Environmental Toxicology and Chemistry</i> , 2020 , 39, 1826-1838	3.8	
7	Long-term application of compost versus other organic fertilizers: effects on phosphorus leaching. <i>Acta Horticulturae</i> , 2016 , 213-220	0.3	

- 6 Utilization of XANES Imaging in Assessing Radiation Damage in Wheat.. *Microscopy and Microanalysis*, **2018**, 24, 486-487 0.5
- 5 Quantitative PCR assays to enumerate *Rhizobium leguminosarum* strains in soil also target non viable cells and overestimate those detected by the plant infection method. *Soil Biology and Biochemistry*, **2010**, 42, 2342-2344 7.5
- 4 Fixation of Cadmium and Zinc in Soils **2006**, 157-172
- 3 Molecular Composition of Microaggregates from Artificial Soils Based on Organic Wastes and Fe-Rich Mud by FTIR Analysis **2013**, 1137-1141
- 2 The sorption of caesium to glauconite sands obeys local equilibrium at environmentally relevant water flow rates. *Applied Geochemistry*, **2021**, 133, 105073 3.5
- 1 Reductive dechlorination at high aqueous TCE concentrations. *Communications in Agricultural and Applied Biological Sciences*, **2006**, 71, 165-9