

Keiichi Yamanaka

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8643690/publications.pdf>

Version: 2024-02-01

99
papers

1,530
citations

430754

18
h-index

330025

37
g-index

103
all docs

103
docs citations

103
times ranked

1889
citing authors

#	ARTICLE	IF	CITATIONS
1	Successful Treatment of Ulcerative-Type Pyoderma Gangrenosum with a Combination Therapy of Oral Prednisolone, Vacuum-Assisted Closure, and Skin Grafting. <i>Case Reports in Dermatology</i> , 2022, 13, 497-501.	0.3	3
2	Atezolizumab-Induced Sarcoidosis-Like Reaction in a Patient with Metastatic Breast Cancer. <i>Case Reports in Oncological Medicine</i> , 2022, 2022, 1-4.	0.2	1
3	Progressive vitiligo induced by recurrent melanoma. <i>Clinical Case Reports (discontinued)</i> , 2022, 10, e05290.	0.2	0
4	Adalimumab in Japanese patients with active ulcers of pyoderma gangrenosum: Final analysis of a <sc>52-week</sc> phase 3 open-label study. <i>Journal of Dermatology</i> , 2022, 49, 479-487.	0.6	11
5	A Case of Adult-Onset Eccrine Angiomatous Hamartoma—The Comparison with Epithelioid Hemangioma. <i>Dermatopathology (Basel, Switzerland)</i> , 2022, 9, 94-99.	0.7	0
6	A novel transmission of <i>Aeromonas hydrophila</i> via tick bites. <i>Journal of Dermatology</i> , 2022, 49, .	0.6	2
7	Severe skin inflammation leads to salivary gland atrophy and dysfunction. <i>Journal of Dermatology</i> , 2022, 49, 642-647.	0.6	6
8	Janus Kinase Inhibitors Ameliorated Gastrointestinal Amyloidosis and Hypoalbuminemia in Persistent Dermatitis Mouse Model. <i>International Journal of Molecular Sciences</i> , 2022, 23, 28.	1.8	12
9	Psoriasis-like skin lesions occurring at remote sites after topical imiquimod. <i>Journal of Dermatology</i> , 2022, 49, .	0.6	0
10	A Case of Papuloerythroderma Successfully Treated with Dupilumab. <i>Case Reports in Dermatology</i> , 2022, 14, 117-122.	0.3	3
11	IL-17A Is the Critical Cytokine for Liver and Spleen Amyloidosis in Inflammatory Skin Disease. <i>International Journal of Molecular Sciences</i> , 2022, 23, 5726.	1.8	6
12	Development of cutaneous squamous cell carcinoma during pembrolizumab therapy. <i>Journal of Dermatology</i> , 2021, 48, e7-e8.	0.6	2
13	A Case of Pruritic Urticarial Papules and Plaques of Pregnancy: Pathophysiology and Serum Cytokine Profile. <i>Case Reports in Dermatology</i> , 2021, 13, 18-22.	0.3	4
14	Palisaded neutrophilic granulomatous dermatitis, interstitial granulomatous dermatitis and IgA vasculitis associated with incomplete Sjögren's syndrome. <i>Journal of Dermatology</i> , 2021, 48, 556-558.	0.6	3
15	Immunoglobulin G levels against <i>Staphylococcus aureus</i> maintained before and after treatment of severe atopic dermatitis. <i>Journal of Dermatology</i> , 2021, 48, e277-e278.	0.6	0
16	Pathophysiology of psoriasis: A review. <i>Journal of Dermatology</i> , 2021, 48, 722-731.	0.6	60
17	Two Cases of Cutaneous Adverse Effects Induced by Tumor Necrosis Factor-Alpha Inhibitors. <i>Case Reports in Dermatology</i> , 2021, 13, 238-243.	0.3	1
18	The presence of Tularemia infection in patients with Japanese spotted fever. <i>Journal of Dermatology</i> , 2021, 48, 1277-1280.	0.6	1

#	ARTICLE	IF	CITATIONS
19	Three Cases of Lymphocytic Infiltration of the Eyelid. <i>Dermatopathology</i> (Basel, Switzerland), 2021, 8, 124-129.	0.7	1
20	Dominance of Methicillin-Resistant <i>Staphylococcus aureus</i> in a Japanese Infant with Recessive Dystrophic Epidermolysis Bullosa. <i>Case Reports in Dermatology</i> , 2021, 13, 278-281.	0.3	0
21	Whether to maintain or strengthen the treatment for pyoderma gangrenosum ulcerative type may depend on the response after two to four-week treatment intervention: The outcome of three cases with details clinical course. <i>Clinical Case Reports</i> (discontinued), 2021, 9, e04690.	0.2	4
22	Successful treatment with oral steroid and hydroxychloroquine in a patient with systemic lupus erythematosus upon COVID-19 infection: A case report with detailed laboratory data. <i>Clinical Case Reports</i> (discontinued), 2021, 9, e04700.	0.2	2
23	Psoriatic transversal nail grooves on biologics. <i>Clinical Case Reports</i> (discontinued), 2021, 9, e04606.	0.2	0
24	Subcutaneous <i>Aspergillus</i> nodule with cutaneous <i>Enterococcus</i> infection. <i>Oxford Medical Case Reports</i> , 2021, 2021, omab082.	0.2	0
25	Alternation in the cutaneous microbiome of herpes zoster lesion in a patient with severe coronavirus disease 2019. <i>International Journal of Dermatology</i> , 2021, 60, 1566-1567.	0.5	1
26	A Case of Î±-Gal-Unrelated Red Meat-Induced Urticaria Treated by Omalizumab. <i>Case Reports in Dermatology</i> , 2021, 13, 437-440.	0.3	0
27	Lymphocyte transformation test: The multiple positive results turned to all negative after influenza infection. <i>Clinical Case Reports</i> (discontinued), 2021, 9, e04806.	0.2	1
28	Possible HSP reactivation post-COVID-19 vaccination and booster. <i>Clinical Case Reports</i> (discontinued), 2021, 9, e05032.	0.2	11
29	A Microbiome-Derived Peptide Induces Apoptosis of Cells from Different Tissues. <i>Cells</i> , 2021, 10, 2885.	1.8	7
30	Reduction in Tumor Lesions and Exacerbation of Psoriatic Rash after Septic Shock in a Patient with Extramammary Paget's Disease. <i>Case Reports in Oncology</i> , 2021, 14, 1591-1595.	0.3	0
31	Consensus statements on pediatric atopic dermatitis from dermatology and pediatrics practitioners in Japan: Goals of treatment and topical therapy. <i>Allergology International</i> , 2020, 69, 84-90.	1.4	12
32	An indirect comparison of long-term efficacy of every-2-week dosing vs. recommended dosing of ixekizumab in patients who had static Physician's Global Assessment > 1 at week 12. <i>British Journal of Dermatology</i> , 2020, 183, 52-59.	1.4	2
33	Case of Japanese spotted fever infected 2 consecutive years. <i>Journal of Dermatology</i> , 2020, 47, e310-e311.	0.6	0
34	Emaciation, Congestive Heart Failure, and Systemic Amyloidosis in Severe Recessive Dystrophic Epidermolysis Bullosa: Possible Internal Complications Due to Skin-Derived Inflammatory Cytokines Derived from the Injured Skin. <i>Dermatopathology</i> (Basel, Switzerland), 2020, 7, 41-47.	0.7	4
35	Voriconazole-Induced Squamous Cell Carcinoma after Hematopoietic Stem Cell Transplantation Showing Early-Stage Vascular Invasion. <i>Dermatopathology</i> (Basel, Switzerland), 2020, 7, 48-52.	0.7	2
36	Adalimumab in Japanese patients with active ulcers of pyoderma gangrenosum: Twenty-six-week phase 3 open-label study. <i>Journal of Dermatology</i> , 2020, 47, 1383-1390.	0.6	21

#	ARTICLE	IF	CITATIONS
37	Skin Inflammation and Testicular Function: Dermatitis Causes Male Infertility via Skin-Derived Cytokines. <i>Biomedicines</i> , 2020, 8, 293.	1.4	9
38	Transition of Serum Cytokine Concentration in <i>Rickettsia japonica</i> Infection. <i>Infectious Disease Reports</i> , 2020, 12, 127-131.	1.5	5
39	Multiple tophi and exacerbated psoriatic erythroderma. <i>Journal of Dermatology</i> , 2020, 47, e260-e261.	0.6	0
40	The Role of Gut Microbiome in Psoriasis: Oral Administration of <i>Staphylococcus aureus</i> and <i>Streptococcus danieliae</i> Exacerbates Skin Inflammation of Imiquimod-Induced Psoriasis-Like Dermatitis. <i>International Journal of Molecular Sciences</i> , 2020, 21, 3303.	1.8	31
41	Systemic Dermatitis Model Mice Exhibit Atrophy of Visceral Adipose Tissue and Increase Stromal Cells via Skin-Derived Inflammatory Cytokines. <i>International Journal of Molecular Sciences</i> , 2020, 21, 3367.	1.8	10
42	Inflammatory Skin-Derived Cytokines Accelerate Osteoporosis in Mice with Persistent Skin Inflammation. <i>International Journal of Molecular Sciences</i> , 2020, 21, 3620.	1.8	19
43	Case of toxic epidermal necrolysis in immunocompromised patient possibly due to <i>Streptococcus pneumoniae</i> serotype uncovered by vaccine. <i>Journal of Dermatology</i> , 2020, 47, e106-e107.	0.6	0
44	Verruca Vulgaris and Seborrheic Keratosis Exacerbated by Immunosuppression. <i>Case Reports in Dermatological Medicine</i> , 2020, 2020, 1-3.	0.1	1
45	<i>Pyoderma gangrenosum</i> reproduced by an electric current flow. <i>Journal of Dermatology</i> , 2019, 46, e64-e66.	0.6	2
46	Mosquito Bite-Induced Localized NK/T-Cell Lymphoma Relapsed in a Patient with Complete Remission of Extranodal NK/T-Cell Lymphoma, Nasal Type. <i>Case Reports in Dermatology</i> , 2019, 11, 194-197.	0.3	1
47	Alopecia Diffusa while Using Interleukin-17 Inhibitors against Psoriasis Vulgaris. <i>Case Reports in Dermatology</i> , 2019, 11, 82-85.	0.3	18
48	Infantile bullous pemphigoid successfully treated with i.v. immunoglobulin and cyclosporin. <i>Journal of Dermatology</i> , 2019, 46, e213-e214.	0.6	2
49	Elevated plasma D-dimer levels in dermatomyositis patients with cutaneous manifestations. <i>Scientific Reports</i> , 2019, 9, 1410.	1.6	4
50	Psoriasiform Dermatitis Developing during Treatment of Juvenile Idiopathic Arthritis with Tocilizumab. <i>Case Reports in Dermatology</i> , 2019, 11, 317-321.	0.3	8
51	Vitamin D is no substitute for the sun. <i>Journal of Allergy and Clinical Immunology</i> , 2019, 143, 929-931.	1.5	4
52	Interleukin-17-dressed neutrophil: Neutrophil does not produce but delivers interleukin-17 to lesional epidermis causing keratinocyte S100A expression. <i>Indian Journal of Dermatology, Venereology and Leprology</i> , 2019, 85, 531.	0.2	0
53	Interleukin-17-mediated manifestation of psoriasis and tinea. <i>Australasian Journal of Dermatology</i> , 2018, 59, e233-e234.	0.4	0
54	Comparison of positive ratio for red meat-specific immunoglobulin E between endemic and non-endemic area for Japanese spotted fever in Mie Prefecture, Japan. <i>Journal of Dermatology</i> , 2018, 45, e311-e313.	0.6	2

#	ARTICLE	IF	CITATIONS
55	The Stenosis of Cerebral Arteries and Impaired Brain Glucose Uptake by Long-Lasting Inflammatory Cytokine Release from Dermatitis Rescued by Anti-IL-1 Therapy. <i>Journal of Investigative Dermatology</i> , 2018, 138, 2280-2283.	0.3	13
56	An Observational Study of the Treatment Satisfaction of Atopic Dermatitis Patients After Switching to a Water-in-oil Emulsion Ointment Formulation of Very Strong Topical Corticosteroids. <i>Nishinohon Journal of Dermatology</i> , 2018, 80, 147-155.	0.0	0
57	Case with cellulitis, lymphangitis and subcutaneous nodule suspected due to <i>Rickettsia japonica</i> carrying tick bite. <i>Journal of Dermatology</i> , 2017, 44, 1182-1183.	0.6	0
58	Neutrophils are not the dominant interleukin-17 producer in psoriasis. <i>Journal of Dermatology</i> , 2017, 44, e170-e171.	0.6	9
59	Successful combination therapy of propranolol and prednisolone for a case with congenital Kasabach-Merritt syndrome. <i>Journal of Dermatology</i> , 2017, 44, 1389-1391.	0.6	7
60	Skin inflammation leads immunoglobulin G aggregation and deposition in multiple organs. <i>Journal of Dermatological Science</i> , 2017, 88, 146-148.	1.0	8
61	Well-controlled juvenile dermatomyositis over 20 years recurred after delivery. <i>Journal of Dermatology</i> , 2017, 44, 855-857.	0.6	2
62	Case of dengue fever missed at the initial screening of an endemic area but developed later in Japan. <i>Journal of Dermatology</i> , 2017, 44, 847-848.	0.6	0
63	Restrictive IL-10 induction by an innocuous parainfluenza virus vector ameliorates nasal allergy. <i>Journal of Allergy and Clinical Immunology</i> , 2017, 139, 682-686.e7.	1.5	2
64	Case with acute urticaria by red meat after <i>Haemaphysalis longicornis</i> bite. <i>Journal of Dermatology</i> , 2017, 44, e168-e169.	0.6	4
65	A new biomarker for psoriasis. <i>British Journal of Dermatology</i> , 2016, 174, 1191-1192.	1.4	2
66	Two Japanese siblings affected with Chikungunya fever with different clinical courses: Imported infections from the Cook Islands. <i>Journal of Dermatology</i> , 2016, 43, 697-700.	0.6	5
67	Flutamide-induced photoleukomelanoderma. <i>Journal of Dermatology</i> , 2016, 43, 1105-1106.	0.6	3
68	Pyoderma gangrenosum and annular erythema associated with Sjögren's syndrome controlled with minocycline. <i>Journal of Dermatology</i> , 2015, 42, 834-836.	0.6	6
69	Improvement in early diagnosis of Japanese spotted fever by using a novel <i>Rickettsia</i> PCR system. <i>Journal of Dermatology</i> , 2015, 42, 1066-1071.	0.6	7
70	Band-like lipoatrophy on the forearm by injected triamcinolone acetonide to wrist joint. <i>Journal of Dermatology</i> , 2015, 42, 934-935.	0.6	3
71	Compound Heterozygous Mutation of Rag1 Leading to Omenn Syndrome. <i>PLoS ONE</i> , 2015, 10, e0121489.	1.1	9
72	Olopatadine, a non-sedating H1 antihistamine, decreases the nocturnal scratching without affecting sleep quality in atopic dermatitis. <i>Experimental Dermatology</i> , 2015, 24, 227-229.	1.4	17

#	ARTICLE	IF	CITATIONS
73	“Inflammatory skin march” IL-1-mediated skin inflammation, atopic dermatitis, and psoriasis to cardiovascular events. <i>Journal of Allergy and Clinical Immunology</i> , 2015, 136, 823-824.	1.5	41
74	Persistent Release of IL-1s from Skin Is Associated with Systemic Cardio-Vascular Disease, Emaciation and Systemic Amyloidosis: The Potential of Anti-IL-1 Therapy for Systemic Inflammatory Diseases. <i>PLoS ONE</i> , 2014, 9, e104479.	1.1	45
75	Continuous high-dose antigen exposure preferentially induces IL-10, but intermittent antigen exposure induces IL-4. <i>Experimental Dermatology</i> , 2014, 23, 63-65.	1.4	4
76	Biologic therapy improves psoriasis by decreasing the activity of monocytes and neutrophils. <i>Journal of Dermatology</i> , 2014, 41, 679-685.	0.6	31
77	Novel acoustic evaluation system for scratching behavior in itching dermatitis: Rapid and accurate analysis for nocturnal scratching of atopic dermatitis patients. <i>Journal of Dermatology</i> , 2014, 41, 233-238.	0.6	31
78	CD8+ T cell granzyme B activates keratinocyte endogenous IL-18. <i>Archives of Dermatological Research</i> , 2014, 306, 125-130.	1.1	25
79	Mutant interleukin-4/13 signaling blockade successfully suppresses acute phase inflammation. <i>Archives of Dermatological Research</i> , 2013, 305, 241-247.	1.1	4
80	Intranasally Administered Antigen 85B Gene Vaccine in Non-Replicating Human Parainfluenza Type 2 Virus Vector Ameliorates Mouse Atopic Dermatitis. <i>PLoS ONE</i> , 2013, 8, e66614.	1.1	8
81	Treatment of vitiligo vulgaris with the combination therapy of topical steroid and vitamin D3 compound. <i>Dermatology Reports</i> , 2012, 4, 8.	0.4	3
82	Therapeutic outcomes and immunological effects of sublingual immunotherapy for Japanese cedar pollinosis. <i>Clinical and Experimental Allergy Reviews</i> , 2012, 12, 29-35.	0.3	5
83	Calcineurin Inhibitors Suppress Cytokine Production from Memory T Cells and Differentiation of Naïve T Cells into Cytokine-Producing Mature T Cells. <i>PLoS ONE</i> , 2012, 7, e31465.	1.1	87
84	Ustekinumab Improves Psoriasis without Altering T Cell Cytokine Production, Differentiation, and T Cell Receptor Repertoire Diversity. <i>PLoS ONE</i> , 2012, 7, e51819.	1.1	22
85	Intratumoral Injection of <i>Propionibacterium acnes</i> Suppresses Malignant Melanoma by Enhancing Th1 Immune Responses. <i>PLoS ONE</i> , 2011, 6, e29020.	1.1	28
86	<i>Propionibacterium acnes</i> vaccination induces regulatory T cells and Th1 immune responses and improves mouse atopic dermatitis. <i>Experimental Dermatology</i> , 2011, 20, 157-158.	1.4	25
87	Granzyme B is a novel interleukin-18 converting enzyme. <i>Journal of Dermatological Science</i> , 2010, 59, 129-135.	1.0	109
88	Administration of Ag85B showed therapeutic effects to Th2-type cytokine-mediated acute phase atopic dermatitis by inducing regulatory T cells. <i>Archives of Dermatological Research</i> , 2009, 301, 151-157.	1.1	16
89	IL-4/IL-13 antagonist DNA vaccination successfully suppresses Th2 type chronic dermatitis. <i>British Journal of Dermatology</i> , 2009, 160, 1172-1179.	1.4	20
90	Human Mast Cell Chymase Cleaves Pro-IL-18 and Generates a Novel and Biologically Active IL-18 Fragment. <i>Journal of Immunology</i> , 2006, 177, 8315-8319.	0.4	123

#	ARTICLE	IF	CITATIONS
91	Anti-Ki antibodies recognize an epitope homologous with SV40 nuclear localization signal: clinical significance and reactivities in various immunoassays. <i>Modern Rheumatology</i> , 2002, 12, 0050-0055.	0.9	0
92	IL-18 induction of IgE: dependence on CD4+ T cells, IL-4 and STAT6. <i>Nature Immunology</i> , 2000, 1, 132-137.	7.0	307
93	Skin-Specific Caspase-1-Transgenic Mice Show Cutaneous Apoptosis and Pre-Endotoxin Shock Condition with a High Serum Level of IL-18. <i>Journal of Immunology</i> , 2000, 165, 997-1003.	0.4	130
94	Multicenter cooperative study of HLA class II alleles in Japanese patients with systemic lupus erythematosus. <i>Modern Rheumatology</i> , 2000, 10, 235-239.	0.9	4
95	Juvenile Xanthogranuloma of the Pelvic Origin: A Case Report. <i>European Journal of Pediatric Surgery</i> , 1995, 5, 246-247.	0.7	4
96	Compression Neuropathy of the Motor Branch of the Median Nerve Due to an Anomalous Thenar Muscle. <i>Journal of Hand Surgery</i> , 1994, 19, 711-722.	0.9	11
97	Detection and quantification of anti-ki antibodies by enzyme-linked immunosorbent assay using recombinant ki antigen. <i>Arthritis and Rheumatism</i> , 1992, 35, 667-671.	6.7	20
98	Characterization of a temperature-sensitive mutant in the RNA polymerase PB2 subunit gene of influenza A/WSN/33 virus. <i>Archives of Virology</i> , 1990, 114, 65-73.	0.9	17
99	Electrophysiological and mechanical characteristics of histamine receptors in smooth muscle cells of the guinea-pig ileum. <i>European Journal of Pharmacology</i> , 1987, 144, 29-37.	1.7	8